

Last updated: 19 January, 2025

CHIMILOIDES

Chimiloides Leclercq, 1951a:46 and 50. Type species: *Chimiloides nigromaculatus* (F. Smith, 1868) [= *Crabro nigromaculatus* F. Smith, 1868, by original designation.

Revision: Leclercq, 2007b

1. *doddi* (R. Turner)

Crabro doddi R. Turner, 1908:529, ♀, ♂ (♂ = *Chimiloides piliferus*). Syntypes: Australia: Queensland: Townsville (BMNH). – **As *Chimiloides doddi***: Leclercq, 1951a:50 (new generic assignment), 1954c:212 (in catalog of world Crabronini, redescription), 1974c:37 (Australia: Queensland, Victoria); R. Bohart and Menke, 1976:414 (in checklist of world Sphecidae); Cardale, 1985:273 (in catalog of Australian Sphecidae); Leclercq, 2007b:65 (in key to *Chimiloides*, bibliographic references, corrections to previous description).

Crabro erythrogaster R. Turner, 1910b:429, ♂. Holotype or syntypes: ♂, Australia: Queensland: Bundaberg (BMNH). Synonymized with *Chimiloides doddi* by Leclercq, 1954c:212. – **As *Chimiloides erythrogaster***: Leclercq, 1951a:50 (new generic assignment, redescription).

As *Chimiloides nigromaculatus*: Leclercq, 1954c:211 (description of ♀ from Western Australia: Merredin), corrected to *Chimiloides doddi* by Leclercq, 2007b:65.

2. *nigromaculatus* (F. Smith)

Crabro nigromaculatus F. Smith, 1868b:249, ♀, actually ♂ (as *nigro-maculatus*, incorrect original hyphenation). Holotype or syntypes: ♂, Australia: Queensland: Moreton Bay (BMNH). – Froggatt, 1892:222 (in catalog of Australian Hymenoptera); Dalla Torre, 1897:612 (in catalog of world Sphecidae). – **As *Chimiloides nigromaculatus***: Leclercq, 1951a:50 (new generic assignment, type species of *Chimiloides*), 1954c:210 (in catalog of world Crabronini, redescription, description of ♀ which actually is *Chimiloides doddi*), 1974c:38 (Australia: Queensland, Victoria; additional description); R. Bohart and Menke, 1976:414 (in checklist of world Sphecidae); Cardale, 1985:273 (in catalog of Australian Sphecidae); Leclercq, 2007b:64, 65 9 (in key to *Chimiloides*).

3. *piliferus* Leclercq

Chimiloides piliferus Leclercq, 1954c:212, ♂. Holotype: ♂, Australia: Queensland: Townsville (BMNH). – Leclercq, 1974c:38 (description of ♀); R. Bohart and Menke, 1976:414 (in checklist of world Sphecidae); Cardale, 1985:273 (in catalog of Australian Sphecidae); Leclercq, 2007b:64, 65 (in key to *Chimiloides*), 66 (bibliographic references, collecting localities, diagnostic characters).