

Last updated: 13 April 2025

ENTOMOCRABRO

Entomocrabro Kohl, 1905b:356. Type species: *Crabro duckei* Kohl, 1905 [misspelled *dukei*], by monotypy.

Revisions: Leclercq, 1981a; 2006a.

1. *amahuaca* Pate

Entomocrabro amahuaca Pate, 1941d:53, ♂. Holotype: ♂, Peru: Pasco: Puerto Bermudez on Río Pichis (Cornell Univ.). – Soukup, 1943:265 (Peru); Leclercq, 1954c:194 (in catalog of world Crabronini); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Leclercq, 1981a:234 (in key to *Entomocrabro*), 237 (study of holotype; Colombia, Ecuador, Peru); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 51 (Ecuador, Peru); Rasmussen and Asenjo, 2009:8 (in checklist of Crabronidae of Peru).

2. *bequaerti* Pate

Entomocrabro bequaerti Pate, 1941d:59, ♀. Holotype: ♀, Guatemala: Moca (MCZ). – Leclercq, 1954c:194 (in catalog of world Crabronini); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Leclercq, 1981a:235 (in key to *Entomocrabro*), 238 (Guatemala; additional description); Hanson and Menke, 1995:640 (known from Costa Rica); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Ruíz Cancino, Coronado Blanco, Varela Fuente, and Horta Vega, 2002:663 (in checklist of Mexican Sphecidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 51 (Guatemala, Mexico).

3. *caleranus* Leclercq

Entomocrabro caleranus Leclercq, 1981a:238, ♀, ♂. Holotype: ♀, Argentina: Tucumán: Río La Calera (IML). – Leclercq, 1981a:235 (in key to *Entomocrabro*); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 51 (Argentina).

4. *callanicus* Leclercq

Entomocrabro callanicus Leclercq, 1981a:238, ♀. Holotype: ♀, Trinidad: Mundo Nuevo (FSAG). Paratypes: Colombia. – Leclercq, 1981a:237 (in key to *Entomocrabro*); Callan, 1991a:12 (Trinidad); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Starr and Hook, 2003:19 (in catalog of Aculeata of Trinidad, West Indies); Leclercq 2006a:51 (in key to *Entomocrabro*), 2007g:194 (holotype in FSAG).

5. *duckei* (Kohl)

Crabro duckei Kohl, 1905b:356, ♂, actually ♀ (as *Dukei*, incorrect original spelling (dedicated to A. Ducke, Article 32.5.1) and capitalization). Holotype: ♀, Brazil: Pará: Pará, now Belém (NHMW). – Ducke, 1907b:93 (Brazil: Maranhão State: Codo). – **As *Entomocrabro duckei***: Pate, 1941d:50 (new combination, diagnostic characters); Leclercq, 1954c:193 (in catalog of world Crabronini); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Leclercq, 1981a:236 (in key to *Entomocrabro*, as *dukei*), 239 (additional description, as *dukei*); Dollfuss, 1989:9 (type material in NHMW); Cambra, 1993:16 (Peru: Pakitza at 11°57'S 71°17'W); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 51 (Ecuador); Rasmussen and Asenjo, 2009:8 (in checklist of Crabronidae of Peru).

Entomocrabro richardsi Pate, 1941d:56, ♀. Holotype: ♀, Guyana: Moraballi Creek on Essequibo River (BMNH). Synonymized with *Entomocrabro duckei* by Leclercq, 1981a:239. – Leclercq, 1954c:194 (in catalog of world Crabronini); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Cambra, 1993:16 (Peru: Pakitza, 11°57'S 71°17'W).

6. *guairanus* Leclercq

Entomocrabro guairanus Leclercq, 2006a:51, ♀. Holotype: ♀, Paraguay: Paraná: Saltos del Guairá (AMNH). – Leclercq 2006a:50 (in key to *Entomocrabro*).

7. *narinensis* Leclercq

Entomocrabro narinensis Leclercq, 1981a:239, ♀. Holotype: ♀, Colombia: Narino: Barbacoas (BMNH). – Leclercq, 1981a:234 (in key to *Entomocrabro*); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 52 (Colombia).

8. *rurrenus* Leclercq

Entomocrabro rurrenus Leclercq, 1981a:240, ♀, ♂. Holotype: ♀, Bolivia: Rurrenabaque (Kansas Univ.). – Leclercq, 1981a:236 (in key to *Entomocrabro*); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:51 (in key to *Entomocrabro*), 52 (Argentina, Bolivia, Peru); Rasmussen and Asenjo, 2009:8 (in checklist of Crabronidae of Peru).

9. *sacuya* Pate

Entomocrabro sacuya Pate, 1941d:50, ♀. Holotype: ♀, Peru: Pasco: Puerto Bermudez on Río Pichis (Cornell Univ.). – Soukup, 1943:265 (Peru); Leclercq, 1954c:193 (in catalog of world Crabronini); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Leclercq, 1981a:235 (in key to *Entomocrabro*), 240 (Argentina, Colombia); Cambra, 1993:16 (Peru: Pakitza at 11°57'S 71°17'W); Leclercq 2006a:50 (in key to *Entomocrabro*), 52 (Brazil, Peru); Rasmussen and Asenjo, 2009:8 (in checklist of Crabronidae of Peru).

10. *sagax* Leclercq

Entomocrabro sagax Leclercq, 2006a:52, ♀, Peru: Amazonas: Río Utenbamba valley below Chachapayos (BMNH). – Leclercq 2006a:50 (in key to *Entomocrabro*); Rasmussen and Asenjo, 2009:8 (in checklist of Crabronidae of Peru).

11. *terricola* Leclercq

Entomocrabro terricola Leclercq, 1950h:93, ♀. Holotype: ♀, Ecuador: Santo Domingo (MNH). – Leclercq, 1954c:194 (in catalog of world Crabronini), 301 (nest and prey records); R. Bohart and Menke, 1976:377 (in checklist of world Sphecidae); Leclercq, 1981a:237 (in key to *Entomocrabro*), 240 (Ecuador; additional description); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:51 (in key to *Entomocrabro*), 52 (Ecuador, individual variation).

12. *yutonus* Leclercq

Entomocrabro yutonus Leclercq, 1981a:241, ♀, ♂. Holotype: ♀, Argentina: Jujuy: Yuto (AEI). – Leclercq, 1981a:235 (in key to *Entomocrabro*); Amarante, 2002:29 (in catalog of Neotropical Crabronidae); Leclercq 2006a:50 (in key to *Entomocrabro*), 52 (Argentina, Paraguay).