

Last updated: 24 January 2025

ENTOMOPISON

Entomopison Menke, 1968a:5. Type species: *Pison pilosum* F. Smith, by original designation. Described as subgenus, raised to genus by Menke, 2016:339.

Revision: Menke, 1988a (in revision of New World *Pison*).

1. *alini* (Antropov)

Pison alini Antropov, 1996:630, ♀, ♂. Holotype: ♂, Brazil: Buenos Aires area (ZMMU). – Amarante, 2002:46 (in catalog of Neotropical Crabronidae). – **As *Entomopison alini***: Menke, 2016:339 (new generic assignment).

2. *aureofaciale* (Strand)

Pison aureofaciale Strand, 1910a:174, ♀, ♂. Lectotype: ♂, Paraguay: Asunción (ZMHU), designated by Menke, 1988a:84. – Strand, 1912:289 (nest structure, parasites); R. Turner, 1916g:628 (bibliographic reference to original description); Strand, 1927:254 (in list of species described by the author); Menke, 1968a:7 (listed); R. Bohart and Menke, 1976:337 (in checklist of world Sphecidae); Menke, 1988a:84 (in revision of New World *Pison*; Paraguay and Brazil); Amarante, 1993:19 (northeastern Brazil); Pinto, Scaglia, Gobbi, Zacarin, and Zanardo, 2001:50 (nesting habits); Amarante, 2002:46 (in catalog of Neotropical Crabronidae). – **As *Entomopison aureofaciale***: Menke, 2016:339 (new generic assignment).

3. *convexifrons* (Taschenberg)

Pison convexifrons Taschenberg, 1870:18, ♀. Lectotype: ♀, Brazil: Rio de Janeiro: Nova Friburgo (Halle), designated by Menke, 1988a:75. – Kohl, 1885a:186 (in checklist of world *Pison*); Dalla Torre, 1897:711 (in catalog of world Hymenoptera); Menke, 1968a:7 (listed); R. Bohart and Menke, 1976:337 (in checklist of world Sphecidae); Menke, 1988a:75 (in revision of New World *Pison*; southeastern Brazil, eastern Paraguay, northeastern Argentina); Cambra, 1993:16 (Peru: Pakitza at 11°57'S 71°17'W); Amarante, 2002:46 (in catalog of Neotropical Crabronidae); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison convexifrons***: Menke, 2016:339 (new generic assignment).

4. *cooperi* (Menke)

As *Pison* sp. near *convexifrons*: Evans, 1972b:15 (Caribbeans: Island of Dominica), corrected to *Pison cooperi* by Menke, 1988a:78.

Pison cooperi Menke, 1988a:77, ♀, ♂. Holotype: ♂, Colombia: Amazonas: La Chorrera (BMNH). Paratypes: Costa Rica to Caribbean island of Dominica, south to northern Bolivia and central Brazil. – Dollfuss, 1989:11 (paratype in NHMW); Callan, 1991a:8 (Trinidad); Menke, 1992a:9 (Costa Rica), 1992b:10 (Venezuela); Cambra, 1993:16 (Peru: Pakitza at 11°57'S 71°17'W); Hanson and Menke, 1995:639 (known from Costa Rica); Amarante, 2002:46 (in catalog of Neotropical Crabronidae); Starr and Hook, 2003:19 (in catalog of Aculeata of Trinidad, West Indies); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison cooperi***: Menke, 2016:339 (new generic assignment).

5. *gnythos* (Menke)

Pison gnythos Menke, 1988a:86, ♂, ♀. Holotype: ♂, Guyana: Kartabo (AMNH). Paratypes: Colombia, Ecuador, Trinidad. – Callan, 1991a:8 (Trinidad); Menke, 1992a:9 (Costa Rica), 1992b:10 (Brazil), 1993d:11 (Costa Rica), 1993:7 (first record from Panama), 1994b:13 (Peru: Río Tambopata Reserve 30 km southwest of Puerto Maldonado); Hanson and Menke, 1995:639 (known from Costa Rica, as *gynthos*); Amarante, 2002:47 (in catalog of Neotropical Crabronidae, as *gnythus*); Starr and Hook, 2003:19 (in catalog of Aculeata of Trinidad, West Indies); Amarante, 2005a:11 (correction to his 2002 catalog); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison gnythos***: Menke, 2016:339 (new generic assignment).

6. *longicorne* (Menke)

Pison longicorne Menke, 1988a:78, ♀, ♂. Holotype: ♂, Paraguay: San Bernardino (NHMW). Paratypes: northwestern Mexico to northern Argentina. – Dollfuss, 1989:11 (holotype in NHMW); Menke, 1992a:9 (Costa Rica), 1992b:10 (Guatemala), 1993d:11 (Costa Rica); Hanson and Menke, 1995:639 (known from Costa Rica); Amarante, 2002:47 (in catalog of Neotropical Crabronidae); Silvestre, Demétrio, Trad, de Oliveira Lima, Auko, and de Souza, 2014:68 (Brazil: Mato Grosso do Sul: dry forests in Bodoquena Mountain Range and Brazilian Chaco); Trad and Silvestre, 2017:5 (Brazil: Mato Grosso do Sul). – **As *Entomopison longicorne***: Menke, 2016:339 (new generic assignment).

7. *oaxaca* (Menke)

Pison oaxaca Menke, 1988a:85, ♂. Holotype: ♂, Mexico: Oaxaca: Temascal (USNM). – Amarante, 2002:47 (in catalog of Neotropical Crabronidae). – **As *Entomopison oaxaca***: Menke, 2016:339 (new generic assignment).

8. *pilosum* (F. Smith)

Pison pilosum F. Smith, 1873c:295, ♀ (as *pilosus*, incorrect original termination). Holotype or syntypes: ♀, Brazil: Amazonas: Ega, now Tefé (BMNH). – Kohl, 1885a:188 (in checklist of world *Pison*); Dalla Torre, 1897:712 (in catalog of world Hymenoptera); Menke, 1968a:7 (listed); R. Bohart and Menke, 1976:337 (in checklist of world Sphecidae); Menke, 1988a:81 (in revision of New World *Pison*; Mexico to Colombia, Trinidad and Guyana, associated females range from Mexico to Brazil); Callan, 1991a:8 (Trinidad); Menke, 1992a:10 (Costa Rica); Hanson and Menke, 1995:639 (known from Costa Rica); Amarante, 1993:19 (northeastern Brazil, perhaps *vincenti*); Menke, 1993d:11 (Costa Rica); Cambra and Santos, 2000:53 (Panama: Isla de Coibita in Parque Nacional Coiba, Pacific Ocean); Amarante, 2002:47 (in catalog of Neotropical Crabronidae); Starr and Hook, 2003:19 (in catalog of Aculeata of Trinidad, West Indies); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison pilosum***: Menke, 2016:339 (new generic assignment).

9. *sphaerophallus* (Menke)

Pison sphaerophallus Menke, 1988a:88, ♂, ♀. Holotype: ♂, Colombia: Meta: La Macarena (BMNH). Paratypes: Ecuador, Peru, Guyana, Suriname, Brazil (Amazon basin). – Dollfuss, 1989:11 (paratype in NHMW); Amarante, 2002:47 (in catalog of Neotropical Crabronidae); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison sphaerophallus***: Menke, 2016:339 (new generic assignment).

10. *vincenti* (Menke)

Pison vincenti Menke, 1988a:84, ♂, ♀. Holotype: ♂, Ecuador: Napo: Tena (USNM). – Amarante, 1993:19 (northeastern Brazil, *Pison vincenti* or *pilosum*), 2002:47 (in catalog of Neotropical Crabronidae). – **As *Entomopison vincenti***: Menke, 2016:339 (new generic assignment).

11. *wasbaueri* (Menke)

Pison wasbaueri Menke, 1988a:76, ♂, ♀. Holotype: ♂, Argentina: Salta: Rosario de Lerma (CSDA). – Menke, 1992b:10 (Argentina); Cambra, 1993:16 (Peru: Pakitza at 11°57'S 71°17'W); Amarante, 2002:47 (in catalog of Neotropical Crabronidae); Rasmussen and Asenjo, 2009:12 (in checklist of Crabronidae of Peru). – **As *Entomopison wasbaueri***: Menke, 2016:339 (new generic assignment).