

Last updated: 22 August, 2020

HARPACTOSTIGMA

Harpactostigma Ashmead, 1899d:299. Type species: *Hoplisus velutinus* Spinola, 1851, by original designation and monotypy.

In key to genera of Gorytina: R. Bohart, 2000:119; Nemkov, 2010b:502.

1. *velutinum* (Spinola)

Hoplisus velutinus Spinola, 1851a:338, ♀, ♂. Holotype or syntypes: ♂, Chile: no specific locality (Torino). – Reed, 1894:638 (in revision of Scoliidae, Pompilidae, and Sphecidae of Chile); Schrottky, 1913a:227 (Argentina: Mendoza). – **As *Gorytes velutinus***: F. Smith, 1856:365 (new combination, in catalog of Hymenoptera in British Museum); Handlirsch, 1888b:459 (in revision of world Bembicinae), 1888c:68 (mimicry with *Gayella eumenoides* Spinola); Dalla Torre, 1897:556 (in catalog of world Sphecidae); Brèthes, 1909a:461 (Argentina: Mendoza: Chacras de Coria); Jörgensen, 1912:292 (Argentina: Mendoza Province); Jaffuel and Piri6n, 1926:378 (Chile: Marga Marga); Maidl and Klima, 1939:72 (in catalog of world Astatinae and Bembicinae); Ru6z Pereira, 1942:32 (common to Chile and Argentina). – **As *Oryttus velutinus***: R. Bohart, 1968d:436 (new combination, in revision of New World *Oryttus*); R. Bohart and Menke, 1976:508 (in checklist of world Sphecidae); Sielfeld, 1980b:75 (in checklist of Chilean Sphecidae); Chiappa, 2012:9 (Chile: Regi6n de Valpara6so: no specific locality). – **As *Harpactostigma velutinum***: Ashmead, 1899d:299 (new combination, type of *Harpactostigma*, as *velutinus*); Pate, 1938a:76 (new combination, revision); R. Bohart, 2000:180 (in revision of Neotropical Gorytini); Amarante, 2002:14 (in catalog of Neotropical Crabronidae).

SPECIES DESCRIBED IN *HARPACTOSTIGMA* AND TRANSFERRED TO *LIOGORYTES*

llanoi Fritz, 1964 = *Liogorytes*

patagonica Fritz, 1959 = *Liogorytes*