

Last updated: 13 January 2025

LOSADA

Losada Pate, 1940c:2. Type species: *Losada paria* Pate, 1940, by original designation and monotypy.

1. *mutilloides* (Ducke)

Nysson mutilloides Ducke, 1903:266, ♀. Syntypes: Brazil: Pará and Itaituba (depository?). – Maidl and Klima, 1939:145 (in catalog of world Astatinae and Bembicinae, in subgenus *Foxia*); Nascimento, 1979:13 (syntype in Mus. Goeldi, Bélem); Nascimento and Overal, 1979:9 (in list of Hymenoptera described by Adolfo Ducke). – **As *Foxia mutilloides***: Pate, 1938c:150 (new generic assignment, in revision of *Foxia*). – **As *Losada mutilloides***: R. Bohart and Menke, 1976:480 (new generic assignment, in checklist of world Sphecidae); Nascimento and Overal, 1980:7 (Brazil); Amarante, 2002:21 (in catalog of Neotropical Crabronidae).

2. *paria* Pate

Losada paria Pate, 1940c:4, ♀. Holotype: ♀, Venezuela: Estado Carabobo: San Esteban (ANSP). – R. Bohart and Menke, 1976:480 (in checklist of world Sphecidae); H. Allen, 1995:15 (type in ANSP); Amarante, 2002:21 (in catalog of Neotropical Crabronidae).

3. *penai* Fritz

Losada penai Fritz, 1973:200, ♀. Holotype: ♀, Paraguay: Pirapió (originally M. Fritz collection, now MACN). – R. Bohart and Menke, 1976:629 (in checklist of world Sphecidae); Fritz, 1993:16 (holotype in M. Fritz collection); Amarante, 2002:21 (in catalog of Neotropical Crabronidae), 2005a:9 (correction to his 2002 catalog); Cipola, de Pádua, Schoeninger, de Olivera, de Souza Gadelha, and Cyrino Zequi, 2022:3 (Brasil: Mato Grosso: Passo do Lontra at 19°34'36"S, 57°01'08"W in South Pantanal), 6 (diagnostic characters).