

Last updated: 26 January 2025

MISCOPHOIDELLUS

Miscophoidellus Menke in Bohart and Menke, 1976:322 (as subgenus of *Miscophoides*). Type species: *Miscophoides formosus* Arnold, 1925, by original designation by Menke in R. Bohart and Menke, 1976:45.

Revision: Lomholdt, 1985.

1. *formosus* (Arnold)

Miscophoides formosus Arnold, 1924:29, ♀. Holotype: ♀, Zimbabwe: Sawmills (Bulawayo). – Arnold, 1930:8 (in checklist of Afrotropical Sphecidae); R. Bohart and Menke, 1976:322 (in checklist of world Sphecidae; in subgenus *Miscophoidellus*); Hancock, Chahwanda, and Mhlanga, 1995:38 (holotype in Bulawayo Museum). – **As *Miscophoidellus formosus***: Lomholdt, 1985:158 (new generic assignment, in revision of southern African Miscophini).

2. *minutus* (Arnold)

Miscophoides minutus Arnold, 1952:482, ♀, ♂. Lectotype: ♀, South Africa: Eastern Cape Province: Algoa Bay (TMP), designated by Lomholdt, 1985:159. – Bohart and Menke, 1976:322 (in checklist of world Sphecidae; in subgenus *Miscophoidellus*). – **As *Miscophoidellus minutus***: Lomholdt, 1985:159 (new generic assignment generic assignment, in revision of southern African Miscophini).