

Last updated: 14 February 2020

SPHODROTES

Sphodrotes Kohl, 1889b:188. Type species: *Sphodrotes punctuosa* Kohl, 1889, by monotypy.

Revision: Lomholdt, 1983

1. *acuticollis* Lomholdt

Sphodrotes acuticollis Lomholdt, 1983:96, ♂. Holotype: ♂, Australia: Northern Queensland: no specific locality (BMNH). – Cardale, 1985:254 (in catalog of Australian Sphecidae).

2. *cygnorum* R. Turner

Sphodrotes cygnorum R. Turner, 1910a:349, ♀. Holotype or syntypes: ♀, Western Australia: Claremont (BMNH). – R. Turner, 1914c:345 (in revision of *Sphodrotes*); R. Bohart and Menke, 1976:91 (in checklist of world Sphecidae); Lomholdt, 1983:101 (in revision of *Sphodrotes*); Cardale, 1985:254 (in catalog of Australian Sphecidae).

3. *dearmata* Lomholdt

Sphodrotes dearmata Lomholdt, 1983:96, ♀. Holotype: ♀, Western Australia: 10 mi. west of Mullewa (ANIC). – Cardale, 1985:254 (in catalog of Australian Sphecidae).

4. *marginalis* R. Turner

Sphodrotes marginalis R. Turner, 1914c:346, ♀. Lectotype: ♀, Australia: Queensland: Maryborough (BMNH), designated by Lomholdt, 1983:105. – R. Bohart and Menke, 1976:91 (in checklist of world Sphecidae); Lomholdt, 1983:105 (in revision of *Sphodrotes*, description of ♂); Cardale, 1985:254 (in catalog of Australian Sphecidae).

5. *nemoralis* Evans

Sphodrotes nemoralis Evans, 1973e:311, ♀, ♂. Holotype: ♀, Australia: Queensland: Kuranda (ANIC). – R. Bohart and Menke, 1976:91 (in checklist of world Sphecidae); Lomholdt, 1983:109 (in revision of *Sphodrotes*); Cardale, 1985:254 (in catalog of Australian Sphecidae).

6. *occidentalis* Lomholdt

Sphodrotes occidentalis Lomholdt, 1983:102, ♀, ♂. Holotype: ♀, Western Australia: Busselton (West Australian Museum, Perth). – Cardale, 1985:255 (in catalog of Australian Sphecidae).

7. *ordinaria* Lomholdt

Sphodrotes ordinaria Lomholdt, 1983:89, ♀, ♂. Holotype: ♀: Australia: Northern Territory: 12-17 mi. east of Alice Springs (H. Evans coll., now?). Paratypes: New South Wales, Queensland, South Australia. – Cardale, 1985:255 (in catalog of Australian Sphecidae).

8. *prima* Lomholdt

Sphodrotes prima Lomholdt, 1983:103, ♀, ♂. Holotype: ♀, Western Australia: Carnamah (ANIC). – Cardale, 1985:255 (in catalog of Australian Sphecidae).

9. *punctuosa* Kohl

Sphodrotes punctuosa Kohl, 1889b:189, ♂. Holotype: ♂, Australia: New South Wales: no specific locality (NHMW). – Dalla Torre, 1897:578 (in catalog of world Sphecidae; as *punctuosus*); R. Turner, 1914a:620 (Australia: New South Wales, Tasmania), 1914c:344 (in revision of *Sphodrotes*, as *punctuosus*), 1915b:552 (Tasmania: Eaglehawk Neck, as *punctuosus*); R. Bohart and Menke, 1976:91 (in checklist of world Sphecidae, as *punctuosus*); Lomholdt, 1983:98 (in revision of *Sphodrotes*); Cardale, 1985:255 (in catalog of Australian Sphecidae); Dollfuss, 1989:12 (holotype in

NHMW, as *punctuosus*); K. Walker, Naumann, Austin, Taylor, and Cardale, 1992:48 (in catalog of insects of Tasmania).

10. *rubra* Lomholdt

Sphodrotes rubra Lomholdt, 1983:94, ♀, ♂. Holotype: ♀, Australia: Northern Territory: Simpson Desert 44-45 km northeast of Andado Homestead (ANIC). Paratypes: New South Wales, South Australia. – Cardale, 1985:255 (in catalog of Australian Sphecidae).

11. *rubricata* R. Turner

Sphodrotes rubricata R. Turner, 1910b:426, ♀, ♂ (as *rubricatus*, incorrect original termination). Lectotype: ♀, Australia: South Australia: Adelaide (BMNH), designated by Lomholdt, 1983:91. – R. Turner, 1914c:346 (in revision of *Sphodrotes*); R. Bohart and Menke, 1976:304 (in checklist of world Sphecidae); Cardale, 1985:255 (in catalog of Australian Sphecidae).

Sphodrotes pilosella R. Turner, 1910b:427, ♂ (as *pilosellus*, incorrect original termination). Holotype or syntypes: ♂, Australia: Queensland: Cairns (BMNH). Synonymized with *Sphodrotes rubricata* by Lomholdt, 1983:91. – R. Turner, 1914c:345 (in revision of *Sphodrotes*); R. Bohart and Menke, 1976:91 (in checklist of world Sphecidae, as *pilosellus*).

12. *splendens* Lomholdt

Sphodrotes splendens Lomholdt, 1983:111, ♀, ♂. Holotype: ♀, Western Australia: Kimberley: 8 km south of Coulomb Point at 17°26'S, 122°09' (ANIC). Paratypes: Northern Territory. – Cardale, 1985:255 (in catalog of Australian Sphecidae).