

Last updated: 8 January 2026

## K

### Kadas, G.

- \* 2006. Rare invertebrates colonizing green roofs in London. *Urban Habitats* 4:55-86. [two sphecids species mentioned on p. 85: *Psen dahlbomi* and *Trypoxylon attenuatum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/KadasDec\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/KadasDec_2006.pdf)

### Kadirvelu, P.

- \* 1990. (Dec.). First report of *Chalybion bengalensis* Dahlb [sic] (Sphecidae: Hymenoptera) from South India. *Journal of Advanced Zoology* 11:121-122. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kadirvelu\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kadirvelu_1990.pdf)

### Kaltenpoth, M.

- \* 2005. Bakterien schützen Wespen-Nachwuchs from Pflzbefall. *Naturwissenschaftliche Rundschau* 58:329-330. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_2005.pdf)

### Kaltenpoth, M., W. Göttler, C. Dale, J.W. Stubblefield, G. Herzner, K. Roeser-Mueller, and E. Strohm

- \* 2006. 'Candidatus *Streptomyces philanthi*', an endosymbiotic streptomycete in the antennae of *Philanthus* digger wasps. *International Journal of Systematic and Evolutionary Microbiology* 56:1403-1411. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2006\\_Candidatus\\_Streptomyces\\_philanthi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2006_Candidatus_Streptomyces_philanthi.pdf)

### Kaltenpoth, M., W. Göttler, G. Herzner, and E. Strohm

- \* 2005. (8 Mar.). Symbiotic bacteria protect wasp larvae from fungal infestation. *Current Biology* 15:475-479. [on *Philanthus triangulum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2005\\_Symbiotic\\_bacteria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2005_Symbiotic_bacteria.pdf)

### Kaltenpoth, M., T. Schmitt, C. Polidori, D. Koedam, and E. Strohm

- \* 2010. Symbiotic streptomycetes in antennal glands of the South American digger wasps genus *Trachypus* (Hymenoptera: Crabronidae). *Physiological Entomology* 35:196-200. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2010\\_trachypus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2010_trachypus.pdf)

### Kaltenpoth, M., T. Schmitt, and E. Strohm

- \* 2009. Hydrocarbons in the antennal gland secretion of female European beewolves, *Philanthus triangulum* (Hymenoptera, Crabronidae). *Chemoecology* 19:219-225. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2009\\_hydrocarbons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2009_hydrocarbons.pdf)

### Kaltenpoth, M., P. Showers Corneli, D.M. Dunn, R.B. Weiss, E. Strohm, and J. Seger

- 2012. Accelerated evolution of mitochondrial but not nuclear genomes of hymenoptera: new evidence from crabronid wasps. *PLOS One* 7(3):1-13. [*Philanthus triangulum* is the only species treated]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2012\\_Accelerated\\_evolution.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2012_Accelerated_evolution.pdf)

### Kaltenpoth, M., and E. Strohm

- \* 2006. The scent of senescence: age-dependent changes in the composition of the cephalic gland secretion of the male European beewolf, *Philanthus triangulum*. *Journal of Insect Science* 2006. No 20:1-9. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_Strohm\\_2006\\_Philanthus  
triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_Strohm_2006_Philanthus_triangulum.pdf)

**Kaltenpoth, M., Strohm, E., and J. Gadau**

- \* 2004. Polymorphic microsatellite markers for a solitary digger wasp, the European beewolf (*Philanthus triangulum*; Hymenoptera, Sphecidae). Molecular Ecology Notes 4:589-592. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_et\\_al\\_2004\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_et_al_2004_Philanthus_triangulum.pdf)

**Kaltenpoth, M., E. Yildirim, M.F. Gürbüz, G. Herzner, and E. Strohm**

- \* 2012. Refining the roots of the beewolf-*Streptomyces* symbiosis: antennal symbionts in the rare genus *Philanthus* (Hymenoptera, Crabronidae). Applied and Environmental Microbiology 78:822-827. Available through: <http://aem.asm.org/content/78/3/822.full.pdf> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth\\_Yildirim\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaltenpoth_Yildirim_et_al_2012.pdf)

**Kami, K., and S.E. Miller**

- \* 1998. Samoan insects and related arthropods: checklist and bibliography. Bishop Museum Technical Report 13:V + 121 pp. [14 sphecid species listed on p. 57]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kami\\_Miller\\_1998\\_Samoa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kami_Miller_1998_Samoa.pdf)

**Kamo, T.**

- \* 1957. On the habits of a cockroach hunting wasp (*Ampulex amoena* Stål) in Japan. Kontyû 25:94-98. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kamo\\_1957\\_Ampulex\\_amoena.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kamo_1957_Ampulex_amoena.pdf)

**Kaplan, E., and Y. Yildirim (second author spelled Yıldırım in some papers)**

- \* 2020. New record of Crabronidae (Insecta: Hymenoptera) from Turkey. Entomological News 129:147-151. [*Lindenius abditus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaplan\\_and\\_Yildirim\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaplan_and_Yildirim_2020.pdf)
- \* 2021. An updated checklist of Turkish crabronid wasps (Hymenoptera: Crabronidae) with new and additional records. Journal of Insect Biodiversity 21:18-109. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaplan\\_and\\_Yildirim\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaplan_and_Yildirim_2021.pdf)
- \* 2022a. The current knowledge of Turkey Sphecidae and Mutillidae (Hymenoptera: Aculeata) fauna – Türkiye Sphecidae ve Mutillidae (Hymenoptera: Aculeata) Faunası Hakkında Güncel Bilgilere. Uluslararası Tarım ve Yaban Hayatı Bilimleri Dergisi (= International Journal of Agriculture and Wildlife Science) 8:53-64. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaplan\\_Yildirim\\_2022.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaplan_Yildirim_2022.pdf)
- 2022b. The checklist of Spheciformes (Hymenoptera: Apoidea) in Turkey. Munis Entomology & Zoology 17 (supplement):1779-1791. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaplan\\_Yildirim\\_2022\\_Spheciformes\\_checklist.p  
df](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaplan_Yildirim_2022_Spheciformes_checklist.pdf)
- 2023. A review of Spheciformes (Hymenoptera) of Turkey, with history of their research. Munis Entomology & Zoology 18:1675-1710. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kaplan\\_Yildirim\\_2023\\_Spheciformes\\_review.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kaplan_Yildirim_2023_Spheciformes_review.pdf)

**Käpylä, M.**

- \* 1974. Diurnal flight activity in a mixed population of Aculeata (Hym.). Annales Entomologici Fennici 40:61-69. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kapyla\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kapyla_1974.pdf)

**Kardas, S.J., and R. Arozarena**

- \* 1977. Notas sobre el género *Cerceris* Latr., 1802 en Canarias (Hym., Sphecidae). Graellsia 31:143-156, pls. II-III. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kardas\\_Arozarena.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kardas_Arozarena.pdf)

**Kareem, H.T., H. Al-Khshemawee, and K. Al-Husseinawy**

- \* 2020. Description of new record of beewolves *Philanthus triangulum* (Fabricius, 1790) (Hymenoptera: Crabronidae) from Iraq. Plant Archives 20 Supplement 1:3747-3752. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kareem\\_et\\_al\\_2020\\_Philanthus\\_triangulum\\_Iraq.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kareem_et_al_2020_Philanthus_triangulum_Iraq.pdf)

**Karl, H.-V., R. Bellstedt, and R. Winter**

- \* 2020. Weitere Nachweise der orientalischen Mörtelwespe, *Sceliphron curvatum* (M. [sic] Smith, 1870) für Thüringen (Hymenoptera: Sphecidae). Mitteilungen des Thüringer Entomologenverbandes e.V. 27:6-9. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karl\\_et\\_al\\_2021\\_Sceliphron\\_curvatum\\_Thuringen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karl_et_al_2021_Sceliphron_curvatum_Thuringen.pdf)

**Karpiński, J.J.**

- \* 1948. (15 Sept.). Nowe dla polskiej fauny gatunki owadów oraz nowe w Polsce stanowiska rzadkich gatunków z terenu Białowieskiego Parku Narodowego i Puszczy Białowieskiej – Nouvelles espèces d'insectes cités pour la faune de Pologne et nouvelles localités des espèces rares trouvées dans le Parc National de Białowieża et dans la Forêt de Białowieża. Fragmenta Faunistica Musei Zoologici Polonici 5:309-315. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karpiński\\_1948.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karpiński_1948.pdf)

**Karsai, I.**

- \* 1988. Ecofaunistic investigations of sphecoid fauna on a sandy grassland. Acta Biologica (Szeged) 34:97-106. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karsai\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karsai_1988.pdf)
- \* 1989. Factors affecting diurnal activities of solitary wasps (Hymenoptera: Sphecidae and Pompilidae). Entomologia Generalis 14:223-232. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karsai\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karsai_1989.pdf)

**Karst, H., and T. Piek**

- \* 1991. Structure-activity relationship of philanthotoxins-II. Effects on the glutamate gated ion channels of the locust muscle fibre membrane. Comparative Biochemistry and Physiology 98C:479-489. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karst\\_Piek\\_1991\\_philanthotoxins\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karst_Piek_1991_philanthotoxins_II.pdf)

**Karst, H., T. Piek, J. van Marle, A. Lind, and J. van Weeren-Kramer**

- \* 1991. Structure-activity relationship of philanthotoxins – I. Pre- and postsynaptic inhibition of the locust neuromuscular transmission. Comparative Biochemistry and Physiology 98C:471-477. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karst\\_et\\_al\\_1991\\_philanthotoxins\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karst_et_al_1991_philanthotoxins_I.pdf)

**Karvonen, V.**

- \* 1922. [Suomen faunalle uudet hymenopterit]. Notulae Entomologicae 2:94. [*Crabro quadrimaculatus*, now in *Crossocerus*, is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Karvonen\\_1922.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Karvonen_1922.pdf)

### Katayama, H.

- \* 1934. (31 Dec.). Biological observations on *Pison fabricator* Smith. Kontyû 8:225-227. [in Japanese]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Katayama\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Katayama_1934.pdf)

### Katayama, H., and Y. Ikushima

- \* 1935. (Nov.). Some notes on the biology of *Sceliphron tubifex* Latreille (Hym., Sphecidae). The Transactions of the Kansai Entomological Society 6:41-54, 1 pl. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Katayama\\_Ikushima\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Katayama_Ikushima_1935.pdf)

### Kathirithamby, J., G.K. Lechner, D.P. McMahon, A.L. Bryson, and J.S. Johnston

- \* 2012. A free ride and lunch: stylopization in the solitary hunting wasp, *Ammophila fernaldi* Murray and *A. pictipennis* (Walsh) (Hymenoptera: Sphecidae) by *Paraxenos lugubris* Pierce (Strepsiptera). Proceedings of the Entomological Society of Washington 114:464-475. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kathirithamby\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kathirithamby_et_al_2012.pdf)

### Kawall, H. [as J.H. in 1857]

- \* 1857. (1855-1856). Hymenopteren in Kurland, mit Berücksichtigung von Livland. Die Stachelträger (Aculeata Latr.). Correspondenzblatt des Naturforschenden Vereins zu Riga 9:17-28. Dating after Horn and Schenkling, 1928:622. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawall\\_1857\\_Kurland.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawall_1857_Kurland.pdf)
- \* 1867. Miscellanea entomologica. Stettiner Entomologische Zeitung 28:117-124. [*Ammophila sabulosa* is the only sphecid recorded]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawall\\_1867.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawall_1867.pdf)

### Kawano, T.

- \* 2012. (15 Mar.). *Lestiphorus bilunulatus* Costa, 1869 new to Kyûsyû, Japan (Hymenoptera: Crabronidae: Bembicinae). Tsunekibachi 20:55-56. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawano\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawano_2012.pdf)
- \* 2021. (22 Mar.). *Rhopalum hakodatense* Tsuneki (Hymenoptera: Crabronidae) new to Kyushu, Japan: collected from the urban area of Kagoshima-shi. Tsunekibachi 36:67-68. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawano\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawano_2021.pdf)

### Kawano, T., and T. Maeda

- \* 2012. New record of *Ampulex dissector* (Thunberg, 1822) (Hymenoptera: Sphecoidea: Ampulicidae: Ampulicinae) from Yakushima, Kagoshima, Japan. Nature of Kagoshima 38:115-118. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawano\\_Maeda\\_2012\\_Ampulex\\_dissessor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawano_Maeda_2012_Ampulex_dissessor.pdf)

### Kawano, T., and S. Yamane

- 2014. (31 May). Discovery of the male of *Cerceris lauta* Yamane et Tano, 1995 (Hymenoptera: Crabronidae: Philanthinae) and redescription of the female. Japanese Journal of Systematic Entomology 20:151-153. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawano\\_Yamane\\_2014\\_Cerceris\\_lauta.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawano_Yamane_2014_Cerceris_lauta.pdf)

### Kawashima, I.

- \* 2010. (31 May). Records of *Liris deplanatus binghami* Tsuneki, 1967 (Crabronidae: Larrinae: Larrini) from Yokosuka-shi, Kanagawa Prefecture. Tsunekibachi 17:28. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kawashima\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kawashima_2010.pdf)

**Kazenas, V.L. [В.Л. Казенас]**

- \* 1964. Оса-воровка [= Osa-vorovka, = A wasp thief]. Prostor 31:44. [on *Ammophila atrocyanea*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1964\\_Podalonia\\_vorovka.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1964_Podalonia_vorovka.pdf)
- \* 1965. Осы уничтожают саранчу [= Osy unichtozhayut saranchu = Wasps destroy locusts]. Priroda 11:108. [*Tachysphex pompiliformis* preying on acridid *Dociostarus kraussi* Ingen in Mangyshlak Peninsula, Kazakhstan]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1965\\_Osy\\_unichtozhayut.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1965_Osy_unichtozhayut.pdf)
- \* 1968a. К биологии роющей осы *Sphex mocsaryi* Kohl (Hymenoptera, Sphecidae) [= K biologii royushchey osy *Sphex mocsaryi* Kohl (Hymenoptera, Sphecidae)] – Contributions to the biology of *Sphex mocsaryi* Kohl (Hymenoptera, Sphecidae). Éntomologicheskoye Obozreniye 47:805-808. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1968%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Prioryx\\_viduanus%20-%20biol.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1968%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Prioryx_viduanus%20-%20biol.pdf)  
 English translation: 1969. On the biology of the digger wasp *Sphex mocsaryi* Kohl (Hymenoptera, Sphecidae). Entomological Review 47:492-493. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1968aa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1968aa.pdf)
- \* 1968b. Материалы к изучению ос рода *Ammophila* (Hymenoptera, Sphecidae) в южных районах Казахстана [= Materialy k izucheniyu os roda *Ammophila* (Hymenoptera, Sphecidae) v yuzhnykh rayonakh Kazakhstana, = Materials toward knowledge of the wasp genus *Ammophila* in southern Kazakhstan], pp. 342-343 in Materialy Pervoy Nauchnoy Konferentsii Molodykh Uchenykh Akademii Nauk Kazakhskoy SSR. Alma Ata. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1968b\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1968b_Ammophila.pdf)
- \* 1969a. Материалы к изучению роющих ос рода *Sphex* L. (Hymenoptera, Sphecidae) в Казахстане [= Materialy k izucheniyu royushchikh os roda *Sphex* L. (Hymenoptera, Sphecidae) v Kazakhstane, = Materials toward knowledge of fossorial wasps of the genus *Sphex* in Kazakhstan], pp. 21-22 in Materialy I Nauchnoy Konferentsii Molodykh Spetsyalistov i Aspirantov. Alma-Ata. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1969a\\_Sphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1969a_Sphex.pdf)
- \* 1969b. Оса – истребитель цикадок [= Osa – istrebitel' tsikadok = A wasp destroyer of cicadellids]. Zashita Rasteniy 14:56. [on *Crossocerus ambiguus*, now *Crossocerus annulipes*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1969b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1969b.pdf)
- \* 1970a. К биологии роющей осы *Ammophila (Eremochares) dives* Brullé (Hymenoptera, Sphecidae) [= K biologii royushchey osy *Ammophila (Eremochares) dives* Brullé (Hymenoptera, Sphecidae)] – On the biology of *Ammophila (Eremochares) dives* Brullé (Hymenoptera, Sphecidae). Éntomologicheskoye Obozreniye 49:292-302. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1970a\\_Ammophila\\_dives\\_biology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1970a_Ammophila_dives_biology.pdf)  
 English translation: 1971. The biology of the fossorial wasp *Ammophila (Eremochares) dives* Brullé (Hymenoptera, Sphecidae). Entomological Review 49:172-180. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1970\\_english.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1970_english.pdf)
- \* 1970b. Новый вид ос (род *Philanthus*, Sphecidae) из юго-восточного Казахстана [= Novyi vid os (rod *Philanthus*, Sphecidae) iz yugo-vostochnogo Kazakhstana, = A new wasp species (genus *Philanthus*, Sphecidae) from southeastern Kazakhstan], pp. 366-367 in Materialy Vtoroy Nauchnoy Konferentsii Molodykh Uchenykh Akademii Nauk Kazakhskoy SSR. Alma-Ata. 566 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1970b\\_Philanthus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1970b_Philanthus.pdf)
- \* 1971. Роющие осы Зайлийского Алатау [= Royushchiye osy (Hymenoptera, Sphecidae) Zailiyskogo Alatau = Hymenoptera Sphecidae of Zailiyskiy Alatau]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 32:153-162. Available through:

- [http://www.antvid.org/Kazenas/PDF/Publ/1971%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Sphecidae%20%D0%97%D0%B0%D0%B8%D0%BB.%20%D0%90%D0%BB%D0%B0%D1%82%D0%B0%D1%83.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1971%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Sphecidae%20%D0%97%D0%B0%D0%B8%D0%BB.%20%D0%90%D0%BB%D0%B0%D1%82%D0%B0%D1%83.pdf)
- \* 1972a. Новый вид рода *Cerceris* Latreille (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyi vid roda *Cerceris* Latreille (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstan] – A new species of the genus *Cerceris* (Hymenoptera, Sphecidae) from the south-eastern Kazakhstan [sic]. Zoologicheskii Zhurnal 51:454-455. [*Cerceris aerata*]. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1972%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Cerceris-new%20sp.1972.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1972%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Cerceris-new%20sp.1972.pdf)
  - \* 1972b. Роющие осы юго-восточного Казахстана [= Royushchiye osy (Hymenoptera, Sphecidae) yugo-vostochnogo Kazakhstan] – Sphecidae (Hymenoptera) of the South-East Kazakhstan. Trudy Vsesoyuznogo Éntomologicheskogo Obshchestva (= Horae Societatis Entomologicae Unionis Sovieticae) 55:93-186. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas-1972b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas-1972b.pdf)
  - \* 1973a. Новый вид рода *Lindenius* (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyi vid roda *Lindenius* (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstan] – A new species of the genus *Lindenius* (Hymenoptera, Sphecidae) from the South-East Kazakhstan. Zoologicheskii Zhurnal 52:289-290. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1973%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Lindenius%20sp.n.%20SE%20Kaz.\(1973\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1973%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Lindenius%20sp.n.%20SE%20Kaz.(1973).pdf)
  - \* 1973b. Новый вид рода *Dinetus* Panz. (Hymenoptera, Sphecidae) из Алма-Атинского заповедника «Пююшча гора» [= Novyi vid roda *Dinetus* Panz. (Hymenoptera, Sphecidae) iz Alma-Atinskogo zapovednika «Poyushchaya gora», = A new species of the genus *Dinetus* Panz. (Hymenoptera, Sphecidae) from the Alma-Ata Nature Reserve «Poyushchaya gora»]. Trudy Zapovednikov Kazakhstana 3:16-18. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1973%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Dinetus-new%20sp.1973.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1973%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Dinetus-new%20sp.1973.pdf)
  - \* 1974a. Новые виды роющих ос рода *Cerceris* Latr. (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyie vidy royushchikh os roda *Cerceris* Latr. (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstan, = New species of the fossorial wasps of the genus *Cerceris* (Hymenoptera, Sphecidae) from southeastern Kazakhstan]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 35:97-103. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1974a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1974a.pdf)
  - \* 1974b. Питание роющих ос (Hymenoptera, Sphecidae) [= Pitaniye royushchikh os (Hymenoptera, Sphecidae), = Feeding of sphecid wasps]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 35:108-113. [Floral records]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1974b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1974b.pdf)
  - \* 1974c. Два новых вида *Eremiasphecium* (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Dva novykh vida *Eremiasphecium* (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstan] – Two new species of the genus *Eremiasphecium* from south-eastern Kazakhstan. Zoologicheskii Zhurnal 53:1733-1736. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1974c\\_Eremiasphecium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1974c_Eremiasphecium.pdf)
  - \* 1975a. Новый вид рода *Diploplectron* Fox (Hymenoptera, Sphecidae) из Казахстана [= Novyi vid roda *Diploplectron* Fox (Hymenoptera, Sphecidae) iz Kazakhstan] – Nowy gatunek rodzaju *Diploplectron* Fox (Hymenoptera, Sphecidae) z Kazachstanu – A new species of *Diploplectron* Fox (Hymenoptera, Sphecidae) from Kazakhstan. Polskie Pismo Entomologiczne 45:129-132. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1975%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Diploplectron-sp.n.1975.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1975%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Diploplectron-sp.n.1975.pdf)
  - \* 1975b. Роющие осы рода *Diodontus* Curtis (Hymenoptera, Sphecidae) юго-восточного Казахстана [= Royushchiye osy roda *Diodontus* Curtis (Hymenoptera, Sphecidae) yugo-vostochnogo

Kazakhstan] – Sphecoid wasps of the genus *Diodontus* Curtis (Hymenoptera, Sphecidae) from south-eastern Kazakhstan. *Éntomologicheskoye Obozreniye* 54:421-428. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1975b\\_Diodontus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1975b_Diodontus.pdf)

1976. Новый вид рода *Dolichurus* (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyi vid roda *Dolichurus* (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstana] – A new species of the genus *Dolichurus* (Hymenoptera, Sphecidae) from the south-east Kazakhstan. *Zoologicheskii Zhurnal* 55:1735-1736. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1976%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Dolichurus%20-%20sp.n.%201976.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1976%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Dolichurus%20-%20sp.n.%201976.pdf)
- \* 1977a. A new species of *Dinetus* Panzer (Hymenoptera, Sphecidae) from Transcaspia, with biological observations – Nowy gatunek *Dinetus* Panzer (Hymenoptera, Sphecidae) z Azji Środkowej i obserwacje nad jego biologią. *Polskie Pismo Entomologiczne* 47:363-369. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1977%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Dinetus%20sp.n.1977.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1977%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Dinetus%20sp.n.1977.pdf)
- \* 1977b. Новые виды роющих ос рода *Cerceris* Latr. (Hymenoptera, Sphecidae) из Казахстана [= Novye vidy royushchikh os roda *Cerceris* Latr. (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of the sphecoid wasps of the genus *Cerceris* Latr. (Hymenoptera, Sphecidae) from Kazakhstan. *Éntomologicheskoye Obozreniye* 56:431-434. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1977b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1977b.pdf)
- \* 1978a. Новые виды роющих ос из юго-восточного Казахстана (Hymenoptera, Sphecidae) [= Novye vidy royushchikh os iz yugo-vostochnogo Kazakhstana] – New species of sphecoid wasps (Hymenoptera, Sphecidae) from south-eastern Kazakhstan. *Éntomologicheskoye Obozreniye* 57:661-665. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1978%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Ammophila.Philanthus.%20Mimesa%20-%20sp.n.%20SE%20Kaz.\(1978\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1978%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Ammophila.Philanthus.%20Mimesa%20-%20sp.n.%20SE%20Kaz.(1978).pdf)
- \* 1978b. (Dec.). Роющие осы Казахстана и Средней Азии. Определитель [= Royushchiye osy Kazakhstana i Sredney Azii (Hymenoptera, Sphecidae). Opredelitel'] – The digger wasps of Kazakhstan and Middle Asia (Hymenoptera, Sphecidae). The determinant. *Izdatel'stvo Nauka Kazakhskoy SSR, Alma Ata*. 172 pp. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1978%20Sphecidae%20Kaz.%20and%20C.Asia.%20key%20\(Kazenas,1978\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1978%20Sphecidae%20Kaz.%20and%20C.Asia.%20key%20(Kazenas,1978).pdf)
- \* 1979a. Новый вид рода *Larra* (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyi vid roda *Larra* (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstana] – A new species of the genus *Larra* (Hymenoptera, Sphecidae) from the South-East Kazakhstan. *Zoologicheskii Zhurnal* 58:130-131. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Larra%20sp.n.%20SE%20Kaz.\(1979\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Larra%20sp.n.%20SE%20Kaz.(1979).pdf)
- \* 1979b. Новые виды роющих ос рода *Cerceris* Latr. (Hymenoptera, Sphecidae) из южного Казахстана [= Novye vidy royushchikh os roda *Cerceris* Latr. (Hymenoptera, Sphecidae) iz yuzhnogo Kazakhstana] – New species of the genus *Cerceris* Latr. (Hymenoptera, Sphecidae) from southern Kazakhstan. *Éntomologicheskoye Obozreniye* 58:857-859. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Cerceris-new.spp.1979.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Cerceris-new.spp.1979.pdf)

English translation:

[http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Cerceris-new.spp.1979%20engl.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1979%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Cerceris-new.spp.1979%20engl.pdf) and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1979b\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1979b_English.pdf)

- \* 1979c. Новый вид рода *Belomicroides* Kohl (Hymenoptera, Sphecidae) из юго-восточного Казахстана [= Novyi vid roda *Belomicroides* Kohl (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstana, = A new species of the genus *Belomicroides* Kohl from southeastern Kazakhstan]. *Trudy Vsesoyuznogo Éntomologicheskogo Obshchestva* (= *Horae Societatis Entomologicae Unionis Sovieticae*) 61:172-174. [*Belomicrus olgae*]. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1979c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1979c.pdf)
- \* 1979d. Роющие осы рода *Cerceris* Latr. (Hymenoptera, Sphecidae) юга Дальнего Востока СССР [= Royushchiye osy roda *Cerceris* Latr. (Hymenoptera, Sphecidae) yuga Dal'nego Vostoka SSSR, = Digger wasps of the genus *Cerceris* of southern Far East of USSR], pp. 68-89 in A.N. Kupyanskaya, P.A. Lehr, and V.S. Fedikova (editors). Наземные членистоногие Дальнего Востока [= Nazemnyie chlenistonogiye Dal'nego Vostoka]. Akademia Nauk SSSR, Dal'nevostochnyi Nauchnyi Tsentr, Biologo-pochvennyi Institut. Vladivostok. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas-1979d\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas-1979d_Cerceris.pdf)
  - \* 1980a. Новые виды роющих ос рода *Cerceris* Latr. (Hymenoptera, Sphecidae) из Средней Азии [= Novyye vidy royushchikh os roda *Cerceris* Latr. (Hymenoptera, Sphecidae) iz Sredney Azii] – New species of digger wasps of the genus *Cerceris* Latr. (Hymenoptera, Sphecidae) from Middle Asia. Zoologicheskii Zhurnal 59:792-795. Available through: [http://antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Cerceris-new%20ssp.%20Centr.Asia%20\(1980\).pdf](http://antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81_Cerceris-new%20ssp.%20Centr.Asia%20(1980).pdf)
  - \* 1980b. Новый вид рода *Gastrosericus* (Hymenoptera, Sphecidae) из южного Таджикистана [= Novyi vid roda *Gastrosericus* (Hymenoptera, Sphecidae) iz yuzhnogo Tadjikistana] – A new species of the genus *Gastrosericus* (Hymenoptera, Sphecidae) from South Tajikistan. Zoologicheskii Zhurnal 59:1103-1105. Available through: [http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Gastrosericus%20sp.n.%20Tadjh.\(1980\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81_Gastrosericus%20sp.n.%20Tadjh.(1980).pdf)
  - \* 1980c. Новые виды рода *Bembix* F. (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy roda *Bembix* F. (Hymenoptera, Sphecidae) iz Kazakhstan = New species of the genus *Bembix* F. (Hymenoptera, Sphecidae) from Kazakhstan]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 39:137-143. Available through: [http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Bembix%20ssp.n.%20Kaz.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81_Bembix%20ssp.n.%20Kaz.pdf) and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1980c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1980c.pdf)
  - \* 1980d. Новый туранский вид рода *Cerceris* Zatr. [sic], Hymenoptera [sic], Sphecidae, *Cerceris turanica* Kazenas, sp. n. [= Novyi turanskiy vid roda *Cerceris* Zatr. [sic], Hymenoptera [sic], Sphecidae, *Cerceris turanica* Kazenas, sp. n., = A new Turanian species of the genus *Cerceris* Zatr. [sic], Hymenoptera [sic], Sphecidae, *Cerceris turanica* Kazenas, sp. n.]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 39:144-146. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1980d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1980d.pdf)
  - \* 1980e. Материалы к фауне роющих ос (Hymenoptera, Sphecidae) Дальнего Востока СССР [= Materialy k faune royushchikh os (Hymenoptera, Sphecidae) Dal'nego Vostoka SSSR, = Contributions to the digger wasp fauna (Hymenoptera, Sphecidae) of the Soviet Far East], pp. 80-94 in P.A. Lehr (editor). Таксономия насекомых Дальнего Востока [= Taxonomiya nasekomykh Dal'nego Vostoka]. Akademiya Nauk SSSR, Dal'nevostochnyi Nauchnyi Tsentr, Vladivostok. 122 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1980e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1980e.pdf)
  - \* 1980f. Новые виды роющих ос (Hymenoptera, Sphecidae) из Таджикистана [= Novyye vidy royushchikh os (Hymenoptera, Sphecidae) iz Tadjikistana, = New species of digger wasps from Tajikistan]. Izvestiya Akademii Nauk Tadjzhikskoy SSR. Otdeleniye Biologicheskikh Nauk 4:49-55. Available through: [http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Ammophila.%20Cerceris.%20Bembix%20Tadjh.%20ssp.n.\(1980\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1980%20%D0%9A%D0%B0%B7%D0%B5%D0%BD%D0%B0%D1%81_Ammophila.%20Cerceris.%20Bembix%20Tadjh.%20ssp.n.(1980).pdf)
  - \* 1984a. Роющие осы – перцерисы Средней Азии и Казахстана [= Royushchiye osy – Cercerisy Sredney Azii i Kazakhstan = The digger wasps *Cerceris* of Central Asia and Kazakhstan]. "Nauka" Kazakhskoy SSR, Alma Ata. 232 pp.

- \* 1984b. Новый вид рода *Crabro* (Hymenoptera, Sphecidae) из Казахстана [= Novyi vid roda *Crabro* (Hymenoptera, Sphecidae) iz Kazakhstana] – A new species of the genus *Crabro* (Hymenoptera, Sphecidae). Zoologicheskii Zhurnal 63:1271-1273. [*Crabro marschakovi*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1984b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1984b.pdf)
- \* 1985. The prey of *Laphyrpagogus turanicus* Gussakovskij (Hymenoptera: Sphecidae). Sphecos 10:17. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_10.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_10.pdf)
- \* 1986. Редкие виды роющих ос (Sphecidae) [= Redkiye vidy royushchikh os (Sphecidae), = Rare species of Sphecidae wasps], pp. 237-238 in Redkiye zhivotnyie Kazakhstana. Materialy ko 2 izdaniyu "Krasnoy knigi Kazakhskoy SSR". Alma Ata.
- \* 1987a. Новый вид рода *Gorytes* Latr. (Hymenoptera, Sphecidae) из восточного Казахстана [= Novyi vid roda *Gorytes* Latr. (Hymenoptera, Sphecidae) iz vostochnogo Kazakhstana] – A new species of the genus *Gorytes* Latr. (Hymenoptera, Sphecidae) from eastern Kazakhstan. Zoologicheskii Zhurnal 66:1899-1900. Available through:  
[http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Gorytes%20sp.n.%20Kaz.\(1987\).pdf](http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Gorytes%20sp.n.%20Kaz.(1987).pdf)
- 1987b. Распределение видов роющих ос (Hymenoptera, Sphecidae) Казахстана и Средней Азии по биотомам, ландшафтным зонам и горным поясам [= Raspredeleniye vidov royushchikh os (Hymenoptera, Sphecidae) Kazakhstana i Sredney Azii po biotopam, landshaftnym zonam i gornym poiyasam, = Distribution of digger wasp species (Hymenoptera, Sphecidae) in biotopes, landscape zones, and mountain belts in Kazakhstan and Soviet Central Asia]. Izvestiya Akademii Nauk Kazakhskoy SSR. Seriya Biologicheskaya 6:23-25. [Characteristics of main ecological zones, with only generic names for each]. Available through:  
[http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Sphecidae%20-%20%D1%80%D0%B0%D1%81%D0%BE%D1%80%D0%B5%D0%B4%20%D0%BF%D0%BE%20%D0%B1%D0%B8%D0%BE%D1%82%D0%BE%D0%BF%D0%B0%D0%BC%20\(1987\).pdf](http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Sphecidae%20-%20%D1%80%D0%B0%D1%81%D0%BE%D1%80%D0%B5%D0%B4%20%D0%BF%D0%BE%20%D0%B1%D0%B8%D0%BE%D1%82%D0%BE%D0%BF%D0%B0%D0%BC%20(1987).pdf)
- \* 1988. Новый вид рода *Harpactus* (Hymenoptera, Sphecidae) из южного Казахстана [= Novyi vid roda *Harpactus* (Hymenoptera, Sphecidae) iz yuzhnogo Kazakhstana] – A new species of the genus *Harpactus* (Hymenoptera: Sphecidae) from south Kazakhstan. Zoologicheskii Zhurnal 67:148-150. Available through:  
[http://www.amvid.org/Kazenas/PDF/Publ/1988%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Harpactus%20sp.n.%20Kaz.%20\(1988\).pdf](http://www.amvid.org/Kazenas/PDF/Publ/1988%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Harpactus%20sp.n.%20Kaz.%20(1988).pdf)
- \* 1989a. Новые виды роющих ос рода *Harpactus* (Hymenoptera, Sphecidae) из Казахстана [= Novye vidy royushchikh os roda *Harpactus* (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of swarming wasps of the genus *Harpactus* (Hymenoptera, Sphecidae) from Kazakhstan. Zoologicheskii Zhurnal 68:148-153. Available through:  
[http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Harpactus%20app.n.Kaz.\(Ent.Obozr.1987\).pdf](http://www.amvid.org/Kazenas/PDF/Publ/1987%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Harpactus%20app.n.Kaz.(Ent.Obozr.1987).pdf)
- 1989b. Два малоизвестных и один новый вид роющих ос рода *Harpactus* Shuckard (Hymenoptera, Sphecidae) из Средней Азии [= Dva maloizvestnykh i odin novyi vid royushchikh os roda *Harpactus* Shuckard (Hymenoptera, Sphecidae) iz Sredney Azii] – Two little known and a new species of digger wasps of the genus *Harpactus* Shuckard (Hymenoptera, Sphecidae) from Middle Asia. Éntomologicheskoye Obozreniye 68:775-778. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1989b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1989b.pdf)
- \* 1990. Новые виды роющих ос рода *Oxybelus* Latreille (Hymenoptera, Sphecidae) из Казахстана [= Novye vidy royushchikh os roda *Oxybelus* Latreille (Hymenoptera, Sphecidae) iz Kazakhstana, = New species of the digger wasps genus *Oxybelus* Latreille (Hymenoptera, Sphecidae) from Kazakhstan]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR 45:59-64. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1990.pdf)

- \* 1991a. *Taukumia* – новый род роющих ос (Hymenoptera: Sphecidae) из Казахстана [= *Taukumia* – novyi rod royushchikh os (Hymenoptera: Sphecidae) iz Kazakhstana] – A new genus *Taukumia* (Hymenoptera: Sphecidae) from Kazakhstan. Zoologicheskii Zhurnal 70:156-158. [Pulawski, 1992b, synonymized *Taukumia* with *Eremiasphecium*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1991a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1991a.pdf)
- \* 1991b. Два новых вида роющих ос рода *Belomicrus* (Hymenoptera, Sphecidae) из юго-восточного Казахстана [Dva novykh vida royushchikh os roda *Belomicrus* (Hymenoptera, Sphecidae) iz yugo-vostochnogo Kazakhstana] – Two new species of digger wasps of the genus *Belomicrus* (Hymenoptera, Sphecidae) from the south-eastern Kazakhstan. Zoologicheskii Zhurnal 70 (11):145-147. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1991b\\_Belomicrus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1991b_Belomicrus.pdf)
- \* 1992a. Новые виды роющих ос рода *Harpactus* Shuckard (Hymenoptera, Sphecidae) из Казахстана и Узбекистана [= Novyye vidy royushchikh os roda *Harpactus* Shuckard (Hymenoptera, Sphecidae) iz Kazakhstana i Uzbekistana] – New species of digger wasps of the genus *Harpactus* Shuckard (Hymenoptera, Sphecidae) from Kazakhstan and Uzbekistan. Éntomologicheskoye Obozreniye 71:640-645. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1992a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1992a.pdf)  
 English translation: 1993. New species of *Harpactus* Shuckard digger wasps (Hymenoptera, Sphecidae) from Kazakhstan and Uzbekistan. Entomological Review 72:77-82.
- \* 1992b. (Oct.). Новые виды роющих ос рода *Miscophus* (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy royushchikh os roda *Miscophus* (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of digger wasps of the genus *Miscophus* (Hymenoptera, Sphecidae) from Kazakhstan. Zoologicheskii Zhurnal 71 (10):97-107. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1992%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Miscophus%20-%20spp.n.Kaz.\(1992\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1992%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Miscophus%20-%20spp.n.Kaz.(1992).pdf)  
 English translation: 1993. New species of digger wasps of the genus *Miscophus* (Hymenoptera, Sphecidae) from Kazakhstan. Entomological Review 72:100-110. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Miscophus%20spp.n.\(1993\)%20Engl.pdf](http://www.antvid.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Miscophus%20spp.n.(1993)%20Engl.pdf)
- \* 1992c. Роющие осы (Hymenoptera, Sphecidae) Репетекского заповедника [= Royushchiye osy (Hymenoptera, Sphecidae) Repetekskogo zapovednika, = Digger wasps (Hymenoptera, Sphecidae) of Repetek Nature Reserve, Turkmenistan]. Izvestiya Akademii Nauk Turkmenistana. Seriya Biologicheskikh Nauk 6:24-30. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1992%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Sphecidae%20-%20%D0%A0%D0%B5%D0%BF%D0%B5%D1%82%D0%B5%D0%BA%20\(1992\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1992%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Sphecidae%20-%20%D0%A0%D0%B5%D0%BF%D0%B5%D1%82%D0%B5%D0%BA%20(1992).pdf)
- \* 1993a. Новые виды ос рода *Belomicrus* A. Costa (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy os roda *Belomicrus* A. Costa (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of sphecid wasps of the genus *Belomicrus* A. Costa (Hymenoptera, Sphecidae) from Kazakhstan. Éntomologicheskoye Obozreniye 72:186-189. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1993a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1993a.pdf)  
 English translation: 1994. New species of sphecid wasps of the genus *Belomicrus* A. Costa (Hymenoptera, Sphecidae) from Kazakhstan. Entomological Review 72:25-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1993a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1993a.pdf)
- \* 1993b. Новый вид рода *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) из южного Казахстана [= Novyi vid roda *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) iz yuzhnogo Kazakhstana] – A new species of the genus *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) from South Kazakhstan. Selevinia 1:53-55. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Pseudoscolia%20sp.n.%20S.Kaz.\(1993\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Pseudoscolia%20sp.n.%20S.Kaz.(1993).pdf)

- \* 1993c. Новые виды роющих ос рода *Miscophus* (Hymenoptera, Sphecidae) из Туркменистана [= Novyye vidy royushchikh os roda *Miscophus* (Hymenoptera, Sphecidae) iz Turkmenistana] – New species of digger wasps of the genus *Miscophus* (Hymenoptera, Sphecidae) from Turkmenistan. Vestnik Zoologii 2:28-34. Available through:  
[http://www.amtvil.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Miscophus%20-%20spp.n.Turkm.\(1993\).pdf](http://www.amtvil.org/Kazenas/PDF/Publ/1993%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Miscophus%20-%20spp.n.Turkm.(1993).pdf)
- \* 1993d. Роющие осы рода *Dinetus* Panzer (Hymenoptera, Sphecidae) фауны СССР [= Royushchiye osy roda *Dinetus* Panzer (Hymenoptera, Sphecidae) fauny SSSR, = Digger wasps of the genus *Dinetus* Panzer in the fauna of USSR], pp. 58-65 in Zoologicheskiye Issledovaniya v Kazakhstane (k 50-letiyu Instituta Zoologii NAN RK). Gylym, Almaty. 163 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994d.pdf)
- \* 1994a. (Jan.). (1993). New species of the genus *Pseudoscolia* Radoszkowski from Central Asia (Hymenoptera Sphecidae) – Новые виды рода *Pseudoscolia* Radoszkowski из Средней Азии (Hymenoptera Sphecidae). Russian Entomological Journal 2 (5-6):47-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994a.pdf)
- \* 1994b. Новые виды рода *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy roda *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) iz Kazakhstana, = New species of the genus *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) from Kazakhstan]. Izvestiya Natsionalnoy Akademii Nauk Respubliki Kazakhstan. Seriya Biologicheskaya. 1993:29-36. Available through:  
[http://www.amtvil.org/Kazenas/PDF/Publ/1994%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Pseudoscolia%20spp.n.%20Kaz.%20\(1994\).pdf](http://www.amtvil.org/Kazenas/PDF/Publ/1994%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Pseudoscolia%20spp.n.%20Kaz.%20(1994).pdf)
- \* 1994c. (Apr.). Новые виды рода *Pseudoscolia* (Hymenoptera, Sphecidae) из пустыни Каракум (Туркменистан) [= Novyye vidy roda *Pseudoscolia* (Hymenoptera, Sphecidae) iz pustyni Karakum (Turkmenistan)] – New species of digger wasps of the genus *Pseudoscolia* (Hymenoptera, Sphecidae) from the Kara Kum (Turkmenistan). Zoologicheskii Zhurnal 73 (4):72-78. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994c\\_Pseudoscolia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994c_Pseudoscolia.pdf)  
 English translation: 1994. New species of digger wasps of the genus *Pseudoscolia* (Hymenoptera, Sphecidae) from the Kara-Kum Desert, Turkmenistan. Entomological Review 73 (9):125-131. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994c\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994c_English.pdf)
- \* 1994d. Необычная добыча у роющих ос рода *Palarus* Latr. (Hymenoptera, Sphecidae) [= Neobychnaya dobycha u royushchikh os roda *Palarus* Latr. (Hymenoptera, Sphecidae)] – Unusual prey of digger wasps from genus *Palarus* Latr. (Hymenoptera, Sphecidae). Byulleten' Moskovskogo Obshchestva Ispytateley Prirody. Otdel Biologicheskiiy 99:115. [*Palarus pictiventris* preying on Syrphidae and Bombyliidae]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/kazenas\\_1994d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/kazenas_1994d.pdf)
- \* 1994e. Новые виды роющих ос рода *Pseudoscolia* (Hymenoptera, Sphecidae) из южного Казахстана [= Novyye vidy royushchikh os roda *Pseudoscolia* Radoszkowski (Hymenoptera, Sphecidae) iz yuzhnogo Kazakhstana, = New species of digger wasps of the genus *Pseudoscolia* (Hymenoptera, Sphecidae) from southern Kazakhstan]. Izvestiya Natsionalnoy Akademii Nauk Respubliki Kazakhstan. Seriya Biologicheskaya 1994:36-42. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994e.pdf)
- \* 1994f. Новые виды ос рода *Oxybelus* Latreille (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy os roda *Oxybelus* Latreille (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of wasps of the genus *Oxybelus* Latreille from Kazakhstan. Éntomologicheskoye Obozreniye 73:906-912. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994f.pdf)

English translation: 1996. New species of wasps of the genus *Oxybelus* Latreille (Hymenoptera, Sphecidae) from Kazakhstan. Entomological Review 75:132-139. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1994f\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1994f_English.pdf)

- \* 1995a. Малоизвестные виды роющих ос рода *Mimesa* из группы *shestakovi* (Hymenoptera, Sphecidae) из Казахстана [= Малоизвестные виды роющих ос рода *Mimesa* из группы *shestakovi* (Hymenoptera, Sphecidae) iz Kazakhstan] – Little known species of the genus *Mimesa*, group *shestakovi* (Hymenoptera, Sphecidae) from Kazakhstan. Selevinia 3 (2):26-29. Available through:

[http://www.antvid.org/Kazenas/PDF/Publ/1995%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Mimesa%20gr.%20shestakovi%20Kaz.%20\(1995\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1995%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Mimesa%20gr.%20shestakovi%20Kaz.%20(1995).pdf)

- \* 1995b. (Dec.). Новые виды роющих ос рода *Belomicrus* A. Costa (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy roynushchikh os roda *Belomicrus* A. Costa (Hymenoptera, Sphecidae) iz Kazakhstan] – New species of digger-wasps of the genus *Belomicrus* A. Costa (Hymenoptera, Sphecidae) from Kazakhstan. Éntomologicheskoye Obozreniye 74:701-705. Available through:

[http://www.antvid.org/Kazenas/PDF/Publ/1995%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Belomicrus%20spp.n.%20Kaz.%20\(1995\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1995%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Belomicrus%20spp.n.%20Kaz.%20(1995).pdf)

English translation: 1996. New species of digger wasps of the genus *Belomicrus* A. Costa (Hymenoptera, Sphecidae) from Kazakhstan. Entomological Review 75 (9):56-60. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1995b-English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1995b-English.pdf)

- \* 1996a. (Oct.). Два новых вида ос рода *Pseudoscolia* (Hymenoptera, Sphecidae) из Бадкхызского заповедника (Туркменистан) [= Dva novykh vida os roda *Pseudoscolia* (Hymenoptera, Sphecidae) iz Badkhyzskogo zapovednika (Turkmenistan)] – Two new sphecid wasp species (Hymenoptera, Sphecidae) of the genus *Pseudoscolia* from Badkhyz Nature Reserve (Turkmenistan). Vestnik Zoologii 1996 (3):58-60. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1996a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1996a.pdf)

- \* 1996b. Род *Diploplectron* (Hymenoptera, Sphecidae) в Казахстане [= Rod *Diploplectron* (Hymenoptera, Sphecidae) v Kazakhstan] – The species of *Diploplectron* (Hymenoptera, Sphecidae) from Kazakhstan. Zoologicheskii Zhurnal 75:936-939. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_1996b\\_Diploplectron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_1996b_Diploplectron.pdf)

- \* 1998a. (Nov.). Новый вид рода *Dinetus* (Hymenoptera, Sphecidae) из Казахстана [= Novyi vid roda *Dinetus* (Hymenoptera, Sphecidae) iz Kazakhstan] – A new species of *Dinetus* (Hymenoptera, Sphecidae) from Kazakhstan. Vestnik Zoologii 32:99-101. [*Dinetus wojciechi*]. Available through:

[http://www.antvid.org/Kazenas/PDF/Publ/1998%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Dinetus%20sp.n.%20Kaz.%20\(1998\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1998%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Dinetus%20sp.n.%20Kaz.%20(1998).pdf)

- \* 1998b. Фауна Казахстана. Т. 9. Перепончатокрылые (Hymenoptera). Роющие осы (Hymenoptera, Sphecidae). Выпуск 1. Общая характеристика семейства. Подсемейства Ampulicinae, Sphecinae [= Fauna Kazakhstan. T. 9. Pereponchatokrylye (Hymenoptera). Roynushchiye osy (Hymenoptera, Sphecidae) Kazakhstan. Vypusk 1. Obshchaya kharakteristika semeystva. Podsemeystva Ampulicinae, Sphecinae, = Fauna of Kazakhstan. Vol. 9. Hymenoptera. Digger Wasps (Hymenoptera, Sphecidae) of Kazakhstan]. Fascicle I. General characteristics of the family. Subfamilies Ampulicinae, Sphecinae]. Ministerstvo Nauki – Akademiya Nauk Respubliki Kazakhstan. Institut Zoologii i Genofonda Zhivotnykh, Almaty. 284 pp. Available through:

[http://ashipunov.info/shipunov/school/books/kazenas1998\\_sphecidae\\_kazakhstan\\_1.pdf](http://ashipunov.info/shipunov/school/books/kazenas1998_sphecidae_kazakhstan_1.pdf),

[http://ia700801.us.archive.org/24/items/KazenasV.I.\\_DiggerWaspshymenopteraSphecidaeOfKazakhstan.Part1.A/Kazenas1998Kazakhstan1.pdf](http://ia700801.us.archive.org/24/items/KazenasV.I._DiggerWaspshymenopteraSphecidaeOfKazakhstan.Part1.A/Kazenas1998Kazakhstan1.pdf), and

[http://edulib.no-ip.info/books/kazenas1998\\_sphecidae\\_kazakhstan\\_1.pdf](http://edulib.no-ip.info/books/kazenas1998_sphecidae_kazakhstan_1.pdf)

- \* 1999. Обзор видов роющих ос рода *Dinetus* Panzer (Hymenoptera, Sphecidae) Казахстана и Средней Азии с определительной таблицей видов [= Obzor vidov roynushchikh os roda *Dinetus* Panzer (Hymenoptera, Sphecidae) Kazakhstan i Sredney Azii s opredelitel'noy tablitsy vidov] – The species

review of the genus *Dinetus* Panzer (Hymenoptera, Sphecidae) of Kazakhstan and Central Asia with the key of species. Tethys Entomological Research 1:187-194. Available through:

[http://www.antvid.org/Kazenas/PDF/Publ/1999%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Dinetus%20Kaz.&M.As.\(1999\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/1999%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Dinetus%20Kaz.&M.As.(1999).pdf)

- \* 2000a. (5 May). New synonyms in Central and South Asian Sphecidae. Journal of Hymenoptera Research 9:48-47. Available through: <http://biodiversitylibrary.org/page/2858229> and <http://www.archive.org/details/journalofhymenop09inte>
- \* 2000b. (late May or early June). Новые виды роющих ос рода *Dryudella* Spinola (Hymenoptera, Sphecidae) из Средней Азии [= Novyye vidy royushchikh os roda *Dryudella* Spinola (Hymenoptera, Sphecidae) iz Sredney Azii] – New species of digger wasps of the genus *Dryudella* Spinola (Hymenoptera, Sphecidae) from Middle Asia. Éntomologicheskoye Obozreniye 79:458-462. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2000b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2000b.pdf)
- \* 2000c. (July). Five new species of the genera *Dryudella* Spinola and *Cerceris* Latreille (Hymenoptera, Sphecidae) from Kazakhstan and Kyrgyzstan. Tethys Entomological Research 2:187-192. Available through: [http://www.antvid.org/Kazenas/PDF/Publ/2000%20Kazenas%20Dryudella.Cerceris%20spp.%20n.%20Kaz.\\_Kyrg.\\_2000.pdf](http://www.antvid.org/Kazenas/PDF/Publ/2000%20Kazenas%20Dryudella.Cerceris%20spp.%20n.%20Kaz._Kyrg._2000.pdf)
- \* 2000d. Новый подвид *Ammophila terminata* F. Smith (Hymenoptera, Sphecidae) из Казахстана [= Novyi podvid *Ammophila terminata* F. Smith (Hymenoptera, Sphecidae) iz Kazakhstana] – New subspecies of *Ammophila terminata* F. Smith (Hymenoptera, Sphecidae) from Kazakhstan. Selevinia 2000:18-19. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2000d\\_Ammophila\\_terminata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2000d_Ammophila_terminata.pdf)
- \* 2000e. Роющие осы (Hymenoptera, Sphecidae) Казахстана. Выпуск 2. Подсемейства Pemphredoninae и Astatinae [= Royushchiye osy (Hymenoptera, Sphecidae) Kazakhstana. Vypusk 2. Podsemeystva Pemphredoninae i Astatinae, = Digger wasps (Hymenoptera, Sphecidae) of Kazakhstan. Fascicle 2. Subfamilies Pemphredoninae and Astatinae]. Ministerstvo Obrazovaniya i Nauki Respubliki Kazakhstan. Institut Zoologii, Almaty. 320 pp. [Алматы, 320 с.]. Available through: <http://ia600703.us.archive.org/18/items/KazenasV.I.DiggerWaspsHymenopteraSphecidaeOfKazakhstan.Part2/Kazenas2000Kazakhstan2.pdf>
- \* 2001a. (early Feb.). Новый вид *Oxybelus* (Hymenoptera, Sphecidae) из Казахстана [= Novyi vid *Oxybelus* (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of *Oxybelus* (Hymenoptera, Sphecidae) from Kazakhstan. Vestnik Zoologii 35:89-90. [*Oxybelus fuscus*]. Available through: <http://www.v-zool.kiev.ua/pdfs/2001/1/13.pdf>
- \* 2001b. (late Feb.). Фауна и биология роющих ос Казахстана и Средней Азии [= Fauna i biologiya royushchikh os (Hymenoptera, Sphecidae) Kazakhstana i Sredney Azii = Fauna and biology of sphecid wasps (Hymenoptera, Sphecidae) of Kazakhstan and Central Asia]. Kazgos INTI, Almaty. 333 pp. Available through: <http://archive.org/search.phpquery=Kazenas>
- \* 2001c. (Aug.). Новые виды роющих ос рода *Dryudella* Spinola (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy royushchikh os roda *Dryudella* Spinola (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of the digger-wasp genus *Dryudella* Spinola (Hymenoptera, Sphecidae) from Kazakhstan. Éntomologicheskoye Obozreniye 80:744-747. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2001c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2001c.pdf)
- \* 2001d. (Dec.). A key to the identification of *Cerceris* Latreille (Hymenoptera, Sphecidae) of Kazakhstan and Middle Asia. Tethys Entomological Research 3:105-124 (115-134 according to electronic copy). Available through: <http://antvid.org/Kazenas/PDF/Publ/2001%20Cerceris.%20A.%20key.%20P.%20115-134.pdf>
- \* 2001e. (Dec.). A new species of the genus *Cerceris* Latreille (Hymenoptera, Sphecidae) from South-East Kazakhstan. Tethys Entomological Research 3:124. [*Cerceris mitjaevi*]. Available through: [https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Kazenas\\_2001e.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Kazenas_2001e.pdf)
- \* 2002a. (July). Роющие осы (Hymenoptera, Sphecidae) Казахстана [= Royushchiye osy (Hymenoptera, Sphecidae) Kazakhstana] – Digger wasps (Hymenoptera, Sphecidae) of Kazakhstan. Tethys Entomological Research 4:1-174. Available through:

- [http://ashipunov.info/shipunov/school/books/kazenas2002\\_sphecidae\\_kazakhstan.pdf](http://ashipunov.info/shipunov/school/books/kazenas2002_sphecidae_kazakhstan.pdf),  
<http://ia700303.us.archive.org/10/items/KazenasV.I.DiggerWasphymenopteraSphecidaeOfKazakhstanTethys/Kazenas2002Kazakhstan.pdf>, and  
[http://msubiology.info/shipunov/school/books/kazenas2002\\_sphecidae\\_kazakhstan.pdf](http://msubiology.info/shipunov/school/books/kazenas2002_sphecidae_kazakhstan.pdf)
- \* 2002b. (Dec.). Новые виды роющих ос рода *Diodontus* Curtis (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy royushchikh os roda *Diodontus* Curtis (Hymenoptera, Sphecidae) iz Kazakhstana – New species of *Diodontus* Curtis (Hymenoptera, Sphecidae) from Kazakhstan. Tethys Entomological Research 6:107-110. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2002b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2002b.pdf)
  - \* 2003. Новые виды роющих ос рода *Oxybelus* Latreille (Hymenoptera, Sphecidae) из Казахстана [= Novyye vidy royushchikh os roda *Oxybelus* Latreille (Hymenoptera, Sphecidae) iz Kazakhstana] – New species of digger wasps of the genus *Oxybelus* (Hymenoptera, Sphecidae) from Kazakhstan. Tethys Entomological Research 8:207-214 (incorrectly numbered volume 7 on pp. 207-214). Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/2003%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Oxybelus%20sp.n.%20Kaz.%20\(2003\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/2003%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Oxybelus%20sp.n.%20Kaz.%20(2003).pdf)
  - \* 2004a. (May). Новые материалы по фауне и систематике роющих ос рода *Pseudoscolia* Radoszkowski, 1876 (Hymenoptera: Crabronidae) Казахстана [= Novyye materialy po faune i sistematike royushchikh os roda *Pseudoscolia* Radoszkowski, 1876 (Hymenoptera: Crabronidae) Kazakhstana] – New data on the fauna and taxonomy of the genus *Pseudoscolia* Radoszkowski, 1876 (Hymenoptera: Crabronidae) of Kazakhstan. Trudy Russkogo Éntomologicheskogo Obshchestva (= Proceedings of the Russian Entomological Society) 75:234-241. Available through:  
<http://www.zin.ru/labs/insects/hymenopt/projects/tobias-75/pdf/kazenas.pdf>
  - \* 2004b. (1 Dec.). Роющие осы (Hymenoptera: Apoidea: Sphecidae, Crabronidae) Западного Тянь-Шаня [= Royushchiye osy (Hymenoptera: Apoidea: Sphecidae, Crabronidae) Zapadnogo Tyan-Shanya] – Digger wasps (Hymenoptera: Apoidea: Sphecidae of the Western Tien Shan. Tethys Entomological Research 10:97-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2004a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2004a.pdf)
  - \* 2004c. (1 Dec.). Роющие осы рода *Pseudoscolia* Radoszkowski (Hymenoptera: Crabronidae) Казахстана и Средней Азии [= Royushchiye osy roda *Pseudoscolia* Radoszkowski (Hymenoptera: Crabronidae) Kazakhstana i Sredney Azii] – Digger wasps of the genus *Pseudoscolia* Radoszkowski (Hymenoptera: Crabronidae) of Kazakhstan and Central Asia. Tethys Entomological Research 10:117-156. Available through: [http://antvid.org/Kazenas/PDF/Publ/2004%20Kazenas\\_Pseudoscolia%20Kaz.&Centr.As.\(Kazenas.2004\).pdf](http://antvid.org/Kazenas/PDF/Publ/2004%20Kazenas_Pseudoscolia%20Kaz.&Centr.As.(Kazenas.2004).pdf)
  - \* 2004d. Обзор видов роющих ос (Hymenoptera, Crabronidae=Sphecidae) северного Прикаспия [= Obzor vidov royushchikh os (Hymenoptera, Crabronidae=Sphecidae) severnogo Prikaspiya = A review of Sphecidae and Crabronidae (Hymenoptera) of northern Caspian region]. Kazakstannyh Biologiyalyk Fyl'mdary – Biologicheskoye Nauki Kazakhstan. 1-2:25-38. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/2004%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81\\_Sphecidae+Crabronidae%20%D0%A1%D0%B5%D0%B2%20%D0%9F%D1%80%D0%B8%D0%BA%D0%B0%D1%81%D0%BF%D0%B8%D1%8F%20\(2004\).pdf](http://www.antvid.org/Kazenas/PDF/Publ/2004%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81_Sphecidae+Crabronidae%20%D0%A1%D0%B5%D0%B2%20%D0%9F%D1%80%D0%B8%D0%BA%D0%B0%D1%81%D0%BF%D0%B8%D1%8F%20(2004).pdf)
  - \* 2006. (16 Jan.). (2005). Два новых вида роющих ос рода *Cerceris* Latreille (Hymenoptera, Crabronidae) из песчаной пустыни Сарыесик-Атырау (Юго-Восточный Казахстан) [= Dva novykh vida os roda *Cerceris* Latreille (Hymenoptera, Crabronidae) iz peschanoy pustyni Saryesik-Atyrau (Yugo-Vostochnyi Kazakhstan)] – Two new species of the genus *Cerceris* Latreille (Hymenoptera, Crabronidae) from the sand desert Saryesik-Atyrau (Southeastern Kazakhstan). Tethys Entomological Research 11:31-34. [*Cerceris zhdankoi* and *Cerceris jashenkoi*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2006.pdf)

- \* 2007a. (after 10 Feb.). (2006). Фаунистический обзор роющих ос (Hymenoptera, Sphecidae i Crabronidae) Кургальджинского заповедника и прилегающих территорий (Центральный Казахстан) [= Faunisticheskiy obzor royuushchikh os (Hymenoptera, Sphecidae i Crabronidae) Kurgal'dzhinskogo zapovednika i prilgayushchikh territoriy (Tsentralnyi Kazakhstan)] – A faunal survey of digger wasps (Hymenoptera: Sphecidae, Crabronidae) of Kurgaldzhin Reserve and adjacent territories. Selevinia 2000:89-94 + color plate on inner back cover. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2007a\\_Fauna\\_review.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2007a_Fauna_review.pdf)
- \* 2007b. Новый вид рода *Crossocerus* Lep. et Br., 1834 (Hymenoptera, Crabronidae) из Восточного Казахстана [= Novyi vid roda *Crossocerus* Lep. et Br., 1834 (Hymenoptera, Crabronidae) iz Vostochnogo Kazakhstana] – New species of the genus *Crossocerus* Lep. et Br., 1834 (Hymenoptera, Crabronidae) from East Kazakhstan. Tethys Entomological Research 15:87-88. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2007b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2007b.pdf)
- \* 2008a. (25 Nov.). Редкие виды роющих ос (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Юго-Восточного Казахстана и их охрана [= Redkiye vidy royuushchikh os (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Yugo-Vostochnogo Kazakhstana i ikh okhrana] – Rare species of digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) of Southeast Kazakhstan and their protection. Tethys Entomological Research 16:97-108. Available through: <http://www.anrvid.org/Kazenas/PDF/Publ/2008%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%B0%D0%81%D1%81%20%D0%A0%D0%BE%D1%8E%D1%89%D0%B8%D0%B5%20%D1%80%D0%BE%D1%8E%D1%88%D0%B5%20%D0%BE%D1%81%D1%81%20%D0%BE%D0%B2%D1%8F%D1%8F.pdf>
- \* 2008b. (25 Nov.). Роющие осы (Hymenoptera: Sphecidae, Crabronidae) лессовых обрывов в низкогорьях Заилийского Алатау [= Royushchiye osy (Hymenoptera: Sphecidae, Crabronidae) lessovykh obryvov v nizkogor'yakh Zailiyskogo Alatau] – Digger wasps (Hymenoptera: Sphecidae, Crabronidae) of loess steeps in low hills of the Zailiyskiy Alatau. Tethys Entomological Research 16:109-116. Available through: <http://www.anrvid.org/Kazenas/PDF/Publ/2008%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%B0%D0%81%D1%81%20%D0%A0%D0%BE%D1%8E%D1%89%D0%B8%D0%B5%20%D0%BE%D1%81%D1%81%20%D0%BE%D0%B2%D1%8F%D1%8F%D1%88%D0%B5%20%D0%BE%D1%8F%D1%8F.pdf>
- \* 2008c. К фауне роющих ос (Hymenoptera: Sphecidae, Crabronidae) Алакольской котловины [= K faune royuushchikh os (Hymenoptera: Sphecidae, Crabronidae) Alakol'skoy kotloviny, = On the digger wasps (Hymenoptera: Sphecidae, Crabronidae) of the Alakol' depression, Kazakhstan]. Selevinia 2008:255 + color plate 2. Available through: <http://www.anrvid.org/Kazenas/PDF/Publ/2008%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%B0%D0%81%D1%81%20%D0%A0%D0%BE%D1%8E%D1%89%D0%B8%D0%B5%20%D0%BE%D1%81%D1%81%20%D0%BE%D0%B2%D1%8F%D1%8F%D1%88%D0%B5%20%D0%BE%D1%8F%D1%8F.pdf>
- \* 2010a. Новые находки редких («краснокнижных») видов насекомых Казахстана [= Novyie nakhodki redkikh («krasnoknizhnykh») vidov nasekomykh Kazakhstana, = New findings of rare («red-booked») insect species of Kazakhstan]. Selevinia 2010:167-168. Available through: [https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas-2010\\_New\\_rare\\_spp.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas-2010_New_rare_spp.pdf)
- 2010b. Коллекция роющих ос (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) в Институте Зоологии Министерства образования и науки Республики Казахстан [= Kolleksiya royuushchikh os (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) v Institute Zoologii Ministerstva obrazovaniya i nauki Respubliki Kazakhstan] – Collection of digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) in the Institute of Zoology of the Ministry of Education and Science of Kazakhstan Republic. II Simpozium Stran SNG po Pereponchatokrylym Nasekomym. Rossiya, Sankt-Peterburg, 13-17 sentyabrya 2010 g. 8-y Kollokvium Rossiyskoy Sektzii Mezhdunarodnogo Soyuzu Issledovateley Obshchestvennykh Nasekomykh. Rossiya, Sankt-

- Peterburg, 13-17 sentyabriya 2010 g. Zoologicheskiy Institut Rossiyskoy Akademii Nauk et al. St. Petersburg et al., p. 65. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/2010%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81%20Digger%20wasps\\_Collection.pdf](http://www.antvid.org/Kazenas/PDF/Publ/2010%20%D0%9A%D0%B0%D0%B7%D0%B5%D0%BD%D0%B0%D1%81%20Digger%20wasps_Collection.pdf)
- \* 2011. *Crossocerus rasnitsyni*, a new species of crabronid wasps from southeast Kazakhstan (Hymenoptera: Crabronidae) – *Crossocerus rasnitsyni* – новый вид ос-крабронид из юго-восточного Казахстана [= *Crossocerus rasnitsyni* – novyi vid os-krabronid iz yugo-vostochnogo Kazakhstana]. Russian Entomological Journal 20:291-293. Available through:  
[http://www.antvid.org/Kazenas/PDF/Publ/2011%20Kazenas%20Cross\\_ent20\\_3%20291\\_293.pdf](http://www.antvid.org/Kazenas/PDF/Publ/2011%20Kazenas%20Cross_ent20_3%20291_293.pdf)
  - \* 2012a. Новый вид роющих ос крабронид рода *Lindenius* (Hymenoptera, Crabronidae) из Туркменистана [= Novyi vid royushchikh os krabronid roda *Lindenius* (Hymenoptera, Crabronidae) iz Turkmenistana = A new species of *Lindenius* (Hymenoptera, Crabronidae) from Turkmenistan]. [*Lindenius marikovskiy*]. Шыгыстың Аймақтық Хабаршысы (= Regional'nyi Vestnik Vostoka) 2:42-44. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2012\\_Lindenius\\_sp\\_n.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2012_Lindenius_sp_n.pdf)
  - \* 2012b. Новые материалы по фауне роющих ос (Hymenoptera: Sphecidae, Crabronidae) Коргалжынского государственного заповедника [= Novye materialy po faune royushchikh os (Hymenoptera: Sphecidae, Crabronidae) Korgalzhynskogo gosudarstvennogo zapovednika] – New materials on fauna of digger wasps (Hymenoptera: Sphecidae, Crabronidae) of Korgalzhyn state reserve. Selevinia. 20:168-170. Available through: <http://antvid.org/Kazenas/PDF/Publ/2012%20Пономин%20осы%20Коргалжына.pdf>
  - \* 2013a. (20 Feb.). Животные Казахстана в фотографиях. Роющие осы (Класс Насекомые, отряд Перепончатокрылые) [= Zhivotnyye Kazakhstana v fotografiyakh. Royushchiye osy (Klass Nasekomye, otryad Pereponchatokrylye), = Animals of Kazakhstan in photographs. Digger wasps (Class Insecta, order Hymenoptera). Tovarishchestvo s ogranichennoy otvetvennost'yu “Nur-print”, Almaty. 160 pp. [color photograph of 123 sphecid species, with short information on each species distribution and nesting habits]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2013a\\_Digger\\_wasps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2013a_Digger_wasps.pdf)
  - \* 2013b. Роющие осы краброниды (Hymenoptera, Crabronidae) Шарынского Национального природного парка и прилегающих территорий (юго-восточный Казахстан) [= Royushchiye osy krabronidy (Hymenoptera, Crabronidae) Sharynskogo Natsional'nogo prirodnogo parka i prilegayushchikh territoriy (yugo-vostochnyi Kazakhstan)] – Crabronid digger wasps (Hymenoptera, Crabronidae) of the Sharyn National Park and adjacent territories (southeast Kazakhstan). Euroasian Entomological Journal (= Evraziatskiy Éntomologicheskiy Zhurnal) 12:493-500. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2013b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2013b.pdf)
  - \* 2013c. Новые виды роющих ос-крабронид рода *Lindenius* Lepeletier et Brulle [sic], 1834 (Hymenoptera, Crabronidae) из Казахстана [= Novye vidy royushchikh os-krabronid roda *Lindenius* Lepeletier et Brulle [sic], 1834 (Hymenoptera, Crabronidae) iz Kazakhstana] – New species of the digger wasps genus *Lindenius* Lepeletier et Brulle [sic], 1834 from Kazakhstan. Kavkazskiy Éntomologicheskiy Byulleten' (= Caucasian Entomological Bulletin) 9:159-162. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_2013c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_2013c.pdf)
  - \* 2014a. (2013). Роющие осы (Hymenoptera: Crabronidae) Сырдарьинского Каратау [= Royushchiye osy (Hymenoptera: Crabronidae) Syrdar'inskogo Karatau = Digger wasps (Hymenoptera: Crabronidae) of Syr Dar'ya Karatau], pp. 130-140. in «Каратау корыгы»: Ғылыми-танымдық қоркем суретті кітап. Алматы ЖШС «Дала» баспасы. 176 pp. Available through:  
<http://antvid.org/Kazenas/PDF/Publ/2014%20Пономин%20осы%20Каратау.pdf>
  - \* 2014b. Не известные ранее самцы *Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae) [= Ne izvestnyie ranee samtsy *Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae)] – Previously unknown males of

*Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae). Euroasian Entomological Journal (= Evraziatskiy Éntomologicheskii Zhurnal) 13:161-162. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_2014\\_Stizus\\_histrio.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_2014_Stizus_histrio.pdf)

- \* 2019. Plates 70, 72, 73, 75, and 76 in Dzh. Azimov (Дж. Азимов) (editor). 2019. Ўзбекистон Республикасининг Қизил Китоби. 2 жилд. II жилд – Красная книга Республики Узбекистан в 2-х томах. Том II [= Red Book of the Uzbekistan Republic in 2 volumes. Volume II]. Chinor ENK, Toshkent. 374 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirana\\_kitob6.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirana_kitob6.pdf)

Autobiography: 1981. Vladimir Longinovich Kazenas. Sphecos 4:16-17. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)

Biography: I.I. Temreshev. 2024. Memory of Kazenas Vladimir Longinovich Kazenas. Acta Biologica Sibirica 10:619-632. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_Biography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_Biography.pdf)

List of publications: <http://antvid.org/Kzenas/Pub%20.html>

#### **Kzenas, V.L., and B.A. Alexander**

- \* 1993. The nest, prey, and larva of *Entomosericus kaufmani* Radoszkowski (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 2:221-226. Available through: <http://biodiversitylibrary.org/page/4490361> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_Alexander\\_1993\\_Entomosericus\\_kaufmani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_Alexander_1993_Entomosericus_kaufmani.pdf)

#### **Kzenas, V.L., and A.V. Antropov [В.Л. Казенас и А.В. Антропов]**

- \* 1994a. (Jan.). Новые роющие осы рода *Belomicrus* (Hymenoptera, Sphecidae) азиатской части Палеарктики. 1. Виды группы *italicus* и *radoszkowskyi* [= Novye royushchiye osy roda *Belomicrus* (Hymenoptera, Sphecidae) aziatskoy chasti Palearktiki. 1. Vidy gruppy *italicus* i *radoszkowskyi*] – New species of the genus *Belomicrus* (Hymenoptera, Sphecidae) from the Asian part of Palearctic. 1. Species of the groups *italicus* and *radoszkowskyi*. Zoologicheskii Zhurnal 73 (1):68-77. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_and\\_Antropov\\_1994a\\_Belomicrus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_and_Antropov_1994a_Belomicrus.pdf)

English translation: 1994. New species of the genus *Belomicrus* (Hymenoptera, Sphecidae) from the Asiatic Palearctic. 1. Species of the *italicus* and *radoszkowskyi* groups. Entomological Review 73 (4):142-151. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_Antropov\\_1994\\_English\\_translation.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_Antropov_1994_English_translation.pdf)

- \* 1994b. (Jan.). Новые роющие осы рода *Belomicrus* (Hymenoptera, Sphecidae) азиатской части Палеарктики. 2. Виды группы *kohlai* [= Novye royushchiye osy roda *Belomicrus* (Hymenoptera, Sphecidae) aziatskoy chasti Palearktiki. 2. Vidy gruppy *kohlai*] – New species of the genus *Belomicrus* (Hymenoptera, Sphecidae) from the Asian part of Palearctic. 2. Species of the group *kohlai*. Zoologicheskii Zhurnal 73 (1):78-88. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kzenas\\_and\\_Antropov\\_1994b\\_Belomicrus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kzenas_and_Antropov_1994b_Belomicrus.pdf)

#### **Kzenas, V.L., and M.Kh. Bayzhanov [Казенас В.Л. и М.Х. Байжанов]**

- 2012. Перспективы использования роющих ос рода *Bembix* F. (Hymenoptera: Crabronidae) для контроля численности слепней в Южном Казахстане [= Perspektivy ispol'zovaniya royushchikh os roda *Bembix* F. (Hymenoptera: Crabronidae) dlya kontrolya chislennosti slepney v Yuzhnom Kazakhstane, = Potential use of digger wasps of the genus *Bembix* F. (Hymenoptera: Crabronidae) for reducing the number of tabanids in Southern Kazakhstan], pp. 110-112 in A.M. Meldebekov et al. (editors). Материалы Международной научной конференции «Животный мир Казахстана и сопредельных территорий» посвященной

80-летию Института зоологии Республики Казахстан, 22-23 ноября 2012 – Materials of the International Conference «Wildlife of Kazakhstan and Adjacent Areas» devoted to the 80<sup>th</sup> anniversary of the Institute of Zoology, 22-23 November 2012. Almaty. 338 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_Bayzhanov\\_2012\\_Bembix.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_Bayzhanov_2012_Bembix.pdf)

2014. Биология и экология ос рода *Bembix* F. (Hym., Crabronidae) и их значение для животноводства [= *Biologiya i ékologiya os roda Bembix* F. (Hym., Crabronidae) i ikh znachenije dlya zhivotnovodstva, = Biology and ecology of the wasps of the genus *Bembix* F. (Hym., Crabronidae) and their importance for stock breeding], pp. 44-45 in [editor not provided] Наука и образование в современном обществе: вектор развития: Сборник научных трудов по материалам Международной научно-практической конференции 3 апреля 2014 г. В 7 частях. Часть I. «АР-Консалт», Москва. 161 pp. [general description of life history, only generic names given]. Available through: [http://antvid.org/Kazenas/PDF/Publ/2014%20Kazenas\\_Bajzhanov\\_Bembix.pdf](http://antvid.org/Kazenas/PDF/Publ/2014%20Kazenas_Bajzhanov_Bembix.pdf) and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_Bayzhanov\\_2014\\_Bembix.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_Bayzhanov_2014_Bembix.pdf)

**Kazenas, V.L., and K.K. Burunbetova [В.Л. Казенас и К.К. Бурунбетова]**

2003. Полевой определитель родов роющих ос Восточного Казахстана. Методические указания [= *Polevoy opredelitel' rodov royushchikh os vostochnogo Kazakhstan. Metodicheskiye ukazaniya*, = Field guide to genera of sphecid wasps of eastern Kazakhstan. Methodic instructions]. Vostochno-Kazakhstanskiy Gosudarstvennyi Universitet, Ust'-Kamenogorsk. 29 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_Burunbetova\\_2003\\_Sphécidae\\_field\\_guide.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_Burunbetova_2003_Sphécidae_field_guide.pdf)

**Kazenas, V.L., P. Egorov, and S. Aldiyarov [В.Л. Казенас, П. Егоров и С. Алдияров]**

- \* 2005. (Mar.). (2004). Биология и экология роющей осы *Sceliphron deformе* (F. Smith) (Hymenoptera, Sphecidae) в Юго-Восточном Казахстане [= *Biologiya i ékologiya royushchey osy Sceliphron deformе* (F. Smith) (Hymenoptera, Sphecidae) v Yugo-Vostochnom Kazakhstanе] – Biology and ecology of digger wasp *Sceliphron deformе* Smith (Hymenoptera, Crabronidae) in Southeast Kazakhstan. Selevinia 2004:163-165. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_et\\_al\\_2005\\_Sceliphron\\_deformе.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_et_al_2005_Sceliphron_deformе.pdf)

**Kazenas, V.L., and P.A. Esenbekova [В.Л. Казенас и П.А. Есенбекова]**

- \* 1995. Цикадовые (Homoptera, Auchenorrhyncha) – добыча роющих ос (Hymenoptera, Sphecidae) в Казахстане [= *Tsikadkovyye* (Homoptera, Auchenorrhyncha) – *dobycha royushchikh os* (Hymenoptera, Sphecidae) v Kazakhstanе] – Leafhoppers (Homoptera, Auchenorrhyncha) – prey of digger wasps (Hymenoptera, Sphecidae) in Kazakhstan. Selevinia 3 (3):79-81. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_and\\_Esenbekova\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_and_Esenbekova_1995.pdf)

- \* 1997. Первая находка роющих ос рода *Polemistus* Kohl (Hymemoptera [sic], Sphecidae) и их гнезд в Казахстане [= *Pervaya nakhodka royushchikh os roda Polemistus* Kohl (Hymemoptera [sic], Sphecidae) i ikh gnezd, = First record of the wasps of the genus *Polemistus* Kohl (Hymenoptera, Sphecidae) and their nests in Kazakhstan]. Izvestiya Ministerstva Obrazovaniya i Nauki – Akademiya Nauk Respubliki Kazakhstan. Seriya Biologicheskaya i Meditsinskaya 4:27-29. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_Esenbekova\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_Esenbekova_1997.pdf)

- \* 2001. Роющие осы (Hymenoptera, Sphecidae) Алматинского заповедника и прилегающих территорий [= *Royushchiye osy* (Hymenoptera, Sphecidae) Almatinskogo zapovednika i prilegayushchikh territoriy] – The digger wasps (Hymenoptera, Sphecidae) of Almatinskiy reserve and adjacent territories. Selevinia 2001:133-137. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_and\\_Esenbekova\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_and_Esenbekova_2001.pdf)

**Kazenas, V.L., and S.R. Nasyrova [В.Л. Казенас и С.Р. Насырова]**

- \* 1991. Роющие осы (Hymenoptera, Sphecidae) – враги прямокрылых (Orthoptera) в пустынной зоне Казахстана [= Royushchiye osy (Hymenoptera, Sphecidae) – vragi pryamokrylykh (Orthoptera) v pustynnoy zone Kazakhstan, = Digger wasps (Hymenoptera, Sphecidae) as predators of Orthoptera in the desert zone of Kazakhstan]. Izvestiya Akademii Nauk Kazakhskoy SSR. Seriya Biologicheskaya 6:37-40. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_and\\_Nasyrova\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_and_Nasyrova_1991.pdf)

**Kazenas, V.L., and V.I. Tobias [В.Л. Казенас и В.И. Тобиас]**

- \* 1992. Ночевочные скопления роющих ос (Hymenoptera, Sphecidae) в юго-восточном Казахстане [= Nochevochnyye skopleniya royushchikh os (Hymenoptera, Sphecidae) v yugo-vostochnom Kazakhstane] – Night sleeping aggregations of digger wasps (Hymenoptera, Sphecidae) in southeastern Kazakhstan. Éntomologicheskoye Obozreniye 71:28-31. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_Tobias\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_Tobias_1992.pdf)

English translation: 1993. Night sleeping aggregations of digger wasps (Hymenoptera, Sphecidae) in southeastern Kazakhstan. Entomological Review 71 (7):13-16. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kazenas\\_and\\_Tobias\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kazenas_and_Tobias_1992.pdf)

**Keasar, T., N. Sheffer, G. Glusman, and F. Libersat**

- \* 2006. Host-handling behavior: an innate component of foraging behavior in the parasitoid wasp *Ampulex compressa*. Ethology 112:699-706. Available through:

[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Keasar\\_et\\_al\\_2006\\_host-handling\\_behavior.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Keasar_et_al_2006_host-handling_behavior.pdf)

**Kejval, Z.**

- \* 2009. Zpráva o výskytu *Ampulex fasciata* a *Dolichurus corniculus* (Hymenoptera: Ampulicidae) v západních Čechách – Report on the occurrence of *Ampulex fasciata* and *Dolichurus corniculus* (Hymenoptera: Ampulicidae) in western Bohemia. Silva Gabreta 15:211–215. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kejval\\_2009\\_Ampulex\\_Dolichurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kejval_2009_Ampulex_Dolichurus.pdf)

**Kejval, Z., L. Blažej, and J. Erhart**

- 2020. Žahadloví blanokřídlí západních Čech – 2. Kutilky (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae). Západočeské Entomologické Listy 11:86-126. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kejval\\_et\\_al\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kejval_et_al_2020.pdf)

**Kelner Pillault, S.**

- \* 1962. Un *Sphex* américain introduit dans le Sud de la France *Sphex* (*Isodontia*) *Harrisi* Fernald. L'Entomologiste 18:102-110. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kelner\\_Pillault\\_1962.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kelner_Pillault_1962.pdf)

Obituary: Caussanel, C. 1986. In Memoriam: Simone Kelner-Pillault (1925-1985). Annales de la Société Entomologique de France 22:311-312. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kelner\\_Pillault\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kelner_Pillault_Obituary.pdf)

**Kemal, M., and A.Ö. Koçak**

- \* 2016 (21 Apr.). Annotated list of the Pterygota fauna of Artos Mountain (Van Province, East Turkey). CESA News 125:1-36. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kemal\\_Kocak\\_2016\\_Pterygota\\_Van\\_Turkey.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kemal_Kocak_2016_Pterygota_Van_Turkey.pdf)

- \* 2018. Revised synonymous list of the pterygot insects in Van Province (East Turkey). Priamus. Serial Publication of the Centre for Entomological Studies Ankara. 17:1-112. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kemal\\_Kocak\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kemal_Kocak_2018.pdf)

**Kephart, S., and K. Theiss**

- \* 2004. Pollinator-mediated isolation in sympatric milkweeds (*Asclepias*): do floral morphology and insect behavior influence species boundaries? *New Phytologist*. International Journal of Plant Science 161:265-277. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kephart\\_Theiss\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kephart_Theiss_2004.pdf)

**Kerenskiy, I.P. [И.П. Керенский]**

- \* 1919. (1918). К познанию фауны перепончатокрылыхъ Россіи. I. Перепончатокрылья из Керенскаго и Чембарскаго уѣзда, Пензенской губ. [= K poznaniyu fauny pereponchatokrylykh Rossii. 1. Pereponchatokrylyia iz Kerenskago i Chembarskago uyezda, Penzenskoy gub., = Contribution to the knowledge of Hymenoptera of Russia. 1. Hymenoptera of Kerensk and Chembar Districts, Penza Governorate]. *Izvestiya Donskogo Universiteta* (= *Acta Universitatis Tanaïtica*) 1:1-48.

**Kevan, D.K.McE.**

- 1970. (Apr.). Agassiz's Nomenclatoris zoologici index universalis – a correction. *Journal of the Society for the Bibliography of Natural History* 5:286. [a correction to Bowen and Smith, 1968]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kevan\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kevan_1970.pdf)

**Khosroabadi, M., M. Fallahzadeh, Ch. Schmid-Eger, and A.F. Dousti**

- 2019. Two new records of Crabronidae (Hymenoptera: Apoidea) from Iran. *Journal of Entomological Society of Iran* 38:439-441. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Khosroabadi\\_et\\_al\\_2019\\_Tachytes\\_matronalis\\_and\\_Trypoxylon\\_aegyptium\\_in\\_Iran.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Khosroabadi_et_al_2019_Tachytes_matronalis_and_Trypoxylon_aegyptium_in_Iran.pdf)

**Khramushin, A.E. [А.Е. Храмушин]**

- \* 1936. Биология одиночной осы – *Trypoxylon figulus* L. [= *Biologia odinochnoy osy – Trypoxylon figulus* L.] – Contribution to the biology of the solitary wasp *Trypoxylon figulus* L. *Permskiy Gosudarstvennyi Universitet imeni M. Gor'kogo. Uchenye Zapiski* [= *Scientific Memoirs of the M. Gorky State University of Perm*]. 2 (4):3-37, 5 unnumbered pls. Available through (pp. 26-27 missing):

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Khramushin\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Khramushin_1936.pdf)

**Khvir, V.I [В.И. Хвир]**

- \* 2014. *Sceliphron curvatum* (Hymenoptera, Sphecidae) – новый вид роющих ос для фауны Беларуси [= *Sceliphron curvatum* (Hymenoptera, Sphecidae) – novyi vid royushchikh os dlya fauny Belarusi] – *Sceliphron curvatum* (Hymenoptera, Sphecidae) – new species of Sphecoidea for Belarus fauna. *Trudy Belarusskogo Gosudarstvennogo Universiteta* [= *Proceedings of the Belarussya State University*] 9:91-94. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Khvir\\_2014\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Khvir_2014_Sceliphron_curvatum.pdf)

**Khvir, V.I., and W.J. Pulawski**

- \* 2020. A revision of New World *Lyroda* Say, 1837 (Hymenoptera: Crabronidae). *Proceedings of the California Academy of Sciences* (Series 4) 66:315-330. Available through:

[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Khvir\\_Pulawski\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Khvir_Pulawski_2020.pdf)

**Kieffer, J.J.**

- \* 1902. (1 Jan.). Zur Lebensweise von *Oxybelus uniglumis* Dahlb. und ihrer Parasiten (Mutilliden und Musciden). *Allgemeine Zeitschrift für Entomologie* 7:81-85. Available through:

<http://biodiversitylibrary.org/page/25327569> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kieffer\\_1902\\_Oxybelus\\_uniglumis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kieffer_1902_Oxybelus_uniglumis.pdf)

**Kieffer, J.J., and P. Herbst**

- \* 1909. Ueber einige neue Gallen und Gallenerzeuger aus Chile. Centralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten. 2. Abteilung 23:119-126. [Aculeates collected on galls of *Lecanium resinatum* Kieffer and Herbst, Coccidae, now in Kerridae]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kieffer\\_Herbst\\_1909.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kieffer_Herbst_1909.pdf)

**Kiesenwetter, H. von, see: von Kiesenwetter, H.****Kifune, T.**

- \* 1988. Additional records of stylopized Sphecoidea (Hymenoptera) from the Yaeyama Islands, with description of the male of *Paraxenos orientalis*. Kontyû 56:303-306. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kifune\\_1988\\_Stylopized\\_Sphecoidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kifune_1988_Stylopized_Sphecoidea.pdf)
- \* 1997. (25 June). On the genus *Paraxenos* from Sri Lanka in the collection of the Smithsonian Institution with a checklist of Strepsiptera from Sri Lanka and India (Notulae strepsipterologicae – XXIV). Japanese Journal of Entomology 65:407-412. [*Paraxenos indicus* reported from *Tachytes modestus* and *T. vischnu*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kifune\\_1997\\_Paraxenos\\_vs\\_Tachytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kifune_1997_Paraxenos_vs_Tachytes.pdf)

**Kifune, T., and Y. Hirashima**

- \* 1987. Three new species of the genus *Paraxenos* (Strepsiptera: Stylopidae) parasitic on *Bembix* (Hymenoptera: Sphecidae) of Sri Lanka and Australia in the collection of the Smithsonian Institution (Notulae Strepsipterologicae–XVII). Esakia 25:155-160. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kifune\\_Hirashima\\_1987\\_Paraxenos.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kifune_Hirashima_1987_Paraxenos.pdf)

**Kifune, T., and T. Tano**

- \* 2006. (18 Dec.). On a stylopid parasite (Strepsiptera) of *Sceliphron* (Hymenoptera, Sphecidae) in Sulawesi, Indonesia. Tsunekibachi 10:58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kifune\\_Tano\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kifune_Tano_2006.pdf)

**Kifune, T., and Sk. Yamane**

- \* 1985. Two new species of the genus *Paraxenos* (Strepsiptera, Stylopidae) and records of stylopized Sphecidae and Eumenidae (Hymenoptera) from the Ryukyus, Japan (Studies on the Japanese Strepsiptera IX). Kontyû 53:49-58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kifune\\_Yamane\\_1985\\_Paraxenos\\_vs\\_Sphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kifune_Yamane_1985_Paraxenos_vs_Sphecidae.pdf)

**Kikuchi, N.**

- \* 2014. (30 Sept.). The first record of *Ceratocrabro shimoyamai* (Tsuneki, 1958) from Fukushima Pref. (Crabronidae: Crabroninae). Tsunekibachi 25:37-38. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kikuchi\\_2014\\_Ceratocrabro\\_shimoyamai.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kikuchi_2014_Ceratocrabro_shimoyamai.pdf)

**Kim, Ch.W.**

1970. Illustrated encyclopedia of fauna and flora of Korea, Vol. 11. Insecta (III). 891 pp.

**Kim, Ch.W., I.B. Yoon, and J.I. Kim**

- \* 1975. Distribution atlas of the insects of Korea. Entomological Research Bulletin 6:1-66. Page dealing with Sphecidae available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_Yoon\\_Kim\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_Yoon_Kim_1975.pdf)

**Kim, D.-W., J.-D. Yeo, and J.-K. Kim**

- \* 2014. Revision of the family Sphecidae (Hymenoptera: Apoidea) in South Korea. *Entomological Research* 44:271-292. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_et\\_al\\_2014\\_Sphecidae\\_in\\_S\\_Korea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_et_al_2014_Sphecidae_in_S_Korea.pdf)

**Kim, J.-K.**

- \* 2014. Annotated catalog of the series Spheciformes (Hymenoptera: Apoidea) from the Korean Peninsula. *Journal of Asia-Pacific Biodiversity* 8:222-226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_2014\\_Korea\\_catalog.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_2014_Korea_catalog.pdf)
- \* 2015. New records of two Nyssonini (Bembicinae: Crabronidae) species from Korea, with a key to higher taxa of Sphecidae s. lat. occurring in Korea. *Journal of Asia-Pacific Biodiversity* 8:222-226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_2015\\_Nyssonini\\_Korea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_2015_Nyssonini_Korea.pdf)
- \* 2019. (Oct.). First record of the genus and species, *Entomognathus brevis* (Hymenoptera: Crabronidae: Crabroninae) in Korea. *Animal Systematics, Evolution and Diversity* 35:191-194. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_2019\\_Entomognathus\\_brevis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_2019_Entomognathus_brevis.pdf)
- \* 2020a. (Jan.). Contribution to the knowledge of the tribe Alyssontini Dalla Torre (Hymenoptera: Crabronidae: Bembicinae) of the Korean Peninsula. *Animal Systematics, Evolution and Diversity* 36:1-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_\(2020\)\\_Alyssontini\\_from\\_Korea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_(2020)_Alyssontini_from_Korea.pdf)
- \* 2020b. (1 May). A review of the Korean Ampulicidae (Hymenoptera: Apoidea), with a description of a new species. *Journal of Insect Biodiversity* 16:38-46. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_2020\\_Ampulicidae\\_Korea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_2020_Ampulicidae_Korea.pdf)

**Kim, J.-K., D.-E. Kim, and H.-S. Lee**

- \* 2020. (Jan.). The Genus *Philanthus* (Hymenoptera: Sphecidae: Philanthinae) in Korea. *Animal Systematics, Evolution and Diversity* 36:41-45. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_\(2020\)\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_(2020)_Philanthus_triangulum.pdf)

**Kim, J.-K., and H.W. Yang**

- \* 2009. Korean species of the subtribe Stigmina (Hymenoptera: Crabronidae: Pemphredoninae). *Animal Cells and Systems* 13:465-469. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kim\\_Yang\\_2009\\_Korean\\_Stigmina.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kim_Yang_2009_Korean_Stigmina.pdf)
- \* 2010. First record of *Psen ussuriensis* (Hymenoptera: Crabronidae: Pemphredoninae) from Korea, with a key and checklist of current valid species of Korean Pemphredoninae. *Korean Journal of Systematic Zoology* 26:141-151. Available through:  
[http://ocean.kisti.re.kr/downloadfile/volume/kssyz/DMBRBT/2010/v26n2/DMBRBT\\_2010\\_v26n2\\_141.pdf](http://ocean.kisti.re.kr/downloadfile/volume/kssyz/DMBRBT/2010/v26n2/DMBRBT_2010_v26n2_141.pdf)

**Kimoto, T., and M. Buck**

- \* 2014. Rediscovery of *Cerceris fumipennis* (Hymenoptera: Crabronidae) in British Columbia, Canada, with notes on geographic variation and nesting habits. *The Canadian Entomologist* 147:419-424. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimoto\\_Buck\\_2014\\_Cerceris\\_fumipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimoto_Buck_2014_Cerceris_fumipennis.pdf)

**Kimoto, T., M. Buck, P.D. Careless, and J. Roberts**

- \* 2015. Coexistence of *Cerceris fumipennis* and *Cerceris nigrescens* colonies in Merritt, BC. *Journal of the Entomological Society of British Columbia* 112:92-95. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimoto\\_et\\_al\\_2015\\_Cerceris\\_fumipennis\\_Cerceris\\_nigrescens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimoto_et_al_2015_Cerceris_fumipennis_Cerceris_nigrescens.pdf)

**Kimoto, T., J. Roberts, R.L. Westcott, E. Jendek, M. Buck, D. Holden, and Ph.D. Careless**

- \* 2015. Colony distribution and prey diversity of *Cerceris fumipennis* (Hymenoptera, Crabronidae) in British Columbia. *Journal of Hymenoptera Research* 46:45-59. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimoto\\_et\\_al\\_2015\\_Cerceris\\_fumipennis\\_colony\\_distribution.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimoto_et_al_2015_Cerceris_fumipennis_colony_distribution.pdf)

**Kimsey, L.S.**

- \* 1978. Nesting and male behavior in *Dynatus nigripes spinolae* (Lepeletier) (Hymenoptera, Sphecidae). *The Pan-Pacific Entomologist* 54:65-68. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimsey\\_1978\\_Dynatus\\_nigripes\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimsey_1978_Dynatus_nigripes_nesting.pdf)
  - \* 1982. *Parataruma*, a new genus of Neotropical Crabronini (Hymenoptera, Sphecidae). *Psyche* 89:169-173. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimsey\\_1982.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimsey_1982.pdf)
  - \* 1993. Review of the sphecid genus *Paradolichurus*, and description of a new species (Hymenoptera, Sphecidae). *Journal of the Kansas Entomological Society* 66:245-249. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimsey\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimsey_1993.pdf)
- Autobiography: 1979. Lynn Siri Kimsey. *Sphecos* 2:18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_2.pdf)

**Kimsey, L.S., and R.B. Kimsey**

- \* 1981. A new species of *Bembix* from the California desert (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 54:486-488. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimsey\\_Kimsey\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimsey_Kimsey_1981.pdf)

**Kimsey, L.S., R.B. Kimsey, and C.A. Toft**

- \* 1981. Life history of *Bembix inyoensis* in Death Valley (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 54:665-672. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimsey\\_et\\_al\\_1981\\_Bembix\\_inyoensis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimsey_et_al_1981_Bembix_inyoensis.pdf)

**Kimsey, L.S., and M. Ohl**

- \* 2012. (23 Mar.). *Megalara garuda*, a new genus and species of larrine wasps from Indonesia (Larrinae, Crabronidae, Hymenoptera). *ZooKeys* 177:49-57. Available through:  
[http://www.pensoft.net/journals/zookeys/article/2475/abstract/megalara-garuda-a-new-genus-and-species-of-larrine-wasps-from-indonesia-larrinae-crabronidae-hymenoptera-.doi:\\_10.3897/zookeys.177.2475](http://www.pensoft.net/journals/zookeys/article/2475/abstract/megalara-garuda-a-new-genus-and-species-of-larrine-wasps-from-indonesia-larrinae-crabronidae-hymenoptera-.doi:_10.3897/zookeys.177.2475)

**Kimyonazarov, S.Q., M.A. Embergenov, Z.Y. Akhmedova, B.R. Kholmatov, L.A. Gandjaeva, I.I. Abdullaev, O.O. Amirov, and A.N. Doniyorov [C.C. Кимёназаров, М.А. Ембергенов, З.Й. Ахмедова, Б.Р. Холматов, Л.А. Ганджаева, И.И. Абдуллаев, О.О. Амиров, и А.Н. Дониоров]**

- 2024. First record of *Trirogma caerulea* (Hymenoptera: Ampulicidae) from Uzbekistan, Middle and Central Asia – Первая находка *Trirogma caerulea* (Hymenoptera: Ampulicidae) в Узбекистане, Средней и Центральной Азии. *Zoosystematica Rossica* 33:93-94. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kimyonazarov\\_et\\_al\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kimyonazarov_et_al_2024.pdf)

**Kincaid, T.**

- \* 1900a. (Feb.). Notes on the species of *Crabro* found in the State of Washington. *Entomological News* 11:353-359. Available through: <http://biodiversitylibrary.org/page/2588633> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kincaid\\_1900a\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kincaid_1900a_Crabro.pdf)
- \* 1900b. (20 Dec.). Papers from the Harriman Alaska Expedition. XIV. Entomological results (8): The Sphegoidea and Vespoidea. *Proceedings of the Washington Academy of Sciences* 2:507-510. Available through: <http://biodiversitylibrary.org/page/8872573> and [Kincaid\\_1900b\\_Alaska.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kincaid_1900b_Alaska.pdf)

**Kinel, J., and J. Noskiewicz**

- \* 1924. Zapiski entomologiczne z Kasowej Góry – Notices entomologiques de Kasowa Góra. Kosmos (Lwów) 49:128-134. [Kasowa Góra: Podole Region of Ukraine; *Coelocrabro tirolensis* Kohl is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kinel\\_Noskiewicz\\_1924.PDF](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kinel_Noskiewicz_1924.PDF)

**Kingsley, K.J., R.A. Bailowitz, and R.L. Smith**

- \* 1987. A preliminary investigation of the arthropod fauna of Quitobaquito Springs area, Organ Pipe Cactus National Monument, Arizona. Cooperative National Park Resources Studies Unit. Arizona. Technical Report 23:1-4 + 1-23. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kingsley\\_et\\_al\\_1987\\_Arizona\\_Park.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kingsley_et_al_1987_Arizona_Park.pdf)

**Kinota, K., Y. Haneda, and T. Tano**

- \* 2005. (20 Aug.). Aculeata (Hymenoptera) collected from Sapor-shi, Ataru-Shi, and Ishikari-shi, Hokkaido. Tsunekibachi 5:25-31. Available through:

[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Kinota\\_Haneda\\_Tano\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Kinota_Haneda_Tano_2005.pdf)

**Kiran Vati, K., and K. Bhasker Shenoy**

- \* 2017. (Aug.). A study on the morphological variation in mandibles of four wasp species. International Journal of Science, Engineering and Management (IJSEM) 2:66-70 [*Sceliphron caementarium* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/KiranVati\\_BhaskerShenoy\\_2017\\_mandibles.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/KiranVati_BhaskerShenoy_2017_mandibles.pdf)

**Kirby, W.**

- \* 1798. *Ammophila*, a new genus of insects in the class Hymenoptera, including the *Sphex sabulosa* of Linnaeus. Transactions of the Linnean Society 4:195-212, 1 pl. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1798\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1798_Ammophila.pdf)

- \* 1802. Monographia Apum Angliae; or, an attempt to divide into their natural genera and families, such species of the Linnean genus *Apis* as have been discovered in England; with descriptions and observations. To which are prefixed some introductory remarks upon the class Hymenoptera, and a synoptical table of the nomenclature of the external parts of these insects. Volume II. J. Raw, Ipswich. 388 pp., pls. 15-18. [published Linnaeus' manuscript description of *Apis hispanica* (= *Tachytes freygessneri*) on p. 305]. Available through: <http://www.archive.org/details/monographiaapuma02kirb> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1802\\_Monographia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1802_Monographia.pdf)

**Kirby, W.F.**

- \* 1881a. A list of the Hymenoptera of New Zealand. The Transactions of the Entomological Society of London 1881:35-50. Available through: <http://biodiversitylibrary.org/page/14698022> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1881a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1881a.pdf)

- \* 1881b. (1 Oct.). On the Hymenoptera collected by Prof. Bayley Balfour in Sokotra. Proceedings of the General Meetings for Scientific Business of the Zoological Society of London 1881:649-650. [*Pelopoeus aegyptius*, now *Sceliphron spirifex*, is the only sphecid]. Available through:

<http://biodiversitylibrary.org/page/30759856> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1881b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1881b.pdf)

- \* 1883. (June). Notes on new or little known species of Hymenoptera, chiefly from New Zealand. The Transactions of the Entomological Society of London 1883:199-203. Available through:

<http://biodiversitylibrary.org/page/16326317> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1883.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1883.pdf)

- \* 1884a. (May). On the Hymenoptera collected during the recent expedition of H.M.S. 'Challenger'. The Annals and Magazine of Natural History (Series 5) 13:402-413. Available through: <http://biodiversitylibrary.org/page/19336194> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1884a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1884a.pdf)
- \* 1884b. A list of the Hymenoptera of New Zealand. New Zealand Journal of Science 2:65-77. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1884b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1884b.pdf)
- \* 1889. (May). Hymenoptera, pp. 133-137, pl. 14 in J.E.T. Aitchison. The zoology of the Afghan delimitation commission. The Transactions of the Linnean Society of London. Zoology (Series 2) 5:53-142, pls. VI-XIV, 2 maps. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1889.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1889.pdf)
- \* 1890. (31 July). Insecta, excepting Coleoptera, pp. 530-548 in H. N. Ridley. Notes on the zoology of Fernando Noronha. The Journal of the Linnean Society. Zoology 20:473-592. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1890.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1890.pdf)
- \* 1896. A list of the Orthoptera, Hymenoptera, and Hemiptera collected by Miss Kingsley on the River Ogové, with descriptions of some new genera and species. The Annals and Magazine of Natural History (Series 6) 18:257-269, pl. XII. [Ogové, now spelled Ogowe, is in Gabon; *Pelopoeus spirifex* is the only sphecid recorded]. Available through: <http://biodiversitylibrary.org/page/19211192> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1896.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1896.pdf)
- \* 1900. (15 Aug.). Descriptions of the new species of Hymenoptera. Bulletin of the Liverpool Museums under the City Council 3: 13-24. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_1900.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_1900.pdf)
- \* 1903. Insecta: Hymenoptera, pp. 233-260, pl. XV, XVI in H.O. Forbes (editor). The Natural History of Sokotra and Abd-el Kuri being the report upon the results of the conjoing expedition to these islands in 1898-9 by Mr. W.R. Ogilvie-Grant, of the British Museum, and Dr. H.O. Forbes, of the Liverpool Museum, together with information from other available sources forming a monograph of the islands. The Free Public Museum, Liverpool. XLVII + 598 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirby\\_WF\\_1903.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirby_WF_1903.pdf)

#### **Kirchner, L.**

- \* 1854. Verzeichnis der in der Gegend von Kaplitz, Budweiser Kreises in Böhmen, vorkommenden Aderflügler. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 4:285-316. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirchner\\_1854.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirchner_1854.pdf)
- \* 1867. Catalogus Hymenopterorum Europae. Propriis expensis Societatis Zoologico-Botanicæ, Vindobonæ [= Wien]. [1-4], 1-285 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirchner\\_1867\\_Hymenopterorum\\_Europae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirchner_1867_Hymenopterorum_Europae.pdf)

#### **Kirkaldy, G.W.**

- \* 1910. (1 June). Summaries of some papers relating to the New Zealand insect fauna, published outside the Dominion (1907-9), with some new names. Proceedings of the New Zealand Institute 4:129-131. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirkaldy\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirkaldy_1910.pdf)

#### **Kirkbride, D.M.**

- \* 1982. (1981). A new species of *Ammophila* from North America (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 57:457-460. [*Ammophila silvestris*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirkbride\\_1982\\_Ammophila\\_silvestris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirkbride_1982_Ammophila_silvestris.pdf)

**Kirschbaum, C.L.**

- \* 1853. Verzeichnis der in der Gegen von Wiesbaden, Dillenburg und Weilburg in Herzogtum Nassau aufgefundenen Sphegiden. (Schluss). [Stettiner] Entomologische Zeitung 14:43-49. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kirschbaum\\_1853.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kirschbaum_1853.pdf)

**Kishi, Sh., and H. Nagase**

- \* 2015. (30 Mar.). Flower-visiting Hymenoptera at Yayoi Campus of the University of Tokyo, Japan. Tsunekibachi 26:14-30. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_Kishi\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_Kishi_2014.pdf)

**Kislow, C.J., and R.W. Matthews**

- \* 1977. Nesting behavior of *Rhopalum atlanticum* Bohart (Hymenoptera: Sphecidae: Crabroninae). Journal of the Georgia Entomological Society 12:85-89. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kislow\\_Matthews\\_1977.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kislow_Matthews_1977.pdf)

**Kittel, [B.M.]**

- \* 1828. *Crabro parisinus*. Isis (Jena) 21:columns 925-926. [now *Oxybelus quattuordecimnotatus* Jurine, 1807] Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kittel\\_1828.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kittel_1828.pdf)

**Kjellander, E.**

- \* 1951. [*Ammophila campestris* Latr. und *alpicola* Beaum. in Schweden]. Opuscula Entomologica 16:48. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kjellander\\_1951.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kjellander_1951.pdf)
- \* 1954a. Zwei für die Wissenschaft neue Grabwespen aus Schweden nebst Beschreibung des Männchens von *Crabro congener* Dahlb. und *Crabro styrius* Kohl (Hym., Sphecidae). Entomologisk Tidskrift 75:238-244. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kjellander\\_1954a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kjellander_1954a.pdf)
- \* 1954b. Rovstekelnotiser I (Hym., Sphecidae). Entomologisk Tidskrift 75:245-248. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kjellander\\_1954b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kjellander_1954b.pdf)

**Klasa, A., and B. Wiśniowski**

- \* 2016. Gatunki obce w faunie Ojcowskiego Parku Narodowego – Alien species in the fauna of the Ojców National Park (S Poland). Prądnik. Prace i Materiały Muzeum im. Prof. Władysława Szafera 26:41.60. [*Sceliphron curvatum* is the only sphecid]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klasa\\_Wisniowski\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klasa_Wisniowski_2016.pdf)

**Klein, A.-M., I. Steffan-Dewenter, D. Buchori, and T. Tschardtke**

- \* 2002. (4 Aug.). Effects of land-use intensity in tropical agroforestry system on coffee flower-visiting and trap-nesting bees and wasps. Conservation Biology 16:1003-10014. [study site: Indonesia: central Sulawesi]. Available through: <http://www.bayceer.uni-bayreuth.de/bayceer/de/pub/html/ConservBiol2002.16.pdf>

**Klein, A.-M., I. Steffan-Dewenter, and T. Tschardtke**

- \* 2006. Rain forest promotes trophic interactions and diversity of trap-nesting Hymenoptera in adjacent agroforestry. Journal of Animal Ecology 75:315-323. Available through: [http://www.bayceer.uni-bayreuth.de/toek1\\_pgp/de/pub/html/JAE2006.75\\_315-323.pdf](http://www.bayceer.uni-bayreuth.de/toek1_pgp/de/pub/html/JAE2006.75_315-323.pdf)

**Klein, W.**

- \* 1999. De graafwespen van de Benelux. Hymenoptera, Sphecidae. Supplement. Pp. 1-38. In: Jeugdbondsuitgeverij. 130 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klein\\_W\\_1999\\_Graafwespen\\_supplement.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klein_W_1999_Graafwespen_supplement.pdf)

2025. The digger and sand wasps of Bonaire (Hymenoptera: Spheciformes). Nederlandse Faunistische Mededelingen 64:125–134. [Bonaire, an island in Leeward Antilles]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klein\\_Wasps\\_Bonaire.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klein_Wasps_Bonaire.pdf)

**Klein, W., and J.D.M. Belgers**

- \* 2020. De gevlekte wantsendoder *Dryudella tricolor* (Hymenoptera: Crabronidae) nieuw voor Nederland. Entomologische Berichten 80:226-228. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klein\\_W\\_Belgers\\_2020\\_Dryudella\\_tricolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klein_W_Belgers_2020_Dryudella_tricolor.pdf)

**Klein, W.F., and V. Lefebvre**

- \* 2004. Crabronidae – graafwespen, p. 356-430 in Peeters, T.M.J., C. van Achterberg, W.R.B. Heitmans, A.J. van Loon, A.A. Mabelis, H. Nieuwenhuijsen, M. Reemer, J. de Rond, J. Smit, and H.H.W. Velthuis. Editors: M. Reemer, A.J. van Loon, and T.M.J. Peeters. Nederlandse Fauna 6. De Wespen en mieren van Nederland (Hymenoptera: Aculeata). National Natuurhistorisch Museum Naturalis, Leiden. KNNV Uitgeverij, Utrecht, and European Invertebrate Survey, Leiden. 507 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klein\\_W\\_Lefebvre\\_2004\\_Crabronidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klein_W_Lefebvre_2004_Crabronidae.pdf)

**Kleine, R.**

- \* 1910. Zwei merkwürdige Nestanlagen von *Trypoxylon figulus* L. Zeitschrift für Wissenschaftliche Insektenbiologie 6:24-25. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kleine\\_1910\\_Trypoxylon\\_figulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kleine_1910_Trypoxylon_figulus.pdf)

**Klimsa, E.**

- \* 2012. Insektenbeobachtungen im Jahreslauf. Biotope und Biozönosen im Landkreis Schwandorf/Oberpfalz. Ein Beitrag zur Bayerischen Entomofaunistik. Galathea, Supplement 24:3-75. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klimsa\\_2012\\_supplement\\_24.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klimsa_2012_supplement_24.pdf)

**Kloet, G.S.**

- \* 1941. (1 Oct.). Records of Hymenoptera Aculeata from Wales and Cheshire. The Entomologist's Monthly Magazine 77:235-236. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kloet\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kloet_1941.pdf)

**Kloet, G.S., and W.D. Hincks**

1945. (Dec.). A check list of British insects. Arbroath. I-LIX, 1-483 pp.

**Klug, B.**

- \* 1965. (June). Die Hymenopteren am Tuniberg, im Mooswald und Riesenfeld; eine vergleichend faunistisch-ökologische Untersuchung dreier extremer Biotope des südlichen Oberrheintals. Berichte der Naturforschenden Gesellschaft zu Freiburg i. Br. 55:5-225. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_B\\_1965.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_B_1965.pdf)

**Klug, F.**

- \* 1801. (after 28 Apr.). Absonderung einiger Raupentödter und Vereinigung derselben zu einer neuen Gattung *Sceliphron*. Neue Schriften der Gesellschaft Naturforschender Freunde zu Berlin 3:555-566. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_1801\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_1801_Sceliphron.pdf)  
 [Review: C.R.W. Wiedemann. 1802. Archiv für Zoologie und Zootomie 3 (1 Stück):264-266. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_1802\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_1802_Sceliphron.pdf)]

- \* 1807. Über die Geschlechtsverschiedenheit der Piezaten. Erste Hälfte der Fabriciusschen Gattungen. Magazin der Gesellschaft Naturforschender Freunde für die Neusten Entdeckungen in der Gesammtern Naturkunde 1:68–80. Available through: [https://gdx.sub.uni-goettingen.de/id/PPN608227714\\_0001](https://gdx.sub.uni-goettingen.de/id/PPN608227714_0001)
- \* 1808. Über die Geschlechtsverschiedenheit der Piezaten. Andere Hälfte der Fabriciusschen Gattungen. Magazin der Gesellschaft Naturforschender Freunde für die Neusten Entdeckungen in der Gesammtern Naturkunde 2: 48–63. Available through: [https://gdx.sub.uni-goettingen.de/id/PPN608227714\\_0002](https://gdx.sub.uni-goettingen.de/id/PPN608227714_0002)
- \* 1810. Einige neue Piezatengattungen. Magazin der Gesellschaft Naturforschender Freunde für die Neusten Entdeckungen in der Gesammtern Naturkunde 4:31–45, pl. I. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_1810.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_1810.pdf)
- \* 1845. in C.G. Ehrenberg (editor). Symbolae physicae seu icones et descriptiones Insectorum quae ex itinere per Africam borealem et Asiam occidentalem Frederici Guilelmi Hemprich et Christiani Godofredi Ehrenberg medicinae et chirurgiae doctorum studio novae aut illustratae redierunt. Decas Quinta. Officina Academica, Berolini. 41 unnumbered pages, pls. 41–50. [See D. Baker, 1998b, for collecting localities]. Section on Sphecidae available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_1845.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_1845.pdf)
- \* 1846. [Über die Hymenopterengattung *Philanthus* Latr.]. Bericht über die zur Bekanntmachung Geeigneten Verhandlungen der Königl. Preußischen Akademie der Wissenschaften zu Berlin 1846:41–43. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Klug\\_1846.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Klug_1846.pdf)

#### **Knoerzer, A.**

- \* 1941. (31 Dec.). Bemerkenswerte Hymenopterenfunde in Südbayern. Mitteilungen der Münchner Entomologischen Gesellschaft 31:934–937. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Knoerzer\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Knoerzer_1941.pdf)

#### **Knowles, A.**

- \* 2005. Additional notes on *Mischophus bicolor* Jurine (Crabronidae: Larrinae) in Britain. BWARS (= Bees, Wasps, and Ants Recording Society) Newsletter Autumn 2005:19. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Knowles\\_2005\\_Mischophus\\_bicolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Knowles_2005_Mischophus_bicolor.pdf)

#### **Knowles, A.P., and G.R. Else**

- \* 2005. *Mischophus bicolor* Jurine (Hymenoptera: Crabronidae), a wasp new to Britain. British Journal of Entomology and Natural History 18:229–232. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Knowles\\_Else\\_2005\\_Mischophus\\_bicolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Knowles_Else_2005_Mischophus_bicolor.pdf)

#### **Knutelski, S.**

- 1997. Uwagi o niektórych gatunkach żądłówek (Hymenoptera: Aculeata) otuliny Tatrzńskiego Parku Narodowego – Remarks on some wasp species (Hymenoptera: Aculeata) in the protective zone of the Tatra National Park. Wiadomości Entomologiczne 12:54. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Knutelski\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Knutelski_1997.pdf)

#### **Koçak, A.O., and M. Kemal**

- \* 2010. (4 Oct.). Pterygot Insects of Afghanistan A tentative synonymic list of the species known in Afghanistan. Priamus. Serial Publication of the Centre for Entomological Studies Ankara 19 Supplement:1–98. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kocak\\_Kemal\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kocak_Kemal_2010.pdf)
- \* 2015. Hymenoptera of Turkey. Priamus. Serial Publication of the Centre for Entomological Studies Ankara. 38 Supplement:1–393. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kocak\\_Kemal\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kocak_Kemal_2015.pdf)

**Koçak, A.O., and M. Yalçın**

- \* 2012. (6 Dec.). *Bembix olivacea* (F.) in Van Province of East Turkey (Crabronidae, Hymenoptera). Cesa News 83:1-3. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kocak\\_Yalcin\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kocak_Yalcin_2012.pdf)

**Kochetkov, D.N.**

- \* 2023. К фауне роющих ос семейства Sphecidae (Hymenoptera: Apoidea) Хинганского заповедника, Амурская область – To the fauna of the digger wasps family Sphecidae (Hymenoptera: Apoidea) of the Khingan Nature Reserve, Amur Oblast. Chleniya Pamyati Aleksey Ivanovicha Kurentsova (= A.I. Kurentsov's Annual Memorial Meetings) 34:186-194. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kochetkov\\_2023\\_Khingan\\_reserve.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kochetkov_2023_Khingan_reserve.pdf)

**Kochetkov, D.N., M.M. Bol'shakova, O.M. Butenko, and S.G. Priklonskiy [Д.Н. Кочетков, М.М. Большакова, О.М. Бутенко и С.Г. Приклонский]**

- \* 2002. Жалящие перепончатокрылые (Aculeata, Hymenoptera) Окского заповедника [= Zhalyashchiye pereponchatokrylye Okskogo zapovednika] – Stinging Hymenoptera (Aculeata) of the Oka Reserve, pp. 257-273 in Мониторинг редких видов животных и растений и среды их обитания в Рязанской области [= Monitoring redkikh vidov zhivotnykh i rasteniy i sredy ikh obitaniya v Ryazanskoy oblasti] – Monitoring of rare species of animals and plants and their habitat in the Ryazan region. Ryazan'. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kochetkov\\_et\\_al\\_2008\\_Okskiy\\_reserve.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kochetkov_et_al_2008_Okskiy_reserve.pdf)

**Kochetkov, D.N., and O.V. Korsun [Д. Н. Кочетков и О. В. Корсун]**

- \* 2025. (1-5 Apr.). New records of digger wasps (Hymenoptera: Sphecidae, Crabronidae) from Zabaikalskii Krai, Russia – Новые находки роющих ос (Hymenoptera: Sphecidae, Crabronidae) в Забайкальском крае, Россия. Far Eastern Entomologist (Дальневосточный энтомолог) 521:1-14. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kochetkov\\_Korsun\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kochetkov_Korsun_2025.pdf)

**Kocourek, M.**

- \* 1963. Beitrag zur Kenntnis der Fauna der aculeaten Hymenopteren der Tschechoslowakei. Acta Faunistica Entomologica Musei Nationalis Pragae 9:285-298. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kocourek\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kocourek_1963.pdf)

**Koedam, D., E.J. Slaa, J.C. Biesmeijer, and P.Nogueira-Neto**

- \* 2009. Unsuccessful attacks dominate a drone-preying wasp's hunting performance near stingless bee nests. Genetics and Molecular Research, 8(2):690-702. [on *Trachypus boharti*]. Available through:

<http://www.funpecrp.com.br/gmr/year2009/vol8-2/pdf/kerr032.pdf>

**Koehler, S., J. Doudský, and M. Kaltenpoth**

- \* 2013. Dynamics of symbiont-mediated antibiotic production reveal efficient long-term protection for beewolf offspring. Frontiers in Zoology 10 (3), 13 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koehler\\_et\\_al\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koehler_et_al_2013.pdf)

**Koerber, T.W., and J.T. Medler**

- \* 1958. A trap-nest survey of solitary bees and wasps in Wisconsin, with biological notes. Transactions of the Wisconsin Academy of Sciences, Arts and Letters 47:53-63. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koerber\\_Medler\\_1958\\_Wisconsin.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koerber_Medler_1958_Wisconsin.pdf)

**Kofler, A.**

- \* 1972. Die Grabwespen Osttirols (Insecta: Hymenoptera, Sphecidae) – The digger-wasps of East Tirol (Insecta: Hymenoptera, Sphecidae). Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck 59:103-118. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kofler\\_1972\\_Osttirol.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kofler_1972_Osttirol.pdf)
- \* 1974. Zur Tierwelt um Gut Dietrichstein bei Feldkirchen in Kärnten. Carinthia II 164/84:313-331. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kofler\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kofler_1974.pdf)
- \* 1998. Naturkundliche Raritäten aus Osttirol. Die orientalische Mauerwespe (*Sceliphron curvatum*). Osttiroler Heimatblätter 66:1-2. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kofler\\_1998\\_Osttirol\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kofler_1998_Osttirol_Sceliphron_curvatum.pdf)
- \* 2005. Weitere Funde von Grabwespen in Osttirol (Österreich) (Hymenoptera: Sphecidae) – Additional finds of digger-wasps in East Tirol (Austria) (Hymenoptera: Sphecidae). Berichte des Naturwissenschaftlich-medizinischen Vereins in Innsbruck 92:161-187. Available through:  
[http://www.biologiezentrum.at/pdf\\_frei\\_remote/BERI\\_92\\_0161-0187.pdf](http://www.biologiezentrum.at/pdf_frei_remote/BERI_92_0161-0187.pdf) and [http://www.landesmuseum.at/pdf\\_frei\\_remote/BERI\\_92\\_0161-0187.pdf](http://www.landesmuseum.at/pdf_frei_remote/BERI_92_0161-0187.pdf)

**Kohl, F.F.**

- \* 1878. (1877). Hymenopterologischer Beitrag. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 27:701-710. Available through: <http://biodiversitylibrary.org/page/26709558> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1878.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1878.pdf)
- \* 1879. Neue tirolische Grabwespen. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 29:395-404. Available through: <http://biodiversitylibrary.org/page/16404600> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1879.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1879.pdf)
- \* 1880. Die Raubwespen Tirol's nach ihrer horizontalen und verticalen Verbreitung, mit einem Anhang biologischer und kritischer Notizen. Zeitschrift des Ferdinandeums für Tirol und Vorarlberg 3, Heft 24:97-242. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1880\\_Raubwespen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1880_Raubwespen.pdf)
- \* 1881. Sphegidologische Studien. Entomologische Nachrichten 7:27-31, 37-40, 53-56, 90-94, 239-244. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1881.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1881.pdf)
- \* 1883a. (Jan.). Über neue Grabwespen des Mediterrangebietes. Deutsche Entomologische Zeitschrift (Berlin) 27:161-186. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1883a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1883a.pdf)
- \* 1883b. Hymenopterologisches. I. Wiener Entomologische Zeitung 2:49-52. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1883b\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1883b_I.pdf)
- \* 1883c. Hymenopterologisches. II. Wiener Entomologische Zeitung 2:81-82. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1883c\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1883c_II.pdf)
- \* 1883d. Zur Synonymie der Hymenopterengattung *Tachysphex*. Wiener Entomologische Zeitung 2:226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1883d\\_Tachytes\\_Synonymie.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1883d_Tachytes_Synonymie.pdf)
- \* 1883e. (Oct.). Die Fossorien der Schweiz. Mittheilungen der Schweizerischen Entomologischen Gesellschaft 6:647-684. Available through: <http://biodiversitylibrary.org/page/16325455> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1883e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1883e.pdf)
- \* 1884a. (Mar.) (1883). Neue Hymenopteren in den Sammlungen des k. k. zool. Hof-Cabinetes zu Wien. II. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 33:331-386, pls. XVIIa-XVIII. Available through: <http://biodiversitylibrary.org/page/14215250> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1884a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1884a.pdf)
- \* 1884b. Beitrag zur Kenntnis der Hymenopterengattung *Oxybelus* Latr. Természetráji Füzetek 8:101-116. Available through: <http://biodiversitylibrary.org/page/30760418> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1884b\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1884b_Oxybelus.pdf)
- \* 1885a. (1884). Die Gattungen und Arten der Larriden Autorum [sic]. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 34:171-268, pls. VIII-IX, 327-454, pls. XI-XII. Available through: <http://biodiversitylibrary.org/page/14195974>, <http://www.archive.org/stream/verhandlungender34zool#page/171/mode/1up>, <http://www.archive.org/details/verhandlungender34zool>, [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1885a\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1885a_I.pdf), and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1885a\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1885a_II.pdf)
  - \* 1885b. Die Gattungen der Sphecinen und die paläarktische *Sphe*x-Arten. Természetrázi Füzetek 9:154-207, pls. VII-VIII. Available through: <http://biodiversitylibrary.org/page/30760831> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1885b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1885b.pdf)
  - \* 1885c. Zur Synonymie der Hymenoptera aculeata. Entomologische Nachrichten 11:161-165. Available through: <http://biodiversitylibrary.org/page/10435649> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1885c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1885c.pdf)
  - \* 1888a. (end Mar.). Neue Hymenopteren in den Sammlungen des k. k. naturhistorischen Hofmuseums. III. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 38:133-156, pls. III-IV. Available through: <http://biodiversitylibrary.org/page/13295547> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1888a\\_III.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1888a_III.pdf)
  - \* 1888b. (end Dec.). Zur Hymenopterenfauna Tirols. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 38:719-734, pl. XXI. Available through: <http://biodiversitylibrary.org/page/13296169> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1888b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1888b.pdf)
  - \* 1888c. (31 May). Die Crabronen der Section *Thyreopus* Lep. (Schieldwespen, Siebbienen). Zoologische Jahrbücher. Abtheilung für Systematik, Geographie und Biologie der Thiere 3:543-590, pl. XIV. Available through: <http://biodiversitylibrary.org/page/10342516> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1888c\\_Thyreopus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1888c_Thyreopus.pdf)
  - \* 1889a. (Apr.). Bemerkungen zu Edm. André's Species des Hyménoptères, T. III (Les Sphégiens). Mit Beschreibung einiger neuen Arten. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 39:9-30. Available through: <http://biodiversitylibrary.org/page/13337638> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1889a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1889a.pdf)
  - \* 1889b. Neue Gattungen aus der Hymenopteren-Familie der Sphegiden. Annalen des k.k. Naturhistorischen Hofmuseums 4:188-195, pl. VIII. Available through: <http://biodiversitylibrary.org/page/4852659> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1889b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1889b.pdf)
  - \* 1890a. Zur Kenntnis der Pemphredonen. Annalen des k.k. Naturhistorischen Hofmuseums 5:49-65. Available through: <http://biodiversitylibrary.org/page/5405067> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1890a\\_Pemphredonen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1890a_Pemphredonen.pdf)
  - \* 1890b. Die Hymenopterengruppe der Sphecinen. I. Monographie der natürlichen Gattung *Sphe*x Linné (sens. lat.). Annalen des k.k. Naturhistorischen Hofmuseums 5:77-194, pls. VIII-XII, 317-462. Available through: <http://biodiversitylibrary.org/page/5405118>, <http://biodiversitylibrary.org/page/5404832>, <http://biodiversitylibrary.org/page/5404792>, [http://www.landesmuseum.at/pdf\\_frei\\_remote/ANNA\\_5\\_0077-0194.pdf](http://www.landesmuseum.at/pdf_frei_remote/ANNA_5_0077-0194.pdf), and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1890c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1890c.pdf)
  - \* 1891. Zur Kenntnis der Hymenopteren-Gattung *Philanthus* Fabr. (sens. lat.). Annalen des k.k. Naturhistorischen Hofmuseums 6:345-370. Available through: <http://biodiversitylibrary.org/page/5374739> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1891\\_Philanthus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1891_Philanthus.pdf)
  - \* 1892. Neue Hymenopterenformen. Annalen des k.k. Naturhistorischen Hofmuseums 7:197-234, pls. XIII-XV. Available through: <http://biodiversitylibrary.org/page/5745488> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1892.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1892.pdf)

- \* 1893a. (end Mar.). Zur Hymenopteren-Fauna Niederösterreichs. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 43:20-42. Available through: <http://biodiversitylibrary.org/page/13587407> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1893a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1893a.pdf)
- \* 1893b. (end Dec.). Zu den Hymenopteren-Gattungen *Pseudonysson* Radoszk. und *Pseudoscolia* Radoszk. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 43:545-547. Available through: <http://biodiversitylibrary.org/page/13587944> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1893b\\_Pseudonysson\\_Pseudoscolia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1893b_Pseudonysson_Pseudoscolia.pdf)
- \* 1893c. (end Dec.). *Zoyphium*, eine neue Hymenopterengattung. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 43:569-572. Available through: <http://biodiversitylibrary.org/page/13587968> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1893c\\_Zoyphium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1893c_Zoyphium.pdf)
- \* 1893d. Über *Ampulex* Jur. (s. l.) und die damit enger verwandten Hymenopteren-Gattungen. Annalen des k.k. Naturhistorischen Hofmuseums 8:455-516. Available through: <http://biodiversitylibrary.org/page/4853708> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1893d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1893d.pdf)
- \* 1893e. Hymenopteren von Herrn Dr. Fr. Stuhlmann in Ostafrika gesammelt. Jahrbuch der Hamburgischen Wissenschaftlichen Anstalten 10 (2):179-191, 1 pl. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1893e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1893e.pdf)
- \* 1894. Zur Hymenopterenfauna Afrikas. Annalen des k.k. Naturhistorischen Hofmuseums 9:279-350. Available through: <http://biodiversitylibrary.org/page/3995691> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1894.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1894.pdf)
- \* 1895. Zur Monographie der natürlichen Gattung *Sphex* Linné. Annalen des k.k. Naturhistorischen Hofmuseums 10:42-74, pls. IV-V. Available through: <http://biodiversitylibrary.org/page/4854591> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1895\\_Sphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1895_Sphex.pdf)
- 1897a. (1896). (before 11 Mar.). Die Gattungen der Sphegiden. Annalen des k.k. Naturhistorischen Hofmuseums 11:233-516, pls. V-XI. [Dating after review by A. Handlirsch. 1897. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 47:195-196; 11 Mar. 1897 is accession stamp in ZMHU]. Available through: <http://biodiversitylibrary.org/page/4855301> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1897a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1897a.pdf)
- \* 1897b. *Eremiasphexium* (η ερημία – desertum; το σφηκιον – vespula). Eine neue Gattung der Hymenopteren aus der Familie der Sphegiden. Annalen des k.k. Naturhistorischen Hofmuseums 12:67-70. Available through: <http://biodiversitylibrary.org/page/4855815> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1897b\\_Eremiasphexium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1897b_Eremiasphexium.pdf)
- \* 1898a. Über neue Hymenopteren. Természetrázi Füzetek 21:325-367, pl. XV. Available through: <http://biodiversitylibrary.org/page/30765478> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1898a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1898a.pdf)
- \* 1898b. Neue Hymenopteren. Annalen des k.k. Naturhistorischen Hofmuseums 13:91-102. Available through: <http://biodiversitylibrary.org/page/5373772> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1898b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1898b.pdf)
- \* 1899. Zur Kenntnis neuer gestachelter Hymenopteren. Annalen des k.k. Naturhistorischen Hofmuseums 14:305-316. Available through: <http://biodiversitylibrary.org/page/5406718> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1899.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1899.pdf)
- \* 1901a. Zur Kenntnis der paläarktischen *Diodontus*-Arten. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 51:120-134, pl. II. Available through: <http://biodiversitylibrary.org/page/14215781> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1901a\\_Diodontus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1901a_Diodontus.pdf)
- \* 1901b. (18 Aug.). Ueber einen Fall von "frontaler" Gynandromorphie bei *Ammophila abbreviata* F. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 51:405-407. Available through: <http://biodiversitylibrary.org/page/14216068> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1901b\\_Ammophila\\_abbreviata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1901b_Ammophila_abbreviata.pdf)
  - \* 1901c. (28 Dec.). Über neue Arten der Hymenopteren-Gattung *Tachysphex* Kohl. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 51:777-784, pl. VIII. Available through: <http://biodiversitylibrary.org/page/14216448> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1901c\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1901c_Tachysphex.pdf)
  - \* 1901d. Zur Kenntnis der Sandwespen (Gen. *Ammophila* Kirby). Annalen des k.k. Naturhistorischen Hofmuseums 16:142-164. Available through: <http://biodiversitylibrary.org/page/5402346> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1901d\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1901d_Ammophila.pdf)
  - \* 1902. Hymenopterengruppe der Sphecinen. II. Monographie der neotropischen Gattung *Podium* Fabr. Abhandlungen der k.k. Zoologisch-Botanischen Gesellschaft in Wien 1:1-101, pls. I-VII. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/AZBG\\_1\\_4\\_0001-0101.pdf](http://www.landesmuseum.at/pdf_frei_remote/AZBG_1_4_0001-0101.pdf)
  - \* 1905a. (1 July). Palaearktische Crabronen (Hym.). Zeitschrift für Systematische Hymenopterologie und Dipterologie 5:217-227. Available through: <http://biodiversitylibrary.org/page/12680825> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1905a\\_Crabronen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1905a_Crabronen.pdf)
  - \* 1905b. (25 July). Hymenopterentypen aus der neotropischen Fauna. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 55:338-366. Available through: <http://biodiversitylibrary.org/page/13377476> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1905b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1905b.pdf)
  - \* 1905c. Hymenoptera in Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annalen des k.k. Naturhistorischen Hofmuseums 20:220-246. Available through: <http://biodiversitylibrary.org/page/5325374> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1905c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1905c.pdf)
  - \* 1905d. (30 Dec.). Zur Kenntnis der Hymenopterengattung *Passaloecus* Shuck. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 55:517-529. Available through: <http://biodiversitylibrary.org/page/13377657> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1905d\\_Passaloecus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1905d_Passaloecus.pdf)
  - \* 1906a. Zoologische Ergebnisse der Expedition der kaiserlichen Akademie der Wissenschaften nach Südarabien und Sokotra im Jahre 1898-1899. Hymenopteren. Denkschriften der Kaiserlichen Akademie der Wissenschaften in Wien. Mathematisch-Naturwissenschaftliche Klasse 71:169-301, pls. I-XI. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1906a\\_Sudarabien\\_Sokotra.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1906a_Sudarabien_Sokotra.pdf)
  - \* 1906b. Die Hymenopterengruppe der Sphecinen. III. Monographie der Gattung *Ammophila* W. Kirby (sens. lat. – Ammophilinae Ashmead). Abteilung A. Die Ammophilinen der paläarktischen Region. Annalen des k.k. Naturhistorischen Hofmuseums 21:228-382, pls. VII-XIII. [plates assigned to vol. 22 and dated 1907 in bottom line note, apparently in error; plates numbered incorrectly as pl. VII also appears earlier in the volume]. Available through: <http://biodiversitylibrary.org/page/5406012> and [http://www.landesmuseum.at/pdf\\_frei\\_remote/ANNA\\_21\\_0228-0382.pdf](http://www.landesmuseum.at/pdf_frei_remote/ANNA_21_0228-0382.pdf)
  - \* 1907. *Eparmatostethus* novum genus Larridarum (Hymen.). Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 57:167-169. Available through: <http://biodiversitylibrary.org/page/13332234> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1907\\_Eparmatostethus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1907_Eparmatostethus.pdf)

- \* 1908a. (30 June). Über eine neue *Dasyproctus*-Art aus Java. Notes from the Leyden Museum 30:52-54. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1908a\\_Dasyproctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1908a_Dasyproctus.pdf)
- \* 1908b. VII. Hymenopteren, pp. 306-318, pl. III in K. Rechner (editor). Botanische und zoologische Ergebnisse einer wissenschaftlichen Forschungsreise nach den Samoa-Inseln, dem Neuguinea-Archipel und den Salomons-Inseln vom März bis Dezember 1905. Denkschriften der Kaiserlichen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Klasse 81:1-318, pl. I-III. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1908b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1908b.pdf)
- \* 1909. Sphegiden und Pompiliden von Madagaskar, den Comoren und Ostafrika, pp. 369-378 in A. Voeltzkow (editor). Reise in Ostafrika in den Jahren 1903-1905 mit Mitteln der Hermann und Elise geb. Heckmann Wentzel-Stiftung ausgeführt. Wissenschaftliche Ergebnisse. Vol. 2. Systematische Arbeiten. Heft 4. E. Schweizerbartsche Verlagsbuchhandlung Nägele & Dr. Sproesser, Stuttgart. pp. 265-418, 13 pls. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1909.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1909.pdf)
- \* 1912a. (30 Apr.). Über einige seltene Hymenopteren aus Tirol. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 62:57-63. Available through:  
<http://biodiversitylibrary.org/page/13335096> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1912a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1912a.pdf)
- \* 1912b. Diagnose et description d'une nouvelle espèce de sphéride, pp. 84-86 in E. Bordage. Notes biologiques réunies à l'île de la Réunion. Bulletin Scientifique de la France et de la Belgique 46:29-92. [*Polemistus dorsalis*]. Available through: <http://www.archive.org/details/bulletinbiologiq46univ> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1912b\\_Polemistus\\_dorsalis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1912b_Polemistus_dorsalis.pdf)
- \* 1912c. Description du male de *Pison argentatum* Shuckard, pp. 86-87 in E. Bordage. Notes biologiques réunies à l'île de la Réunion. Bulletin Scientifique de la France et de la Belgique 46:29-92. Available through: <http://www.archive.org/details/bulletinbiologiq46univ> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1912c\\_Pison\\_argentatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1912c_Pison_argentatum.pdf)
- \* 1913a. (15 Sept.). Neue Pompiliden und Sphegiden vom belgischen Congogebiete. Revue Zoologique Africaine 3:182-209. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1913a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1913a.pdf)
- \* 1913b. Fascicula 11. Hymenoptera in V. Velitchkovsky. Faune du District de Walouyki du gouvernement de Woronéje (Russie). Johann Zellmayer, Stockerau. 21 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1913b\\_Valouky.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1913b_Valouky.pdf)
- \* 1915. Die Crabronen (Hymenopt.) der paläarktischen Region. Monographisch bearbeitet. Annalen des k.k. Naturhistorischen Hofmuseums 29:1-453, pls. I-XIV. Available through: <http://biodiversitylibrary.org/page/5682051>
- \* 1916. (Mar.). (1915). Beitrag zur Kenntnis der Gattung *Cerceris* auf Grundlage der O. Radoszkowskyschen Sammlung. Archiv für Naturgeschichte, Abteilung A 88, Heft 7:107-125. Available through:  
<http://biodiversitylibrary.org/page/13215071> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1916\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1916_Cerceris.pdf)
- \* 1918. Die Hautflüglergruppe "Sphecinae". IV. Die natürliche Gattung *Sceliphron* Klug (= *Pelopaeus* Latr.). Annalen des k.k. Naturhistorischen Hofmuseums 32:1-171. Available through:  
<http://biodiversitylibrary.org/page/5585249> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_1918\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_1918_Sceliphron.pdf)
- \* 1923-1924. Die Hymenopteren-Gattung *Belomicrus* A. Costa (s.l.). Konowia 2:98-122 (1923), 180-202 (1923), 258-278 (1924), 1 pl. Available through: pp. 98-122: [http://www.landesmuseum.at/pdf\\_frei\\_remote/KON\\_2\\_0098-0122.pdf](http://www.landesmuseum.at/pdf_frei_remote/KON_2_0098-0122.pdf), p. 180-202: [http://www.landesmuseum.at/pdf\\_frei\\_remote/KON\\_2\\_0180-0202.pdf](http://www.landesmuseum.at/pdf_frei_remote/KON_2_0180-0202.pdf), pp. 258-278: [http://www.landesmuseum.at/pdf\\_frei\\_remote/KON\\_2\\_0258-0278.pdf](http://www.landesmuseum.at/pdf_frei_remote/KON_2_0258-0278.pdf)

Obituary: F. Maidl. 1925. Franz Friedrich Kohl. Konowia 4:89-96. Available through:

[http://www.landesmuseum.at/pdf\\_frei\\_remote/KON\\_4\\_0089-0096.pdf](http://www.landesmuseum.at/pdf_frei_remote/KON_4_0089-0096.pdf) and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl-1925\\_Kohl.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl-1925_Kohl.pdf)

Biography: Nonveiller, 1999:202; Haris, 2016:65 (available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

#### **Kohl, F.F., and A. Handlirsch**

- \* 1889. (June). Transcaspische Hymenopteren. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 39:267-286, pl. VII. [specimens described in this paper are not in Vienna; they may be preserved at the Georgia State Museum, Tbilisi, as G. Radde, one of the collectors, was director of the Caucasus Museum, Tiflis, Georgia, as the institution was called at that time]. Available through: <http://biodiversitylibrary.org/page/14216178> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_Handlirsch\\_1889.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_Handlirsch_1889.pdf)
- \* 1910. (25 June). Zwei neue Fossorien aus dem Mediterrangebiete. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 60:264-266. Available through: <http://biodiversitylibrary.org/page/13744652> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohl\\_Handlirsch\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohl_Handlirsch_1910.pdf)

#### **Köhler, G., F. Creutzburg, and H.D. Loxdale**

- \* 2014. Weitere Nachweise der Orientalischen Mauerwespe *Sceliphron curvatum* (F. Smith, 1870), aus Jena/Thüringen (Insecta: Hymenoptera: Sphecidae) – Further observations of the Oriental potter wasp *Sceliphron curvatum* (F. Smith, 1870), from Jena; Thuringia, Germany (Insecta: Hymenoptera: Sphecidae). Thüringer Faunistische Abhandlungen 19:117-122. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koehler\\_et\\_al\\_2014\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koehler_et_al_2014_Sceliphron_curvatum.pdf)

#### **Köhler, G., J.D. Hochstetter, F. Creutzburg, and M. Jessat**

- \* 2020. Beobachtungen zur Heuschreckensandwespe (*Sphex funerarius* Gussakovskij, 1934) in Thüringen (Insecta: Hymenoptera, Sphecidae). Mauritiana (Altenburg) 38:1-21. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koehler\\_Sphex\\_Thuringia\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koehler_Sphex_Thuringia_2020.pdf)

#### **Kohriba, O.**

- \* 1957. Some biological notes on *Ampulex amoena* Stål. Kontyû 25:99-101. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kohriba\\_1957\\_Ampulex\\_amoena.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kohriba_1957_Ampulex_amoena.pdf)

#### **Kokujev, N.R. [Н.Р. Кокуев]**

- \* 1902. Матерьялы для фауны перепончатокрылых Россii [= Mater'yaly dlya fauny pereponchatokrylykh Rossii, = Materials for the hymenopterous fauna of Russia]. Russkoye Éntomologicheskoye Obozrenye (= Revue Russe d'Entomologie) 2:4-12. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kokujev\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kokujev_1902.pdf)
- \* 1906. О русских представителях подсемейства Alysonini Dalla Torre (Hymenoptera, Crabronidae) [= O russkikh predstavatelyakh podsemeystva Alysonini Dalla Torre (Hymenoptera, Crabronidae), = On the Russian representatives of the subfamily Alysonini Dalla Torre (Hymenoptera, Crabronidae)]. Horae Societatis Entomologicae Rossicae 37:209-219. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kokujev\\_1906\\_Alysonini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kokujev_1906_Alysonini.pdf)
- \* 1909. Hymenoptera asiatica nova. Russkoye Éntomologicheskoye Obozrenye (= Revue Russe d'Entomologie) 9:246-248. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kokujev\\_1909.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kokujev_1909.pdf)
- \* 1912. Новые перепончатокрылые найденные на Кавказѣ А.Б. Шелковниковым [= Novyya pereponchatokrylyia naydennyya na Kavkaze A.B. Shelkovnikovym, = New Hymenoptera found in

Caucasus by A.B. Shelkovnikov]. Izvestiya Kavkazskago Muzeya (= Bulletin du Musée du Caucase) 7:1-6. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kokujev\\_1912.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kokujev_1912.pdf)

- \* 1927. Hymenoptera, собранные В.В. Совинским на берегах озера Байкала в 1902 году [= Hymenoptera, sobrannyye V.V. Sovinskim na beregakh ozera Baykala v 1902 godu = Hymenoptera collected by V.V. Sovinskiy on the shores of Lake Baikal in the year 1902]. Trudy Komissii po Izucheniyu Oзера Baykala (= Travaux de la Commission pour l'Étude du Lac Baikal) 2:63-76. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kokujev\\_1927.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kokujev_1927.pdf)

**Kolarov, Ya., Y. Stancheva, and I. Sredkov** [Я. Коларов, Й. Станчева и И. Средков]

- \* 1987. Нов неприятел по черешата в България – *Pemphredon inornatus* Say (Hymenoptera; Sphecidae) [= Nov nepriyatel po chershata v Balgariya – *Pemphredon inornatus* Say (Hymenoptera; Sphecidae)] – A new pest – *Pemphredon inornatus* Say (Hymenoptera; Sphecidae) infesting cherry-trees in Bulgaria. Pochvoznaniye, Agrokhimiya i Rastitelna Zashchita (= Soil Science, Agrochemistry and Plant Protection) 22:95-98. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolarov\\_et\\_al\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolarov_et_al_1987.pdf)

**Kolesnikov, V.A.** [В.А. Колесников]

- \* 1974. К изучению гнездового поведения *Psenulus pallipes* (Hymenoptera, Sphecidae). Материалы седьмого съезда Всесоюзного энтомологического общества. Часть вторая. Сельскохозяйственная энтомология. Лесная энтомология. Всесоюзное энтомологическое общество et al. [= K izucheniyu gnezdovogo povedeniya *Psenulus pallipes* (Hymenoptera, Sphecidae). Materialy sed'mogo s'yezda Vsesoyuznogo éntomologicheskogo obshchestva. Chast' vtoraya. Selskokhozyaystvennaya éntomologiya. Lesnaya éntomologiya. Vseoyuznoye éntomoloicheskoye obshchestvo et al., = Materials of the Seventh Meeting of the All-Union Entomological Society. Second Part. Agricultural Entomology. Forest Entomology. All-Union Entomological Society et al.]. Ленинград (= Leningrad), p. 54. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolesnikov\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolesnikov_1974.pdf)

- \* 1977. Роющие осы (Hymenoptera, Sphecidae) Брянской области и их значение как энтомофагов [= Royushchiye osy (Hymenoptera, Sphecidae) Bryanskoy oblasti i ikh znachenie kak éntomofagov] – Sphecid wasps (Hymenoptera, Sphecidae) of the Bryansk region and their role as entomophagous insects. Éntomologicheskoye Obozreniye 56:315-325. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolesnikov\\_1977.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolesnikov_1977.pdf)

**Kollar, H.P.**

- \* 1988. Steilwände – Zentren faunistischer Artenvielfalt. Öko.L - Zeitschrift für Ökologie, Natur- und Umweltschutz 10:20-26. Available through:

[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/kollar\\_h\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/kollar_h_1988.pdf)

**Kollar, V.**

- \* 1851. (10 Oct.). Bericht über die von Herrn Dr. Lautner in Cairo eingesandten wirbellosen Thiere. Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Classe 7:200-203. [*Sphex cairensis*, nomen nudum]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kollar\\_1851.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kollar_1851.pdf)

**Kolosova, J.S., G.S. Potapov, E.A. Spitsyna, V.M. Spitsyn, and I.N. Bolotov**

- 2022. Are invasive hymenopteran species replacing native mud dauber wasp-associated taxa on the Seychelles Archipelago? Ecologica Montenegrina 50:1-16. [On *Sceliphron fuscum*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolosova\\_et\\_al\\_2022\\_Sceliphron\\_nests\\_Seychelles.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolosova_et_al_2022_Sceliphron_nests_Seychelles.pdf)

**Kolossov, J.** (spelled Yu.M. Kolosov in 1934 and J.M. Kolossoff in 1937) [Ю.М. Колосов]

- \* 1931. Was ist *Cerceris fodiens* Eversmann? (Hym.). Stettiner Entomologische Zeitung 92:94-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolossov\\_1931\\_Cerceris\\_fodiens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolossov_1931_Cerceris_fodiens.pdf)
- \* 1932. Synonymische u. systematische Bemerkungen über palaearctische Insekten. Entomologisches Nachrichtenblatt (Troppau) 6:115-118. Available through: [http://www.antwiki.org/wiki/images/d/de/Kolossov\\_1932.pdf](http://www.antwiki.org/wiki/images/d/de/Kolossov_1932.pdf)
- \* 1934a. Материалы к познанию энтомофауны Урала. XVI. Новые и интересные насекомые Среднего Урала [= Materialy k poznaniyu entomofauny Urala. XVI. Novye i interesnyie nasekomyie Srednego Urala, = Materials to the knowledge of entomofauna of Ural Mountains, Russia. XVI. New and interesting insects of Middle Ural]. Izvestiya Ural'skogo Lesotekhnicheskogo Instituta. 2:82-103 [*Ectemnius fossorius* is the only sphecid recorded]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolosov\\_1934a\\_XVI.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolosov_1934a_XVI.pdf)
- \* 1934b. К вопросу о пище личинок ос рода *Cerceris* [= К вопросу о пище личинок ос рода *Cerceris*, = On the larval food of the wasp genus *Cerceris*]. Izvestiya Ural'skogo Lesotekhnicheskogo Instituta. 2:103-104. [*Cerceris luctuosa* preying on adult *Cassida*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolosov\\_1934b\\_XII.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolosov_1934b_XII.pdf)
- \* 1937. К фауне насекомых Украины (б. Харьковской губернии) [= К фауне насекомых Украины (b. Khar'kovskoy gubernii)] – Sur la faune des insectes de l'Ukraine. Byulleten' Moskovskogo Obshchestva Ispytateley Prirody. Otdel Biologicheskiiy 46:218-224. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolosov-1937\\_Ukraine.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolosov-1937_Ukraine.pdf)

**Kolubajiv, S.**

- \* 1938. Výskyt vzácných hymenopter v Československu. Časopis Československé Společnosti Entomologické 35:21-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kolubajiv\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kolubajiv_1938.pdf)

**Komeda, Y.**

- \* 2021a. Records of *Passalocus koreanus* Tuneki [sic] from Yamanashi and Fukuoka Prefectures, Japan, with a revised key to the Japanese species of *Passaloecus*. Tsunekibachi 36:59-62. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Komeda\\_2021a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Komeda_2021a.pdf)
- \* 2021b. New records of some sphecid wasps from Yamanashi Pref., Honshu, Japan. Tsunekibachi 36:63-66. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Komeda\\_2021b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Komeda_2021b.pdf)

**Königsmann, E.**

- \* 1971. (15 Mar.). Himenópteros recogidos en Palamós, Provincia de Gerona, por el Profesor Dr. Hans Bischoff. Graellsia 26:99-114. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koenigsmann\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koenigsmann_1971.pdf)
- 1978. Das phylogenetische System der Hymenoptera. Teil 4: (Unterordnung Apocrita). Deutsche Entomologische Zeitschrift (Neue Folge) 25:365-435.
- 1980. Ducke Types. Sphecos 3:29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_3.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_3.pdf)
- Obituary: U. Göllner-Scheiding. 1981. In memoriam Dr. Eberhard Königsmann (1930-1980). Mitteilungen aus dem Zoologischen Museum in Berlin 57:187-191. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koenigsmann\\_Obituary\\_by\\_Goellner-Scheiding.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koenigsmann_Obituary_by_Goellner-Scheiding.pdf)

J. Oehlke. 1982. Dr. sc. nat. Eberhardt Königsmann. Entomologische Nachrichten und Berichte 26:46-47. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koenigsmann\\_Obituary\\_by\\_Oehlke.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koenigsmann_Obituary_by_Oehlke.pdf)

J. Oehlke. 1982. In memory of Dr. Sc. Nat. Eberhard Königsmann (1930-1980). Sphecos 5:12. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_5.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_5.pdf)

**Konno, K., M.S. Palma, I.Y. Hitara, M.A. Juliano, L. Juliano, and T. Yasuhara**

- \* 2002. Identification of bradykinins in solitary wasp venoms. Toxicon 40:309-312. [bradykinins found in venom of three scoliid species but not in sphecids]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Konno\\_et\\_al\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Konno_et_al_2002.pdf)

**Konow, F.W.**

- \* 1887. (15 Dec.). Eine neue *Parapsammophila*. Societas Entomologica 2:137. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Konow\\_1887\\_Parapsammophila\\_Retowskii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Konow_1887_Parapsammophila_Retowskii.pdf)

**Koornneef, J.**

- \* 1925. Losse aantekeningen over Hymenoptera. Entomologische Berichten 6:357-365. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koornneef\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koornneef_1925.pdf)

- \* 1939. (1 May). Losse aantekeningen over Hymenoptera. Vijfde Reeks, No. 75-84. Entomologische Berichten 10:129-136. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koornneef\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koornneef_1939.pdf)

- \* 1951. (1 Apr.). Losse aantekeningen over Hymenoptera. Zesde reeks no. 85-100. Entomologische Berichten 13:244-249. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koornneef\\_1951.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koornneef_1951.pdf)

**Koponen, M.**

- \* 1994. *Uusia Crossocerus*-löytöjä Suomesta (Hymenoptera, Sphecoidea, Crabronidae) [= New distribution records and comments on *Crossocerus* in Finland]. Sahlbergia 1:21-22. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koponen\\_1994\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koponen_1994_Crossocerus.pdf)

**Körner, C.**

- \* 1935. Beobachtungen am Bienenwolf. Rheinische Bienenzeitung 86:274-275. [on *Philanthus triangulum*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Koerner\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Koerner_1935.pdf)

**Kosibowicz, M.**

- \* 2021. (17 Sept.). Pierwsze stwierdzenie *Sceliphron caementarium* (Drury, 1773) (Hymenoptera: Sphecidae) w Polsce – First record of the American wasp *Sceliphron caementarium* (Drury, 1773) (Hymenoptera: Sphecidae) from Poland. Wiadomości Entomologiczne 40:1-2. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kosibowicz\\_2021\\_Sceliphron\\_caementarium\\_in\\_Poland.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kosibowicz_2021_Sceliphron_caementarium_in_Poland.pdf)

**Koster, A.**

- \* 1985. De bijenwolf, *Philanthus triangulum* (Fabricius, 1775), algemeen op spoorwegterrein in Zuid-Nederland (Hymenoptera: Sphecidae). Entomologische Berichten 45:75-77. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kostner\\_1985\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kostner_1985_Philanthus_triangulum.pdf)

**Kovalchuk, A.A., and T. Rutkowski**

- \* 2015. On some details of behavior of parasitoid “dauber”-wasp *Sceliphron destilla torius* [sic] Illig. (Hymenoptera, Sphecidae) – Щодо деяких деталей поведінки паразитоїдної оси-«глиномаза» *Sceliphron destillatories* [sic] Illig. (Hymenoptera, Sphecidae), pp. 44-46 in I.P. Studenyak, V.G. Roshko, V.O. Chumak, and V.V. Mirutenko (editors). Ужгородські ентомологічні читання-

2015. Збірник матеріалів 15-ої міжнародної наукової конференції «Ужгородські ентомологічні читання-2015». 25-27 вересня 2015 р. [= Uzhgorod'ski entomologichni chitannya-2015. Zbirnik materialiv 15-oy mizhnarodnoy naukovo konferentsii «Uzhgorod'ski entomologichni chitannya-2015». 25-27 veresnya 2015 r.] – Uzhhorod entomological readings-2015. Proceedings of the 15th international scientific conference "Uzhhorod Entomological Readings-2015". 25-27 September 2015. Ministerstvo Osviti i Nauki Ukraini et al., Uzhhorod. 86 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kovalchuk\\_Rutkowski\\_2015\\_Sceliphron\\_destillatorium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kovalchuk_Rutkowski_2015_Sceliphron_destillatorium.pdf)

#### **Kowalczyk, J.K.**

- \* 1988a. Żądłowki (Aculeata, Hymenoptera) Wyżyny Łódzkiej. Część I - okolice Rogowa (Woj. Skierniewickie) – Aculeata (Hymenoptera) of Łódź Upland. Part I - environs of Rogów (Skierniewice District). Acta Universitatis Lodzensis. Folia Zoologica et Antropologica 6:39-55. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1988a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1988a.pdf)
- \* 1988b. Żądłowki (Aculeata, Hymenoptera) Wyżyny Łódzkiej. Część II - okolice Łodzi – Aculeata (Hymenoptera) of Łódź Upland. Part II - environs of Łódź. Acta Universitatis Lodzensis. Folia Zoologica et Antropologica 6:57-71. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1988b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1988b.pdf)
- \* 1988c. Nowe stanowiska w Polsce interesujących gatunków żądłówek Hymenoptera, Aculeata – New localities of interesting Aculeata species (Hymenoptera) in Poland. Przegląd Zoologiczny 32:221-223. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1988c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1988c.pdf)
- \* 1988d. Interesujące żądłowki (Hymenoptera, Aculeata) w Puszczy Augustowskiej – Interesting Aculeata (Hymenoptera) in the Augustów forest. Przegląd Zoologiczny 32:555-560. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1988d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1988d.pdf)
- \* 1990. Wybrane rodziny żądłówek (Hymenoptera, Aculeata) Świętokrzyskiego Parku Narodowego – Some families of Aculeata (Hymenoptera, Aculeata) of the Świętokrzyski National Park. Fragmenta Faunistica 33 (17):285-306. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1990.pdf)
- \* 1991a. Materiały do znajomości żądłówek (Hymenoptera, Aculeata) Łodzi – Materials to the knowledge of Aculeata (Hymenoptera) in Łódź. Acta Universitatis Lodzensis. Folia Zoologica et Antropologica 7:67-114. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1991a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1991a.pdf)
- \* 1991b. Materiały do znajomości żądłówek (Hymenoptera, Aculeata) Puszczy Augustowskiej – Materials to the knowledge of Aculeata (Hymenoptera) of the Augustów Forest. Acta Universitatis Lodzensis. Folia Zoologica et Antropologica 7:115-129. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1991b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1991b.pdf)
- \* 1994. Żądłowki (Hymenoptera, Aculeata) lasu Łagiewniki w Łodzi – Aculeata (Hymenoptera) of Łagiewniki forest in Łódź. Acta Universitatis Lodzensis. Folia Zoologica 65-91. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1994.pdf)
- \* 1997. Nowe stanowiska żądłówek (Hymenoptera: Aculeata) rzadko spotykanych w Polsce – New localities of sting wasp species (Hymenoptera: Aculeata) in Poland. Wiadomości Entomologiczne 16:53-54. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1997.pdf)
- \* 1998. Nowe stanowiska żądłówek (Hymenoptera: Aculeata) w Tatrzańskim Parku Narodowym i otulinie. II – New localities of wasps (Hymenoptera: Aculeata) in the Tatra National Park and its protective zone. II. Wiadomości Entomologiczne 17:127-128. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_1998.pdf)
2004. Żądłowki (Hymenoptera: Aculeata), pp. 87-89 in M. Ciechanowski, W. Fałtynowicz, and S. Zieliński (editors). Przyroda projektowanego rezerwatu „Dolina Mirachowskiej Strugi” na Pojezierzu Kaszubskim. – The nature of the planned reserve “Dolina Mirachowskiej Strugi” in the Kaszubskie Lakeland (northern Poland). *Acta Botanica Cassubica* 4:5-137. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_2004.pdf)
- \* 2006. Łysa Polana w Sopocie. *Gawron* 1:26-29 [= Łysa Polana is in Sopot, Poland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_2006.pdf)
- Kowalczyk, J.K., and M. Krzeptowski**
- \* 1995. Nowe stanowiska żądłówek (Hymenoptera, Aculeata) w Tatrzańskim Parku Narodowym i otulinie [= New records of aculeate wasps from Tatra National Park and its protective zone, Poland]. *Wiadomości Entomologiczne* 14:189-190. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Krzeptowski\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Krzeptowski_1995.pdf)
- Kowalczyk, J.K., and T. Kurzac**
- \* 2003. Owady chronione, zagrożone i rzadkie Ogrodu Botanicznego w Łodzi – Protected, threatened and rare insects of the Botanical Garden in Łódź. *Biuletyn Ogrodów Botanicznych* 12:207-217. [Łódź, Poland, 10 species of Crabronidae on p. 209]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Kurzac\\_2003\\_Lodz.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Kurzac_2003_Lodz.pdf)
- \* 2005. Żądłowki (Hymenoptera, Aculeata) Ogrodu Botanicznego w Łodzi – Aculeata (Hymenoptera) of the Botanical Garden in Łódź. *Biuletyn Ogrodów Botanicznych* 14:101-113. [Łódź, Poland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_and\\_Kurzac\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_and_Kurzac_2005.pdf)
- Kowalczyk, J.K., T. Kurzac, and J. Nadolski**
- \* 2009. Żądłowki (Hymenoptera, Aculeata) wybranych obszarów chronionych w Parku Krajobrazowym Międzyrzecza Warty i Widawki – Aculeata (Hymenoptera) of the chosen protected areas in the Międzyrzecze Warty i Widawki Landscape Park. *Parki Narodowe i Rezerваты Przyrody (= National Parks and Nature Reserves)* 28:127-134. [Poland: between the rivers Warta and Widawka]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Kurzac\\_Nadolski\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Kurzac_Nadolski_2009.pdf)
- Kowalczyk, J.K., T. Kurzac, and B. Soszyński**
- \* 2009. Nowe stanowiska interesujących gatunków żądłówek (Hymenoptera, Aculeata) w regionie łódzkim – New localities of interesting Aculeata (Hymenoptera) in Łódź region. *Parki Narodowe i Rezerваты Przyrody (= National Parks and Nature Reserves)* 28:57-72. [Łódź, Poland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Kurzac\\_Soszynski\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Kurzac_Soszynski_2009.pdf)
- Kowalczyk, J.K., and J. Nadolski**
- \* 2007. Żądłowki (Hymenoptera: Aculeata) terenów kolejowych w Łodzi – Aculeata (Hymenoptera) of railway areas in Łódź [Poland]. *Wiadomości Entomologiczne* 26:279-288. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Nadolski\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Nadolski_2007.pdf)
- Kowalczyk, J.K., K. Szczepko, and M. Świąteczak**
- \* 2002. Grzebaczowate (Hymenoptera: Sphecidae) okolicy Stacji Terenowej Uniwersytetu Łódzkiego w Kampinoskim Parku Narodowym – Sphecids wasps (Hymenoptera: Sphecidae) of surroundings of the Field Study Centre of the Łódź University in Kampinoski National Park. *Wiadomości Entomologiczne* 20:147-156. [Kampinos National Park, Poland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_et\\_al\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_et_al_2002.pdf)

**Kowalczyk, J.K., and K. Watala**

- \* 1987. Interesujące gatunki żądliówek (Hymenoptera, Aculeata) na Wyżynie Łódzkiej – Interesting sting-wasp species (Hymenoptera, Aculeata) at the Łódź Upland. *Przegląd Zoologiczny* 31:59-62. [second Polish record of *Passaloecus eremita*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kowalczyk\\_Watala\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kowalczyk_Watala_1987.pdf)

**Kozhevnikov, G.A. [Г.А. Кожевников]**

- \* 1894. Hymenoptera, p. 3 in Дополнения къ спискамъ животныхъ Московской губернии (№. 2) [= Dopolneniya k spiskam zhivotnykh Moskovskoy gubernii (№. 2), = Additions to the lists of animals of Moscow Governorate (No. 2)]. *Izvestiya Imperatorskago Obshchestva Lyubiteley Estestvoznaniya, Antropologii i Étnografii, Sostoyashchego pri Imperatorskom Moskovskom Universite* 86. *Trudy Zoologicheskago Otdeleniya Obshchestva* 10. *Dnevnik Zoologicheskago Otdeleniya Obshchestva i Zoologicheskago Muzeya* 2 (No. 1 и 2):2-4. [*Crabro cavifrons*, now *Ectemnius*, is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov\\_1894\\_Addenda\\_N1-2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov_1894_Addenda_N1-2.pdf)

- \* 1897. Hymenoptera, pp. 15-18 in Дополнения къ спискамъ животныхъ Московской губернии (№. 3) [= Dopolneniya k spiskam zhivotnykh Moskovskoy gubernii (№. 3), = Additions to the lists of animals of Moscow Governorate (No. 3)]. *Izvestiya Imperatorskago Obshchestva Lyubiteley Estestvoznaniya, Antropologii i Étnografii, Sostoyashchego pri Imperatorskom Moskovskom Universite* 86. *Trudy Zoologicheskago Otdeleniya Obshchestva* 10. *Dnevnik Zoologicheskago Otdeleniya Obshchestva i Zoologicheskago Muzeya* 2 (No. 5):13-22. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov\\_1897.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov_1897.pdf)

- \* 1902. Hymenoptera, pp. 15-16 in Дополнения къ спискамъ животныхъ Московской губернии (№. 4) [= Dopolneniya k spiskam zhivotnykh Moskovskoy gubernii (№. 4)] – Addenda ad faunam Mosquensem. *Izvestiya Imperatorskago Obshchestva Lyubiteley Estestvoznaniya, Antropologii i Étnografii, Sostoyashchego pri Imperatorskom Moskovskom Universite* 98. *Trudy Zoologicheskago Otdeleniya Obshchestva* 13. *Dnevnik Zoologicheskago Otdeleniya Imperatorskago Obshchestva Lyubiteley Estestvoznaniya, Antropologii i Étnografii* 3:1-16. [*Crabro vagus*, now *Ectemnius continuus* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov\\_1902\\_Addenda\\_N4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kozhevnikov_1902_Addenda_N4.pdf)

**Kraatz, O.**

- \* 2005. Grabwespen und Bienen eines militärisch genutzten Binnedünengeländes in Nordwesten Niedersachsens (Hymenoptera: Sphecidae, Apidae). *Drosera* 2005:97-126. [Bümmerstede near Oldenburg, Germany]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kraatz\\_2005\\_Lower\\_Saxony.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kraatz_2005_Lower_Saxony.pdf)

**Krasnobayev, Yu.P., A.V. Antropov, I.V. Lyubvina, and S.I. Zabelin [Ю.П. Краснобаев, А.В. Антропов, И.В. Любина и С.И. Забелин]**

- \* 1995. Фауна беспозвоночных Жигулей. V. Отряд Hymenoptera (Insecta) [= Fauna bespozvonochnykh Zhiguley. V. Otryad Hymenoptera (Insecta), = Invertebrates of Zhiguli Hills, European Russia. V. Order Hymenoptera (Insecta)]. *Samarskaya Luka* 6:123-144. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krasnobayev\\_et\\_al\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krasnobayev_et_al_1995.pdf)

**Kraus, M., and A. Floren**

- \* 2002. Pflanzenwespen (Hymenoptera, Symphyta) und Stechimmen (Chrysididae, Pompilidae, Sphecidae) aus Baumkronenbenebelungen (Fogging) von Eichen und Rotbuchen in Bayern (Unterfranken),

Thüringen (Hainich), Slovenien und Rumänien. Galathea. Berichte des Kreises Nürnberger Entomologen e.V. Supplement 11:93-102. [Sphecidae on p. 100]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kraus\\_Floren\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kraus_Floren_2002.pdf)

**Kraus, M., and K.-H. Wickl**

- \* 2018. Bienen und Wespen am Japanischen Spindelstrauch (*Euonymus japonicus* Thunb.) mit erneutem Fund des Stahlblauen Grillenjähgers *Isodontia mexicana* (Saussure, 1867) in einem Garten in Nürnberg (Hymenoptera: Apidae, Crabronidae, Sphecidae, Vespidae). Galathea 34:40-46. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kraus\\_Wickl\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kraus_Wickl_2018.pdf)

**Krauss, N.L.H.**

- \* 1944. (Aug.). (1943). Notes on insects and other arthropods from the islands of Molokai and Maui, Hawaii. Proceedings of the Hawaiian Entomological Society 12:81-94. Available through:
- \* 1961. (31 Aug.) Insects from Aitutaki, Cook Islands. Proceedings of the Hawaiian Entomological Society 17:415-418. Available through:

[http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16091/PHES12\\_081-094.pdf?sequence=1](http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16091/PHES12_081-094.pdf?sequence=1)

[https://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/10833/17\\_415-418.pdf?jsessionid=28D2AB7F6666127E72630BAC66D425E0?sequence=1](https://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/10833/17_415-418.pdf?jsessionid=28D2AB7F6666127E72630BAC66D425E0?sequence=1)

**Krausse, A.**

- \* 1915. Hexapodologische Notizen. (II: 19-37). Archiv für Naturgeschichte. Abteilung A 81, Heft 9:157-166. [*Oxybelus uniglumis* is the only sphecid]. Available through:
- \* 1929. Die Arbeitsleistung (Sandbewegung) einer Grabwespe (*Mellinus arvensis* L.). Entomologisches Jahrbuch 38:159. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krausse\\_1915.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krausse_1915.pdf)

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krausse\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krausse_1929.pdf)

**Kreisch, W.F.**

- \* 2000. Beobachtungen an Nisthilfen für aculeate Hymenopteren im Kernbereich von Großstädten (Hym.). Entomologische Nachrichten und Berichte 44:229-235. [*Passaloecus insignis* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kreisch\\_2000\\_Passaloecus\\_insignis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kreisch_2000_Passaloecus_insignis.pdf)

**Krenn, H.W., J.D. Plant, and N.U. Szucsich**

- \* 2005. Mouthparts of flower-visiting insects. Arthropod Structure & Development 34:1-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krenn\\_et\\_al\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krenn_et_al_2005.pdf)

**Krichilsky, E, M. Sann, and M. Ohl**

- 2025. Systematics of Sphecidae sensu lato: Past, Present, and Future — Quantifying Diversity, Taxonomy, and Phylogeny. Insect Systematics and Diversity 9:1-23. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krichilsky\\_et\\_al\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krichilsky_et_al_2025.pdf)

**Kriechbaumer, J.**

- \* 1869. Hymenopterologische Beiträge. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 19:587-600. Available through: <http://www.biodiversitylibrary.org/item/95501#page/731/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kriechbaumer\\_1869.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kriechbaumer_1869.pdf)
- \* 1874. Ueber die Gattung *Ampulex*, die 2 europäischen Arten derselben und eine neue Art aus Sikkim. Stettiner Entomologische Zeitung 35:51-56. Available through: <http://biodiversitylibrary.org/page/9235941> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kriechbaumer\\_1874\\_Ampulex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kriechbaumer_1874_Ampulex.pdf)

Biography: Nonveiller, 1999:205.

**Krieger, R.**

- \* 1894. Ein Beitrag zur Kenntnis der Hymenopterenfauna des Königreichs Sachsen. Wissenschaftliche Beigabe zum Jahresbericht des Nicolaigymnasiums zu Leipzig 1894:1-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krieger\\_1894.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krieger_1894.pdf)

**Krishtal, O.P. [О.П. Кришталь]**

- 1949. Матеріали до вивчення ентомофауни долини середнього Дніпра [= Materialy po vuvchennyya entomofauny dolyny seredn'ogo Dnipra, = Materials to the study of the entomofauna of the middle Dnepr River]. Видавництво Київського Державного Університету ім. Т. Г. Шевченка [= Vydavnytstvo Kyivskogo Derzhavnogo Universytetu im. T.G. Shevchenka, = Published by T.G. Shevchenko Kyiv State University]. 249 pp. [list of Sphecidae on pp. 246-247]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krishtal\\_1949.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krishtal_1949.pdf)
- 1957. (1956). Ентомофауна ґрунту та підстилки в долині середньої течії р. Дніпра [= Entomofauna gruntu ta pidstylky v dolyni seredn'oi techii r. Dnipra, = Entomofauna in the valley of middle Dnepr River]. Видавництво Київського Державного Університету ім. Т. Г. Шевченка [= Vydavnytstvo Kyivskogo Derzhavnogo Universytetu im. T.G. Shevchenka, = Published by T.G. Shevchenko Kyiv State University]. 423 pp. [list of Sphecidae on p. 341]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krishtal\\_1957.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krishtal_1957.pdf)

**Krivokhatskiy, V.A. [В.А. Кривохатский]**

- \* 1985. Насекомые Репетек. Кадастр видов [= Nasekomyie Repeteka. Kadastr vidov = Insects of Repetek, Turkmenistan. A cadastre of species]. Ylym, Ashkhabad. 71 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krivokhatskiy1985\\_Repetek.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krivokhatskiy1985_Repetek.pdf)

**Krivanogova, L.A., and P.V. Rudoiskatel' [Л.А. Кривоногова и П.В. Рудоискатель]**

- \* 2004. Материалы к фауне особобразных (Hymenoptera, Vespidae) подзоны средней тайги Урала [= Materialy k faune osoobraznykh (Hymenoptera, Vespidae) sredney taigi Urala, = On the fauna of vespiforms (Hymenoptera, Vespidae) of the Ural Mountains middle taiga], pp 108-110 in: Экологические механизмы динамики и устойчивости биоты. Материалы конференции молодых ученых. 19-23 апреля 2004 г. Издательство "Академкнига", Екатеринбург [= Èkologicheskiye mekhanizmy dinamiki i ustoichivosti bioty. Materialy konferentsii molodykh uchenykh. 19-23 aprelya 2004. Izdatel'stvo "Akademkniga", Ekaterinburg, = Ecological mechanisms of dynamics and stability of the biota. Materials of the conference of young scientists. 19-23 April 2004. Publishing House "Akademkniga", Ekaterinburg]. 332 pp. [Sphecidae are also included]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krivanogova\\_Rudoiskatel\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krivanogova_Rudoiskatel_2004.pdf)

**Kroiss, J., S. Bordon, and E. Stroh**

- \* 2008. Hydrocarbons in the nest material of a solitary wasp represent a kairomone for a specialized cuckoo wasp. *Animal Behaviour* 76:1555-1563. [on *Philanthus triangulum* and *Hedychrum rutilans*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kroiss\\_et\\_al\\_2008\\_hydrocarbons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kroiss_et_al_2008_hydrocarbons.pdf)

**Kroiss, J., K. Lechner, and E. Stroh**

- \* 2010. Male territoriality and mating system in the European beewolf *Philanthus triangulum* F. (Hymenoptera: Crabronidae): evidence for a "hotspot" lek polygyny. *Journal of Ethology* 28:295-304. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kroiss\\_et\\_al\\_2010\\_Male\\_territoriality.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kroiss_et_al_2010_Male_territoriality.pdf)

**Kroiss, J., T. Schmitt, P. Schreier, E. Strohm, and G. Herzner**

- \* 2006. (28 Nov.). A selfish function of a “social” gland? A postpharyngeal gland functions as a sex pheromone reservoir in males of the solitary wasp *Philanthus triangulum*. *Journal of Chemical Ecology* 32:2763-2776. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kroiss\\_et\\_al\\_2006\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kroiss_et_al_2006_Philanthus_triangulum.pdf)

**Krombein, K.V.**

- \* 1936. (12 Apr.). Biological notes on some solitary wasps (Hymenoptera: Sphecidae). *Entomological News* 47:93-99. Available through: <http://biodiversitylibrary.org/page/2597147> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1936.pdf)
- \* 1938a. (6 Jan.). Further observations on the nesting habits of *Cerceris nigrescens* Smith (Hymenoptera: Sphecidae). *Entomological News* 49:1-3. Available through: <http://biodiversitylibrary.org/page/2573246> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1938a\\_Cerceris\\_nigrescens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1938a_Cerceris_nigrescens.pdf)
- \* 1938b. (16 July). Notes on the *Passaloecus* of New York State with descriptions of two new species (Hymenoptera: Sphecidae). *Bulletin of the Brooklyn Entomological Society* 33:122-127. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1938b\\_Passaloecus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1938b_Passaloecus.pdf)
- \* 1938c. (Dec.). Descriptions of four new wasps (Hymenoptera: Sapygidae, Sphecidae). *Annals of the Entomological Society of America* 31:467-470. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1938c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1938c.pdf)
- \* 1939. (24 July). Descriptions and records of new wasps from New York State (Hym.: Sphecidae). *Bulletin of the Brooklyn Entomological Society* 34:135-144. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1939.pdf)
- \* 1943. A new Philippine *Nippononysson* with remarks on the affinities of the genus (Hymenoptera: Nyssonidae). *Annals of the Entomological Society of America* 36:451-454. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1943.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1943.pdf)
- \* 1948a. (25 Mar.). New prey records in *Oxybelus* (Hymenoptera, Sphecidae). *Proceedings of the Entomological Society of Washington* 50:67. Available through: <http://biodiversitylibrary.org/page/25143133> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1948a\\_Oxybelus\\_prex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1948a_Oxybelus_prex.pdf)
- \* 1948b. (28 May). Synonymical notes on North American sphecoid wasps: I and II (Hymenoptera). *Bulletin of the Brooklyn Entomological Society* 43:18-21. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1948b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1948b.pdf)
- \* 1949a. Two new wasps from Melanesia and notes on a third recently introduced into Hawaii (Hymenoptera: Sphecidae). *Proceedings of the Hawaiian Entomological Society* 13:361-365. Available through: [http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16190/PHE513\\_361-365.pdfsequence=1](http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16190/PHE513_361-365.pdfsequence=1)
- \* 1949b. The aculeate Hymenoptera of Micronesia. I. Scoliidae, Mutillidae, Pompilidae and Sphecidae. *Proceedings of the Hawaiian Entomological Society* 13:367-410. Available through: [http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16191/PHE513\\_367-410.pdfsequence=1](http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16191/PHE513_367-410.pdfsequence=1)
- \* 1950a. (1949). An annotated list of wasps from Nags Head and the Kill Devil Hills (Hymenoptera Aculeata). *Journal of the Elisha Mitchell Scientific Society* 65:262-272. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1950a\\_Kill\\_Devil\\_Hills.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1950a_Kill_Devil_Hills.pdf)
- \* 1950b. (Mar.). The aculeate Hymenoptera of Micronesia. II. Colletidae, Halictidae, Megachilidae, and Apidae. *Proceedings of the Hawaiian Entomological Society* 14:101-142. [Appendix includes Sphecidae]. Available through: [http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16216/PHE514\\_101-142.pdfsequence=1](http://scholarspace.manoa.hawaii.edu/bitstream/handle/10125/16216/PHE514_101-142.pdfsequence=1)
- \* 1950c. (21 Apr.). Synonymical notes on North American sphecoid wasps: III (Hymenoptera). III. The Nearctic species of *Diodontus* Curtis. *Bulletin of the Brooklyn Entomological Society* 45:35-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1950c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1950c.pdf)

- \* 1950d. (27 Sept.). A new *Nitela* from California (Hymenoptera, Sphecidae). The Pan-Pacific Entomologist 26:130-131. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1950d\\_Nitela\\_townesorum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1950d_Nitela_townesorum.pdf)
  - \* 1950e. (13 Dec.). Taxonomic notes on the wasps of the subgenus *Pseneo* Malloch (Hymenoptera, Sphecidae). Proceedings of the Entomological Society of Washington 52:277-287. Available through:  
<http://biodiversitylibrary.org/page/16136811> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1950e\\_Pseneo.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1950e_Pseneo.pdf)
  - \* 1951a. Wasp visitors of tulip-tree honeydew at Dunn Loring, Virginia (Hymenoptera Aculeata). Annals of the Entomological Society of America 44:141-143. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1951a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1951a.pdf)
  - \* 1951b. (11 July). Superfamily Sphecoidea, pp. 937-1034 in C.F.W. Muesebeck, K.V. Krombein, and H.K. Townes (editors). Hymenoptera of America north of Mexico (Synoptic Catalog). United States Department of Agriculture, Agriculture Monograph No. 2, United States Government Printing Office, Washington. 1 map, 1420 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1951b\\_Catalog\\_Sphecoidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1951b_Catalog_Sphecoidea.pdf)
- Publication date: C.W.F. Muesebeck, K.V. Krombein, and H. Townes, 1951. Date of publication, Synoptic Catalog of North American Hymenoptera. Proceedings of the Entomological Society of Washington 53:232.
- \* 1952a. (2 Aug.). Preliminary annotated list of the wasps of Westmoreland State Park, Virginia, with notes on the genus *Thaumatodryinus* (Hymenoptera: Aculeata). Transactions of the American Entomological Society 78:89-100. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1952a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1952a.pdf)
  - \* 1952b. (26 Aug.). Preliminary annotated list of the wasps of Lost River State Park, West Virginia, with descriptions of new species and biological notes. Proceedings of the Entomological Society of Washington 54:175-184. Available through: <http://biodiversitylibrary.org/page/16261444> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1952b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1952b.pdf)
  - \* 1953a. (11 Feb.). (1952). Biological and taxonomic observations on the wasps in a coastal area of North Carolina (Hymenoptera: Aculeata). The Wasmann Journal of Biology 10:257-341. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1953a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1953a.pdf)
  - \* 1953b. (25 June). Kill Devil Hills wasps, 1952. Proceedings of the Entomological Society of Washington 55:113-135. Available through: <http://biodiversitylibrary.org/page/16178808> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1953b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1953b.pdf)
  - \* 1953c. (12 Dec.). The wasps and bees of the Bimini Island group, Bahamas, British West Indies (Hymenoptera: Aculeata). American Museum Novitates No. 1633:1-29. Available through:  
<http://digitallibrary.amnh.org/dspace/bitstream/2246/4931/1/N1633.pdf> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1953c\\_Bimini\\_Island.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1953c_Bimini_Island.pdf)
  - \* 1954a. (Feb.). Wasps collected at Lost River State Park, West Virginia in 1953 (Hymenoptera, Aculeata). Bulletin of the Brooklyn Entomological Society 49:1-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1954a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1954a.pdf)
  - \* 1954b. (12 May). Taxonomic notes on some wasps from Florida with descriptions of new species and subspecies (Hymenoptera, Scoliioidea and Sphecoidea). Transactions of the American Entomological Society 80:1-27, pls. I-II. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1954b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1954b.pdf)
  - \* 1955a. (21 Feb.). Miscellaneous prey records of solitary wasps. I (Hymenoptera: Aculeata). Bulletin of the Brooklyn Entomological Society 50:13-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1955a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1955a.pdf)

- \* 1955b. (5 Mar.). The status of *Pemphredon provancheri* Dalla Torre (Hymenoptera, Sphecidae). Entomological News 66:80. Available through: <http://biodiversitylibrary.org/page/2403286> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1955b\\_Pemphredon\\_provancheri.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1955b_Pemphredon_provancheri.pdf)
- \* 1955c. (17 June). Synonymical notes on North American sphecoid wasps. IV. Some synonymy in *Oxybelus* and description of a new subspecies (Hymenoptera). Bulletin of the Brooklyn Entomological Society 50:70-74. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1955c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1955c.pdf)
- \* 1955d. (16 Aug.). Some notes on the wasps of Kill Devil Hills, North Carolina, 1954. Proceedings of the Entomological Society of Washington 57:145-160. Available through: <http://biodiversitylibrary.org/page/16196446> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1955d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1955d.pdf)
- \* 1956a. (11 May). Miscellaneous prey records of solitary wasps. II (Hymenoptera: Aculeata). Bulletin of the Brooklyn Entomological Society 51:42-44. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1956a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1956a.pdf)
- \* 1956b. (17 May). Biological and taxonomic notes on the wasps of Lost River State Park, West Virginia, with additions to the faunal list (Hymenoptera, Aculeata). Proceedings of the Entomological Society of Washington, 58:153-161. Available through: <http://biodiversitylibrary.org/page/16196792> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1956b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1956b.pdf)
- 1956c. (30 Aug.). *Chrysis fuscipennis* Br., a recent adventive wasp in Washington, D.C., from the Old World (Hymenoptera: Chrysididae). Proceedings of the Entomological Society of Washington 58:275. [can presumably develop in nests of native mud-daubers such as *Sceliphron*, *Chalybion*, or *Trypoxylon politum* Say]. Available through: <http://biodiversitylibrary.org/page/16196922> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1956c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1956c.pdf)
- \* 1958a. (10 Mar.). Additions during 1956 and 1957 to the wasp fauna of Lost River State Park, West Virginia, with biological notes and descriptions of new species (Hymenoptera, Aculeata). Proceedings of the Entomological Society of Washington 60:49-64. Available through: <http://biodiversitylibrary.org/page/26237288> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958a.pdf)
- \* 1958b. (11 Apr.). Miscellaneous prey records of solitary wasps. III (Hymenoptera, Aculeata). Proceedings of the Biological Society of Washington 71:21-26. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958b.pdf)
- \* 1958c. (18 Apr.). Biological notes on some wasps from Kill Devil Hills, North Carolina, and additions to the faunal list (Hymenoptera, Aculeata). Proceedings of the Entomological Society of Washington 60:97-110. Available through: <http://biodiversitylibrary.org/page/26237344> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958c.pdf)
- \* 1958d. (2 July). *Pison (Paraceramius) koreense* (Rad.), a new adventive wasp in eastern United States (Hymenoptera, Sphecidae). Entomological News 69:166-167. Available through: <http://biodiversitylibrary.org/page/2739059> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958d\\_Pison\\_koreense.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958d_Pison_koreense.pdf)
- \* 1958e. (22 Aug.). Biology and taxonomy of the cuckoo-wasps of coastal North Carolina (Hymenoptera, Chrysididae). Transactions of the American Entomological Society 84:141-168, pls. IX-X. [nesting habits of *Podium carolina* described on p. 147]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958e.pdf)
- 1958f. (Sept.). Superfamily Sphecoidea, pp. 186-204 in K.V. Krombein (editor). Hymenoptera of America north of Mexico. Synoptic catalog (Agricultural Monograph No. 2). First supplement. United States Department of Agriculture, United States Government Printing Office, Washington, D. C. 305 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1958f\\_Catalog\\_1st\\_Supplement.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1958f_Catalog_1st_Supplement.pdf)

- \* 1959a. (12 Feb.). A new genus and species of Psenini from the southwestern deserts (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 54:18-21. [*Ammopsen*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1959a\\_Ammopsen\\_masoni.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1959a_Ammopsen_masoni.pdf)
- \* 1959b. (24 July). Natural history of Plummerville Island, Maryland. XII. A biological note on *Trypoxylon richardsi* Sandhouse. Proceedings of the Biological Society of Washington 72:101-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1959b\\_Trypoxylon\\_richardsi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1959b_Trypoxylon_richardsi.pdf)
- \* 1959c. (7 Aug.). Two additional adventive European wasps in the United States (Hymenoptera: Sphecidae, Chrysididae). Bulletin of the Brooklyn Entomological Society 54:95-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1959c\\_Pempredon\\_letifer.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1959c_Pempredon_letifer.pdf)
- \* 1959d. (11 Sept.). Three new wasps from Florida and taxonomic notes on allied forms (Hymenoptera, Aculeata). Proceedings of the Entomological Society of Washington 61:145-153. Available through:  
<http://biodiversitylibrary.org/page/16214698> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1959d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1959d.pdf)
- \* 1959e. (10 Nov.). Biological notes on some ground-nesting wasps at Kill Devil Hills, North Carolina, 1958, and additions to the faunal list (Hymenoptera, Aculeata). Proceedings of the Entomological Society of Washington 61:193-199. Available through: <http://biodiversitylibrary.org/page/16214750> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1959e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1959e.pdf)
- \* 1960a. (14 Feb. and 11 Mar.). Biological notes on some Hymenoptera that nest in sumach pith. Entomological News 71:29-36, 63-69. Available through: <http://biodiversitylibrary.org/page/2734248>, <http://biodiversitylibrary.org/page/2734286>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1960a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1960a.pdf)
- \* 1960b. (June). Biological notes on several southwestern ground-nesting wasps (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 55:75-79. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1960b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1960b.pdf)
- \* 1961a. (7 Mar.). Some insect visitors of mat *Euphorbia* in southeastern Arizona (Hymenoptera, Diptera). Entomological News 72:80-83. Available through: <http://biodiversitylibrary.org/page/2666456> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1961a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1961a.pdf)
- \* 1961b. (15 Sept.). Miscellaneous prey records of solitary wasps. IV. (Hymenoptera, Aculeata). Bulletin of the Brooklyn Entomological Society 56:62-65. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1961b\\_prev.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1961b_prev.pdf)
- \* 1961c. (8 Dec.). *Passaloecus turionum* Dahlbom, an adventive European wasp in the United States (Hymenoptera, Sphecidae). Entomological News 72:258-259. Available through:  
<http://biodiversitylibrary.org/page/2666668> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1961c\\_Passaloecus\\_turionum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1961c_Passaloecus_turionum.pdf)
- \* 1961d. Life history and behavioral studies of solitary wood- and ground-nesting wasps and bees in Arizona. Year Book. The American Philosophical Society 1960:299-300. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1961d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1961d.pdf)
- \* 1962a. (30 Mar.). Natural history of Plummerville Island, Maryland. XIII. Descriptions of new wasps from Plummerville Island, Maryland (Hymenoptera: Aculeata). Proceedings of the Biological Society of Washington 75:1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1962a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1962a.pdf)
- \* 1962b. (1 May). Biological notes on acarid mites associated with solitary wood-nesting wasps and bees. Proceedings of the Entomological Society of Washington 64:11-19. Available through:  
<http://biodiversitylibrary.org/page/16339122> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1962b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1962b.pdf)

- \* 1963a. (13 Mar.) A new *Nitelopterus* from Wyoming and Washington (Hymenoptera, Sphecidae). Entomological News 74:61-63. Available through: <http://biodiversitylibrary.org/page/2662253> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963a\\_Nitelopterus\\_evansi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963a_Nitelopterus_evansi.pdf)
- \* 1963b. (3 July). A new *Tachysphex* from southeastern United States (Hymenoptera, Sphecidae). Entomological News 74:177-180. Available through: <http://biodiversitylibrary.org/page/2662389> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963b\\_Tachysphex\\_boharti.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963b_Tachysphex_boharti.pdf)
- \* 1963c. (11 Dec.). Biological notes on *Cerceris blakei* Cresson (Hymenoptera: Sphecidae). Bulletin of the Brooklyn Entomological Society 58:72-79. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963c.pdf)
- \* 1963d. (12 Dec.). The host-parasite relationship of *Xylocelia virginiana* Rohwer and *Omalus intermedius* (Aaron) (Hymenoptera: Sphecidae, Chrysididae). Proceedings of the Entomological Society of Washington 65:264. Available through: <http://biodiversitylibrary.org/page/16197311> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963d.pdf)
- \* 1963e. (31 Dec.). Notes on the *Entomognathus* of Eastern United States (Hymenoptera: Sphecidae). Proceedings of the Biological Society of Washington 76:247-254. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963e\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963e_Entomognathus.pdf)
- \* 1963f. (31 Dec.). Natural history of Plummers Island, Maryland. XVII. Annotated list of the wasps (Hymenoptera: Bethyloidea, Scoliidae, Vespoidea, Pompiloidea, Sphecoidea). Proceedings of the Biological Society of Washington 76:255-280. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1963f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1963f.pdf)
- \* 1964a. (26 June). Natural history of Plummers Island, Maryland. XVIII. The hibiscus wasp, an abundant rarity, and its associates (Hymenoptera: Sphecidae). Proceedings of the Biological Society of Washington 77:73-112. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1964a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1964a.pdf)
- \* 1964b. (16 July). (1963). Miscellaneous prey records of solitary wasps. V. (Hymenoptera: Aculeata). Bulletin of the Brooklyn Entomological Society 58:118-120. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1964b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1964b.pdf)
- \* 1964c. (15 Dec.). Results of the Archbold expeditions. No. 87. Biological notes on some Floridan wasps (Hymenoptera, Aculeata). American Museum Novitates No. 2201:1-27. Available through: <http://digitallibrary.amnh.org/dspace/bitstream/2246/3310/1/N2201.pdf> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1964c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1964c.pdf)
- \* 1967a. (5 Dec.). A new Collembola-hunting *Microstigmus* with notes on *M. guianensis* Rohwer (Hymenoptera, Sphecidae). Entomological News 78:253-256. Available through: <http://biodiversitylibrary.org/page/2734850> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1967a\\_Microstigmus\\_comes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1967a_Microstigmus_comes.pdf)
- \* 1967b. Trap-nesting wasps and bees: life histories, nests, and associates. Smithsonian Press, Washington, D.C., 1 unnumbered plate, iii-vi + 570 pp. Available through: <http://www.archive.org/details/trapnestingwasps00krom> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1967b\\_Trap-nesting\\_wasps\\_and\\_bees.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1967b_Trap-nesting_wasps_and_bees.pdf)
- 1967c. Superfamily Sphecoidea, pp. 386-421 in K.V. Krombein and B.D. Burks (editors). Hymenoptera of America north of Mexico. Synoptic catalogue (Agriculture Monograph No. 2). Second supplement, Washington, D. C. 584 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1967c\\_Catalog.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1967c_Catalog.pdf)
- \* 1968. A fifth species of *Nitela* from North America (Hymenoptera: Sphecidae). Le Naturaliste Canadien 95:699-702. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1968.pdf)

- 1969a. Life history notes on some Egyptian solitary wasps and bees and their associates (Hymenoptera: Aculeata). *Smithsonian Contributions to Zoology* 19:1-18. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1969a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1969a.pdf)
- \* 1969b. (19 Dec.). A revision of the Melanesian wasps of the genus *Cerceris* Latreille (Hymenoptera: Sphecidae). *Smithsonian Contributions to Zoology* 22:1-36. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1969b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1969b.pdf)
- \* 1970. Behavioral and life-history notes on three Floridan solitary wasps (Hymenoptera: Sphecidae). *Smithsonian Contributions to Zoology* 46:1-26. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1970.pdf)
- \* 1972a. (29 Feb.). A new wasp from Trinidad, predaceous on Curculionidae and Bruchidae (Hymenoptera: Sphecidae). *Proceedings of the Biological Society of Washington* 84:435-438. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1972a\\_Cerceris\\_callani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1972a_Cerceris_callani.pdf)
- \* 1972b. (30 Dec.). Miscellaneous prey records of solitary wasps. VI. Notes on some species from Greece (Hymenoptera: Aculeata). *Proceedings of the Entomological Society of Washington* 74:383-385. Available through: <http://biodiversitylibrary.org/page/16246578> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1972b\\_Greece.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1972b_Greece.pdf)
- \* 1973. (28 Sept.). Notes on North American *Stigmus* Panzer (Hymenoptera, Sphecoidea). *Proceedings of the Biological Society of Washington* 86:211-230. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1973\\_Stigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1973_Stigmus.pdf)
- \* 1974a. (4 Feb.). (1973). Systematic and distributional notes on Melanesian *Cerceris* (Hymenoptera: Sphecidae). *Proceedings of the Entomological Society of Washington* 75:464-467. Available through: <http://biodiversitylibrary.org/page/16291138> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1974a\\_Melanesian\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1974a_Melanesian_Cerceris.pdf)
- \* 1974b. (28 June). Supplement to a list of the wasps of Gebel 'Uweinat, Libyan Desert (Hymenoptera, Aculeata). *Revue de Zoologie Africaine* 88:450-452. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1974b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1974b.pdf)
- \* 1975. (27 June). Comment on the proposed suppression of *Euplilis* Risso, 1826 in favour of *Rhopalum* Stephens, 1829. *Z. N. (S.)* 2056. *The Bulletin of Zoological Nomenclature* 32:97. Available through: <http://biodiversitylibrary.org/page/12225708> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1975\\_Euplilis\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1975_Euplilis_Rhopalum.pdf)
- \* 1976a. (30 Jan.). Additional comment on *Z. N. (S.)* 2056, *Euplilis* Risso, 1826 (Hymenoptera, Sphecidae): proposed suppression under the plenary powers in favor of *Rhopalum* Stephens, 1829. *The Bulletin of Zoological Nomenclature* 32:205-207. Available through: <http://biodiversitylibrary.org/page/12225824> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1976a\\_Euplilis\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1976a_Euplilis_Rhopalum.pdf)
- \* 1976b. (30 July). Lectotype designations for three New World *Liris* with taxonomic notes (Hymenoptera: Larridae). *Proceedings of the Entomological Society of Washington* 78:333-335. Available through: <http://biodiversitylibrary.org/page/16252820> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1976b\\_Liris\\_lectotypes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1976b_Liris_lectotypes.pdf)
- \* 1979a. Biosystematic studies of Ceylonese wasps, V: a monograph of the Ampulicidae (Hymenoptera: Sphecoidea). *Smithsonian Contributions to Zoology* 298:1-29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1979a\\_V\\_Ampulicidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1979a_V_Ampulicidae.pdf)
- \* 1979b. Superfamily Sphecoidea, pp. 1573-1740 in K.V. Krombein, P.D. Hurd, Jr., D.R. Smith, and B.D. Burks. *Catalog of Hymenoptera in America north of Mexico; Volume 1, Symphyta and Apocrita (Parasitica): i-xvi, 1-1198 pp.; Volume 2, Apocrita (Aculeata): i-xvi, 1199-2209 pp.; Volume 3, Indexes: i-xxx, 2211-2735 pp.* Smithsonian Institution Press, Washington, D.C. Errata: Steyskal, 1980. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1979b\\_Catalog\\_Sphecoidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1979b_Catalog_Sphecoidea.pdf)
- \* 1981. Biosystematic studies of Ceylonese wasps, VIII: a monograph of the Philanthidae (Hymenoptera: Sphecoidea). Smithsonian Contributions to Zoology No. 343:I-III, 1-75. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1981\\_VIII\\_Philanthidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1981_VIII_Philanthidae.pdf)
  - 1982. A preliminary analysis of affinities and derivation of the wasp fauna of Sri Lanka (Hymenoptera: Aculeata). *Entomologia Generalis* 8:43-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1982.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1982.pdf)
  - \* 1983. Biosystematic studies of Ceylonese wasps, X: taxonomic and biological notes on some Oxybelinae (Hymenoptera: Sphecoidea, Crabroninae). *Colemania: an International Journal of Entomology* 1:31-39. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1983.pdf)
  - \* 1984a. Biosystematic studies of Ceylonese Wasps, XII: behavioral and life history notes on some Sphecidae (Hymenoptera: Sphecoidea). Smithsonian Contributions to Zoology No. 387:1-30. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1984a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1984a.pdf)
  - \* 1984b. Biosystematic studies of Ceylonese wasps, XIII: a monograph of the Stizinae (Hymenoptera: Sphecoidea, Nyssonidae). Smithsonian Contributions to Zoology No. 388:1-37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1984b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1984b.pdf)
  - \* 1984c. Biosystematic studies of Ceylonese wasps, XIV: a revision of *Carinostigmus* Tsuneki (Hymenoptera: Sphecoidea: Pemphredonidae). Smithsonian Contributions to Zoology No. 396:1-37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1984c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1984c.pdf)
  - \* 1985a. Biosystematic studies of Ceylonese wasps, XV: a monograph of the Alyssoninae, Nyssoninae, and Gorytinae (Hymenoptera: Sphecoidea: Nyssonidae). Smithsonian Contributions to Zoology No. 414:1-42. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1985a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1985a.pdf)
  - \* 1985b. *Oxybelus (Anoxybelus) maidlii* Kohl, an *Oxybelus* with unusual features (Hymenoptera: Sphecoidea: Crabronidae). *Proceedings of the Entomological Society of Washington* 87:634-640. Available through: <http://biodiversitylibrary.org/page/16218935> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1985b\\_Oxybelus\\_maidlii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1985b_Oxybelus_maidlii.pdf)
  - \* 1985c. Hymenoptera type material in rarely visited collections. *Sphecos* 10:40-44. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_10.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_10.pdf)
  - \* 1991. Biosystematic studies of Ceylonese wasps, XIX. Natural history notes in several families (Hymenoptera: Eumenidae, Vespidae, Pompilidae, and Crabronidae). Smithsonian Contributions to Zoology No. 515:i-iv, 1-41. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1991.pdf)
  - \* 1998. (16 Oct.). *Brachystegus decoratus* (Turner) (Hymenoptera: Sphecidae), an Indian wasp new to Sri Lanka. *Proceedings of the Entomological Society of Washington* 100:828. Available through:  
<http://biodiversitylibrary.org/page/16150686> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1998\\_Brachystegus\\_decoratus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1998_Brachystegus_decoratus.pdf)
- Biography: B.B. Norden. 1993. A natural historian. *Quest. National Museum of Natural History* 2, No. 2:6-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Biography\\_by\\_Norden.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Biography_by_Norden.pdf)
- B.B. Norden. 1996. Karl V. Krombein – biographic highlights. *Memoirs of the Entomological Society of Washington* 17:8-10.
- H.A. Bern. 1996. Karl V. Krombein – officer and gentleman. *Memoirs of the Entomological Society of Washington* 17:11-12.

S.G. Shetler. 1996. Karl V. Krombein – noted member of the Washington Biologists' Field Club. *Memoirs of the Entomological Society of Washington* 17:13.

Bibliography: B.B. Norden. 1996. Bibliography of Karl V. Krombein, 1936-1995. *Memoirs of the Entomological Society of Washington* 17:209-216.

Obituary: Anonymus. 2005 Karl Krombein. *Ent. News*. The Newsletter of the Department of Entomology. National Museum of Natural History. Smithsonian 20, No. 8/9:2-3. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Obituary\\_by\\_anonymous.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Obituary_by_anonymous.pdf)

Sullivan, P. 2005 (3 Oct.). Entomologist Karl von Vors Krombein dies. *The Washington Post*, p. B05. Available through:

<http://www.washingtonpost.com/wp-dyn/content/article/2005/10/02/AR2005100201412.html>

#### **Krombein, K.V., and H.E. Evans**

- \* 1954. A list of wasps collected in Florida, March 29 to April 5, 1953, with biological annotations (Hymenoptera, Aculeata). *Proceedings of the Entomological Society of Washington* 56:225-236. Available through: <http://biodiversitylibrary.org/page/16179290> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Evans\\_1954.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Evans_1954.pdf)

- \* 1955. An annotated list of wasps collected in Florida, March 20 to April 3, 1954 (Hymenoptera, Aculeata). *Proceedings of the Entomological Society of Washington* 57:223-235. Available through: <http://biodiversitylibrary.org/page/16196528> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Evans\\_1955.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Evans_1955.pdf)

#### **Krombein, K.V., and F.E. Kurczewski**

- \* 1963. Biological notes on three Floridan wasps (Hymenoptera, Sphecidae). *Proceedings of the Biological Society of Washington* 76:139-152. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Kurczewski\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Kurczewski_1963.pdf)

#### **Krombein, K.V., and B.B. Norden**

- \* 1997a. (25 Feb.). Nesting behavior of *Krombeinictus nordenae* Leclercq, a sphecid wasp with vegetarian larvae (Hymenoptera: Sphecidae: Crabroninae). *Proceedings of the Entomological Society of Washington* 99:42-49. Available through: <http://biodiversitylibrary.org/page/16212686> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Norden\\_1997a\\_Krombeinictus\\_nordenae\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Norden_1997a_Krombeinictus_nordenae_nesting.pdf)

- \* 1997b. (Mar.). Bizarre nesting behavior of *Krombeinictus nordenae* Leclercq (Hymenoptera: Sphecidae, Crabroninae). *Journal of South Asian Natural History* 2:145-154. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Norden\\_1997b\\_Krombeinictus\\_nordenae\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Norden_1997b_Krombeinictus_nordenae_nesting.pdf)

- \* 2001. (27 Mar.). Notes on trap-nesting Sri Lankan wasps and bees (Hymenoptera: Vespidae, Pompilidae, Sphecidae, Colletidae, Megachilidae). *Proceedings of the Entomological Society of Washington* 103:274-281. [*Pison punctifrons* and *Trypoxylon buddha* are the only included sphecids]. Available through: <http://biodiversitylibrary.org/page/16279520> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Norden\\_2001\\_Sri\\_Lanka.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Norden_2001_Sri_Lanka.pdf)

#### **Krombein, K.V., B.B. Norden, M.M. Rickson, and F.R. Rickson**

- \* 1999. Biodiversity of domatia occupants (ants, wasps, bees, and others) of the Sri Lankan myrmecophyte *Humboldtia laurifolia* Vahl (Fabaceae). *Smithsonian Contribution to Zoology* 603:i-iv, 1-34. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_et\\_al\\_1999\\_Krombeinictus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_et_al_1999_Krombeinictus.pdf)

**Krombein, K.V., and W.J. Pulawski**

- \* 1986. Biosystematic studies of Ceylonese wasps, XVI: a revision of *Gastrosericus* Spinola (Hymenoptera: Sphecoidea: Larridae). Smithsonian Contributions to Zoology 436:1-20. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Pulawski\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Pulawski_1986.pdf)
- \* 1994. (16 Nov.). Biosystematic studies of Ceylonese wasps, XX: a revision of *Tachysphex* Kohl, 1883, with notes on other Oriental species (Hymenoptera: Sphecidae: Larrinae). Smithsonian Contributions to Zoology 552:i-iv, 1-106. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Pulawski\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Pulawski_1994.pdf)

**Krombein, K.V., and S. Shanks Gingras**

- \* 1984. Revision of North American *Liris* Fabricius (Hymenoptera: Sphecoidea: Larridae). Smithsonian Contributions to Zoology 404:1-96. Available through: [http://www.sil.si.edu/smithsoniancontributions/zoology/pdf\\_hi/SC7Z-0404.pdf](http://www.sil.si.edu/smithsoniancontributions/zoology/pdf_hi/SC7Z-0404.pdf)

**Krombein, K.V., and J. van der Vecht**

- \* 1987. Biosystematic studies of Ceylonese wasps, XVII: a revision of Sri Lankan and South Indian *Bembix* (Hymenoptera: Sphecoidea: Nyssonidae). Smithsonian Contributions to Zoology 451:1-30. Available through: [http://www.sil.si.edu/smithsoniancontributions/Zoology/sc\\_RecordSingle.cfm?filename=SC7Z-0451](http://www.sil.si.edu/smithsoniancontributions/Zoology/sc_RecordSingle.cfm?filename=SC7Z-0451)

**Krombein, K.V., and L.M. Walkley**

- \* 1962. Three hymenopterous parasites of an African mud-dauber wasp, *Sceliphron spirifex* (L.) (Hymenoptera). Proceedings of the Entomological Society of Washington 64:78. Available through: <http://biodiversitylibrary.org/page/16339193> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Walkley\\_1952\\_Sceliphron\\_spirifex\\_parasites.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Walkley_1952_Sceliphron_spirifex_parasites.pdf)

**Krombein, K.V., and A. Willink**

- \* 1951. (12 Feb.). (1950). The North American species of *Bembecinus* (Hymenoptera, Sphecidae, Stizini). The American Midland Naturalist 44:699-713. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_Willink\\_1951.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_Willink_1951.pdf)

**Kronauer, D.J.C.**

- \* 2004. Trophic parasitism of a wasp (Hymenoptera: Ampulicidae: *Ampulex* sp.) on the ant *Ecatomma ruidum* (Roger, 1860) (Hymenoptera: Formicidae). Myrmecologische Nachrichten 6:77-78. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kronauer\\_2004\\_Ampulex\\_vs\\_Ecatomma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kronauer_2004_Ampulex_vs_Ecatomma.pdf)

**Kroupa, A.S.**

- \* 2006a. Erstnachweis von *Spilomena punctatissima* Blüthgen, 1953 für Bayern und Angaben zur Verbreitung der Art (Hymenoptera, Crabronidae). Entomologische Nachrichten und Berichte 50:232-234. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/kroupa\\_2006\\_spilomena\\_punctatissima\\_144.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/kroupa_2006_spilomena_punctatissima_144.pdf)
- \* 2006b. (31 Oct.). Praxisorientierte Strategien zur naturverträglichen Sanierung von historischen Mauerwerk aus Sand- und Kalkstein. Erfassung von Stechimmen (Hymenoptera: Apidae, Chrysididae, Crabronidae, Formicidae, Mutillidae, Myrmosidae, Pompilidae, Sphecidae, Vespidae) an der Festung Rosenberg/Kronach, der Giechburg/Scheßlitz und den Burgen Rabenstein/Kirchahorn und Waischenfeld (Oberfranken, Bayern) im Jahr 2006. Bericht im Auftrag des Naturschutzzentrums, Mitwitz. Bayreuth, 64 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kroupa\\_2006\\_Stechimmen\\_600dpi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kroupa_2006_Stechimmen_600dpi.pdf)

**Kruess, A., and T. Tschamtkke**

- \* 2002. Grazing intensity and the diversity of grasshoppers, butterflies, and trap-nesting bees and wasps. *Conservation Biology* 16:1570-1580. [intensely grazed grasslands have fewer species and fewer specimens]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kruess\\_Tschamtkke\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kruess_Tschamtkke_2002.pdf)

**Kruger, G.C.**

- \* 1929a. 3°. Contributo alla conoscenza della Fauna Marmarica. *Notiziario Economico della Cirenaica* 2:3-24. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kruger\\_1929a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kruger_1929a.pdf)
- \* 1929b. Elenco degli Hymenoptera raccolti in Marmarica. *Notiziario Economico della Cirenaica* 2:54-59. [a reprint of Hymenoptera section the previous paper]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kruger\\_1929b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kruger_1929b.pdf)

**Kryger, J.P.**

- \* 1920. (1921-1922). Ny dansk Gravehveps. *Entomologiske Meddelelser* 13:137-138. [*Oxybelus lineatus* first recorded from Denmark]. Available through: <http://biodiversitylibrary.org/page/12291636> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kryger\\_1920.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kryger_1920.pdf)

**Krysiński, S.**

- \* 1957. Uwagi o faunie żądłówek (Hymenoptera, Aculeata) okolic Przemyśla – Remarques sur la faune des Aculéates (Hymenoptera) des environs de Przemyśl (Pologne). *Polskie Pismo Entomologiczne* 26:303-309. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krysiński\\_1957.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krysiński_1957.pdf)

**Kubes, A.**

- \* 1905. Seznam českého hmyzu blanokřídlého. *Časopis České Společnosti Entomologické* 2:81-86. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kubes\\_1905.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kubes_1905.pdf)
- \* 1907. Nové české hymenoptery. *Časopis České Společnosti Entomologické* 4:95-96. [*Harpactus laevis* is the only sphecid recorded]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kubes\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kubes_1907.pdf)

**Kuhlmann, M.**

- \* 1993. (6 Dec.). Kritisches Verzeichnis ausgewählter Stechimmenfamilien Westfalens (Hym., Aculeata). I. Chrysididae, Tiphiidae, Mutillidae, Sapygidae, Pompilidae, Eumenidae, Sphecidae und Apidae (excl. Apinae). *Mitteilungen der Arbeitsgemeinschaft Ostwestfälisch-Lippischer Entomologen* 6:69-85. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_1993.pdf)

- \* 1996. (27 Dec.). Contribution to the knowledge of the bee and wasp fauna (Hymenoptera Aculeata) of the Serra da Estrela, Portugal). *Boletim da Sociedade Portuguesa de Entomologia* 6:213-227. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_1996\\_Aculeata\\_Serra\\_da\\_Estrela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_1996_Aculeata_Serra_da_Estrela.pdf)

- \* 1998. (31 July). Nachweise mit Bienen und Wespen (Hymenoptera Aculeata) assoziierter Milben (Acari) und Fächerflügler (Strepsiptera). *Linzer Biologische Beiträge* 30:69-80. Available through:

[http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0030\\_1\\_0069-0080.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0030_1_0069-0080.pdf)

- \* 2000. Die Struktur von Stechimmenzönosen (Hymenoptera Aculeata) ausgewählter Kalkmagerrasen des Diemeltales unter besonderer Berücksichtigung der Nutzungsgeschichte und des Requisitenangebotes. *Abhandlungen aus dem Westfälischen Museum für Naturkunde* 62:3-102. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_2000.pdf)

- \* 2001. Die Bienen- und Wespenfauna (Hymenoptera Aculeata) auf den Schwermetallrasen des NSG Bleikuhlen bei Blankenrode (Kreis Paderborn). *Natur und Heimat* 61:17-23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_2001.pdf)
  - 2002. Struktur der Wildbienen- und Wespenzönosen ausgewählter Waldstandorte im Nationalpark Bayerischer Wald. *Nachrichtenblatt der Bayerischen Entomologen* 51:61-74. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_2002.pdf)
  - \* 2004. Vorläufige Einschätzung der Verantwortlichkeit Deutschlands für die Erhaltung von Stechimmenarten (Hymenoptera Aculeata). *Naturschutz und Biologische Vielfalt* 8:225-233. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_2004.pdf)
  - \* 2006. Fauna and biogeography of the bees and wasps of the Cook Islands (Hymenoptera: Apoidea). *Journal of Hymenoptera Research* 15:26-37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_2006\\_Cook\\_Islands.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_2006_Cook_Islands.pdf)
- Short biography Haris, 2016:97 (available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Kuhlmann, M., and M. Quest**

- \* 2003. (15 Sept.). Stechimmenzönosen vom Moorstandorten und eines Bruchwaldes sowie Ergebnisse einer dreijährigen Daueruntersuchung auf einer isolierten Lichtung in Nationalpark Bayerischer Wald. *Nachrichtenblatt der Bayerischen Entomologen* 52:46-59. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_Quest\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_Quest_2003.pdf)

**Kuhlmann, M., H. Retzlaff, W. Schulze, and H. Wolf**

- \* 1991. (10 Dec.). Zur Hautflüglerfauna (Hymenoptera) der Senne. II. Eumenidae, Pompilidae, Sphecidae, Apidae. *Mitteilungen der Arbeitsgemeinschaft Ostwestfälisch-Lippischer Entomologen* 7:81-122. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_et\\_al\\_Senne\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_et_al_Senne_1991.pdf)

**Kuhlmann, M., H. Wolf, and H. Woydak**

- \* 1999. Rote Liste der gefährdeten Stechimmen (Wildbienen und Wespen, Hymenoptera Aculeata) Westfalens. 1. Fassung, pp. 563-574 in R. Wolff-Straub and U. Wasner (editors). *Rote Liste der gefährdeten Pflanzen und Tiere in Nordrhein-Westfalen. Schriftenreihe der Landesanstalt für Ökologie, Bodenordnung und Forsten/Landesamt für Agrarordnung* 17:1-644. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuhlmann\\_et\\_al\\_1999\\_Rote\\_Liste.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuhlmann_et_al_1999_Rote_Liste.pdf)

**Kula, E., and P. Tyrner**

- \* 2003a. Hymenoptera (Aculeata) in birch stands of the air-polluted area of Northern Bohemia – Hymenoptera (Aculeata) porostů brízy imisní oblasti severních Čech. *Journal of Forest Science*, 49:148158. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kula\\_Tyrner\\_2003a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kula_Tyrner_2003a.pdf)
- \* 2003b. Hymenoptera (Aculeata) of spruce stands in the air-pollution region of Northern Bohemia – Hymenoptera (Aculeata) porostů smrku imisní oblasti severních Čech. *Journal of Forest Science* 49:200-207. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kula\\_Tyrner\\_2003b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kula_Tyrner_2003b.pdf)

**Kulik, G.**

- \* 1998. Beitrag zur Kenntnis der Bienen- und Wespenfauna Nordwestdeutschlands und angrenzender Gebiete (Hymenoptera: Aculeata). *Drosera. Naturkundliche Mitteilungen aus Nordwest Deutschland* '98:127-138. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kulik\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kulik_1998.pdf)

**Kullenberg, B.**

- \* 1956. Field experiments with chemical sexual attractants on aculeate Hymenoptera. Zoologiska Bidrag från Uppsala 31:253-354, pls. 1-5.
- 1961. Studies in *Ophrys* pollination. Zoologiska Bidrag från Uppsala 34:1-340.
- \* 1973. New observations on the pollination of *Ophrys* L. (Orchidaceae). Zoon 1 (Supplement):9-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kullenberg\\_1973.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kullenberg_1973.pdf)
- Obituary: Jonsson, S. 2008. Bertil Kullenberg – in memoriam. Entomologisk Tidskrift 129:121-127. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kullenberg\\_2008\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kullenberg_2008_Obituary.pdf)

**Kumar, R. and A. Kumar**

- \* 2017. Growth rate in media and pathogenicity of two species of entomopathogens found in Fiji. Journal of South Pacific Agriculture 20:44-52. [entomopathogenic fungi, *Beauveria bassiana* (Bals.-Criv) Vuill. and *Metarhizium anisopliae* (Metchnikoff) Sorokin, collected on larvae of *Sceliphron caementarium*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kumar\\_Kumar\\_2017.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kumar_Kumar_2017.pdf)

**Kumar, R., R.J. Lavigne, J.E. Lloyd, and R.E. Pfadt**

- \* 1976. (Feb.). Insects of the Central Plains Experimental Range, Pawnee National Grassland. Science Monographs. Agricultural Experimental Station. University of Wyoming. Laramie, Wyoming 32:i-iv, 1-74. [Sphecidae on pp. 51-52]. Available through:  
[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Kumar\\_et\\_al\\_1976.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Kumar_et_al_1976.pdf)

**Kundu, B.G., S.N. Ghosh, and R.N. Tiwari**

- \* 2012. Insecta: Hymenoptera: Aculeata: Sphecidae. Fauna of Andaman and Nicobar Islands, Zoological Survey of India. State Fauna Series 19:151-166. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kundu\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kundu_et_al_2012.pdf)

**Kuntze, R.**

- \* 1939. (24 June). (1937-1938). Charakterystyka entomofaunistyczna ścianki wołczyńskiekiej pod Stanisławowem – Entomofaunistische Charakteristik eines xerothermen Hangs bei Stanisławów in Südpolen. Polskie Pismo Entomologiczne 16-17:1-15. [Stanisławów, now Ivano-Frankovsk, Ukraine; the only sphecids are *Crabro schlettereri* and *Sceliphron destillatorium* on p. 7]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuntze\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuntze_1939.pdf)

**Kuntze, R., and J. Noskiewicz**

- \* 1938. Zarys zoogeografii polskiego Podola – Versuch einer Zoogeographie des polnischen Podoliens. Towarzystwo Naukowe we Lwowie, Lwów. 538 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuntze\\_Noskiewicz\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuntze_Noskiewicz_1938.pdf)

**Kurahashi, H.**

- \* 1975. An anthomyid parasite of *Rhopalum nipponicum* (Kohl). Kontyû 43:19. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurahashi\\_1975\\_Rhopalum\\_parasite.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurahashi_1975_Rhopalum_parasite.pdf)

**Kurczewski, F.E.**

- \* 1963. A first Florida record and note on the nesting of *Trypoxylon* (*Trypargilum*) *texense* Saussure (Hymenoptera: Sphecidae). The Florida Entomologist 46:243-245. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1963\\_Trypoxylon\\_texense.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1963_Trypoxylon_texense.pdf)

- \* 1966a. Behavioral notes on two species of *Tachytes* that hunt pygmy mole-cricket (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 39:147-155. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1966a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1966a.pdf)
- \* 1966b. *Tachysphex terminatus* preying on Tettigoniidae – an unusual record (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 39:317-322. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1966b\\_Tachysphex\\_terminatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1966b_Tachysphex_terminatus.pdf)
- \* 1966c. Comparative behavior of male digger wasps of the genus *Tachysphex* (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 39:436-453. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1966c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1966c.pdf)
- \* 1967a. A note on the nesting behavior of *Solierella inermis* (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 40:203-208. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1967a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1967a.pdf)
- \* 1967b. *Hedychridium fletcheri* (Hymenoptera: Chrysididae, Elampinae), a probable parasite of *Tachysphex similis* (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 40:278-284. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1967b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1967b.pdf)
- \* 1968. Nesting behavior of *Plenoculus davisi* (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 41:179-207. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1968.pdf)
- \* 1969. Comparative ethology of female digger wasps in the genera *Miscophus* and *Nitelopterus* (Hymenoptera: Sphecidae, Larrinae). Journal of the Kansas Entomological Society 42:470-509. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1969.pdf)
- \* 1971. A new *Tachysphex* from Florida, with keys to the males and females of the Florida species (Hymenoptera: Sphecidae, Larrinae). Proceedings of the Entomological Society of Washington 73:111-116. [*Tachysphex krombeini*]. Available through: <http://biodiversitylibrary.org/page/16245816> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1971\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1971_Tachysphex.pdf)
- \* 1972a. (18 July). Observations on the nesting behavior of *Oxybelus cressonii* and *O. exclamans*. Journal of the Kansas Entomological Society 45:397-404. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1972a\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1972a_Oxybelus.pdf)
- \* 1972b. (30 Dec.). Observations on the nesting behavior of *Diploplectron peglowi* Krombein (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 74:385-397. Available through: <http://biodiversitylibrary.org/page/16246580> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1972b\\_Diploplectron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1972b_Diploplectron.pdf)
- \* 1975. An additional note on the nesting behavior of *Diploplectron peglowi* Krombein (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 77:97-99. Available through: <http://biodiversitylibrary.org/page/16310739> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1975\\_Diploplectron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1975_Diploplectron.pdf)
- \* 1976. Behavioral observations on some Tachytini and Larrini (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 49:327-332. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1976.pdf)
- \* 1979. (30 Nov.). Nesting behavior of *Tachysphex mundus* Fox (Hymenoptera, Sphecidae, Larrinae). Polskie Pismo Entomologiczne 49:641-647. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1979.pdf)
- \* 1982. An additional study on the nesting behavior of species of *Miscophus* (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 84:67-80. Available through: <http://biodiversitylibrary.org/page/16358954> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1982\\_Miscophus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1982_Miscophus.pdf)
- \* 1987a. A review of nesting behavior in the *Tachysphex pompiliformis* group, with observations on five species (Hymenoptera: Sphecidae), Journal of the Kansas Entomological Society 60:118-126. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1987a\\_Tachysphex\\_pompiliformis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1987a_Tachysphex_pompiliformis.pdf)
  - \* 1987b. Nesting behavior of *Tachysphex laevifrons* and *T. crassiformis*, with a note on *T. krombeini* (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 89:715-730. Available through: <http://biodiversitylibrary.org/page/16263146> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1987b\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1987b_Tachysphex.pdf)
  - \* 1989. Nesting behavior of *Tachysphex acutus*, with discussion of multicellular nest excavation in the genus (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 62:44-58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1989.pdf)
  - \* 1991a. Nesting behavior of *Tachysphex tarsatus* (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 64 (3):300-323. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1991a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1991a.pdf)
  - \* 1991b. Burrow construction from the ground surface in *Lyroda subita* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 24:203-206. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1991b\\_Lyroda\\_subita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1991b_Lyroda_subita.pdf)
  - \* 1993. New prey families for *Crabro advena* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 26:77-78. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1993\\_Crabro\\_advena\\_prev.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1993_Crabro_advena_prev.pdf)
  - \* 1994. (Dec.). An aculeate wasp collecting trip through the Black River Valley of upstate New York. Sphecos 28:19-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)
  - \* 1996. (13 June). Variation in nesting behavior of *Oxybelus bipunctatus* and *O. emarginatus*, with notes on other species (Hymenoptera: Sphecidae). Memoirs of the Entomological Society of Washington 17:82-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1996.pdf)
  - \* 1997. (20 Oct.). Activity patterns in a nesting aggregation of *Sphex pensylvanicus* L. (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 6:231-242. Available through:  
<http://biodiversitylibrary.org/page/4490361> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1997\\_Sphex\\_pensylvanicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1997_Sphex_pensylvanicus.pdf)
  - \* 1998a. Dispersal and range expansion of an introduced sand wasp, *Oxybelus bipunctatus* (Hymenoptera: Sphecidae), in northeastern North America. Entomological News 109:1-6. Available through:  
<http://biodiversitylibrary.org/page/2727368>, <http://www.archive.org/stream/entomologicalnew109amer#page/n7/mode/2up>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1998a\\_Oxybelus\\_bipunctatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1998a_Oxybelus_bipunctatus.pdf)
  - \* 1998b. (14 May). Territoriality and mating behavior of *Sphex pensylvanicus* L. (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 7:74-83. Available through: <http://biodiversitylibrary.org/page/4490673> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1998b\\_Sphex\\_pensylvanicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1998b_Sphex_pensylvanicus.pdf)
  - \* 1998c. Distribution, status, evaluation, and recommendations for the protection of *Tachysphex pechumani* Krombein, the antennal-vaving wasp. Natural Areas Journal 18:242-254. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1998c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1998c.pdf)
  - \* 1998d. Comparison of sand nesting wasps (Hymenoptera) from two pine barrens in upstate New York. Entomological News 109:247-251. Available through: <http://biodiversitylibrary.org/page/2727626>,  
<http://www.archive.org/stream/entomologicalnew109amer#page/246/mode/2up>, <http://www.archive.org/details/entomologicalnew109amer>, and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1998d\\_sand\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1998d_sand_nesting.pdf)
- \* 1998e. The identity of *Tachysphex acutus* (Hymenoptera: Sphecidae), an unsolved mystery. Entomological News 109:252-255. Available through: <http://biodiversitylibrary.org/page/2727631>, <http://www.archive.org/stream/entomologicalnew109amer#page/252/mode/2up>, and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1998e\\_Tachysphex\\_acutus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1998e_Tachysphex_acutus.pdf)
  - \* 1999. Additional observations on the nesting behavior of *Tachysphex tarsatus* (Hymenoptera: Sphecidae). Entomological News 110:181-183. Available through: <http://biodiversitylibrary.org/page/2884167> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1999\\_Tachysphex\\_tarsatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1999_Tachysphex_tarsatus.pdf)
  - \* 2000a. History of white pine (*Pinus strobus*)/oak savanna in southern Ontario, with particular reference to the biogeography and status of the antenna-waiving wasp, *Tachysphex pechumani* (Hymenoptera: Sphecidae). The Canadian Field-Naturalist 114:1-20. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2000a\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2000a_Tachysphex_pechumani.pdf)
  - \* 2000b. First record of *Tachysphex pechumani* (Hymenoptera: Sphecidae) from Indiana. The Great Lakes Entomologist 33:41-43. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2000b\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2000b_Tachysphex_pechumani.pdf)
  - \* 2000c. (26 July). Distribution, behavior, and ecology of acridid-hunting *Tachysphex* from the Carolinas (Hymenoptera: Sphecidae). The Journal of the Elisha Mitchell Scientific Society 116:113-123. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2000c\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2000c_Tachysphex.pdf)
  - \* 2002. (30 Dec.). Seasonal variation in nesting behavior of *Oxybelus bipunctatus* (Hymenoptera: Sphecidae). Northeastern Naturalist 9:419-432. Available through: [http://findarticles.com/p/articles/mi\\_qa3845/is\\_200201/ai\\_n9069192/tag=manile\\_skin:content](http://findarticles.com/p/articles/mi_qa3845/is_200201/ai_n9069192/tag=manile_skin:content), and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2002\\_Oxybelus\\_bipunctatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2002_Oxybelus_bipunctatus.pdf)
  - \* 2003a. (31 Dec.). Comparative nesting behavior of *Crabro monticola* (Hymenoptera: Sphecidae). Northeastern Naturalist 10:425-450. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2003a\\_Crabro\\_monticola.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2003a_Crabro_monticola.pdf)
  - \* 2003b. (31 Dec.). Comparison of *Crabro advena* nests in upstate New York (Hymenoptera: Sphecidae). Northeastern Naturalist 10:451-456. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2003b\\_Crabro\\_advena.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2003b_Crabro_advena.pdf)
  - \* 2004. (30 Sept.). Reuse of old *Trypoxylon politum* nest by *Chalybion californicum* (Hymenoptera: Sphecidae) in New York, U.S.A. Entomological News 114:241-245. Available through: <http://biodiversitylibrary.org/page/2733612> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2004\\_Chalybion\\_californicum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2004_Chalybion_californicum.pdf)
  - \* 2008a. (31 Mar.). Geographic distribution and paleobiogeography of *Tachysphex pechumani* (Hymenoptera: Crabronidae), pp. 1-32 in (no editor provided) Biological studies of *Tachysphex pechumani*, the antenna-waving wasp. Northeastern Naturalist 15, Monograph 2:1-76. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2008a\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2008a_Tachysphex_pechumani.pdf)
  - \* 2008b. (31 Mar.). Nesting behavior of *Tachysphex pechumani* (Hymenoptera: Crabronidae), pp. 33-66 in (no editor provided) Biological studies of *Tachysphex pechumani*, the antenna-waving wasp. Northeastern Naturalist 15, Monograph 2:1-76. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2008b\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2008b_Tachysphex_pechumani.pdf)
  - \* 2009. (31 Mar.). Nesting behavior of the *Tachysphex terminatus* species group (Hymenoptera: Crabronidae). Northeastern Naturalist 16 (Monograph 3):1-88. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2009\\_Tachysphex\\_terminatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2009_Tachysphex_terminatus.pdf)

- \* 2010. (28 Feb.). Analysis of ecology, nesting behavior, and prey in North American, Central American, and Caribbean *Tachysphex* (Hymenoptera: Crabronidae). *Northeastern Naturalist* 17, Monograph 6:1-78. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_2010\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_2010_Tachysphex.pdf)

**Kurczewski, F.E., A.J. Abela, and D. Ubick**

- \* 2020. Additional observations on the nesting behavior of *Miscophus* (*Niteloaterus*) *californicus* (Ashmead) (Hymenoptera: Crabronidae). *Insecta Mundi* 0773:1-3. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_2020\\_Miscophus\\_californicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_2020_Miscophus_californicus.pdf)

**Kurczewski, F.E., and R.E. Acciavatti**

- \* 1968. A review of the nesting behaviors of the Nearctic species of *Crabro*, including observations on *C. advenus* and *C. latipes* (Hymenoptera: Sphecidae). *Journal of the New York Entomological Society* 76:196-212. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Acciavatti\\_1968\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Acciavatti_1968_Crabro.pdf)

- \* 1990. Late summer-fall solitary wasp fauna of central New York (Hymenoptera: Tiphidae, Pompilidae, Sphecidae). *The Great Lakes Entomologist* 23:57-64. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Acciavatti\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Acciavatti_1990.pdf)

**Kurczewski, F.E., and H.F. Boyle**

- \* 2006. (6 June). (2005). Nesting behavior, ecology, seasonal and geographic distribution of the sand wasp, *Stictiella emarginata* (Hymenoptera: Sphecidae). *Canadian Field-Naturalist* 119:6-15. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Boyle\\_2005\\_Stictiella\\_emarginata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Boyle_2005_Stictiella_emarginata.pdf)

**Kurczewski, F.E., and J. Brezner**

- 1968. A use for the densitometer in insect taxonomy. *Annals of the Entomological Society of America* 61:230-232. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Brezner\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Brezner_1968.pdf)

**Kurczewski, F.E., N.A. Burdick, and G.C. Gaumer**

- \* 1969a. Observations on the nesting behavior of *Crossocerus* (*C.*) *maculiclypeus* (Fox) (Hymenoptera: Sphecidae). *Journal of the New York Entomological Society* 77:92-104. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_1969a\\_Crossocerus\\_maculiclypeus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_1969a_Crossocerus_maculiclypeus.pdf)

- \* 1969b. Additional observations on the nesting behaviors of *Crabro advenus* Smith and *C. latipes* Smith (Hymenoptera: Sphecidae). *Journal of the New York Entomological Society* 77:152-170. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_1969b\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_1969b_Crabro.pdf)

**Kurczewski, F.E., R.E. Coville, and C. Schal**

- \* 2010. Observations on the nesting and prey of the solitary wasp, *Tachysphex inconspicuus*, with a review of nesting behavior in the *T. obscuripennis* species group. *Journal of Insect Science* 10:183. Available through: <http://www.bioone.org/doi/pdf/10.1673/031.010.14143>

**Kurczewski, F.E., G.B. Edwards, L.S. Kimsey, and K.E. Kurczewski**

- \* 2012. (19 Nov.). Observations on the nesting behavior of *Miscophus* (*Niteloaterus*) *laticeps* (Hymenoptera: Crabronidae). *The Pan-Pacific Entomologist* 88:311-318. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_2012\\_Miscophus\\_laticeps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_2012_Miscophus_laticeps.pdf)

#### **Kurczewski, F.E., and N.B. Elliott**

- \* 1978. Nesting behavior and ecology of *Tachysphex pechumani* Krombein (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 51:765-780. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Elliott\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Elliott_1978.pdf)

#### **Kurczewski, F.E., N.B. Elliott, and C.E. Vasey**

- \* 1970. A redescription of the female and description of the male of *Tachysphex pechumani* (Hymenoptera: Sphecidae, Larinae). Annals of the Entomological Society of America 63:1594-1597. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_1970\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_1970_Tachysphex_pechumani.pdf)

#### **Kurczewski, F.E., and H.E. Evans**

- \* 1972. Nesting behavior and description of the larva of *Bothynostethus distinctus* Fox (Hymenoptera, Sphecidae). Psyche 79:88-103. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Evans\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Evans_1972.pdf)
- \* 1986. Correct names for species of *Tachysphex* observed by Evans (1970) at Jackson Hole, Wyoming, with new information on *T. alpestris* and *T. semirufus* (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 88:720-721. Available through: <http://biodiversitylibrary.org/page/16265433>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Evans\\_1986\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Evans_1986_Tachysphex.pdf)

#### **Kurczewski, F.E., and S.E. Ginsburg**

- \* 1971. Nesting behavior of *Tachytes (Tachyplena) validus*. Journal of the Kansas Entomological Society 44:113-131. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Ginsburg\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Ginsburg_1971.pdf)

#### **Kurczewski, F.E., and B.J. Harris**

- \* 1968. The relative abundance of two digger wasps, *Oxybelus bipunctatus* and *Tachysphex terminatus*, and their associates, in a sand pit in central New York. Journal of the New York Entomological Society 76:81-83. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Harris\\_1968\\_Oxybelus\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Harris_1968_Oxybelus_Tachysphex.pdf)

#### **Kurczewski, F.E., and E.J. Kurczewski**

- \* 1963. An annotated list of digger wasps from Presque Isle State Park, Pennsylvania (Hymenoptera: Aculeata). Proceedings of the Entomological Society of Washington 65:141-149. Available through:  
<http://biodiversitylibrary.org/page/16197180> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Kurczewski\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Kurczewski_1963.pdf)
- \* 1971a. Host records for some species of *Tachytes* and other Larrinae. Journal of the Kansas Entomological Society 44:131-136. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Kurczewski\\_1971a\\_Tachytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Kurczewski_1971a_Tachytes.pdf)
- \* 1971b. Host records for some species of Nyssoninae. Journal of the Kansas Entomological Society 44:334-337. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Kurczewski\\_1971b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Kurczewski_1971b.pdf)
- \* 1984. Mating and nesting behavior of *Tachytes intermedius* (Viereck) (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 86:176-184. Available through:  
<http://biodiversitylibrary.org/page/16360629> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_1984\\_Tachytes\\_intermedius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_1984_Tachytes_intermedius.pdf)

- \* 1987. Nesting behavior and ecology of *Tachysphex antennatus* (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 60:408-420. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Kurczewski\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Kurczewski_1987.pdf)

**Kurczewski, F.E., K.E. Kurczewski, and A.J. Abela**

- \* 2015. Behavioral and ecological observations on some central coastal California *Tachysphex* Kohl, 1883 (Hymenoptera: Crabronidae). The Pan-Pacific Entomologist 91:229-256. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_2015.pdf)

**Kurczewski, F.E., and C.J. Lane**

- \* 1974. Observations on the nesting behavior of *Mimesa* (*Mimesa*) *basirufa* Packard and *M. (M.) cressonii* Packard (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 76:375-384. Available through: <http://biodiversitylibrary.org/page/16357190> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Lane\\_1974\\_Mimesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Lane_1974_Mimesa.pdf)

**Kurczewski, F.E., and R.C. Miller**

- \* 1983. Nesting behavior of *Philanthus sanbornii* in Florida (Hymenoptera: Sphecidae). The Florida Entomologist 66:199-206. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Miller\\_1983\\_Philanthus\\_sanbornii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Miller_1983_Philanthus_sanbornii.pdf)
- \* 1984. Observations on the nesting of three species of *Cerceris* (Hymenoptera: Sphecidae). The Florida Entomologist 67:146-155. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Miller\\_1984\\_3\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Miller_1984_3_Cerceris.pdf)
- \* 1986. Observations on some nests of *Crossocerus* (*Blepharipus*) *a. annulipes* (Lepeletier and Brullé) (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 88:157-162. Available through: <http://biodiversitylibrary.org/page/16264858> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Miller\\_1986\\_Crossocerus\\_annulipes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Miller_1986_Crossocerus_annulipes.pdf)
- \* 1991. Range extensions for species of Sphecidae (Hymenoptera) in the northeastern United States. The Great Lakes Entomologist 24 (4):253-254. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Miller\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Miller_1991.pdf)

- \* 1992. Observations on the nesting of *Crabro tenuis* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 25:33-39. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Miller\\_1992\\_Crabro\\_tenuis\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Miller_1992_Crabro_tenuis_nesting.pdf)

#### **Kurczewski, F.E., and M.F. O'Brien**

- \* 1983. A note on the nesting of *Mimesa lutaria* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 16:167-169. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_O'Brien\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_O'Brien_1983.pdf)
- \* 1988. A review of the nesting behavior and observations on *Tachysphex pompiliformis* in North America (Hymenoptera: Sphecidae). Entomological News 99:173-180. Available through: <http://biodiversitylibrary.org/page/2737824> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_O'Brien\\_1988\\_Tachysphex\\_pompiliformis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_O'Brien_1988_Tachysphex_pompiliformis.pdf)

#### **Kurczewski, F.E., M.F. O'Brien, and M.G. Spofford**

- \* 1992. Nesting behavior of *Podalonia robusta* (Cresson) (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 1:235-239. Available through: <http://biodiversitylibrary.org/page/4490109> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_et\\_al\\_1992\\_Podalonia\\_robusta.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_et_al_1992_Podalonia_robusta.pdf)

#### **Kurczewski, F.E., and D.J. Peckham**

- \* 1970. Nesting behavior of *Anacrabro ocellatus ocellatus* (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 63:1419-1424 Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Peckham\\_1970\\_Anacrabro\\_ocellatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Peckham_1970_Anacrabro_ocellatus.pdf)
- \* 1982. Nesting behavior of *Lyroda subita* (Say) (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 84:149-156. Available through: <http://biodiversitylibrary.org/page/16359036> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Peckham\\_1982\\_Lyroda\\_subita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Peckham_1982_Lyroda_subita.pdf)

#### **Kurczewski, F.E., and N.F.R. Snyder**

- \* 1968. Evolution of cliff-nesting in digger wasps. The Conservationist 23 (2):28-31. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Snyder\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Snyder_1968.pdf)

#### **Kurczewski, F.E., and M.G. Spofford**

- \* 1985. A new host family for *Lyroda subita* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 18:113-114. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Spofford\\_1985\\_Lyroda\\_subita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Spofford_1985_Lyroda_subita.pdf)
- \* 1986. Observations on the nesting behaviors of *Tachytes parvus* and *T. obductus* Fox (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 88:13-24. Available through: <http://biodiversitylibrary.org/page/16264695> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Spofford\\_1986\\_Tachytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Spofford_1986_Tachytes.pdf)
- \* 1987. Further observations on the nesting behavior of *Liris argentatus* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 20:121-125. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Spofford\\_1987\\_Liris\\_argentatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Spofford_1987_Liris_argentatus.pdf)
- \* 1998. Alternative nesting strategies in *Ammophia urnaria* (Hymenoptera: Sphecidae). Journal of Natural History 32:99-106. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Spofford\\_1998\\_Ammophila\\_urnaria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Spofford_1998_Ammophila_urnaria.pdf)

#### **Kurczewski, F.E., and D.L. Wochadlo**

- \* 1998. Relationship of cell depth and soil moisture in *Oxybelus bipunctatus* (Hymenoptera: Sphecidae). Entomological News 109:7-14. Available through: <http://biodiversitylibrary.org/page/2727374>,

<http://www.archive.org/stream/entomologicalnew109amer/page/6/mode/2up>, <http://www.archive.org/details/entomologicalnew109amer>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurczewski\\_Wochadlo\\_1998\\_Oxybelus\\_bipunctatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurczewski_Wochadlo_1998_Oxybelus_bipunctatus.pdf)

#### **Kurokawa, H.**

- \* 2003. (30 Nov.). The aculeate Hymenoptera recorded at Egamichou, Fukui City, Fukui Prefecture, central Japan. Tsunekibachi 1:59-62. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurokawa\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurokawa_2003.pdf)

#### **Kurokawa, H., T. Tano, and T. Murota**

- \* 2019. Silver mouth wasps collected in Gero City, Gifu Prefecture. Tsunekibachi 33:39-40. [Silver mouth wasps = Crabronini]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kurokawa\\_Tano\\_Murota\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kurokawa_Tano_Murota_2019.pdf)

#### **Kuznetzova, V.T. [B.T. Кузнецова]**

- \* 1990. Перепончатокрылые заповедника “Галичья гора” (аннотированный список видов) [= Pereponchatokrylye zapovednika “Galich'ya gora (annotirovannyi spisok vidov) = Hymenoptera of Galich'ya Gora Nature Reserve, Voronezh Oblast', Russia (an annotated list of species)] in A.Z. Osychnyuk and V.M. Ermolenko (editors). Flora i Fauna Zapovednikov SSSR. Moskva, 88 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuznetzova\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuznetzova_1990.pdf)

#### **Kuznetsov-Ugamskij, N.N.**

- \* 1927. Zur Kenntnis der mittelasatischen Sphecodea. I. Zoologischer Anzeiger 71:244-249. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kuznetsov-Ugamskij\\_1927.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kuznetsov-Ugamskij_1927.pdf)

#### **Kvamme, T., and R. Axelsson**

- \* 1983. Sphecidae (Hym., Aculeata) recorded from bark beetle pipe traps and some faunal notes from South Norway. Fauna Norvegica (Series B) 30:57-59. Available through:

[http://www.entomologi.no/journals/nje/old/V30/NJE\\_30\\_02\\_1983.pdf](http://www.entomologi.no/journals/nje/old/V30/NJE_30_02_1983.pdf) and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Kvamme\\_Axelsson\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Kvamme_Axelsson_1983.pdf)

## **L**

#### **LaBerge, W.E.**

- \* 1956. Catalogue of the types in the Snow Entomological Museum. Part I (Hymenoptera). The University of Kansas Science Bulletin 38:501-531. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LaBerge\\_1956\\_Catalogue\\_Pt1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LaBerge_1956_Catalogue_Pt1.pdf)

#### **Laborie, B., J.-D. Chapelin-Viscardi, R. Le Divelec, and V. Tosser**

- \* 2017. À la découverte des sphécides, guêpes prédatrices méconnues. Et si ces discrets hyménoptères que sont les sphécides étaient des régulateurs de pucerons? Une étude soulève la question. Phytoma No. 705:4 pp. [general informations on sphecids, their role in agriculture]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laborie\\_et\\_al\\_2017\\_Sphécides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laborie_et_al_2017_Sphécides.pdf)

#### **Laboulbène, A.**

- \* 1874. [Note sur *Cemonus unicolor* Lep.]. Annales de la Société Entomologique de France (Série 5) 4, Bull.:CXXVIII-CXXIX. Available through: <http://biodiversitylibrary.org/page/8995473> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laboulbene\\_1874\\_Cemonus\\_unicolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laboulbene_1874_Cemonus_unicolor.pdf)

- \* 1875. Note sur les dégâts causés aux tiges d'églantiers, servant de porte-greffes, par le *Cemonus unicolor* (Hyménoptères–Pemphrédoniens). Annales de la Société Entomologique de France (Série 5) 5:303-304. Available through: <http://biodiversitylibrary.org/page/8233703> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laboulbene\\_1875\\_Cemonus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laboulbene_1875_Cemonus.pdf)
- \* 1890. [Au sujet de *Cemonus unicolor* F.]. Annales de la Société Entomologique de France (Série 6) 10, Bull.:CV. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laboulbene\\_1890\\_Cemonus\\_unicolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laboulbene_1890_Cemonus_unicolor.pdf)
- \* 1895. Sur un Hyménoptère fouisseur de genre *Pepsis* qui approvisionne ses larves avec une grosse espèce de *Mygale* et remarques sur quelques parasites des Araignées. Annales de la Société Entomologique de France 64:179-190. [review of sphecid prey]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laboulbene\\_1895.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laboulbene_1895.pdf)

#### **Lafler, H.A.**

- \* 1896. A new parasite. Entomological News 7:62-63. [on *Bembix nubilipennis*; nesting habits, tachinid nest parasites]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lafler\\_1896.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lafler_1896.pdf)

#### **Laidlaw, W.B.R.**

- \* 1929. Description of a new Indian *Sphex*. The Entomologist's Monthly Magazine 65:232-233, pl. IX. [*Sphex namkumiensis*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laidlaw\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laidlaw_1929.pdf)

#### **Laing, D.J.**

- \* 1988. The prey and predation behavior of the wasp *Pison morosum* (Hymenoptera: Sphecidae). The New Zealand Entomologist 11:37-42. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Laing\\_1988\\_Pison\\_morosum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Laing_1988_Pison_morosum.pdf)

#### **Lameere, A.**

- 1907. Manuel de la faune de Belgique, 3. Insectes Supérieurs. Bruxelles. 1-869 + 1 pp. Biography: Pauly, 2002:53. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002a\\_44\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002a_44_Bibliography.pdf)

#### **Lampe, K.-H., D. Rohwedder, S. Ingrisch, and B. Rach**

- \* 2010. (Nov.). Insect types in the ZFMK collection, Bonn: Blattodea, Dermaptera, Heteroptera, "Homoptera", Hymenoptera, Mantodea, Orthoptera, Phasmatodea, Phthiraptera and Siphonaptera. Bonn Zoological Bulletin 58:89-167. [ZFMK = Zoologisches Forschungsmuseum Alexander Koenig, Bonn, Germany; Hymenoptera on pp. 114-128]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lampe\\_et\\_al\\_2010\\_Types\\_Bonn.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lampe_et_al_2010_Types_Bonn.pdf)

#### **La Munyon, I.W.**

- \* 1877. (8 Mar.). New Hymenoptera. Proceedings of the Nebraska Association for the Advancement of Science 1:two unnumbered pages. [*Trypoxylon sulcus* described; apparently the periodical was privately printed]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/La\\_Munyon\\_1877.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/La_Munyon_1877.pdf)

#### **Landeck, I., V. Wöhler, and D. Landgraf**

- \* 2005. Beobachtungen zu Blütenbesuchern an Färber-Resede (*Reseda luteola* Linnaeus) und Saflor (*Carthamus tinctorius* Linnaeus) - Ein Beitrag zur ökologischen Bedeutung des Anbaus von Färberpflanzen - Observations of flower visiting insects on Mignonette (*Reseda luteola* Linnaeus) and

Safflower (*Carthamus tinctorius* Linnaeus). Entomologische Nachrichten und Berichte 49:15-23. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Landeck\\_et\\_al\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Landeck_et_al_2005.pdf)

**Landers, P.H.**

- \* 1967. Mud dauber wasp venom in anterior chamber. American Journal of Ophthalmology 64:1168. [stinging human eye and resulting nerve-blocking]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Landers\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Landers_1967.pdf)

**Landes, D.A., and J.H. Hunt**

- \* 1988. Occurrence of *Chalybion zimmermanni zimmermanni* Dahlbom in a mixed sleeping aggregation with *Chalybion californicum* (Saussure) in Missouri (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 61:230-231. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Landes\\_Hunt\\_1988\\_Chalybion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Landes_Hunt_1988_Chalybion.pdf)

**Landes, D.A., M.S. Obin, A.B. Cady, and J.H. Hunt**

- \* 1987. Seasonal and latitudinal variation in spider prey of the mud dauber *Chalybion californicum* (Hymenoptera, Sphecidae). The Journal of Arachnology 15:249-256. Available through:

[http://www.americanarachnology.org/JoA\\_free/JoA\\_v15\\_n2/JoA\\_v15\\_p249.pdf](http://www.americanarachnology.org/JoA_free/JoA_v15_n2/JoA_v15_p249.pdf)

**Lane, R.S., J.R. Anderson, and E. Rogers**

- \* 1986. Nest provisioning and related activities of the sand wasp, *Bembix americana comata* (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 62:258-268. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lane\\_et\\_al\\_1986\\_Bembix\\_america\\_comata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lane_et_al_1986_Bembix_america_comata.pdf)

**Lange, C.**

- \* 1898. Ergebnisse entomologischer Beobachtungen aus der Umgebung Annaberg. Bericht des Annaberg-Buchholzer Vereins für Naturkunde 10:52-104.

**Langfeld, L.Q.**

- 2023. (Oct.). Die Bienenfauna (Apiformes) der Greifswalder Oie in Mecklenburg-Vorpommern mit Anmerkungen zu weiteren aculeaten Hymenopteren. Ampulex 14:55-63. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Langfeld\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Langfeld_2023.pdf)

**Lanham, U.N.**

- 1952. (19 Jan.). (1951). Review of the wing venation of the higher Hymenoptera (suborder Clitogastra), and speculation on the phylogeny of the Hymenoptera. Annals of the Entomological Society of America 44:614-628. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lanham\\_1952\\_wing\\_venation.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lanham_1952_wing_venation.pdf)

- 1981. (21 Jan.). (1980). Evolutionary origin of bees (Hymenoptera, Apoidea). Journal of the New York Entomological Society 88:199-209. [bees did not arise from sphecids]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lanham\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lanham_1980.pdf)

**Lara Ruiz, J.**

- 2016. Fuentes nectaríferas y poliníferas de *Oxybelus* spp. en los Cardales del macizo Cazorla-Segura-Alcaraz (SE Península Ibérica). Boletín. Instituto de Estudios Giennenses 214:437-445. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lara\\_Ruiz\\_2016\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lara_Ruiz_2016_Oxybelus.pdf)

**La Rivers, I.**

- \* 1942. Notes on the bembicid, *Stictiella pulla* (Handlirsch) (Hymenoptera). The Pan-Pacific Entomologist 18:4-8. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LaRivers\\_1942\\_Stictiella\\_pulla.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LaRivers_1942_Stictiella_pulla.pdf)
- \* 1945. (11 June). The wasp *Chlorion laeviventris* (Cresson) as a natural control of the mormon cricket. The American Midland Naturalist 33:743-763. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/La\\_Rivers\\_1945.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/La_Rivers_1945.pdf)

#### Larivière, A.

- \* 2002a. *Crossocerus* (s. str.) *elongatulus* (Vander Linden, 1829). Inventaire des Hyménoptères Sphécides récoltés dans trois départements de la région Centre (Eure-et-Loir (28) – Loir-et-Cher (41) – Loiret (45)). 3 unnumbered pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lariviere\\_2002\\_Crossocerus\\_elongatulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lariviere_2002_Crossocerus_elongatulus.pdf)
- \* 2002b. *Nitela borealis* Valkeila, 1974. Inventaire des Hyménoptères Sphécides récoltés dans trois départements de la région Centre (Eure-et-Loir (28) – Loir-et-Cher (41) – Loiret (45)). 2 unnumbered pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lariviere\\_2002\\_Nitela\\_borealis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lariviere_2002_Nitela_borealis.pdf)
- \* 2002c. *Passaloecus singularis* Dahlbom, 1844. Inventaire des Hyménoptères Sphécides récoltés dans trois départements de la région Centre (Eure-et-Loir (28) – Loir-et-Cher (41) – Loiret (45)). 4 unnumbered pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lariviere\\_2002\\_Passaloecus\\_singularis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lariviere_2002_Passaloecus_singularis.pdf)

#### Larivière, A., J.-D. Chapelin-Viscardi, and J. Maillet-Mezeray

- \* 2012. Sur des Hyménoptères Crabronidae en milieux agricoles de Beauce et du Gâtinais (Essonne et Loiret, France). L'Entomologiste 68:295-304. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lariviere\\_et\\_al\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lariviere_et_al_2013.pdf)

#### Larnhof, A.

- \* 2008. Nesting dynamics of the digger wasp *Bembecinus hungaricus* (Hymenoptera: Apoidea: Crabronidae) at the Nature Reserve "in den Sandbergen" near Drösing a. d. March, Lower Austria – Nist-Dynamik der Grabwespe *Bembecinus hungaricus* (Hymenoptera: Apoidea: Crabronidae) im Naturschutzgebiet „in den Sandbergen" nahe Drösing a. d. March, Niederösterreich. Verhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich 145:35-47. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larnhof\\_2008\\_Bembecinus\\_hungaricus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larnhof_2008_Bembecinus_hungaricus.pdf)

#### Larsen, O.N., G. Gleffe, and J. Tengö

- \* 1986. Vibration and sound communication in solitary bees and wasps. Physiological Entomology 11:287-296. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsen\\_et\\_al\\_1986\\_vibration\\_sound\\_communication.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsen_et_al_1986_vibration_sound_communication.pdf)

#### Larsen, T.B.

- 1981. Hesperiid larvae as prey for a sphecid wasp. The Entomologist's Record and Journal of Variation 93:54-55. [an unidentified wasp taking hesperiid larvae from their protective envelopes – possibly not a sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsen\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsen_1981.pdf)

#### Larsson, F.K.

- \* 1985. Kroppsstorlek och fördelning av bon hos grävstekeln *Bembix rostrata* L. – Individual size and nesting patterns in the gregarious digger wasp *Bembix rostrata* L. Entomologisk Tidskrift 106:1-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1985.pdf)

- \* 1986. Increased nest density of the digger wasp *Bembix rostrata* as a response to parasites and predators (Hymenoptera: Sphecidae). *Entomologia Generalis* 12:71-75. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1986.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1986.pdf)
- \* 1989a. Mating patterns in six insect species: effects of weather and population density. *Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science* 234:31 pp., 9 pls. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1989a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1989a.pdf)
- \* 1989b. Temperature induced alternative male mating tactics in a tropical digger wasp. *Journal of Insect Behavior* 2:849-852. [on *Stictia heros*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1989b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1989b.pdf)
- \* 1990a. Thermoregulation and activity patterns of the sand wasp *Steniolia longirostris* (Say) (Hymenoptera: Sphecidae) in Costa Rica. *Biotropica* 22:65-68. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1990a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1990a.pdf)
- \* 1990b. Female body size relationships with fecundity and egg size in two solitary species of fossorial Hymenoptera (Colletidae and Sphecidae). *Entomologia Generalis* 15:167-171. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1990b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1990b.pdf)
- \* 1991. Some take it cool, some like it hot – a comparative study of male mate searching tactics in two species of Hymenoptera (Colletidae and Sphecidae). *Journal of Thermal Biology* 16:45-51. [*Colletes cunicularius* and *Bembix rostrata*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_1991.pdf)
- \* 1992. [A trip to Galapagos Islands]. *Sphecos* 23:1. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_23.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_23.pdf)

**Larsson, F.K., and K. Larsson**

- \* 1989. Body size and nesting behaviour of the sand wasp *Stictia heros* (Hymenoptera: Sphecidae) in Costa Rica. *Journal of Tropical Ecology* 5:117-120. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_Larsson\\_1989\\_Stictia\\_heros.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_Larsson_1989_Stictia_heros.pdf)

**Larsson, F.K., and J. Tengö**

- \* 1989. It is not always good to be large; some female fitness components in a temperate digger wasp, *Bembix rostrata* (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 62:490-495. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Larsson\\_Tengo\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Larsson_Tengo_1989.pdf)

**Latreille, P.A.**

- \* 1792. Mutilles, Découvertes en France. *Actes de la Société d'Histoire Naturelle de Paris* 1:5-12. [described *Mutilla laevis*, now in *Harpactus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_1792.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_1792.pdf)
- 1796. Précis des caractères génériques des Insectes, disposés dans un ordre naturel. F. Bourdeaux, Brive. I-XIV + 1-201 + 7 unnumbered pp., 1 pl. Available through: <https://doi.org/10.5962/bhl.title.66071>
- \* [1799]. (An 8 de la République). Mémoire sur un insecte qui nourrit ses petits d'Abeilles domestiques. *Bulletin des Sciences, par la Société Philomatique de Paris* 2:49-50. [described *Philanthus apivorus*, a junior synonym of *P. triangulum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_1799.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_1799.pdf)
- 1802a. (Apr.). Histoire naturelle des fourmis, Et recueil de Mémoires et d'Observations sur les abeilles, les araignées, les faucheurs, et autres insectes. Théophile Barrois, Paris. XVI + 445 pp., pls. I-XII. Dating after Latreille, 1802b:369, as reported by Richards, 1935a:174. [Family name Apidae established on p. 425, as Apiariae]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_1802a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_1802a.pdf)

- 1802b. (An X; 6 Nov 1802). Histoire naturelle générale et particulière des Crustacés et des Insectes. Ouvrage faisant suite à l'Histoire Naturelle générale et particulière, composée par Leclercq de Buffon, et rédigée par C.S. Sonnini, membre de plusieurs Sociétés savantes. Vol. 3. Imprimerie F. Dufart, Paris. I-XII, 13-467 pp. [Family name Sphecidae established on p. 331, as Sphegimes]. Available through: <https://www.biodiversitylibrary.org/page/24884916>
- Dating after Griffin, 1938, and Dupuis, 1986:205. Dupuis available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Dupuis\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Dupuis_1986.pdf)
1804. Tableau méthodique des insectes. Classe huitième. Insectes, Insecta, pp. 129-200 in: Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, principalement à l'Agriculture et à l'Economie rurale et domestique: par une Société de naturalistes et d'agriculteurs: Avec des figures tirées des trois Règnes de la Nature. Tome XXIV. Imprimerie de Crapelet, Paris. 200 pp. Available through: <https://www.biodiversitylibrary.org/page/5784739>
- \* [1805]. (An XIII, between 20 Feb. and 21 Mar. 1805). Histoire naturelle générale et particulière des Crustacés et des Insectes. Ouvrage faisant suite aux Oeuvres de Leclercq de Buffon, et partie du Cours complet d'Histoire naturelle rédigé par C.S. Sonnini, membre de plusieurs Sociétés savantes. Vol. 13. Imprimerie F. Dufart, Paris. 432 pp, pls. XCVIIbis-CIII. Dating after Dupuis, 1986:205, available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Dupuis\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Dupuis_1986.pdf).
- 1806-1809a. Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata. Amand Koenig, Parisiis et Argentorati [= Paris and Strasbourg]. Tomus primus, 18 + 302 pp., 16 pls. (1806); Tomus secundus, 280 pp. (1807); Tomus tertius, 258 pp. (1807); Tomus quartus et ultimus, 399 pp. (1809). [Sphecidae are in vol. I, pls. XIII and XIV, and in vol. IV, pp. 51-101]. Volume I available through: <http://biodiversitylibrary.org/page/3855191>, Volume IV available through: [http://www.antwiki.org/wiki/images/3/3b/Latreille\\_1809.pdf](http://www.antwiki.org/wiki/images/3/3b/Latreille_1809.pdf)
- \* 1809b. Observations nouvelles sur la manière dont plusieurs insectes de l'ordre des hyménoptères pourvoient à la subsistence de leur postérité. Annales du Muséum d'Histoire Naturelle 14:412-425, pl. 26. [nesting habits of *Bembix rostrata* and *Cerceris aurita*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_1809b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_1809b.pdf)
1810. Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides, et des Insectes, avec un tableau méthodique de leurs genres, disposés en familles. F. Schoell, Paris. 444 pp. [contains classification down to families; Hymenoptera on pp. 279-342; 435-439; Sphecidae s.l. on pp. 318-326; 437-438]. Available through: [http://www.antwiki.org/wiki/images/3/3d/Latreille\\_1810.pdf](http://www.antwiki.org/wiki/images/3/3d/Latreille_1810.pdf)
- \* 1812. (1811). Palare. *Palarus*, pp. 647-652 in [A.G.] Olivier (editor). Encyclopédie méthodique, ou par ordre des matières. Histoire naturelle. Insectes. Vol. 8. H. Agasse, Paris. 722 pp. Dating after Sherborn and Woodward, 1906:578.
- \* 1825. in P.A. Latreille (editor). Encyclopédie Méthodique, ou par ordre des matières. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Vol. 10 (par MM. Latreille, Le Peletier de Saint-Fargeau, Serville et Guérin). Veuve Agasse, Paris. 832 pp. (1-344, 1825; 345-832, 1828). Dating after Sherborn and Woodward, 1906. [Pemphredon, pp. 47-48; Melline, pp. 48-49]
1830. Tachyte, p. 12 in J. Bory de Saint Vincent (editor). Dictionnaire classique d'histoire naturelle. Tome seizième. T-Z [= volume 16]. Rey et Gravier and Amable Gobin et C<sup>ie</sup>, Paris. 748 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_1830\\_Tachyte.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_1830_Tachyte.pdf)
- Biography: Dupuis, C. 1974. Pierre André Latreille (1762-1833): the foremost entomologist of his time. Annual Review of Entomology 19:1-13, portrait. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latreille\\_biography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latreille_biography.pdf)

Collection: D. Baker, 1994c. [Spinola, 1853:51, indicated that he owned Latreille's collection of Hymenoptera].

#### Latter, O.H.

- \* 1913. Bees and wasps. University Press, Cambridge. vi +132 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Latter\\_1913\\_Bees\\_Wasps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Latter_1913_Bees_Wasps.pdf)

#### Lauterbach, K.-E.

- \* 1996. Grabwespen (Hymenoptera – Sphecidae) in Bielefeld und Umgegend I: (Sandwespen (Ammophilomorpha). Mit Anmerkung zum Phylogenetischen System und Problemen der Phylogenetischen Systematik. Berichte des Naturwissenschaftlichen Vereins für Bielefeld und Umgegend e.V. 37:127-152. [proposed *Cyanoventrozon* for *Stangella* and several nonconventional suprageneric names]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterbach\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterbach_1996.pdf)
- \* 1997a. (12 June). *Prionyx viduatus* (Christ 1791) auf La Gomera (Hymenoptera: Sphecidae). Entomologische Zeitschrift 107:255-257. [La Gomera, Canary Islands]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterbach\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterbach_1997.pdf)
- \* 1997b. Grabwespen in Bielefeld und Umgegend II: Alyssonini und Nyssonini (Hymenoptera – Sphecidae – Nyssoninae). Berichte des Naturwissenschaftlichen Vereins für Bielefeld und Umgegend e.V. 38:59-75. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterbach\\_1997b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterbach_1997b.pdf)
- \* 1997c. Grabwespen in Bielefeld und Umgegend III: Gorytini (Hymenoptera – Sphecidae – Nyssoninae). Berichte des Naturwissenschaftlichen Vereins für Bielefeld und Umgegend e.V. 38:77-87. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterbach\\_1997c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterbach_1997c.pdf)

#### Lauterbach, K.-E., and M. Latsch-Lauterbach

- \* 2004. (15 May). *Podalonia affinis concolor* (Brullé, 1839) neu für Gran Canaria. Mitteilungen des Internationalen Entomologischen Vereins e.V. 29:31-36. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterbach\\_Latsch-Lauterbach\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterbach_Latsch-Lauterbach_2004.pdf)

#### Lauterborn, R.

- \* 1922. (22 Dec.). Faunistische Beobachtungen aus dem Gebiete des Oberrheins und des Bodensees. 3. Reihe. Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 1:241-248. [Sphecidae on p. 244]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterborn\\_1922.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterborn_1922.pdf)
- \* 1924. Faunistische Beobachtungen aus dem Gebiete des Oberrheins und des Bodensees. 4. Reihe. Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 1:284-290. [Sphecidae on p. 287]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterborn\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterborn_1924.pdf)
- \* 1925. Faunistische Beobachtungen aus dem Gebiete des Oberrheins und des Bodensees. 5. Reihe. Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 1:353-358. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterborn\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterborn_1925.pdf)
- \* 1926. Faunistische Beobachtungen aus dem Gebiet des Oberrheins und des Bodensees. 6. Reihe. Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 2:3-11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lauterborn\\_1926.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lauterborn_1926.pdf)

### Lavigne, R.J., and R.E. Pfadt

- \* 1966. (Nov.). Parasites and predators of Wyoming rangeland grasshoppers. University of Wyoming Laramie Agricultural Experiment Station, Science Monograph 3:1-31. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lavigne\\_Pfadt\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lavigne_Pfadt_1966.pdf)

### Lécaillon, A.

- \* 1918. Sur la manière dont l'Ammophile hérissée (*Psammophila hirsuta* Kirby) capture et transporte sa proie et sur l'explication rationnelle de l'instinct de cet Hyménoptère. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences 166:530-532. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lecaillon\\_1918.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lecaillon_1918.pdf)

### Lechner, G.K.

- \* 2006a. An observational note on the steel-blue cricket hunter, *Chlorion aerarium* Patton (Hymenoptera: Sphecidae) from Iowa, USA. Entomological News 117:242. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2006a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2006a.pdf)
- \* 2006b. (21 Aug.). Copulation in *Eremnophila aureonotata* (Hymenoptera: Sphecidae) in Iowa, U.S.A. Entomological News 117:353-354. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2006b\\_Eremnophila\\_aureonotata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2006b_Eremnophila_aureonotata.pdf)
- \* 2007. (31 July). An unusual prey record for *Tachytes chrysopyga obscurus* (Hymenoptera: Sphecidae: Larrinae) from Iowa, U.S.A. Entomological News 118:321-322. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2007\\_Tachytes\\_chrysopyga\\_obscurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2007_Tachytes_chrysopyga_obscurus.pdf)
- \* 2008. (18 Jan.). (2007). A long journey: observations on the steel-blue cricket hunter *Chlorion aerarium* Patton (Hymenoptera: Sphecidae). Entomological News 118:531-533. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2008\\_Chlorion\\_aerarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2008_Chlorion_aerarium.pdf)
- \* 2011. (2010). (28 Sept). A second report of avian kleptoparasitism of the great black wasp, *Sphex pensylvanicus* L. (Hymenoptera: Sphecidae: Sphecinae). Entomological News 121:302-303.
- \* 2015. Large homing flight distances flown by female *Sphex pensylvanicus* Linnaeus, 1763 (Hymenoptera: Sphecidae: Sphecinae) in Sioux City, Iowa, USA. Life: the Excitement of Biology 3:149-152. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2015.pdf)
- \* 2016. Interesting incidents with *Sphex pensylvanicus* Linnaeus, 1763 (Hymenoptera: Sphecidae) wasps and their prey items in Sioux City, Iowa, USA. Life: the Excitement of Biology 4:27-31. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2016\\_Sphex\\_pensylvanicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2016_Sphex_pensylvanicus.pdf)
- \* 2017. *Orchelimum gladiator* Bruner, 1891: an addition to the prey record of the great black wasp, *Sphex pensylvanicus* Linnaeus, 1763 (Hymenoptera: Sphecidae: Sphecinae). Life: the Excitement of Biology 5:115-116. Available through: <https://blaypublishers.files.wordpress.com/2017/11/lechner-52.pdf>
- \* 2019. (31 Dec.). Superparasitism on the wasp *Ammophila pictipennis* Walsh (Hymenoptera: Sphecidae: Ammophilinae) by Strepsiptera, with a record of observed instances of stylopization of wasps in the genus *Ammophila* Kirby from the grounds of North High School, Sioux City, Iowa, U.S.A. 2008 – 2019. Life: the Excitement of Biology 7:148-158. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2019\\_Ammophila\\_pictipennis\\_stylopization.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2019_Ammophila_pictipennis_stylopization.pdf)
- \* 2021. (31 Dec.). Prey carriage and nest tending observations of *Liris argentatus* (Palisot de Beauvois, 1811) (Hymenoptera: Crabronidae) in Sioux City, Iowa, USA. Life: the Excitement of Biology 9:16-23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2021.pdf)
- \* 2022a. The life span of the great black wasp *Sphex pensylvanicus* Linnaeus, 1763 (Hymenoptera: Sphecidae) and other observations from a nesting aggregation in Sioux City, Iowa. BioRxiv at doi:<https://doi.org/10.20221101.01.14.476354>. 12 unnumbered pages. Available through:

- \* 2022b. The stubborn tenacity of female *Sphex pensylvanicus* Linnaeus, 1763 (Hymenoptera: Sphecidae) with their prey. *Life: The Excitement of Biology* 9:42-54. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lechner\\_2022b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lechner_2022b.pdf)

**Leclerc, L., D. Dodgson, and M. Buck**

- 2024. Rediscovery of *Eucerceris zonata* (Say, 1823) (Hymenoptera: Philanthidae), a species thought to be extirpated in Canada. *The Great Lakes Entomologist* 57:213-219. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclerc\\_et\\_al\\_2025\\_Eucerceris\\_zonata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclerc_et_al_2025_Eucerceris_zonata.pdf)

**Leclercq, J.**

- \* 1939. (25 Mar.). La biologie des *Passaloecus* (Hym. Sphegidae). *Lambillionea* 39:59-62. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1939.pdf)
- \* 1940. (25 Apr.). La biologie des *Passaloecus* (2<sup>e</sup> note). *Lambillionea* 40:49-52. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1940\\_Passaloecus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1940_Passaloecus.pdf)
- \* 1941a. (27 June). Notes écologiques sur des insectes du Pays de Liège [sic]. *Natuurhistorisch Maandblad* 30 (6):67-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1941a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1941a.pdf)
- \* 1941b. Notes sur les Hyménoptères des environs de Liège [sic]. *Bulletin du Muséum National d'Histoire Naturelle* 17 (14):1-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1941b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1941b.pdf)
- \* 1942. Notes sur les Hyménoptères des environs de Liège (3<sup>e</sup> série). Observations sur le choix des fleurs butinées. *Annales de la Société Royale Zoologique de Belgique* 73:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1942.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1942.pdf)
- \* 1944. Fluctuations du degré d'abondance récemment observées chez certains Hyménoptères aculéates. *Bulletin de la Société Royale des Sciences de Liège* 7:262-267. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1944.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1944.pdf)
- \* 1948. Notes détachées sur les Hyménoptères Aculéates de Belgique (1-3). *Bulletin & Annales de la Société Entomologique de Belgique* 84:204-205. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1948.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1948.pdf)
- \* 1949a. Contribution à l'étude des Crabroninae (Hym. Sphecidae) de l'hémisphère nord. *Bulletin. Institut Royal des Sciences Naturelles de Belgique* 25 (16):1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1949a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1949a.pdf)
- \* 1949b. Notes détachées sur les Hyménoptères Aculéates de Belgique (4-8). *Bulletin & Annales de la Société Entomologique de Belgique* 85:180-183. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1949b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1949b.pdf)
- \* 1950a. Sur quelques Crabroniens (Hymenoptera Sphecidae) du groupe *Lindenius* – *Entomognathus*. *Bulletin. Institut Royal des Sciences Naturelles de Belgique* 26 (6):1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950a.pdf)
- \* 1950b. Notes systématiques sur les Crabronines pédonculés (Hymenoptera Sphecidae). *Bulletin. Institut Royal des Sciences Naturelles de Belgique* 26, No. 15:1-19. Available through:  
<http://hbs.bishopmuseum.org/fiji/pdf/leclercq1950.pdf> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950b\\_Notes\\_systematiques.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950b_Notes_systematiques.pdf)
- \* 1950c. Contribution à l'étude des Crabroniens asiatiques appartenant au genre *Ectemnius* (Dahlbom, 1845) (Hymenoptera, Sphecidae). *Bulletin. Institut Royal des Sciences Naturelles de Belgique* 26, No. 23:1-12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950c.pdf)

- \* 1950d. (July). Remarques sur les *Crossocerus* du sous-genre *Blepharipus* Lepeletier et Brullé, 1834 (Syn. *Acanthocrabro* Perkins, 1913) (Hym. Sphecidae Crabroninae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 26 (28):1-10. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950d.pdf)
- \* 1950e. (Aug.). Crabroniens nouveaux ou peu connus (Hymenoptera Sphecidae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 26, No. 35:1-19. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950e.pdf)
- \* 1950f. Discussion sur l'importance de l'argument entomologique en matière de protection des sites, basée sur l'étude des *Crossocerus* (Hyménoptères Sphéigides) de Belgique. Parcs Nationaux, 1:20-24. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950f.pdf)
- \* 1950g. (1 July). Description d'un *Crossocerus* nouveau de Sumatra (Hym., Sphecidae). Entomologische Berichten 13:110-111. [*Crossocerus kockensis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950g\\_Crossocerus\\_kockensis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950g_Crossocerus_kockensis.pdf)
- \* 1950h. Description d'une espèce nouvelle d'*Entomocrabro* (Hym. Sphecidae) de la République d'Equateur. Bulletin de la Société Entomologique de France 55:93-94. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950h.pdf)
- \* 1950i. Sur les Crabroniens orientaux et australiens rangés par R.E. Turner (1912-1915) dans le genre *Crabro* (subgenus *Solenius*). Bulletin & Annales de la Société Entomologique de Belgique 86:191-198. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950i.pdf)
- \* 1950j. Les *Ectemnius* sud-américains du sous-genre *Apoctemnius* (Hymenoptera, Sphecidae, Crabroninae). Revue Française d'Entomologie 17:200-210. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950j.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950j.pdf)
- 1950k. (4 Mar.). Occurrence of pterin pigments in Hymenoptera. Nature (London) 165:367-368. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1950k.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1950k.pdf)
- \* 1951a. Notes systématiques sur quelques Crabroniens (Hymenoptera Sphecidae) américains, orientaux et australiens. Bulletin & Annales de la Société Entomologique de Belgique 87:31-56. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951a.pdf)
- \* 1951b. Mise en évidence de la nature ptérinique des pigments jaunes des Hyménoptères adultes. Bulletin & Annales de la Société Entomologique de Belgique 87:64-74. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951b.pdf)
- \* 1951c. Sur trois espèces de *Lestica* (*Solenius*) (Hym., Sphecidae, Crabroninae). Bulletin & Annales de la Société Entomologique de Belgique 87:169-173. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951c.pdf)
- \* 1951d. *Foxita patei* nov. sp., Crabronien nouveaux du Mexique (Hym., Sphecid.). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 24:190. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951d\\_Foxita\\_patei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951d_Foxita_patei.pdf)
- \* 1951e. (June). Catalogue synonymique des Crabroninae (Hym. Sphecidae) de la Belgique. Bulletin. Institut Royal des Sciences Naturelles de Belgique 27 (28):1-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951e\\_Catalogue.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951e_Catalogue.pdf)
- \* 1951f. (June). Contribution à l'étude des Crabroniens néotropicaux appartenant au genre *Podagratus* (Spinola, 1851) (Hymenoptera, Sphecidae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 27 (34):1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951f\\_Podagratus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951f_Podagratus.pdf)
- \* 1951g. Les *Ectemnius* (*Hypocrabro*) du groupe *auriceps* Cress. (Hym., Sphecidae, Crabroninae) [*sic*]. Revue Française d'Entomologie 18:121-124. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951g.pdf)

- \* 1951h. (31 Aug.). Sur quelques *Neodasyproctus* (Arnold, 1926) nouveaux ou peu connus (Hymenoptera, Sphecidae, Crabroninae). Revue de Zoologie et de Botanique Africaines 44:333-338. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951h.pdf)
- \* 1951i. Notes systématiques sur les *Anacrabro* (Packard, 1866) (Hym. Sphecidae Crabroninae). Bulletin de la Société Entomologique de France 56:61-64. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951i.pdf)
- \* 1951j. La position générique du *Crabro tabanica* Fischer (Hym. Sphecidae). Bulletin de la Société Entomologique de France 56:105-106. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1951j.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1951j.pdf)
- \* 1953a. Notes détachées sur les Hyménoptères Aculéates de Belgique (22-30). Bulletin & Annales de la Société Entomologique de Belgique 89:245-250. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1953a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1953a.pdf)
- \* 1953b. (30 Dec.). Sphecinae de Madagascar (Hym. Sphecidae). Revue de Zoologie et de Botanique Africaines 98:211-212. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1953b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1953b.pdf)
- \* 1954a. Notes détachées sur les Hyménoptères Aculéates de Belgique (40-42). Bulletin & Annales de la Société Entomologique de Belgique 90:290-292. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1954a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1954a.pdf)
- \* 1954b. (5 Nov.). *Ampulex* (Hym. Sphecidae) d'Afrique Tropicale. Revue de Zoologie et de Botanique Africaines 50:150-156. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1954b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1954b.pdf)
- \* 1954c. Monographie systématique, phylogénétique et zoogéographique des Hyménoptères Crabroniens. Les Presses de «Lejeunia», Liège. 371 pp., 84 maps. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1954c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1954c.pdf)
- \* 1955a. *Crossocerus (Coelocrabro) distortus*, Crabronien nouveau du Nord de l'Inde (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:190-192. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955a.pdf)
- \* 1955b. *Entomognathus (Toncahua) geometricus*, Crabronien nouveau de Panama (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:193-195. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955b.pdf)
- \* 1955c. *Rhopalum (Latrorhopalum) expeditionis*, Crabronien nouveau du Thibet (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:196-198. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955c.pdf)
- \* 1955d. *Quexua* (Pate, 1942) nouveaux ou peu connus (Hym. Sphecidae, Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:296-299. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955d.pdf)
- \* 1955e. Révision des *Crossocerus* du sous-genre *Eupliloides* Pate, 1946 (Hym. Sphecidae, Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:300-304. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955e.pdf)
- \* 1955f. Révision des *Podagrirus* (Spinola, 1851) australiens (Hym. Sphecidae, Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 91:305-330. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955f.pdf)
- \* 1955g. Sur les *Foxita* (Pate, 1942) des faunes brésilienne et bolivienne (Hym. Sphecidae, Crabroninae). Mémoires de la Société Royale Entomologique de Belgique 27:336-342. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955g.pdf)

- \* 1955h. (30 July). Hymenoptera Sphecoidea (Sphecidae I. Subfam. Sphecinae) avec un catalogue synonymique des espèces africaines et des considérations sur la distribution des espèces *in* Exploration du Parc National de l'Upemba. I. Mission G.F. de Witte en collaboration avec W. Adam, A. Janssens, L. van Meel et R. Verheyen (1946-1949), Fasc. 34:1-137. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955h\\_Sphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955h_Sphecinae.pdf)
- \* 1955i. Contribution à l'étude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). LXXVII. Hymenoptera Sphecidae. Annales du Musée Royal du Congo Belge (= Annalen van het Koninklijk Museum van Belgisch-Congo) Tervuren, Belgique, in 8°, Zoologie 40:404-426. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955i.pdf)
- \* 1955j. (30 Dec.). Sur trois *Encopognathus* (Kohl, 1896) de l'Afrique tropicale (Hym. Sphecidae, Crabroninae). Revue de Zoologie et de Botanique Africaines 52:246-248. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955j.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955j.pdf)
- \* 1955k. Revision des *Rhopalum* (Kirby, 1829) néo-zélandais (Hym. Sphecidae, Crabroninae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 31 (82):1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955k\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955k_Rhopalum.pdf)
- \* 1956a. (Feb.). Le genre *Piyuma* (Pate, 1944), curiosité zoogéographique (Hym. Sphecidae Crabroninae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 32 (16):1-4 Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956a.pdf)
- \* 1956b. (Mar.). *Encopognathus* (*Florkinus*, subgen. nov.) *evolutionis* n. sp., Crabronien nouveau du Mexique. Notes sur sa signification phylogénétique, et remarques sur deux *Encopognathus* de l'Inde (Hym. Sphecidae Crabroninae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 32 (20):1-12. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956b.pdf)
- \* 1956c. (June). Sur cinq espèces exotiques appartenant au genre *Lestica* (Billberg, 1820), sous-genre *Solenius* (Lepeletier de Saint-Fargeau et Brullé, 1834) (Hym. Sphecidae, Crabroninae). Bulletin. Institut Royal des Sciences Naturelles de Belgique 32, No.29:1-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956c.pdf)
- \* 1956d. Les *Dasyproctus* (Lepeletier de St-Fargeau et Brullé 1834) du Sud-Est Asiatique et de l'Océanie (Hym. Sphecidae Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 92:139-167. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956d.pdf)
- \* 1956e. Contribution à l'étude des *Crossocerus* (Lepeletier de St-Fargeau et Brullé 1834) vivant au Sud de l'Himalaya (Hym. Sphecidae Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 92:217-235. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956e\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956e_Crossocerus.pdf)
- \* 1956f. Révision des *Ectemnius* du sous-genre *Apoctemnius* Leclercq, 1950 (Hym. Sphecidae Crabroninae). I. Sur quatre espèces du Mexique. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 92:301-306. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956f.pdf)
- \* 1956g. Mission E. Janssens et R. Tollet en Grèce (Juillet-août 1953). 14<sup>e</sup> Note. Hymenoptera–Sphecidae et Vespidae. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 92:324-327. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956g.pdf)
- \* 1956h. Le *Crabro eques* Nurse, 1902, de Simla, est un *Crossocerus* du sous-genre *Ablepharipus* Perkins, 1913 (Hymenoptera, Sphecidae, Crabroninae). Bulletin de la Société Royale des Sciences de Liège, No. 5:293-295. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956h.pdf)

- \* 1956i. Faune entomologique du Grand-Duché de Luxembourg. II. – Chrysididae, Vespidae et Sphecidae (Hym.). Archives. Institut Grand-Ducal de Luxembourg. Section des Sciences Naturelles, Physiques et Mathématiques (Nouvelle Série) 23:131-134. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1956i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1956i.pdf)
- \* 1957a. *Rhopalum (Rhopalum) antillarum* n. sp., Crabronien nouveau de Cuba (Hym. Sphecidae, Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 93:54-56. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957a.pdf)
- \* 1957b. Le genre *Rhopalum* (Kirby, 1829) en Australie (Hym. Sphecidae, Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 93:177-232. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957b.pdf)
- \* 1957c. Révision des *Ectemnius* du sous-genre *Apoctemnius* Leclercq, 1950 (Hym. Sphecidae Crabroninae). II. – Sur quatre espèces sudaméricaines. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 93:319-324. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957c.pdf)
- \* 1957d. Crabroniens du Sud-Est Asiatique, nouveaux ou peu connus. I. – Genres *Rhopalum* Kirby, *Piyuma* Pate et *Crossocerus* subg. *Eupliloides* Pate (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 93:348-353. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957d.pdf)
- \* 1957e. Recherches systématiques et taxonomiques sur le genre *Podagrirus* (Hym. Sphecidae, Crabroninae). I. – Sur onze espèces australiennes et une espèce des îles Fidji. Bulletin. Institut Royal des Sciences Naturelles de Belgique 33, No. 15:1-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957e.pdf)
- \* 1957f. Recherches systématiques et taxonomiques sur le genre *Podagrirus* (Hym. Sphecidae, Crabroninae). II. – Introduction à l'étude des espèces sud-américaines et révision des sous-genres *Echuoides* et *Echuca*. Bulletin. Institut Royal des Sciences Naturelles de Belgique 33, No. 22:1-23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957f.pdf)
- 1957g. Sur les éléments du mésopectus des Hyménoptères Sphécides. Bulletin. Institut Royal des Sciences Naturelles de Belgique 33, No. 34:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957g.pdf)
- \* 1957h. Recherches systématiques et taxonomiques sur le genre *Podagrirus* (Hym. Sphecidae, Crabroninae). III. – Révision des *Podagrirus* subg. *Podagrirus*. Bulletin. Institut Royal des Sciences Naturelles de Belgique 33, No. 46:1-18. Available through: \ [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957h.pdf)
- \* 1957i. Sur le genre *Vechtia* (Pate, 1944), lignée orientale de Crabroniens évolués (Hym. Sphecidae Crabroninae). Entomologische Berichten 17:106-107. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957i.pdf)
- \* 1957j. Contribution nouvelle à l'étude des *Dasyproctus* de l'Archipel Malais (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 26, No.1:53-58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1957j.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1957j.pdf)
- \* 1958a. (28 Feb.). Hymenoptera Sphecoidea (Sphecidae II. Subfam. Crabroninae) in Exploration du Parc National de l'Upemba. I. Mission G.F. de Witte en collaboration avec W. Adam, A. Janssens, L. van Meel et R. Verheyen (1946-1949), Fascicule 45:1-114. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958a\\_Crabroninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958a_Crabroninae.pdf)
- \* 1958b. (May). Les Hyménoptères Aculéates printaniers dans les Pyrénées-Orientales. Vie et Milieu 8:479-485. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958b.pdf)

- \* 1958c. Crabroniens du Sud-Est Asiatique, nouveaux ou peu connus. II. – Genre *Lestica* subg. *Solenius* (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 94: 79-87. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958c.pdf)
- \* 1958d. Crabroniens du Sud-Est Asiatique, nouveaux ou peu connus. III. – Genres *Encopognathus* et *Entomognathus* (Hym. Sphecidae), pp. 99-101. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958d.pdf)
- \* 1958e. Crabroniens du Sud-Est Asiatique, nouveaux ou peu connus. IV. – Genre *Ectemnius*: tableau des sous-genres; espèces appartenant aux sous-genres *Thyreocerus*, *Policrabro*, *Yanoni*, *Clytochrysus* et *Metacrabro* (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 94:102-117. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958e.pdf)
- \* 1958f. Crabroniens du Sud-Est Asiatique, nouveaux ou peu connus. V. – Révision des *Ectemnius* subg. *Cameronitus* Leclercq (Hym. Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 94:134-155. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1958f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1958f.pdf)
- \* 1959a. (31 Jan.). Pemphredoninae (Hymenoptera Sphecoidea) in Exploration du Parc National de l'Upemba. I. Mission G.F. de Witte en collaboration avec W. Adam, A. Janssens, L. van Meel et R. Verheyen (1946-1949), Fasc. 53 (2):17-62. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1959a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1959a.pdf)
- 1959b. Essai de caractérisation de certains territoires par les proportions d'Hyménoptères Aculéates solitaires qu'on y observe. Bulletin de l'Institut Agronomique de Gembloux et des Stations de Recherche de Gembloux 27:425-434. [No species names]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1959b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1959b.pdf)
- \* 1959c. Une population de *Mellinus arvensis* L. dans laquelle les femelles chassent pour leur propre compte (Hym. Sphecidae Nyssoninae). Bulletin de la Société Royale des Sciences de Liège 28:246-249. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1959c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1959c.pdf)
- \* 1959d. (30 Sept.). *Lindenius ceballosi* sp. nov., Crabronien nouveau d'Espagne (Hym. Sphecidae). Eos. Revista Española de Entomología 35:267-268. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1959d\\_Lindenius\\_ceballosi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1959d_Lindenius_ceballosi.pdf)
- \* 1960a. Hyménoptères Sphécides de Madagascar. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 96:96-100. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1960a\\_Madagascar.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1960a_Madagascar.pdf)
- \* 1960b. Notes détachées sur les Hyménoptères Aculéates en Belgique (43-49). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 96:124-132. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1960b\\_Belgique.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1960b_Belgique.pdf)
- \* 1960c. (31 Dec.). Crabroniens d'Espagne appartenant aux genres *Crabro*, *Lindenius* et *Entomognathus* (Hym. Crabronidae). Eos. Revista Española de Entomología 36:417-426. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1960c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1960c.pdf)
- \* 1961a. (15 May). Psenini (Hymenoptera: Sphecoidea) Pemphredoninae in Exploration du Parc National de l'Upemba. I. Mission G.F. de Witte en collaboration avec W. Adam, A. Janssens, L. van Meel et R. Verheyen (1946-1949). Fasc. 60 (3):13-36. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961a.pdf)
- \* 1961b. (31 May). Sphecoidea: Sphecidae. Subfam. Sphecinae, Pemphredoninae et Crabroninae in Exploration du Parc National de la Garamba. – Mission H. de Saeger en collaboration avec P. Baert, G. Demoulin, I. Denisoff, J. Martin, M. Micha, A. Noifalisse, P. Schoemaker, G. Troupin et J. Verschuren (1949-1952), Fasc. 20 (3):43-105. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961b.pdf)
- \* 1961c. (30 June). Découverte d'une nouvelle Ammophile d'Espagne appartenant au groupe *fallax* Kohl (Hym. Sphecidae). Eos. Revista Española de Entomología 37:211-214. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961c.pdf)
  - \* 1961d. (30 Aug.). Hyménoptères Ampulicidés et Spécidés récoltés par le Dr. Fred Keiser à Madagascar. Verhandlungen der Naturforschenden Gesellschaft in Basel 72:100-119. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961d.pdf)
  - \* 1961e. *Crabro alpinus* Imhoff dans les Vosges et ailleurs (Hym. Sphecidae). Bulletin de la Société Entomologique de Mulhouse 1961:63-64. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961e.pdf)
  - \* 1961f. Notes détachées sur les Hyménoptères Aculéates en Belgique (50-57). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 97:148-158. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961f.pdf)
  - \* 1961g. Deux Crabroniens nouveaux du Nigeria et remarques sur l'existence de *Podagritys* en Afrique (Hym. Sphecidae Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 97:167-175. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961g.pdf)
  - \* 1961h. Diagnoses de quatre Crabroniens du Sud-Est Asiatique (Hym. Sphecidae Crabroninae). Bulletin de l'Institut Agronomique de Gembloux et des Stations de Recherche de Gembloux 29:71-78. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961h.pdf)
  - \* 1961i. Sur les *Sphex* africains du groupe *haemorrhoidalis* Fabricius (Hymenoptera Sphecidae). Bulletin de l'Institut Agronomique de Gembloux et des Stations de Recherche de Gembloux 29:323-327. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1961i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1961i.pdf)
  - \* 1962a. Mission zoologique de l'I.R.S.A.C. en Afrique orientale. (P. Basilewsky et N. Leleup, 1957). LXXXII. – Hymenoptera Sphecidae. Annales. Musée Royal d'Afrique Centrale, Série in-8<sup>o</sup>, Sciences Zoologiques 110:393-399. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1962a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1962a.pdf)
  - \* 1962b. Philanthinae (Hym. Sphecidae) de Madagascar. Le Naturaliste Malgache. 13:209-212. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1962b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1962b.pdf)
  - \* 1963. Crabroniens d'Asie et de Philippines (Hymenoptera Sphecidae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 99:1-82. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1963.pdf)
  - \* 1964a. Regression locale des populations du Crabronien *Crossocerus elongatulus* Vander Linden (Hymenoptera Sphecidae) à la suite de l'hiver rigoureux 1962-1963. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 100:365-370. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1964a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1964a.pdf)
  - 1964b. La fréquence des familles d'Hyménoptères Aculéates solitaires en Belgique de 1960 à 1963. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 100:431-448. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1964b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1964b.pdf)
  - \* 1964c. Deux *Ectemnius* nouveaux, l'un d'Espagne, l'autre de la Guyane Britannique (Hymenoptera Sphecidae Crabroninae). Bulletin & Annales de la Société Royale d'Entomologie de Belgique 100:449-452. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1964c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1964c.pdf)
  - \* 1965a. (15 Apr.). Sphecidae (Hymenoptera Apocrita). Subfam. Trypoxyloninae in Exploration du Parc National de la Garamba. – Mission H. de Saeger en collaboration avec P. Baert, G. Demoulin,

- I. Denisoff, J. Martin, M. Micha, A. Noirfalise, P. Schoemaker, G. Troupin et J. Verschuren (1949-1952), Fasc. 46 (5):67-153. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1955a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1955a.pdf)
- \* 1965b. Documents sur la faune entomologique de la région industrielle liégeoise. II. Hyménoptères Apocrites de la Ville de Liège. Bulletin de la Société Royale des Sciences de Liège 34:381-390. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1965b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1965b.pdf)
  - \* 1966. *Chalybion bonneti* n. sp., Sphecide nouveau de Madagascar (Hymenoptera Sphecidae Sphecinae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 1:55-59. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1966.pdf)
  - \* 1967a. (22 Jan.). Crabronini (Hymenoptera, Sphecidae) from the British Isles. Entomologist's Gazette 18:29-35. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1967a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1967a.pdf)
  - \* 1967b. Quatre Hyménoptères Sphecides nouveaux de Madagascar. Bulletin & Annales de la Société Royale d'Entomologie de Belgique 103:63-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1967b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1967b.pdf)
  - \* 1968a. (Apr.). Sphecidae (Hymenoptera Apocrita). Subfam. Larrinae. Genre *Paranysson* in Exploration du Parc National de la Garamba. – Mission H. de Saeger en collaboration avec P. Baert, G. Demoulin, I. Denisoff, J. Martin, M. Micha, A. Noirfalise, P. Schoemaker, G. Troupin et J. Verschuren (1949-1952), Fasc. 53 (5):79-95. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1968a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1968a.pdf)
  - \* 1968b. (Aug.). Solitary bees and wasps (Hymenoptera Aculeata) in Kent, in the summer. The Entomologist's Monthly Magazine 104:30-42. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1968b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1968b.pdf)
  - \* 1968c. Crabroniens des genres *Crossocerus* et *Enoplolindenus* trouvés en Amérique Latine (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 37:90-107. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1968c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1968c.pdf)
  - \* 1968d. Documents sur la faune entomologique de la région industrielle liégeoise. III. Liste complémentaire d'Hyménoptères Aculéates de la Ville de Liège. Bulletin de la Société Royale des Sciences de Liège 37:108-110. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1968d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1968d.pdf)
  - \* 1968e. Les Crabroniens du genre *Ectemnius* en Amérique Latine (Hym. Sphecidae). Annales de la Société Entomologique de France (Nouvelle Série) 4:299-328. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1968e\\_Ectemnius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1968e_Ectemnius.pdf)
  - \* 1969. Contribution à la faune du Congo (Brazzaville). Mission A. Villiers et A. Descarpentries. XC. Hyménoptères Sphecidae. Bulletin de l'Institut Fondamental d'Afrique Noire 31, Série A:1046-1054. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1969.pdf)
  - \* 1970a. Crabroniens du genre *Rhopalum* trouvés en Amérique Latine (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 39:85-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1970a\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1970a_Rhopalum.pdf)
  - \* 1970b. Quelques *Podagritus* d'Australie et d'Amérique du Sud (Hymenoptera Sphecidae, Crabroninae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 5:271-280. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1970b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1970b.pdf)
  - \* 1970c. Cartes 31-40 in Hymenoptera Sphecidae in Atlas Provisoire des Insectes de Belgique édité par Jean Leclercq. Cartes 1 à 100, Gembloux. [3], 1-4 pp., 100 maps. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1970c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1970c.pdf)

- 1970d. Cartes 165-174 in Atlas Provisoire des Insectes de Belgique édité par Jean Leclercq. Cartes 101 à 200, Gembloux. [3], 1-4 pp., 100 maps. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1970d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1970d.pdf)
- \* 1971. *Crossocerus toledensis* nov. sp. et autres Crabroniens de la Peninsule Ibérique (Hym. Sphecidae). Eos. Revista Española de Entomología 46:211-228. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1971\\_Crossocerus\\_toledensis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1971_Crossocerus_toledensis.pdf)
- \* 1972a. *Crossocerus (Neoblepharipus) guichardi* n. sp. Crabronien trouvé en Provence. Bulletin de la Société Entomologique de Mulhouse 1972:7-10. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1972a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1972a.pdf)
- \* 1972b. Crabroniens du genre *Dasyproctus* trouvés en Asie et en Océanie (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 41:101-122. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1972b\\_Dasyproctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1972b_Dasyproctus.pdf)
- \* 1972c. Identification des Crabroniens du genre *Ectemnius* trouvés en Amérique Latine (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 41:195-226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1972c\\_Ectemnius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1972c_Ectemnius.pdf)
- \* 1972d. Crabroniens exotiques du genre *Lestica (Solenius)* (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 41:677-685. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1972d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1972d.pdf)
- \* 1973a. *Sphex umbrosus* Christ en Turquie, en Inde et en Afrique (Hymenoptera Sphecidae). Bulletin de la Société Entomologique de Mulhouse 1973:11-13. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1973a.pdf)
- \* 1973b. Un néotype pour *Blepharipus nigrita* Lepeletier et Brullé (Hym. Sphecidae Crabroninae). Entomologische Berichten 33:52-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1973b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1973b.pdf)
- \* 1973c. (31 Dec.). Crabroniens de Formose (Hymenoptera Sphecidae Crabroninae). Bulletin & Annales de la Société Royale Belge d'Entomologie 109:285-304. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1973c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1973c.pdf)
- \* 1973d. Statistique et destin des guêpes et des abeilles solitaires de l'entre-Vesdre-et-Meuse (Liège, sa banlieue orientale et le Pays-de-Herve). Natuurhistorisch Maandblad 62:159-168. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1973d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1973d.pdf)
- \* 1973e. Espèces néotropicales d'*Anacrabro* (Hymenoptera, Sphecidae, Crabroninae). Acta Zoologica Lilloana 30:37-51. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1973e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1973e.pdf)
- \* 1974a. (1971). Deux *Sceliphron* égarés (Hymenoptera, Sphecidae, Sphecinae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 6:414-415. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1974a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1974a.pdf)
- \* 1974b. (1972). Données pour un atlas des Hyménoptères de l'Europe occidentale. XII. Famille des Sphecidae, sous-famille des Pemphredoninae (sauf *Pemphredon*). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 7:191-222. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1974b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1974b.pdf)
- \* 1974c. Crabroniens d'Australie (Hymenoptera Sphecidae Crabroninae). Bulletin & Annales de la Société Royale Belge d'Entomologie 110:37-57. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1974c\\_Crabroniens\\_d'Australie.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1974c_Crabroniens_d'Australie.pdf)
- \* 1974d. Noms, types et néotypes d'une trentaine de Crabroniens européens (Hymenoptera Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 110:258-286. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1974d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1974d.pdf)

- \* 1974e. Pour la connaissance des *Crossocerus* asiatiques du sous-genre *Cuphopteris* Morawitz (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 43:659-668. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1974e\\_Crossocerus\\_Cuphopteris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1974e_Crossocerus_Cuphopteris.pdf)
- \* 1975a. (1974). Trois espèces nouvelles de *Lindenius* et quelque autres (Hymenoptera Sphecidae Crabroninae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 9:205-213. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1975a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1975a.pdf)
- \* 1975b. Répertoire des Hyménoptères Crabroniens de France. Bulletin de la Société Entomologique de Mulhouse 1975:1-4. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1975b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1975b.pdf)
- \* 1976a. (1975). *Sceliphron caementarium* (Drury) s'établit en Europe (Hymenoptera Sphecidae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 10:371. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1976a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1976a.pdf)
- \* 1976b. La faune terrestre de l'île de Sainte Hélène. 8. Superfam. Sphecoidea. Annales. Musée Royal d'Afrique Centrale, Série in-8°, Sciences Zoologiques 215:200-204. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1976b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1976b.pdf)
- \* 1977a. Crabroniens du genre *Encopognathus* Kohl trouvés en Asie (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 46:445-457. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1977a\\_Encopognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1977a_Encopognathus.pdf)
- \* 1977b. *Lecrenierus* genre nouveau de Crabroniens sud-américains (Hymenoptera, Sphecidae). Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série) 12:55-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1977b\\_Lecrenierus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1977b_Lecrenierus.pdf)
- \* 1978a. (30 June). *Crossocerus* asiatiques du sous-genre *Yuchiha* Pate (Hymenoptera, Sphecidae, Crabronini). Bulletin & Annales de la Société Royale Belge d'Entomologie 114:119-126. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1978a\\_Crossocerus\\_Yuchiha.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1978a_Crossocerus_Yuchiha.pdf)
- \* 1978b. Cartes 1165 à 1200 – Hymenoptera Sphecidae (partim) in J. Leclercq, Ch. Gaspar, and Ch. Verstraeten (editors). Atlas Provisoire des insectes de Belgique (et des régions limitrophes). Cartes 1001 à 1200. Faculté des Sciences Agronomiques de l'Etat, Zoologie Générale et Faunistique, Gembloux. I-XII + 33 unnumbered pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1978b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1978b.pdf)
- 1979a. Catalogue et codage des Hyménoptères Sphécides de France et de Benelux. Notes Fauniques de Gembloux 2:1-87. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1979a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1979a.pdf)
- \* 1979b. (1978). Crabroniens du genre *Rhopalum* Stephens trouvés en Australie (Hymenoptera Sphecidae). Bulletin de la Société Royale des Sciences de Liège 47:352-362. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1979b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1979b.pdf)
- \* 1980a. Crabroniens d'Amérique Latine appartenant aux genres que Vernon S.L. Pate nomma *Chimila*, *Foxita* et *Taruma*. Bulletin de la Société Royale des Sciences de Liège 49:70-83. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1980a\\_Chimila\\_Foxita\\_Taruma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1980a_Chimila_Foxita_Taruma.pdf)
- \* 1980b. Crabroniens du genre *Quexua* Pate trouvés en Amérique Latine (Hymenoptera, Sphecidae). Bulletin des Recherches Agronomiques de Gembloux 15:61-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1980b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1980b.pdf)
- \* 1981a. (31 Jan.). (1980). Crabroniens d'Amérique Latine appartenant aux genres *Entomocrabro* Kohl et *Tracheliodes* Morawitz (Hymenoptera Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 116:233-245. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1981a\\_Entomocrabro\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1981a_Entomocrabro_Tracheliodes.pdf)

- 1981b. Travaux sur les Hyménoptères publiés par les chercheurs de Gembloux, de 1970 à 1980. Notes Fauniques de Gembloux 5:1-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1981b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1981b.pdf)
- \* 1981c. (15 Nov.). Deux autres Crabroniens du genre *Isorhopalum* Leclercq (Hymenoptera Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 117:177-178. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1981c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1981c.pdf)
- \* 1981d. *Podagrirus* (*Chilichuca*) *brieni* n. sp. et 27 autres espèces de *Podagrirus* de l'Amérique du Sud (Hymenoptera Sphecidae Crabroninae). Annales de la Société Royale Zoologique de Belgique 111:65-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1981d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1981d.pdf)
- \* 1981e. Crabroniens du genre *Crabro* Fabricius trouvés en Amérique latine (Hymenoptera Sphecidae). Bulletin des Recherches Agronomiques de Gembloux 16:77-78. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1981e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1981e.pdf)
- \* 1982a. Inventaire des abeilles et des guêpes solitaires (Hymenoptera Aculeata) trouvés dans le centre urbain de Liège. Bulletin de la Société Royale des Sciences de Liège 51:121-130. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1982a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1982a.pdf)
- \* 1982b. Hyménoptères Crabroniens de Chine et de régions voisines de l'Himalaya. Entomotaxonomia 4:145-157. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1982b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1982b.pdf)
- \* 1982c. Identification de 39 espèces de *Podagrirus* Spinola sous-genre *Parechuca* Leclercq trouvées en Amérique Latine (Hymenoptera Sphecidae Crabroninae). Annales de la Société Royale Zoologique de Belgique 112:251-279. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1982c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1982c.pdf)
- \* 1982d. Le mystère du *Crabro tabanica* Fischer, 1929. Sphecos 6:3-4. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_6.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_6.pdf)
- \* 1982e. Hyménoptères Vespiformes rapportés de Norvège. Bulletin des Recherches Agronomiques de Gembloux 17:99-100. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1982e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1982e.pdf)
- \* 1983. (30 Nov.). Crabroniens de la Région Orientale appartenant au genre *Eupliloides* Pate (Hymenoptera Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 119:257-267. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1983.pdf)
- \* 1984. Facts concerning the biology of *Psenulus* overlooked in "Sphecid Wasps of the World", 1976, pp. 171-172. Sphecos 8:30. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_8.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_8.pdf)
- \* 1986a. (31 Oct.). Crabroniens de Sri Lanka appartenant au genre *Crossocerus* Lepeletier & Brullé, 1835 (Hymenoptera: Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 122:243-252. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1986a\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1986a_Crossocerus.pdf)
- \* 1986b. Crabroniens du genre *Encopognathus* Kohl, 1896, trouvés en Afrique et en Arabie (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 55:507-520. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1986b\\_Encopognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1986b_Encopognathus.pdf)
- \* 1988. Crabroniens du genre *Crossocerus* Lepeletier & Brullé trouvés en Sibérie notamment dans le territoire de Primorskii (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 57:15-27. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1988.pdf)

- \* 1989a. (30 Sept.). Crabroniens du genre *Crossocerus* Lepeletier & Brullé trouvés notamment au Népal et au Tibet (Hymenoptera, Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 125:237-242. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1989a\\_Crossocerus\\_Nepal\\_Tibet.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1989a_Crossocerus_Nepal_Tibet.pdf)
- \* 1989b. En vue d'une monographie du genre *Lindenius* Lepeletier & Brullé (Hymenoptera Sphecidae Crabroninae). Bulletin de la Société Royale des Sciences de Liège 58:419-444. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1989b\\_Lindenius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1989b_Lindenius.pdf)
- \* 1989c. Hyménoptères Sphécides Crabroniens du genre *Ectemnius* Dahlbom trouvés à Madagascar. Lambillionea 89:51-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1989c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1989c.pdf)
- \* 1990a. Hyménoptères Sphécides Crabroniens du genre *Dasyproctus* Lepeletier & Brullé trouvés dans la Région Afrotropicale. Bulletin de la Société Royale des Sciences de Liège 59:219-257. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1990a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1990a.pdf)
- \* 1990b. (22 Oct.). Hyménoptères Sphécides de Madagascar. Bulletin & Annales de la Société Royale Belge d'Entomologie 126:113-121. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1990b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1990b.pdf)
- \* 1991a. Ajouts et corrections au Catalogue des Hyménoptères Sphécides de France et Benelux. Bulletin de la Société Entomologique de France 95:274-275. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991a.pdf)
- \* 1991b. Hyménoptères Sphécides Crabroniens du genre *Ectemnius* Dahlbom trouvés en Amérique Latine. Bulletin de la Société Royale des Sciences de Liège 60:3-29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991b\\_Ectemnius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991b_Ectemnius.pdf)
- \* 1991c. (15 Oct.). Crabroniens paléarctiques du genre *Odontocrabro* Tsuneki (Hymenoptera, Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 127:133-139. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991c.pdf)
- \* 1991d. Données pour la cartographie et l'analyse des populations des espèces afrotropicales des Crabroniens du genre *Dasyproctus* (Hymenoptera Sphecidae). Notes Fauniques de Gembloux 23:3-43. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991d.pdf)
- \* 1991e. Le Crabronien *Crossocerus denticoxa* (Bischoff) en Alsace (Hymenoptera Sphecidae). Bulletin de la Société Entomologique de Mulhouse 1991:39-41. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991e.pdf)
- \* 1991f. (31 June). Le Crabronien *Rhopalum* (*Corynopus*) *beaumonti* Moczar 1957 en Hongrie et en Autriche (Hymenoptera, Sphecidae). Lambillionea 91:103-105. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1991f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1991f.pdf)
- \* 1992a. (1991). Le Crabronien du Brésil *Crossocerus chrysis* Lepeletier & Brullé, 1835, est un *Enoplolindenius* Rohwer, 1911, sous-genre *Iskutana* Pate, 1942 (Hym. Sphecidae). Bulletin de la Société Entomologique de France 96:402. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1992a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1992a.pdf)
- \* 1992b. (1991). Le Crabronien *Solenius luxuriosus* A. Costa, 18711 [sic], est *Ectemnius* (*Metacrabro*) *lituratus* (Panzer, 1804). Syn. nov. (Hym. Sphecidae). Bulletin de la Société Entomologique de France 96:254. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1992b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1992b.pdf)
- \* 1992c. Diptères proies de Crabroniens (Hymenoptera Sphecidae). Lambillionea 92:207-208. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1992c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1992c.pdf)

- \* 1992d. (published 23 Jan. 1993). Nids de *Pemphredon montana* Dahlbom, 1845 (Hymenoptera, Sphecidae) dans des panneaux isolants d'une maison, en Ardenne. Bulletin & Annales de la Société Royale Belge d'Entomologie 128:285-287. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1992d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1992d.pdf)
- \* 1993a. Une espèce nouvelle d'*Odontocrabro*, du Maroc. Lambillionea 93:191-192. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1993a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1993a.pdf)
- \* 1993b. (Dec.). Hyménoptères Sphécides Crabroniens du genre *Alinia* Antropov, 1993, d'Amérique du Sud. Lambillionea 93:411-416. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1993b\\_Alinia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1993b_Alinia.pdf)
- \* 1993c. Hyménoptères Sphécides Crabroniens d'Europe et du Bassin Méditerranéen. Notes Fauniques de Gembloux 26:9-54. [faunal records and references to recent publications]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1993c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1993c.pdf)
- \* 1994a. (June). Hyménoptères Sphécides Crabroniens du genre *Holcorhopalum* Cameron, 1904 d'Amérique Latine. Lambillionea 94:167-174. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1994a\\_Holcorhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1994a_Holcorhopalum.pdf)
- \* 1994b. (2 Dec.). Crabroniens du Chili des genres *Podagrutis* Spinola, 1851 et *Rhopalum* Stephens, 1829 (Hymenoptera: Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 130:231-265. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1994b\\_Podagrutis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1994b_Podagrutis.pdf)
- \* 1994c. (Sept.). Un Hyménoptère Sphécide vert bleuté, *Chalybion zimmermanni* Dahlbom (Saussure), égaré en Belgique, à Tournai. Lambillionea 94:367-370. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1994c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1994c.pdf)
- \* 1994d. (Dec.). Hyménoptères Sphécides Crabroniens du genre *Piyumoides* Leclercq, 1963 du Sud-Est asiatique. Lambillionea 94:517-522. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1994d\\_Piyumoides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1994d_Piyumoides.pdf)
- \* 1995a. (Mar.). Hyménoptères Sphécides Crabroniens du genre *Pae* Pate, 1944 d'Amérique Latine. Lambillionea 95:83-90. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1995a\\_Pae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1995a_Pae.pdf)
- \* 1995b. (Sept.). Hyménoptères Sphécides Crabroniens du genre *Piyuma* Pate, 1944 des régions orientale et australienne. Lambillionea 95:407-419. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1995b\\_Piyuma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1995b_Piyuma.pdf)
- \* 1996a. (Apr.). Hyménoptères Sphécides Crabroniens du genre *Euplioides* Pate, 1946 des régions orientale et australienne. Lambillionea 96:141-146. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1996a\\_Euplioides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1996a_Euplioides.pdf)
- \* 1996b. (13 June). A new genus and species of Crabronini (Hymenoptera: Sphecidae) from Sri Lanka. Memoirs of the Entomological Society of Washington 17:95-102. [*Krombeinictus nordenae*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1996b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1996b.pdf)
- \* 1996c. (Sept.). Hyménoptères Sphécides Crabroniens du genre *Anacrabro* Packard, 1866 des deux Amériques. Lambillionea 96:471-478. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1996c\\_Anacrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1996c_Anacrabro.pdf)
- \* 1996d. (31 Oct.). Pour les Hyménoptères Sphécides Crabroniens paléarctiques du genre *Entomognathus* Dahlbom. Bulletin & Annales de la Société Royale Belge d'Entomologie 132:261-264. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1996d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1996d.pdf)
- \* 1997a. (29 Jan.). Hyménoptères Sphécides Crabroniens d'Australie, du genre *Rhopalum* Stephens, 1829. Notes Fauniques de Gembloux 32:1-101. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1997a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1997a.pdf)

- Revue: Anonymus. 1997. Entomologische Berichten 57:112 (in Dutch).
- \* 1997b. (31 Mar.). Hyménoptères Sphécides Crabroniens du genre *Entomognathus* Dahlbom, 1844 d'Afrique et d'Asie. Entomofauna 18:113-134. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1997b\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1997b_Entomognathus.pdf)
  - \* 1998a. Hyménoptères Sphécides Crabroniens d'Australie du genre *Pseudoturneria* Leclercq, 1954. Lambillionea 98:299-303. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1998a\\_Pseudoturneria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1998a_Pseudoturneria.pdf)
  - \* 1998b. Hyménoptères Crabroniens d'Australie du genre *Zutrhopalum* Leclercq, gen. n. (Hymenoptera, Sphecidae). Bulletin & Annales de la Société Royale Belge d'Entomologie 134:59-66. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1998b\\_Zutrhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1998b_Zutrhopalum.pdf)
  - \* 1998c. (30 Sept.). Hyménoptères Sphécides Crabroniens d'Australie du genre *Podagritys* Spinola, 1851 (Hymenoptera, Sphecidae). Entomofauna 19:285-306. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1998c\\_Podagritys.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1998c_Podagritys.pdf)
- Correction:** in the key, the second half of couplet 15 should lead to number 20, not 21.
- \* 1998d. *Crossocerus* (*Crossocerus*) *emirorum* sp. n., Crabronien nouveau des Emirats Arabes Unis Hymenoptera: Sphecidae: Crabroninae). Bulletin & Annales de la Société Royale Belge d'Entomologie 134:235-238. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1998d\\_Crossocerus\\_emirorum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1998d_Crossocerus_emirorum.pdf)
  - \* 1999a. Hyménoptères Sphécides Crabroniens du genre *Ectemnius* Dahlbom, 1845. Espèces d'Asie et d'Océanie et groupes d'espèces de la faune mondiale. Notes Fauniques de Gembloux 36:3-83. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1999a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1999a.pdf)
  - \* 1999b. (1 Mar.). Hyménoptères Sphécides Crabroniens d'Afrique et de Fidji du genre *Neodasyproctus* Arnold, 1926. Lambillionea 99:153-160. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_1999b\\_Neodasyproctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_1999b_Neodasyproctus.pdf)
  - \* 2000a. (26 Jan.). (1999). Hyménoptères Sphécides Crabroniens d'Amérique latine du genre *Podagritys* Spinola, 1851. Notes Fauniques de Gembloux 37:3-55. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2000a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2000a.pdf)
  - \* 2000b. (Mar.). Les genres *Arnoldita* Pate, 1948, et *Pericrabro* Leclercq, 1954, en Afrique (Hymenoptera Sphecidae Crabroninae). Lambillionea 100:159-161. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2000b\\_Arnoldita\\_Pericrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2000b_Arnoldita_Pericrabro.pdf)
  - \* 2000c. (Mar.). *Huacrabro* gen. nov. des Antilles (Hymenoptera: Sphecidae: Crabroninae). Lambillionea 100:162-163. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2000c\\_Huacrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2000c_Huacrabro.pdf)
  - \* 2000d. (13 Nov.). Hyménoptères Sphécides Crabroniens des Amériques du genre *Crossocerus* Lepeletier & Brullé, 1835. Notes Fauniques de Gembloux 40:3-75. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2000d\\_American\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2000d_American_Crossocerus.pdf)
  - \* 2002a. (28 May). Hyménoptères Crabronides Crabroniens de l'Amérique latine du genre *Quexua* Pate, 1942. Notes Fauniques de Gembloux 46:3-12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2002a\\_Quexua.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2002a_Quexua.pdf)
  - \* 2002b. (end Dec.). Hyménoptères Crabronides Crabroniens des Amériques du genre *Rhopalum* Stephens, 1829. Notes Fauniques de Gembloux 48:3-115. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2002b\\_American\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2002b_American_Rhopalum.pdf)
  - \* 2003. (Aug.). Les genres *Minicrabro* gen. n. et *Moniaeccera* Ashmead en Amérique (Hymenoptera: Crabronidae, Crabroninae). Notes Fauniques de Gembloux 49:3-23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2003\\_Minicrabro\\_Moniaeccera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2003_Minicrabro_Moniaeccera.pdf)

- \* 2005a. Hyménoptères Crabroniens des Amériques du genre *Tracheliodes* Morawitz, dont une espèce nouvelle de l'Equateur (Hymenoptera: Crabronidae: Crabronini). Notes Fauniques de Gembloux 55:3-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2005a\\_American\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2005a_American_Tracheliodes.pdf)
- \* 2005b. Hyménoptères Crabroniens de l'Amérique Latine des genres *Pae* Pate, 1944 et *Quexua* Pate, 1942 (Hymenoptera: Crabronidae: Crabronini). Notes Fauniques de Gembloux 55:7-10. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2005b\\_Pae\\_Quexua.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2005b_Pae_Quexua.pdf)
- \* 2005c. Une espèce nouvelle d'*Alinia* Antropov, 1993, genre d'Hyménoptères Crabroniens de l'Amérique Latine (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 55:53-54. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2005c\\_Alinia\\_mogina.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2005c_Alinia_mogina.pdf)
- \* 2005d. Hyménoptères Crabroniens de l'Amérique Latine du genre *Foxita* Pate, 1942 (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 56:11-22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2005d\\_Latin\\_American\\_Foxita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2005d_Latin_American_Foxita.pdf)
- \* 2005e. Hyménoptères Crabronidae Crabroniens néotropicaux des genres *Chimila* Pate, 1944, *Foxita* Pate, 1942, *Pae* Pate, 1944, et *Parataruma* Kimsey, 1982. Notes Fauniques de Gembloux 58:17-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2005e\\_Chimila\\_Foxita\\_Pae\\_Parataruma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2005e_Chimila_Foxita_Pae_Parataruma.pdf)
- \* 2006a. Hyménoptères Crabroniens de l'Amérique latine du genre *Entomocrabro* Kohl, 1905 (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 59:47-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2006a\\_Entomocrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2006a_Entomocrabro.pdf)
- \* 2006b. Une espèce nouvelle d'*Arnoldita* Pate, 1948, trouvé en Somalie (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 59:58-61. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2006b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2006b.pdf)
- \* 2006c. Hyménoptères Crabroniens d'Australie du genre *Williamsita* Pate, 1947 (Hymenoptera: Crabronidae). Notes Fauniques de Gembloux 59:115-119. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2006c\\_Williamsita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2006c_Williamsita.pdf)
- \* 2006d. Hyménoptères Crabroniens des Amériques du genre *Lestica* Billberg, 1820 (Hymenoptera: Crabronidae: Crabronini). Notes Fauniques de Gembloux 59:215-218. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2006d\\_American\\_Lestica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2006d_American_Lestica.pdf)
- \* 2007a. Pour sept genres d'Hyménoptères Crabroniens propres au Monde Indo-Pacifique (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 60:37-43. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007a\\_Crabroniens\\_Indo-Pacifique.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007a_Crabroniens_Indo-Pacifique.pdf)
- \* 2007b. Pour *Chimiloides* Leclercq, 1951, genre d'Hyménoptères Crabroniens d'Australie (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 60:63-66. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007b\\_Chimiloides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007b_Chimiloides.pdf)
- \* 2007c. Pour *Lecrenierus* Leclercq, 1977, genre d'Hyménoptères Crabroniens de l'Amérique Latine (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 60:93-98. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007c\\_Lecrenierus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007c_Lecrenierus.pdf)
- \* 2007d. Hyménoptères Crabroniens des Amériques du genre *Anacrabro* Packard, 1866 (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 60:141-143. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007d\\_American\\_Anacrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007d_American_Anacrabro.pdf)
- \* 2007e. Hyménoptères Crabroniens des Amériques du genre *Ectemnius* Dahlbom 1845 (Hymenoptera: Crabronidae: Crabronini). Notes Fauniques de Gembloux 60:163-177. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007e.pdf)

- \* 2007f. Hyménoptères Crabroniens de Grèce du genre *Crossocerus* Lepeletier & Brullé 1835 (Hymenoptera: Crabronidae: Crabroninae). Notes Fauniques de Gembloux 60:189-193. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007f\\_Crossocerus\\_Greece.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007f_Crossocerus_Greece.pdf)
- \* 2007g. Holotypes d'Hyménoptères Apoidea Spheciformes (ex-Sphecidae s.l.) déposés dans le Conservatoire entomologique de Gembloux. Notes Fauniques de Gembloux 60:193-195. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2007g\\_holotypes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2007g_holotypes.pdf)
- \* 2008a. Hyménoptères Crabroniens du genre *Crossocerus* Lepeletier & Brullé de la Région afrotropicale (Hymenoptera: Crabronidae: Crabroninae). Faunistic Entomology – Entomologie Faunistique 61:3-22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2008a\\_afrotropical\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2008a_afrotropical_Crossocerus.pdf)
- \* 2008b. Hyménoptères Crabroniens d'Amérique du genre *Crabro* Fabricius 1775 (Hymenoptera: Crabronidae: Crabroninae). Faunistic Entomology – Entomologie Faunistique 61:75-84. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2008b\\_American\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2008b_American_Crabro.pdf)
- \* 2009. (2008). Hyménoptères Crabroniens d'Asie du genre *Crossocerus* Lepeletier & Brullé 1835 (Hymenoptera: Crabronidae: Crabroninae). Entomologie Faunistique – Faunistic Entomology 61:157-192. Available through  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2009\\_Asian\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2009_Asian_Crossocerus.pdf)
- \* 2011. (2010). Hyménoptères Crabroniens d'Asie du genre *Rhopalum* Stephens 1829 (Hymenoptera: Crabronidae: Crabroninae). Faunistic Entomology – Entomologie Faunistique 63:3-21. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2011\\_Asian\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2011_Asian_Rhopalum.pdf)
- \* 2012a. (2011). Hyménoptères Crabroniens d'Afrique du genre *Rhopalum* Stephens 1829 (Hymenoptera: Crabronidae: Crabroninae). Entomologie Faunistique – Faunistic Entomology 64:29-37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2012a\\_African\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2012a_African_Rhopalum.pdf)
- \* 2012b. Hyménoptères Crabroniens d'Amérique du Nord et d'Amérique centrale du genre *Entomognathus* Dahlbom 1844 (Hymenoptera: Crabronidae: Crabronini). Entomologie faunistique – Faunistic Entomology 65:119-126. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2012b\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2012b_Entomognathus.pdf)
- 2015. Hyménoptères Crabroniens d'Afrique, d'Asie et d'Océanie du genre *Dasyproctus* Lepeletier & Brullé 1835 (Hymenoptera: Crabronidae: Crabroninae). Entomologie Faunistique – Faunistic Entomology 68:41-89. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_2015\\_Dasyproctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_2015_Dasyproctus.pdf)
- In Memory of Jean Leclercq: J. Bitsch. In Memoriam Jean Leclercq (1921-2018). Bulletin de la Société Entomologique de France 123:340-342. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Jean\\_Leclercq\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Jean_Leclercq_2018.pdf)

#### **Leclercq, J., and Y. Barbier**

- \* 1993. Atlas de répartition des Crabroniens de France et des régions limitrophes (Hymenoptera, Sphecidae, Crabronini). Notes Fauniques de Gembloux 27:1-94. [Review: J. Hamon. 1994. Bulletin Mensuel de la Société Linnéenne de Lyon 63:177]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Barbier\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Barbier_1993.pdf)

#### **Leclercq, J., and R.A. Cambra T.**

- \* 2003b. (Aug.). *Tracheliodes panamae* sp. n. de Panama (Hymenoptera: Crabronidae, Crabronini). Notes Fauniques de Gembloux 49:25-30. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Cambra\\_2003\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Cambra_2003_Tracheliodes.pdf)

**Leclercq, J., and L. Claparède**

- \* 1978. La guêpe maçonne *Sceliphron caementarium* (Drury) (Hymenoptera, Sphecidae) s'installe en Europe méridionale. *Entomops* (Nice) 47:245-252. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Clapede\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Clapede_1978.pdf)

**Leclercq, J., C. Gaspar, M.-P. Delecluse, and C. Thirion**

- \* 1976. Premier examen du repeuplement entomofaunique des bernes de l'autoroute de Wallonie. *Bulletin de la Société Royale des Sciences de Liège* 45:136-151. Available through:  
[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/leclercq\\_gaspar\\_delecluse\\_thirion\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/leclercq_gaspar_delecluse_thirion_1976.pdf)

**Leclercq, J., C. Gaspar, M. Lajoinie, and C. Thirion**

- \* 1976. Piégeage de l'entomofaune printanière dans trois sablières de Chaumont-Gistoux (Brabant wallon). *Bulletin des Recherches Agronomiques de Gembloux* 11:169-182. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LECLERCQ\\_GASPAR\\_LAJOINIE\\_THIRION\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LECLERCQ_GASPAR_LAJOINIE_THIRION_1976.pdf)

**Leclercq, J., C. Gaspar, J.-L. Marchal, C. Veerstraeten, and C. Wonville**

- 1980. Analyse des 1600 premières cartes de l'Atlas Provisoire des Insectes de Belgique, et première liste rouge d'insectes menacés dans la faune belge. *Notes Fauniques de Gembloux* 4:1-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_et\\_al\\_1980\\_Premieres\\_cartes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_et_al_1980_Premieres_cartes.pdf)

**Leclercq, J., C. Gaspar, and C. Verstraeten**

- 1979. Atlas Provisoire des Insectes de Belgique (et des régions limitrophes). Cartes 1401 à 1645. Gembloux. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Gaspar\\_Verstraeten\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Gaspar_Verstraeten_1979.pdf)

**Leclercq, J., and M. Leclercq**

- \* 1970. Deux *Bembix* (Hymenoptera Sphecidae, Nyssoninae) attirés par un piège et par les Mammifères victimes de leurs proies. *Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série)* 5:267-270. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_J\\_M.Leclercq\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_J_M.Leclercq_1970.pdf)

**Leclercq, J., and A.S. Menke**

- \* 2000. (2 June). Une curieuse espèce nouvelle de *Rhopalum* de Nouvelle-Guinée (Hymenoptera: Apoidea: Crabronidae: Crabroninae). *Lambillionea* 100:215-218. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Menke\\_2000\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Menke_2000_Rhopalum.pdf)

**Leclercq, J., A. Simon, and Ch. Verstraeten**

- \* 1967. Coléoptères et Hyménoptères piégés par les pots de résine dans une pinède des Landes. *Bulletin des Recherches Agronomiques de Gembloux (Nouvelle Série)* 2:260-263. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_et\\_al\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_et_al_1967.pdf)

**Leclercq, J., and M. Terzo**

- \* 2006. Hyménoptères Crabroniens des Amériques du genre *Enoplolindenius* Rohwer 1911 (Hymenoptera: Crabronidae: Crabronini). *Notes Fauniques de Gembloux* 59:157-213. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Terzo\\_2006\\_American\\_Enoplolindenius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Terzo_2006_American_Enoplolindenius.pdf)
- \* 2007. *Crossocerus fabreorum* sp. n., Hyménoptère Crabronien nouveau de Singapour (Hymenoptera: Crabronidae Crabronini). *Notes Fauniques de Gembloux* 60:89-92. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leclercq\\_Terzo\\_2007\\_Crossocerus\\_fabreorum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leclercq_Terzo_2007_Crossocerus_fabreorum.pdf)

**Le Conte, J.L., see: Say, 1859.**

**Lecoq, M., and I. Pierozzi, Jr.**

- \* 1996. (15 Feb.) (1995). Attaques de *Prionyx thomae* (Fabricius, 1775) (Hymenoptera, Sphecidae) sur un criquet ravageur, *Rhammatocerus schistocercoides* (Rehn, 1906), au Brésil (Orthoptera, Acrididae). Bulletin de la Société Entomologique de France 100:515-520. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lecoq\\_Pierozzi\\_1995\\_Prionyx\\_thomae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lecoq_Pierozzi_1995_Prionyx_thomae.pdf)

**Le Divelec, R.**

- \* 2021a. Sur la présence en France de certaines espèces d'Apoïdes (Hymenoptera, Andrenidae, Colletidae, Megachilidae, Psenidae). Bulletin de la Société Entomologique de France 126:103-122. [the only sphecid is *Mimunesa wuestneii* corrected to *M. dahlbomi*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Le\\_DIVELEC\\_2021a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Le_DIVELEC_2021a.pdf)

- \* 2021b. *Psenulus carinifrons* (Cameron, 1902), une nouvelle espèce exotique pour la faune de France (Hymenoptera, Psenidae). Bulletin de la Société Entomologique de France 126:447-451. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Le-Divelec\\_2021\\_Psenulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Le-Divelec_2021_Psenulus.pdf)

- \* 2022. A taxonomic review of the *Tracheliodes quinquenotatus* (Jurine, 1807) species complex and some new records of rare European *Tracheliodes* A. Morawitz, 1866 (Hymenoptera, Crabronidae). Zootaxa 5099:244-260. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Le\\_Divelec\\_2022\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Le_Divelec_2022_Tracheliodes.pdf)

- \* 2023. Review of Corsican *Diodontus* Curtis, 1834, with description of two new species (Hymenoptera, Apoidea, Pemphredonidae). Bulletin de la Société Entomologique de France 128:421-437. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Le\\_Divelec\\_2023\\_Diodontus\\_corse.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Le_Divelec_2023_Diodontus_corse.pdf)

**Le Divelec, R., J.-D. Chapelin-Viscardi, B. Laborie, A. Larivière, and V. Tosser**

- 2016. Les Hyménoptères Sphécides en grandes cultures, des auxiliaires méconnus. Découvertes Naturalistes: 39-42. [general informations on sphecids, their role in agriculture]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeDivelec\\_et\\_al\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeDivelec_et_al_2016.pdf)

**Le Divelec, R., Chapelin-Viscardi, and A. Larivière**

- \* 2015. *Trypoxylon kostylevi* Antropov, 1985 et *Spilomena enslini* Blüthgen, 1953: deux espèces présentes en France (Hymenoptera Crabronidae). L'Entomologiste 71:287-290. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeDivelec\\_et\\_al\\_2015\\_Trypoxylon\\_kostylevi\\_Spilomena\\_enslini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeDivelec_et_al_2015_Trypoxylon_kostylevi_Spilomena_enslini.pdf)

- \* 2016. Étude des Sphécides en grandes cultures dans la moitié Nord de la France: apports entomologiques et méthodologiques (Hymenoptera Ampulicide, Crabronidae et Sphecidae). L'Entomologiste 72:93-110. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeDivelec\\_et\\_al\\_2016\\_grandes\\_cultures.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeDivelec_et_al_2016_grandes_cultures.pdf)

**Le Divelec, R., J.-D. Chapelin-Viscardi, A. Larivière, and A. Adamski**

- 2017. Sur la présence de *Nysson distinguendus* Chevrier, 1867, en France (Hymenoptera, Crabronidae). Bulletin de la Société Entomologique de France 122:61-68. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeDivelec\\_et\\_al\\_2017\\_Nysson\\_distinguendus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeDivelec_et_al_2017_Nysson_distinguendus.pdf)

**Lee, H.-S., and H.-K. Shin**

- \* 2000. Bamboo and reed stem-nesting Hymenoptera. Korean Journal of Apiculture 15:21-28. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lee\\_and\\_Shin\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lee_and_Shin_2000.pdf)

**Lee, J.-S., S.G. Lee, and J.-K. Kim**

2008. Two unrecorded Korean species of the genus *Cerceris* (Hymenoptera: Philanthidae), with a checklist of Korean Philanthidae. Korean Journal of Systematic Zoology 24:59-68. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lee\\_et\\_al\\_2008\\_Philanthidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lee_et_al_2008_Philanthidae.pdf)

**Lee, P., and D. Scott**

- \* 2007. East Anglian wetland bees and wasps. Hymettus, 23 pp. [United Kingdom: Cambridgeshire, Essex, Norfolk, and Suffolk]. Available through: [http://hymettus.org.uk/downloads/East\\_Anglian\\_wetlands.pdf](http://hymettus.org.uk/downloads/East_Anglian_wetlands.pdf)

**Lefebvre, V.**

- \* 1966. (1 Nov.). Interessante vangsten van Hymenoptera-Aculeata, merendeels in Zuid-Limburg. Entomologische Berichten 26:209-211. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1966.pdf)
- \* 1967a. (1 July). Nederland-België op Aculeatenterrein in 1965 en 1966. Entomologische Berichten 27:138. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1967a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1967a.pdf)
- \* 1967b. (1 Oct.). Twee interessante Hymenoptera-Aculeata van de St. Pietersberg. Entomologische Berichten 27:181-182. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1967b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1967b.pdf)
- \* 1967c. (1 Nov.). Kweek uit dood hout. Entomologische Berichten 27:219-220. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1967c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1967c.pdf)
- \* 1968a. Interessante vangsten van Hymenoptera-Aculeata in 1966, merendeels in Zuid-Limburg. Entomologische Berichten 28:5-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1968a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1968a.pdf)
- \* 1968b. Kweek van Hymenoptera-Aculeata, voorjaar 1967. Entomologische Berichten 28:94-95. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1968b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1968b.pdf)
- \* 1969a. (1 Apr.). Interessante vangsten van Hymenoptera-Aculeata in 1967 en 1968. Entomologische Berichten 29:77-80. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1969a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1969a.pdf)
- \* 1969b. (1 May). Kweek van Hymenoptera-Aculeata, voorjaar 1968. Entomologische Berichten 29:99-100. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1969b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1969b.pdf)
- \* 1969c. (1 Dec.). De Aculeaten van de St. Pietersberg, met inbegrip van Louwberg en Jekerdal. Entomologische Berichten 29:224-240. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1969c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1969c.pdf)
- \* 1971a. (1 Jan.). Interessante vangsten van Hymenoptera-Aculeata in 1969. Entomologische Berichten 31:16-19. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1971a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1971a.pdf)
- \* 1971b. (1 Nov.). Interessante vangsten van Hymenoptera Aculeata in 1970. Entomologische Berichten 31:221-224. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1971b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1971b.pdf)
- \* 1973. (1 Aug.). Interessante vangsten van Hymenoptera Aculeata in 1971. Entomologische Berichten 33:149-154. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1973.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1973.pdf)
- \* 1974. (1 Apr.). Interessante vangsten van Hymenoptera Aculeata in 1972. Entomologische Berichten 34:74-78. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefebvre\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefebvre_1974.pdf)

- \* 1975a. (1 Mar.). Interessante vangsten van Hymenoptera-Aculeata in 1973. *Entomologische Berichten* 35:36-38. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1975a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1975a.pdf)
- \* 1975b. De Aculeaten (bijen en wespen) van de Schiepersberg. *Natuurhistorisch Maandblad* 64:106-111, 117-122, 153-156. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1975b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1975b.pdf)
- \* 1976. Interessante vangsten van Hymenoptera-Aculeata in 1974 en 1975 in Nederland en België. *Entomologische Berichten* 36:148-153. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1976.pdf)
- \* 1978. Interessante vangsten van Hymenoptera-Aculeata voornamelijk in 1976 en 1977 in Nederland en België. *Entomologische Berichten* 38:134-138. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1978.pdf)
- \* 1979. Verspreidingsatlas van 64 soorten Nederlandse Graafwespen (Hymenoptera: Sphecidae p.p.). *Nederlandse Faunistische Mededelingen*. 2:1-95. Available through:  
<http://www.repository.naturalis.nl/document/148670> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1979\\_Graafwespen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1979_Graafwespen.pdf)
- \* 1983a. De Aculeaten van ons Waddendistrict II. De wespen (Hym.: Chrysidoidea, Scolioidea, Pompiloidea, Vespoidea, Sphecoidea). *Entomologische Berichten* 43:81-87. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1983a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1983a.pdf)
- 1983b. De Aculeaten van ons Waddendistrict III (slot): Conclusies (Hymenoptera: Aculeata). *Entomologische Berichten* 43:149-152. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1983b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1983b.pdf)
- \* 1984. Bijen en wespen (Hymenoptera, Aculeata) binnen de stedelijke bebouwing van Maastricht III. *Natuurhistorisch Maandblad* 73:27-29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1984.pdf)
- \* 1985. (15 May). De invertebratenfauna van de Zuidlimburgse kalkgraslanden. Wespen (Hymenoptera Bethyloidea, Chrysidae, Trigonalidae, Aculeata). *Naturhistorisch Maandblad* 74:85-91. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1985.pdf)
- \* 1998. Bijen en Wespen (Hymenoptera Aculeata) in de ENCI-Groeve van de Sint-Pietersberg bij Maastricht. *Natuurhistorisch Maandblad* 87:174-186. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_1998.pdf)
- Autobiography: 1981. *Virgilius Lefeber. Sphecos* 4:22-23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)
- Obituaries: H. Wolf. 2007. *Virgilius Bernardus Antonius Lefeber. BembiX* 25:2-3. [includes list of publications]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_Obituary.pdf)
- T.M.J. Peeters, C. van Achterberg, W.I.M. Swüste. 2011. *Virgilius Lefeber (1921-2007), een halve eeuw wespen- en bijenfaunistik. Entomologische Berichten* 71:104-112. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peeters\\_et\\_al\\_2011\\_Virgilius\\_Lefeber.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peeters_et_al_2011_Virgilius_Lefeber.pdf)

#### **Lefeber, V., and J. Petit**

- \* 1970. Note sur les Hyménoptères Aculéates d'une halde calaminaire. *Natuurhistorisch Maandblad* 59:128-136. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_Petit\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_Petit_1970.pdf)
- \* 1974. Hymenoptera-Aculeata (Bijen en Wespen) en hun vliegplanten in de halde van Plombières. *Naturhistorisch Maandblad* 63:161-166. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefeber\\_Petit\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefeber_Petit_1974.pdf)

**Lefroy, M.**

- \* 1904. A note on the habits of *Chlorion (Spheg) lobatus*. The Journal of the Bombay Natural History Society 15:531-532. Available through: <http://biodiversitylibrary.org/page/2097163> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lefroy\\_1904\\_Chlorion\\_lobatus\\_habits.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lefroy_1904_Chlorion_lobatus_habits.pdf)

**Le Guillou, E.J.F.**

- \* 1841. [Description de vingt espèces nouvelles appartenant à diverses familles d'Hyménoptères]. Revue Zoologique par la Société Cuvierienne 1841:321-325. Available through: <http://biodiversitylibrary.org/page/2362303> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeGuillou\\_1841.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeGuillou_1841.pdf)
- \* 1842. Catalogue raisonné des Insectes Hyménoptères recueillis dans le voyage de circumnavigation des corvettes l'Astrolabe et la Zélée. Annales de la Société Entomologique de France 10:311-324. [evidence of publication in 1842: list of members of the Society accepted since 1 January 1842 given on p. LXXIV]. Available through: <http://biodiversitylibrary.org/page/8258113> and [http://www.amwiki.org/wiki/images/9/9e/Le\\_Guillou\\_1842.pdf](http://www.amwiki.org/wiki/images/9/9e/Le_Guillou_1842.pdf)

**Lehrer, A.Z.**

- \* 1955. Contribuțiuni la cunoașterea faunei himenopterologice din Moldova (Sphegidae, Vespidae, Chrysidae). Studii și Cercetări Științifice. Academia. R.P.R. Filiala Iași 6:261-271. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lehrer\\_1955.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lehrer_1955.pdf)

**Lehrer, A.Z., and M. Scutaru**

- \* 1963. Contribution à la connaissance des Sphecidae (Hym.) de Moldavie. Travaux du Muséum d'Histoire Naturelle Grigore Antipa 4:283-289. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lehrer\\_Scutaru\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lehrer_Scutaru_1963.pdf)

**Leininger, H.**

- \* 1921. (10 Mar.). Über einige bemerkenswerte Tier- und Pflanzenfunde. Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 1:127-129. [*Philanthus coronatus* is the only sphecid]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leininger\\_1921.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leininger_1921.pdf)
- \* 1924. Hymenopterologische Beiträge zur Fauna Badens. Mitteilungen der Badischen Entomologischen Vereinigung 1:116-123. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leininger\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leininger_1924.pdf)
- \* 1951. Über Bienen, Grab-, Weg-, Faltenwespen und Ameisen aus dem badischen Oberrheingebiet (Hym. aculeata). Beiträge zur Naturkundlichen Forschung in Südwestdeutschland 10:113-136. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leininger\\_1951.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leininger_1951.pdf)
- \* 1953. Über einige bemerkenswerte Bienen, Wespen und Ameisen aus Baden (Hym. aculeata). Mitteilungen des Badischen Landesvereins für Naturkunde und Naturschutz in Freiburg i. Br. (Neue Folge) 6:17-21. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leininger\\_1953.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leininger_1953.pdf)

**Lelej, A.S., M.Yu. Proshchalykin, A.M. Tereshkin, A.S. Shlyakhtenok, V.M. Loktionov, and S.A. Shabalin**  
[А.С. Лелей, М.Ю. Прошчалыкин, А.М. Терешкин, А.С. Шляхтенко, В.М.Локтионов и С.А. Шабалин]

- 2015. Сравнительно-фаунистический анализ перепончатокрылых насекомых (Hymenoptera) лесных зон Беларуси и юга Дальнего Востока России – Comparative faunistic analysis of hymenopterous insects (Hymenoptera) of the forest zones of Belarus and south of Russian Far East. Chleniya Pamyati Aleksey Ivanovicha Kurentsova (= A.I. Kurentsov's Annual Memorial Meetings) 26:19-43. [only

genera are listed; out of 282 analyzed genera, 164 (or 58%) are shared by both areas; 247 genera and 977 species occur in the southern Far East, whereas 199 genera and 734 species in Belorussia]. Available through: <https://www.biosoil.ru/Files/KUR/00001147.pdf> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lelej\\_et\\_al\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lelej_et_al_2015.pdf)

#### **Lemche, H.**

1975. Comment on the proposed emendation to *Nysson* of the name *Nysson* Latreille, 1796 (Hymenoptera, Sphecidae). Z. N. (S.) 2055. The Bulletin of Zoological Nomenclature 32:30. Available through: <http://biodiversitylibrary.org/page/12225635> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lemche\\_1975\\_Nysson\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lemche_1975_Nysson_Nysson.pdf)

#### **León-Burgos, A.F., J.I. Murillo-Pacheco, D. Bautista-Zamora, and J. Quinto**

- \* 2019. Insectos benéficos asociados a plantas arvenses atrayentes en agroecosistemas del Piedmonte de la Orinoquia Colombiana – Beneficial insects associated with attractive weed plants in agroecosystems from the eastern slope of the Andes in the Colombian Orinoco basin. Cuadernos de Biodiversidad 56:1-14. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LeonBurgos\\_et\\_al\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LeonBurgos_et_al_2019.pdf)

#### **Lepeletier de Saint Fargeau, A.L.M. (also spelled Lepelletier de Saint-Fargeau, Le Peletier de Saint Fargeau, Le Peletier de Saint-Fargeau, Lepeletier de Saint-Fargeau, or Le Peletier-de-Saint-Fargeau)**

- \* 1831. *Sphex*. *Sphex*. Lat. R. A. t. V, p. 320. Magasin de Zoologie 1:54-53 + 2 plates on pp. numbered 34 and 55. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lepeletier\\_1831.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lepeletier_1831.pdf)
- \* 1832. Mémoire sur le G. *Gorytes* Latr. *Arpactus*. Jur. Annales de la Société Entomologique de France 1:52-79. Available through: <http://biodiversitylibrary.org/page/14001882> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lepeletier\\_1832\\_Gorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lepeletier_1832_Gorytes.pdf)
1838. Réponse aux observations de M. Léon Dufour sur les *Crabro*. Annales de la Société Entomologique de France 7:415-420. Available through: <http://biodiversitylibrary.org/page/15643603> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lepeletier\\_1838\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lepeletier_1838_Crabro.pdf)
- \* 1845. (shortly before 12 July). Histoire naturelle des Insectes Hyménoptères. Vol. 3. Librairie Encyclopédique de Roret, Paris. 646 + 4 pp., pls. 25-36. [publication date from Bibliographie de la France as reported by P. Verhoeff, 1948:183]. Available through: <http://biodiversitylibrary.org/page/10926617>
- Obituary: J.G. Audinet-Serville. 1846 (20 Sept.). Notice nécrologique sur M. le Comte Le Peletier de Saint Fargeau. Annales de la Société Entomologique de France (Série 2) 4:193-200. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lepeletier\\_1846\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lepeletier_1846_Obituary.pdf)

Collection: D. Baker, 1994c.

#### **Lepeletier de Saint Fargeau, A.L.M., and J.G. Audinet-Serville**

- \* 1825-1828. in P.A. Latreille (editor). Encyclopédie méthodique, ou par ordre des matières. Histoire naturelle. Entomologie, ou histoire naturelle des crustacés, des arachnides et des insectes. Vol. 10 (par MM. Latreille, Le Peletier de Saint-Fargeau, Serville et Guérin). Veuve Agasse, Paris. 832 pp. (1-344, 1825; 345-832, 1828). Dating after Sherborn and Woodward, 1906. [*Alyson*, pp. 49-50; *Philanthe*, pp. 101-103; *Cercéris*, p. 103; *Podie*, *Podium*, pp. 163-164; *Chlorion*, *Chlorion*, p. 451; *Ammophile*, *Ammophila*, pp. 451-453; *Sphégimes*, *Sphégimae*, p. 453 (“ce nom que M. Latreille donnoit dans ses anciens ouvrages à une tribu d’Hyménoptères a été change par lui dans ses *Familles naturelles* en celui de *Sphégides*”), *Sphex*, pp. 461-462; *Stigme*, p. 493; *Stize*, pp. 495-496; *Monédule*, pp. 496-498; *Tachyte*, p. 534 (treated as a synonym of *Lyrops*); *Trypoxylon*, pp. 749-750; the authors’ names abbreviated to S.F. et A. Serv. at the bottom of each respective article, the first author’s name spelled Le Peletier de Saint Fargeau on title page]

**Lepeletier de Saint Fargeau, A.L.M., and A. Brullé**

- \* 1835. (1834). Monographie du genre *Crabro*, de la famille des Hyménoptères Fouisseurs. Annales de la Société Entomologique de France 3:683-810. Dating after Menke, 1980b:18. [first author's name spelled Le Peletier-de-Saint Fargeau]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LePeletier\\_Brulle\\_1835.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LePeletier_Brulle_1835.pdf)

**Leppla, N.C., J.H. Frank, M.B. Adjei, and N.E. Vicente**

- \* 2007. Management of pest mole crickets in Florida and Puerto Rico with a nematode and parasitic wasp. The Florida Entomologist 90:229-233. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leppla\\_et\\_al\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leppla_et_al_2007.pdf)

**Leth, K.O.**

- \* 1950. (1 Aug.). Fund af gravehvepsen *Crabro kiesenwetteri* Mor. i Danmark. Entomologiske Meddelelser 25:408. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Leth\\_1950\\_Crabro\\_kiesenwetteri.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Leth_1950_Crabro_kiesenwetteri.pdf)

**Lett, J.-M.**

- \* 2014. Première donnée de *Liris niger* (F., 1775) en région Centre (Hymenoptera Crabronidae). L'Entomologiste 70:130. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LETT\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LETT_2014.pdf)

- 2015. 2015. Un site particulièrement intéressant pour l'étude des «Apoidea Sphéciformes» en Sologne de Loir-et-Cher. Recherches Naturalistes, Orléans, Nouvelle Série. 1:2-7. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/LETT%202015.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/LETT%202015.pdf)

- \* 2016. Deux nouvelles espèces de Sphécides pour la région Centre – Val de Loire: *Tachysphex brullii* (F. Smith, 186) et *Gorytes qinquesfascia* (Panzer, 1798) (Hymenoptera Crabronidae). L'Entomologiste 72:135. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Lett%202016.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Lett%202016.pdf)

- \* 2018. Données récentes sur les «Apoidea Sphéciformes» de Sologne: bilan de cinq années de suivi sur une ancienne sablière. L'Entomologiste 74:193-204. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LETT\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LETT_2018.pdf)

**Levärdä, A.F., and I. Matache**

- \* 2016. The catalogue of Romanian Sphecidae (Hymenoptera: Apoidea: Sphecidae) from the collection of “Grigore Antipa” National Museum of Natural History (Bucharest). Travaux du Muséum National d'Histoire Naturelle «Grigore Antipa» 58:37-46. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Levarda\\_Matache\\_2016\\_Catalogue\\_Romania.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Levarda_Matache_2016_Catalogue_Romania.pdf)

**Levi, É.K., L.G. Sysoletina, and A.I. Shernin [Э.К. Леви, Л.Г. Сысолетина и А.И. Шернин]**

- \* 1974. Глава 9. Отряд Hymenoptera – Перепончатокрылые [= Glava 9. Otryad Hymenoptera – Pereponchatokrylyie, = Chapter 9. Order Hymenoptera], pp. 236-288 in B.V. Boikov, V.A. Koroleva, and É.K. Levi (editors). Животный мир Кировской области [= Zhivotnyi mir Kirovskoy oblasti, = Animal world of Kirov Oblast'], vol. 2. Kirov, 525 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Levi\\_et\\_al\\_1974\\_Hymenoptera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Levi_et_al_1974_Hymenoptera.pdf)

**Lewis, J.**

- \* 2020. *Sphex ichneumoneus* and *Sphex pensylvanicus* (Hymenoptera: Sphecidae) in Atlantic Canada: evidence of recent range expansion into the region. The Canadian Field-Naturalist 134:52-55. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lewis\\_2020\\_Sphex\\_Atlantic\\_Canada.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lewis_2020_Sphex_Atlantic_Canada.pdf)

**Lhéritier, G.**

- \* 1946. Quelques remarques sur les *Philanthus*. La Feuille des Naturalistes (Nouvelle Série) 1:28-30. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lheritier\\_1946.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lheritier_1946.pdf)

**Li, Ch.-y., and Q. Li [李重阳 Li Chongyang, and 李强 Li Qiang]**

- \* 2009. (25 June). A new species of genus *Ectemnius* Dahlbom (Hymenoptera: Crabronidae) in China. Entomotaxonomia 31:147-151. [*Ectemnius anomalifulvus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_Li\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_Li_2009.pdf)

**Li, Ch., Q. Li, and L. Ma**

- \* 2025a. Six new species of the genus *Nitela* Latreille (Hymenoptera, Crabronidae) from China, with a key to the Oriental species. Journal of Hymenoptera Research 98:871-896. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_2025\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_2025_Nitela.pdf)
- \* 2025b. Corrigendum: *Nitela scabrirugata* Li, Li & Ma (Hymenoptera, Crabronidae), a replacement name for *N. carinifrons* Li, Li & Ma, 2025, preoccupied by *N. carinifrons* Menke, 1968. Journal of Hymenoptera Research 98:1131-1132. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ch\\_Li\\_et\\_al\\_2025b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ch_Li_et_al_2025b.pdf)

**Li, J., L. Ma, and Q. Li [Li Jinghong, 马丽 Ma Li, and 李强 Li Qiang]**

- \* 2024. Five new species of *Passaloecus* Shuckard (Hymenoptera, Crabronidae) from China, with a key to Chinese species. Journal of Hymenoptera Research 97:1141-1161. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_JHR\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_JHR_2024.pdf)

**Li, J., Q. Li, and L. Ma [Li Jinghong, and 马丽 Ma Li]**

- \* 2024. Five new species of the genus *Stigmus* Panzer (Hymenoptera, Crabronidae) from China, with a key to all Chinese species. Zookeys 1204:313-336. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/JLi\\_QLi\\_Ma\\_2024\\_Stigmus\\_China.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/JLi_QLi_Ma_2024_Stigmus_China.pdf)

**Li, L., B.B. Rosa, G.A.R. Melo, Ch. Shih, and D. Ren**

- \* 2022. A new wasp genus of Cirrosphecidae (Hymenoptera: Apoidea) from mid-Cretaceous amber of northern Myanmar. Cretaceous Research 140:1-5. [*Heterospheph wuni*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_2022\\_New\\_genus\\_of\\_Cirrosphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_2022_New_genus_of_Cirrosphecidae.pdf)

**Li, Miao, and Q. Li [李淼 Li Miao, and 李强 Li Qiang]**

- \* 2011. (25 June). A new species of genus *Tracheliodes* (Hymenoptera: Crabronidae) from China. Entomotaxonomia 33:143-146. [*Tracheliodes labitubercutus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_M\\_and\\_Q\\_Li\\_2011\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_M_and_Q_Li_2011_Tracheliodes.pdf)

**Li, Q. [李强 Li Qiang]**

- \* 1995. (June). A taxonomic study of Sceliphronini (Hymenoptera: Sphecidae) from China with description of a new species. Entomotaxonomia 17 (Supplement):87-90. [in Chinese with English summary; *Chalybion yangi*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Q\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Q_1995.pdf)
- \* 1999. (30 June). A new species of *Tracheliodes* Morawitz (Hym., Sphecidae) from China. The Entomologist's Monthly Magazine 135:115-118. [*Tracheliodes rhysoleuralis*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_1999\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_1999_Tracheliodes.pdf)

**Li, Q., and J. He [李强 Li Qiang, and He Junhua]**

- \* 1997a. (May). Description of a new species of the genus *Pemphredon* Latreille from China. Wuyi Science Journal 13:111-113. [in Chinese with English summary; *Pemphredon chaoi*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1997a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1997a.pdf)

- \* 1997b. (31 Oct.). A new record and a new species of the genus *Pemphredon* Latreille, 1796, from China (Hymenoptera: Sphecidae, Pemphredoninae). Entomologist's Gazette 48:259-261. [*Pemphredon verugosa*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1997b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1997b.pdf)
- \* 1997c. (Oct.). A new *Pemphredon* from China (Hymenoptera: Sphecidae). Entomologische Berichten 57:161-162. [*Pemphredon xinjiangana*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1997c\\_Pemphredon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1997c_Pemphredon.pdf)
- \* 1997d. A taxonomic study of Chinese *Pemphredon* Latreille with description of a new species (Hymenoptera: Pemphredonidae [sic]), pp. 300-304 in Xingke Yang and Hong Wu (editors). Research Advance in Entomology. China Forestry Publishing House, Beijing. 342 pp. [in Chinese with English summary, *Pemphredon labidentata* described]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1997d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1997d.pdf)
- \* 1998a. (Mar.). Two new species of *Spilomena* Shuckard (Hymenoptera: Sphecidae) from Yunnan Province. Entomotaxonomia 20:73-76. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1998a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1998a.pdf)
- \* 1998b. (Aug.). Hymenoptera: Sphecidae, pp. 398-399 in H. Wu (editor). Insects of Longwanshan Nature Reserve. China Forestry Publishing House, Beijing. I-IX + 404 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_He\\_1998b\\_Insects\\_of\\_Longwanshan\\_Natural\\_Reserve.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_He_1998b_Insects_of_Longwanshan_Natural_Reserve.pdf)
- \* 1998c. (Dec.). Two new species of nominate subgenus of the genus *Rhopalum* Stephens (Hymenoptera: Sphecidae) from China. Entomotaxonomia 20:303-307. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1998c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1998c.pdf)
- \* 1998d. A new species of the genus *Rhopalum* Stephens from China. Entomological Journal of East China 7:-3. [*Rhopalum varicoloratum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1998d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1998d.pdf)
- \* 1998e. Description of a new species of *Pemphredon* Latreille found in Mount Tai of China (Hymenoptera: Pemphredonidae). Journal of Shandong Agricultural University 19:475-477. [*Pemphredon borealis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_He\\_1998e\\_Journal\\_of\\_Shandong\\_Agricultural\\_University.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_He_1998e_Journal_of_Shandong_Agricultural_University.pdf)
- \* 1999a. Two new species of the genus *Rhopalum* Stephens from China (Hymenoptera: Sphecidae). Acta Entomologica Sinica 42:96-99. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1999a\\_2\\_new\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1999a_2_new_Rhopalum.pdf)
- \* 1999b. A new species of the genus *Tracheliodes* Morawitz (Hymenoptera: Sphecidae) from China. Entomotaxonomia 21:146-148. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_1999b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_1999b.pdf)
- \* 2000a. (14 Feb.). *Entomognathus* from China with description of a new species (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 76:55-57. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2000a\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2000a_Entomognathus.pdf)
- \* 2000b. (Mar.). Two new species of subgenus *Calceorhopalum* Tsuneki from China (Hymenoptera: Sphecidae). Entomologia Sinica 7:15-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2000b\\_New\\_Calceorhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2000b_New_Calceorhopalum.pdf)
- \* 2000c. A new species of the genus *Entomognathus* Dahlbom from Yunnan Province (Hymenoptera: Sphecidae). Acta Entomologica Sinica 43:198-200. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2000c\\_new\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2000c_new_Entomognathus.pdf)

- \* 2000d. A new species of *Ammophila* from China (Hymenoptera: Sphecidae). *Acta Zootaxonomica Sinica* 25:337-340. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2000d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2000d.pdf)
- \* 2001. Hymenoptera: Sphecidae, pp. 753-758 in H. Wu, and Ch. Pan (editors). *Insects of Tianmushan National Nature Reserve*. Science Press, Beijing. XV + 764 pp. [in Chinese with English summaries, *Crossocerus microcollaris* described on pp. 755 and 758]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2001\\_Tianmushan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2001_Tianmushan.pdf)
- \* 2004. Superfamily Sphecoidea, pp. 1071-1129, pl. XXXIII in J. He (editor). *Hymenopteran insect fauna of Zhejiang*. Science Press, Beijing. 1373 pp., XLIII pls. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2004\\_Zhejiang.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2004_Zhejiang.pdf)
- \* 2005. (19 Jan.). (2004). *Crossocerus flavomaculatus*, a new species of the subgenus *Acanthocrabro* from China, with a key to the Chinese species of the subgenus (Hymenoptera: Apoidea: Crabronidae). *Entomological News* 115:157-161. Available through: <http://biodiversitylibrary.org/page/2691353>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2005\\_Crossocerus\\_flavomaculatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2005_Crossocerus_flavomaculatus.pdf)
- \* 2006. Sphecidae, pp. 140-143 in X. Chen and J. He (editors). *Parasitoids and predators of forest pests in China*. China Forestry Publishing House, Beijing. 216 pp. [Q. Li wrote sections on *Ammophila atripes*, *Ammophila sabulosa infesta*, and *Palmodes occitanicus perplexus*, and J. Hua the section of *Cerceris tuberculata evecta*; information on authorship provided by Professor Q. Li on 24 Nov 2007]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_He\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_He_2006.pdf)

**Li, Q., J. Li, and J. Yang [李强 Li Qiang, Li Jingdong, and Yang Jikun]**

- \* 1994. (Aug.). A classification study on *Ammophila* Kirby from Shandong with the description of a new species (Hymenoptera: Sphecidae). *Journal of Shandong Agricultural University* 25:289-292. [in Chinese with English summary]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Li\\_Yang\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Li_Yang_1994.pdf)

**Li, Q., and Y.R. Wu [李强 Li Qiang, and Y.R. Wu]**

- \* 2003. (25 June). The subgenus *Apocrabro* Pate from China with descriptions of two new species (Hymenoptera: Crabronidae). *Journal of the Kansas Entomological Society* 76:523-528. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Wu\\_2003\\_Apocrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Wu_2003_Apocrabro.pdf)
- \* 2006. (11 Aug.). The subgenus *Blepharipus* from southwestern China with descriptions of two new species (Hymenoptera: Crabronidae). *Journal of the Kansas Entomological Society* 79:288-295. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Wu\\_2006\\_Blepharipus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Wu_2006_Blepharipus.pdf)

**Li, Q., and M. Xue [李强 Li Qiang, and Xue Ming]**

- \* 1998a. (26 Mar.) (1997). A new species of the genus *Ammophila* from China (Hymenoptera, Sphecidae). *Tijdschrift voor Entomologie* 140:181-183. Available through: <http://biodiversitylibrary.org/page/28202145> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Xue\\_1998a\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Xue_1998a_Ammophila.pdf)
- \* 1998b. (May). Two new *Rhopalum* from China (Hymenoptera: Sphecidae). *Entomologische Berichten* 58:78-81. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Xue\\_1998b\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Xue_1998b_Rhopalum.pdf)
- \* 1998c. (30 Oct.). The subgenus *Corynopus* Lapeletier and Brullé from China, with descriptions of two new species (Hymenoptera: Sphecidae). *Entomologist's Gazette* 49:261-265. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Xue\\_1998c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Xue_1998c.pdf)

**Li, Q., M. Xue, and Ch. Yang** [李强 Li Qiang, Xue Ming, and Yang Chi-kun]

- \* 1995. (Apr.). A new species of *Podalonia* Fernald (Hymenoptera: Sphecidae) and a new record species of China. Journal of Shandong Agricultural University 26:196-198. [in Chinese with English summary, described *Podalonia pilosa*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Xue\\_Yang\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Xue_Yang_1995.pdf)

**Li, Q., and Ch. Yang** [李强 Li Qiang, and Yang Chi-kun]

- \* 1989. Three new species of Sphecinae in China (Hymenoptera: Sphecidae). Journal of Shandong Agricultural University 1989 (4):33-37 [in Chinese with English summary]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1989.pdf)
- \* 1990. Four new species of *Ammophila* (Hymenoptera: Sphecidae) from Nei Mongol. Entomotaxonomia 12:259-266. [in Chinese with English summary]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1990.pdf)
- \* 1992. Three new species of genus *Podalonia* from China (Hymenoptera: Sphecidae). Acta Agriculturae Universitatis Pekinensis 18:85-90. [in Chinese with English summary]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1992.pdf)
- \* 1995a. (June). A new species of the genus *Prionyx* Lindon [sic] (Hymenoptera: Sphecidae). Entomotaxonomia 17:140-142. [in Chinese with English summary]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1995a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1995a.pdf)
- \* 1995b. (Dec.). Hymenoptera: Sphecidae, pp. 573-575 in Wu Hong (editor). Insects of Baishanzu Mountain, Eastern China. China Forestry Publishing House, Beijing. 556 pp. [in Chinese with English summary, described *Ammophila globifrontalis*. Baishanzu Mountain is located at 27°07'N 119°01'E']. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1995b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1995b.pdf)
- \* 1995c. Hymenoptera: Sphecoidea, pp. 270-273 in Zhu Tingan (editor). Insects and macrofungi of Gutianshan, Zhejiang. Science Technique Press of Zhejiang, Zhejiang. 327 pp. [in Chinese with English summary. Mt. Gutian is at 29°03'N 118°02']. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1995c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1995c.pdf)
- \* 1996. (July). A new species of the genus *Isodontia* Patton (Hymenoptera: Sphecidae). Acta Zootaxonomica Sinica 21:355-357. [in Chinese with English summary; *Isodontia cellicula*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_1996.pdf)

**Li, Q., and L.F. Yang** [李强 Li Qiang, and 杨莲芳 Yang Lianfang]

- \* 2001. Two new species of subgenus *Blepharipus* Lepeletire [sic] and Brulle [sic] (Hymenoptera: Sphecidae) from China. Entomotaxonomia 23:147-151. [in Chinese with English summary; described *Crossocerus unidentatus* and *xizangensis*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_2001.pdf)
- \* 2002. Two new species of the nominate subgenus of the genus *Crossocerus* Lepeletier et Brulle [sic] from China (Hymenoptera: Sphecidae). Kunchong Xuebao = Acta Entomologica Sinica 45 (Supplement):107-109. [in Chinese with English summary; described *Crossocerus exdentatus* and *C. neimongolensis*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_2002\\_2\\_New\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_2002_2_New_Crossocerus.pdf)
- \* 2003. (31 Dec.). Two new species of the subgenus *Ablepharipus* Perkins (Hymenoptera: Sphecidae: *Crossocerus*) with a reference key to the species from China. Journal of the New York Entomological Society 111:145-150. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_2003\\_2\\_new\\_Ablepharipus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_2003_2_new_Ablepharipus.pdf)

- \* 2005. Hymenoptera: Sphecidae, pp. 883-884 in X. Yang (editor). Insect fauna of Middle West Qinling Range and South Mountains of Gansu Province. Science Press, Beijing. 1055 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Yang\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Yang_2005.pdf)

**Li, T., W. Cai, and Q. Li [李廷景 Li Tingjing, 彩万志 Cai Wanzhi, and 李强 Li Qiang]**

- \* 2007. (14 Nov.). A new species of *Liris* Fabricius from China, with a key to the Chinese species (Hymenoptera: Crabronidae). Entomological News 118:417-427. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_T.W.Cai.Q.Li.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_T.W.Cai.Q.Li.pdf)
- \* 2008. (19 May). Two new species and five new records of the genus *Tachytes* Panzer (Hymenoptera, Crabronidae) from China, with a key to the Chinese species. Deutsche Entomologische Zeitschrift 55:153-159. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Cai\\_Li\\_2008\\_2\\_new\\_Tachytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Cai_Li_2008_2_new_Tachytes.pdf)
- \* 2009a. (17 June). Three new species and one new record of *Liris* Fabricius (Hymenoptera: Crabronidae) from China, with a key to the Palearctic species. Entomologica Fennica 20:111-120. Available through: [http://www.entomologicafennica.org/Volume20/EF\\_20\\_26Li.pdf](http://www.entomologicafennica.org/Volume20/EF_20_26Li.pdf)
- \* 2009b. Key to the Oriental species of *Lyroda* Say, with description of a new species from China (Hymenoptera: Crabronidae). Entomologica Americana 115:143-147. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Cai\\_Li-2009\\_Lyroda.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Cai_Li-2009_Lyroda.pdf)

**Li, T., and Q. Li [李廷景 Li Tingjing, and 李强 Li Qiang]**

- \* 2007. (29 Mar.). Four new species and nine new species records of the subgenus *Trypoxylon* (*Trypoxylon*) Latreille (Hymenoptera: Crabronidae) from China. The Pan-Pacific Entomologist 83:1-12. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Li\\_2007\\_4\\_new\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Li_2007_4_new_Trypoxylon.pdf)
- \* 2010a. (28 Sept.). The *Trypoxylon* Latreille (Hymenoptera: Crabronidae) of southwest China with descriptions of two new species. Journal of the Kansas Entomological Society 83:240-247. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/T\\_Li\\_and\\_Q\\_Li\\_2010a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/T_Li_and_Q_Li_2010a.pdf)
- \* 2010b. (1 Dec.). Key to the Oriental species of *Nitela* Latreille (Hymenoptera: Crabronidae), with descriptions of two new species from China. Oriental Insects 44:337-344. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/T\\_Li\\_and\\_Q\\_Li\\_2010b\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/T_Li_and_Q_Li_2010b_Nitela.pdf)
- \* 2011. (29 Aug.). Two new species of the genus *Pison* Jurine (Hymenoptera: Crabronidae) from China, with a key to the Chinese species. Zootaxa 3007:61-68. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Tingjing\\_and\\_Qiang\\_Li\\_Pison\\_.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Tingjing_and_Qiang_Li_Pison_.pdf)

**Li, T., Q. Li, and W. Cai [李廷景 Li Tingjingand, 李强 Li Qiang, and 彩万志 Cai Wanzhi]**

- \* 2008. (25 June). A new species and eight new records of the genus *Tachysphex* (Hymenoptera: Crabronidae) from China. Entomotaxonomia 30:140-146. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Li\\_Cai\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Li_Cai_2008.pdf)

**Li, X., and Q. Li [李晓莉 Li Xiaoli, and 李强 Li Qiang]**

- \* 2008. (25 Mar.). A new species of the genus *Oxybelus* Latreille from China (Hymeniptera [sic]: Crabronidae). Entomotaxonomia 30:65-68. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Li\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Li_2008.pdf)
- \* 2010. A new species of genus *Oxybelus* Latreille (Hymenoptera: Crabronidae). Entomotaxonomia 32:144-148. [*Oxybelus flavellifoveolaris*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Li\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Li_2010.pdf)
- \* 2011. (25 June). A new species of genus *Cerceris* (Hymenoptera: Crabronidae) from China. Entomotaxonomia 33:151-155. [*Cerceris rubigina*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_X\\_and\\_Q\\_Li\\_2011\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_X_and_Q_Li_2011_Cerceris.pdf)

**Li, X., Q. Li, and L. Ma** [李晓莉 Li Xiaoli, 李强 Li Qiang, and 马丽 Ma Li]

- \* 2014. A new species of the genus *Cerceris* (Hymenoptera: Crabronidae) from Guangxi, China. *Entomotaxonomia* 36:223-228. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_X\\_Q\\_Li\\_L\\_Ma\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_X_Q_Li_L_Ma_Cerceris.pdf)

**Li, X., and L. Ma** [李晓莉 Li Xiaoli, and 马丽 Ma Li]

- 2014. (27 June). A new species and two records of genus *Cerceris* (Hymenoptera: Crabronidae) from China. *Southwest China Journal of Agricultural Science* 27:2713-2716. [*Cerceris tuberidentalis*, in Chinese]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Ma\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Ma_2014.pdf)

- 2016. (29 Dec.). A new species of genus *Cerceris* (Hymenoptera: Crabronidae) from Yunnan, China. *Southwest China Journal of Agricultural Science* 29:3015-3018. [*Cerceris zygomeiosis*, in Chinese]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Ma\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Ma_2016.pdf)

**Li, X., L. Ma, and Q. Li** [李晓莉 Li Xiaoli, 马丽 Ma Li, and 李强 Li Qiang]

- \* 2013. XXV. Hymenoptera, Crabronidae, Crabroninae, pp. 585-595 in Xiaoshuan Bai, Wanzhi Cai, Xiongnaiz Zhabu (editors)]. *Insects of Helan Mountains, Inner Mongolia*. Inner Mongolia People Publishing House, Inner Mongolia. [in Chinese]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_Insects\\_Helan\\_Mountain\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_Insects_Helan_Mountain_2013.pdf)

**Li, X., D. Yuan, J. Rodriguez, and D.K. Yeates**

- 2019. Sand wasp (Hymenoptera: Crabronidae) parasites emerging from mud wasp nests Hymenoptera: Sphecidae) – a reliable host record of *Thraxan* Yeates & Lambkin (Diptera: Bombyliidae: Anthracinae) with description of the pupal exuviae of three *Thraxan* species. *Zootaxa* 4609:149-159. [larvae of *Thraxan* are inner parasites of larvae of *Pison simillimum*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_2019\\_Thraxan\\_parasites.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_2019_Thraxan_parasites.pdf)

**Li, X., J. Zhao, and L. Ma** [李晓莉 Li Xiaoli, J. Zhao, and 马丽 Ma Li]

- 2014. Advance of the species diversity and biological habits of Cercerini. *Journal of Environmental Entomology* 36:820-825. [in Chinese; discussion of current knowledge of the tribe]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_Zhao\\_Ma\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_Zhao_Ma_2014.pdf)

**Li, X., Q.-S. Zhou, M. Xiong, A. Luo, and Ch.-D. Zhu**

- \* 2021a. (14 June). The complete mitochondrial genome of *Cerceris bucculata* (Hymenoptera: Crabronidae). *Mitochondrial DNA Part B Resources* 6 (7):1959-1960. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_2021a\\_Cerceris\\_bucculata\\_mitochondrial\\_genome.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_2021a_Cerceris_bucculata_mitochondrial_genome.pdf)

- \* 2021b. (14 June). The complete mitochondrial genome of *Cerceris quinquefasciata* (Hymenoptera: Crabronidae). *Mitochondrial DNA Part B Resources* 6 (7):2044-2045. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Li\\_et\\_al\\_2021b\\_Cerceris\\_quinquefasciata\\_mitochondrial\\_genome.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Li_et_al_2021b_Cerceris_quinquefasciata_mitochondrial_genome.pdf)

**Libersat, F.**

- \* 2003. Wasp uses venom cocktail to manipulate the behavior of its cockroach prey. *Journal of Comparative Physiology. A. Neuroethology, Sensory, Neural, and Behavioral Physiology* 189:497-508. [on *Ampulex compressa*]. Available through: [http://www.bgu.ac.il/life/Faculty/Libersat/pdf/JCP\\_2003.pdf](http://www.bgu.ac.il/life/Faculty/Libersat/pdf/JCP_2003.pdf)

**Libersat, F., A. Delago, and R. Gal**

- \* 2009. Manipulation of host behavior by parasitic insects and insect parasites. *Annual Review of Entomology* 54:189-2007. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Libersat\\_et\\_al\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Libersat_et_al_2009.pdf)

**Libersat, F., and R. Gal**

- \* 2013. What can parasitoid wasps teach us about decision-making in insects? The Journal of Experimental Biology 216:47-55. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Libersat\\_Gal\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Libersat_Gal_2013.pdf)
- \* 2014. Wasp voodoo rituals, venom-cocktails, and the zombification of cockroach hosts, pp 1-14 in The symposium "Parasitic manipulation of host phenotypes, or how to make a zombie" presented at the annual meeting of the Society for Integrative and Comparative Biology, January 3-7, 2014 at Austin, Texas. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Libersat\\_Gal\\_2014\\_Wasp\\_Voodoo\\_Rituals.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Libersat_Gal_2014_Wasp_Voodoo_Rituals.pdf)  
and <http://faculty.bennington.edu/~sherman/neuro/Wasp%20Voodoo%20Rituals.pdf>

**Libersat, F., G. Haspel, J. Casagrand, and K. Fouad**

- \* 1999. Localization of the site of effect of a wasp's venom in the cockroach escape circuitry. Journal of Comparative Physiology A. Sensory, Neural, and Behavioral Physiology 184:333-345. [venom of *Ampulex compressa*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Libersat\\_et\\_al\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Libersat_et_al_1999.pdf)

**Lichtenstein, A.A.H.**

- \* 1796. Catalogus musei Zoologici ditissimi Hamburgi, d III. Februar 1796. Auctionis lege distrahendi. Sectio Tertia Continens Insecta. Verzeichniss von höchstseltenen, aus allen Welttheilen mit vieler Mühe und Kosten zusammen gebrachten, auch aus unterschiedlichen Cabinetten, Sammlungen ausgehobenen Naturalien welche von einem Liebhaber, als Mitglied der Batavischen und verschiedener anderer naturforschenden Gesellschaften gesammelt worden. Dritter Abschnitt, bestehend in wohl erhaltenen, mehrentheils ausländischen und höchstseltenen Insecten, die theils einzeln, theils mehrere zusammen in Schachteln festgesteckt sind, und welche am Mittewochen, den 3<sup>ten</sup> Februar 1796 und den folgenden Tagen auf dem Eimbeck'schen Hause öffentlich verkauft werden sollen durch dem Mackler Peter Heinrich Packischefsky. Gottl. Fried. Schniebes, Hamburg. xii + 222 + [2] pp. [This is the third part of a catalog of specimens produced to advertise the sale at auction of the Holthuisen natural history collection. The auction was originally scheduled for 3 February 1796, but was postponed until 16 May 1797. Lichtenstein's introduction to this catalogue contains the date 1 November 1795, and it appears likely that the first edition of this work appeared in late 1795 or early 1796, to predate to original date of the sale. This edition is customarily dated 1796 from the sale date on its title page. A second edition of this work was issued in 1797 prior to the actual sale date in May of that year. For additional details see Evenhuis, 1997, and Sherborn (1899). Author's name given at the end of Vorrede (= Introduction). Sphecidae on pp. 197-200 (*Sphex*) and 205-206 (*Bembex*)]. Available through:  
<http://biodiversitylibrary.org/page/25753226> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1796.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1796.pdf)

**Lichtenstein, [J.]**

- \* 1873. [Note sur les mœurs de *Tachytes pompiliformis* Panzer., *T. nigra* Latr.]. Annales de la Société Entomologique de France (Série 5) 3, Bulletin: CXXII. Available through:  
<http://biodiversitylibrary.org/page/8238482> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1873.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1873.pdf)
- \* 1874. [Une note au sujet des *Cemonus*]. Annales de la Société Entomologique de France (Série 5) 4, Bull.: CLII. Available through: <http://biodiversitylibrary.org/page/8995497> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1874.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1874.pdf)
- \* 1875a [Note sur *Oxybelus arabs*]. Annales de la Société Entomologique de France (Série 5) 5, Bulletin: XII. Available through: <http://biodiversitylibrary.org/page/8233900> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1875a\\_Oxybelis\\_arabs.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1875a_Oxybelis_arabs.pdf)
- \* 1875b. [Les cocoons de l'*Ammophila Heydeni* [sic]. Annales de la Société Entomologique de France (Série 5) 5, Bulletin:CCII. Available through: <http://biodiversitylibrary.org/page/8234090> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1875b\\_Ammophila\\_Heydeni.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1875b_Ammophila_Heydeni.pdf)
  - 1877. Hymenopterologisches. Entomologische Nachrichten 3:140-141. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1877.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1877.pdf)
  - \* 1878. Quelques feuillets de mon journal. Annales de la Société Entomologique de France (Série 5) 8, Bulletin:CVI-CVII. [On *Ectemnius lapidarius*, *Pison atrum*, and *Bembix oculata*]. Available through: <http://biodiversitylibrary.org/page/8233166> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1878.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1878.pdf)
  - \* 1879. Quelques observations entomologiques. Annales de la Société Entomologique de France (Série 5) 9:43-46. Available through: <http://biodiversitylibrary.org/page/8250294> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lichtenstein\\_1879.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lichtenstein_1879.pdf)

#### Liebermann, J.

- \* 1931. Esféridos argentinos del género *Spheg* con la descripción de una nueva especie de esfégido tucuricida. Anales de la Sociedad Científica Argentina 112:5-26, 79-101. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liebermann\\_1931.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liebermann_1931.pdf)

#### Liebig, W.-H.

- \* 2006. Zur Hymenopterenfauna der Muskauer Heide (Hymenoptera, Aculeata). Berichte der Naturforschenden Gesellschaft der Oberlausitz 14:31-52. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liebig\\_2006\\_Muskauer\\_Heide.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liebig_2006_Muskauer_Heide.pdf)

#### Lieftinck, M.A.

- \* 1928. (1 May). Kort bericht over insecten van het eiland Texel. Entomologische Berichten 7:321-324. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lieftinck\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lieftinck_1928.pdf)

#### Lin, C.S.

- \* 1966a. Bionomics of *Isodontia mexicana*, with a review of generic ethology (Hymenoptera: Sphecidae: Sphecinae). The Wasmann Journal of Biology 24:239-247. [the journal was published in San Francisco, and the accession date in CAS Library, located in the same city, is 27 Mar. 1967]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_C\\_1966a\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_C_1966a_Isodontia_mexicana.pdf)
- \* 1966b. Nesting behavior of digger wasp *Cerceris morata*. American Zoologist 6:582. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966d.pdf)
- \* 1967a. Nesting behavior of *Tachytes (Tachyplena) praedator* Fox, with a review of the biology of the genus (Hymenoptera: Sphecidae: Larrinae). The American Midland Naturalist 77:241-245. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_CS\\_1967a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_CS_1967a.pdf)
- \* 1967b. (Nov.). Nesting behavior of *Trypargilum spinosum* Cameron (Hymenoptera: Sphecidae). American Zoologist 7:798. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_C\\_1967b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_C_1967b.pdf)
- \* 1967c. (27 Dec.). Bionomics of *Cerceris simplex graphica* at Lake Texoma (Hymenoptera: Sphecidae: Philanthinae). Proceedings of the Entomological Society of Washington 69:312-317. Available through: <http://biodiversitylibrary.org/page/16261931> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_C\\_1967c\\_Cerceris\\_simplex\\_graphica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_C_1967c_Cerceris_simplex_graphica.pdf)
- \* 1969. Biology of *Trypargilum spinosum* with notes on *T. texense* and *T. politum* at Lake Texoma (Hymenoptera: Sphecidae: Trypoxyloninae). The Wasmann Journal of Biology 27:125-133. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_C\\_1969\\_Trypangulum\\_biology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_C_1969_Trypangulum_biology.pdf)
- \* 1971. Bionomics of *Stictia carolina* at Lake Texoma, with notes on some Neotropical species (Hymenoptera: Sphecidae). The Texas Journal of Science 23:275-286. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_C\\_1971\\_Stictia\\_carolina.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_C_1971_Stictia_carolina.pdf)

# Lin, N.

- \* 1963a. Territorial behavior in the cicada killer wasp, *Sphecius speciosus* (Drury) (Hymenoptera: Sphecidae). I. Behaviour 20:115-133. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1963a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1963a.pdf)
- \* 1963b. Observations of suspected density dependent fighting between females *Sphecius speciosus*. Bulletin of the Brooklyn Entomological Society 58:121-123. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1963\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1963_Sphecius_speciosus.pdf)
- \* 1966a. (Jan.). Copulatory behavior of the cicada killer wasp, *Sphecius speciosus*. Animal Behaviour 14:130-131, pl. VI. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966a\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966a_Sphecius_speciosus.pdf)
- \* 1966b. (June) (1964-1965). The use of emergence holes of the cicada killer as nest burrows by *Tachytes* (Hymenoptera: Sphecidae). Bulletin of the Brooklyn Entomological Society 59-60:82-84. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966b.pdf)
- \* 1966c. (Aug.). Weather and the natural regulation of three populations of the cicada killer wasp, *Sphecius speciosus*. American Zoologist 6:208. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966c.pdf)
- \* 1966d. The establishment of a territory about the human observer by the cicada killer wasp *Sphecius speciosus* (Hymenoptera Sphecidae). American Zoologist 6:582-583. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966d.pdf)
- \* 1966e. Standard and emergency courtship in the cicada killer wasp *Sphecius speciosus* (Hymenoptera Sphecidae). American Zoologist 6:585. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1966e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1966e.pdf)
- \* 1967a. (15 Sept.). Role differentiation in copulating cicada killer wasps. Science 157:1334-1335. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1967a\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1967a_Sphecius_speciosus.pdf)
- \* 1967b. (27 Dec.). Linear copulation in *Xylocelia franclemonti* Krombein (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 69:343-346. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1967b\\_Xylocelia\\_franclemonti.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1967b_Xylocelia_franclemonti.pdf)
- \* 1968. (17 Apr.). A note on the sleeping behavior of *Philanthus gibbosus* (Fabricius) (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 70:10-12. Available through:  
<http://biodiversitylibrary.org/page/16262015> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1968\\_Philanthus\\_gibbosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1968_Philanthus_gibbosus.pdf)
- \* 1978a. (20 Apr.). Defended hunting territories and hunting behavior of females of *Philanthus gibbosus* (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 80:234-239. Available through: <http://biodiversitylibrary.org/page/16381329> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1978a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1978a.pdf)
- \* 1978b. (4 May). Sequential hypermalaxation in the digger wasp *Diodontus franclemonti* Krombein (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 51:235-238. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1978b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1978b.pdf)
- \* 1978c. Contributions to the ecology of the cicada killer, *Sphecius speciosus* (Hymenoptera: Sphecidae). Journal of the Washington Academy of Sciences 68:75-82. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1978c\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1978c_Sphecius_speciosus.pdf)

- \* 1979a. (26 June). Differential prey selection for the sex of offspring in the cicada killer *Sphecius speciosus* (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 81:269-275. Available through: <http://biodiversitylibrary.org/page/25209116> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1979a\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1979a_Sphecius_speciosus.pdf)
- \* 1979b. The weight of cicada killer wasps, *Sphecius speciosus*, and the weight of their prey. Journal of the Washington Academy of Sciences 69:159-162. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_1979b\\_Sphecius\\_speciosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_1979b_Sphecius_speciosus.pdf)

**Lin, N., and Ch.D. Michener**

- 1972. Evolution of sociality in insects. The Quarterly Review of Biology. 47:131-159. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lin\\_N\\_Michener\\_1972\\_sociality.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lin_N_Michener_1972_sociality.pdf)

**Lin, Tan Chai**

- 1990. The abundance and diversity of Hymenopterans in Ulu Kinchin, Pahang, Malaysia. Malayan Nature Journal 43 (4):278-281. [only families discussed]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Tan\\_Chai\\_Lin\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Tan_Chai_Lin_1990.pdf)

**Lindemans, J.**

- \* 1920. (1 Jan.). Graafwespen, nieuw voor onze fauna. Entomologische Berichten 5:203. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lindemans\\_1920.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lindemans_1920.pdf)

**Linden, P.L. Vander, see: Vander Linden, P.L.**

**Linnaeus, C.**

- \* 1758. Systema Naturae Per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, Cum characteribus, differentiis, synonymis, locis. Tomus I. Editio Decima, Reformata. Laurentii Salvii, Holmiae [= Stockholm]. [4], [1-5], 6, 823, [1] pp. The International Commission on Zoological Nomenclature (1936) ruled in Opinion 124 that “the various subdivisions of genera published by Linnaeus in 1758 are not to be accepted as of this date (1758) as of subgeneric value”. Available through: <http://biodiversitylibrary.org/page/726887> and [http://www.antwiki.org/wiki/images/4/4b/Linnaeus\\_1758.pdf](http://www.antwiki.org/wiki/images/4/4b/Linnaeus_1758.pdf)
- 1760. Fauna Suecica sistens animalia Sueciae regni: Mammalia, Aves, Amphibia, Pisces, Insecta, Vermes. Distributa per classes & ordines, genera & species, cum differentiis specierum, synonymis auctorum, nominibus incolarum, locis natalium, descriptionibus insectorum. Editio altera, auctior. Laurentii Salvii, Stockholmiae [= Stockholm]. [48] +578 pp. [usually dated 1761, the date on the cover, but 1760 according to Evenhuis, 1997]. Available through: <https://www.biodiversitylibrary.org/page/32170472>
- \* 1763. Centuria Insectorum rariorum quam praeside D.D. Car. von Linné proposuit Boas Johansson, Calmariensis. Upsaliae. 32 pp. Reprinted on pp. 384-415 in C. Linnaeus. 1763. Amoenitates Academicæ, etc. Vol. 6. G. Kiesewetter, Holmiae. 486 pp., 5 pls. [*Sphex pensylvanica* and *caerulea* described on p. 29]. Available through: <http://biodiversitylibrary.org/page/10974720> and [http://www.antwiki.org/wiki/images/7/79/Linnaeus\\_1763.pdf](http://www.antwiki.org/wiki/images/7/79/Linnaeus_1763.pdf)
- \* 1764. Museum S:ae R:ae M:tis Ludovicae Ulrica reginae Svecorum, Gothorum, Vandalorumque &c. &c. &c. In quo animalia rariora, exotica, imprimis Insecta & Conchilia describuntur & determinantur Prodromi instar editum. Laur. Salvii, Holmiae [= Stockholm]. vi + 720 pp. Available through: <https://www.biodiversitylibrary.org/page/35368517>
- 1767. Systema naturae per regna tria naturae secundum classes, ordines, genera species, cum characteribus, differentiis, synonymis, locis. Editio duodecima, reformata. Cum privilegio S:ae R:ae M:tis Sueciae & Electoris Saxon. Tomus I. Pars II. Laurentii Salvii, Holmiae [= Stockholm]. pp. 533-1327 + 36 unnumbered. [This edition consists of three volumes published 1766-1768. Volume I was published in two parts, 1766 and 1767. Hymenoptera on pp. 917-968]. Available through:

- <https://www.biodiversitylibrary.org/page/42926184>
- \* 1771. Pandora et Flora Rybyensis, Quam Dissertatione Academica, Consens. Nobiliss. & Exper. Fac. Med. Upsal. Præsides Viro Nobilissimo, D.D. Carolo à Linné, S:æ Ræ M:tis Archiatro, Equite aurato de Stella Pol. Med. & Botan. Professore Reg. & Ord. Acad. Scient. Paris. Petropol. Imp. N.C. Holm. Upsal. Lond. Angl. Flor. Berol. Monsp. Tolof. Bern. Edinb. Nidrof. Cellens. Membro. Publicae ventilationi offert Daniel Henr. Söderberg Junecopia-Smolandus. In Auditor. Carol. Maj. die XXI Junii, MDCCCLXXI, horis ante meridiem solitis. Joh. Edman, Upsaliae. 23 pp. Reprinted posthumously 1785 (24 Sept.) as: CLVII. Pandora et Flora Rybyensis quam praeside D.D. Car. v. Linné proposuit Daniel Henr. Söderberg Junecopia Smolandus Upsaliae 1771. Junii 26, pp. 95-93 in Caroli a Linné. Amoenitates Academicae seu dissertationes variae physicae, medicae botanicae antehac seorsim editae nunc collectae et auctae cum tabulis aeneis. Volumen 8. Edidit Jo. Christianus Daniel Schreberus. Jacobi Palm, Erlangae [= Erlangen]. [iv] + 332 + [1] pp., 8 pls. Available through:

<http://biodiversitylibrary.org/page/7123356>

Study of type material: M. Day, 1979

Recuration of collection: Day and Fitton, 1978.

Subdivisions of genera published by Linnaeus have not to be treated as valid subgenera as of that date (International Commission on Zoological Nomenclature, Opinion 279).

#### Linsley, E.G.

- \* 1962. Sleeping aggregations of aculeate Hymenoptera – II. Annals of the Entomological Society of America 55:148-164. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Linsley\\_1962.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Linsley_1962.pdf)

#### Linsley, E.G., and J.W. MacSwain

- \* 1954. Observations on the habits and prey of *Eucerceris ruficeps* Scullen (Hymenoptera, Sphecidae). The Pan-Pacific Entomologist 30:11-14. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Linsley\\_McSwain\\_1954\\_Eucerceris\\_ruficeps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Linsley_McSwain_1954_Eucerceris_ruficeps.pdf)

- \* 1956. Some observations on the nesting habits and prey of *Cerceris californica* Cresson (Hymenoptera, Sphecidae). Annals of the Entomological Society of America 49:71-84. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Linsley\\_McSwain\\_1956.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Linsley_McSwain_1956.pdf)

#### Linsley, E.G., and R.L. Usinger

- \* 1966. (31 Jan.). Insects of the Galápagos Islands. Proceedings of the California Academy of Sciences 33:113-196. Available through:

<http://biodiversitylibrary.org/page/26236320>,

[http://www.antwiki.org/wiki/images/9/95/Linsley\\_%26\\_Usinger\\_1966.pdf](http://www.antwiki.org/wiki/images/9/95/Linsley_%26_Usinger_1966.pdf), and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Linsley\\_Usinger\\_1966\\_Galapagos.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Linsley_Usinger_1966_Galapagos.pdf)

#### Liška, P.

- \* 2004. Kutavky a hrabavky (Hymenoptera: Sphecidae, Pompilidae) nivy Váhu pri Trenčine, pp. 89 in J. Bryja and J. Zúkal (editors). Zoologické Dny Brno 2003. Sborník abstraktů z konference 12.-13. února 2004. Ústav Biologie Obratlovců AV ČR, Brno. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liska\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liska_2004.pdf)

- \* 2006a. (2003). Kutavky a hrabavky (Hymenoptera: Sphecidae, Pompilidae) nivy Váhu pri Trenčine s dôrazom na antropogénne biotopy – Digger and spider wasps (Hymenoptera: Sphecidae, Pompilidae) of the Váh river floodplain near Trenčín with emphasis on anthropogenous biotops. Sborník Přírodovědného Klubu v Uherském Hradišti 8:83-90. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liska\\_2006b\\_sbornik.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liska_2006b_sbornik.pdf)

[This PDF gives different data: pp.9-10 in L. Dvořák and P. Bogusch (editors). Žahadloví blanokřídli v českých zemích a na Slovensku 1, sborník z konference, Univerzita Karlova v Praze, 9.-10. června 2005. 20 pp.]

- \* 2006b. Kutavky a hrabavky (Hymenoptera: Sphecidae, Pompilidae) Podhradské lesostepi, pp. 90-91 in J. Bryja and J. Zukal (editors). Zoologické Dny Brno 2003. Sborník abstraktů z konference 13.-14. února 2003. Ústav Biologie Obratlovců AV ČR, Brno. 244 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liska\\_2006\\_sbornik.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liska_2006_sbornik.pdf)

**Lith, J.P. van, see: van Lith, J.P.**

**Litt, R.**

- \* 1987. Observation sur *Bembex rostrata*. Revue Vervetoise d'Histoire Naturelle 1987:21-23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Litt\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Litt_1987.pdf)
- \* 2002. Observations sur les Sphecides en Belgique (Hymenoptera: Sphecidae). Lambillionea 102:161-167. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Litt\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Litt_2002.pdf)
- \* 2004. Les Hyménoptères du Valais (Suisse). Lambillionea 104:216-222. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Litt\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Litt_2004.pdf)

**Liu, C.L.**

- 1925. Observations on the acroglossal buttons and on the submentum of Hymenoptera. Annals of the Entomological Society of America 18:445-455. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liu\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liu_1925.pdf)

**Liu, Z.-Z., L. Ma, and Q. Li**

- \* 2024. One new species and one new record of the genus *Trirogma* Westwood (Hymenoptera: Ampulicidae) in China, with a key to the world species. Zootaxa 5538:448-456. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liu\\_et\\_al\\_Zootaxa\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liu_et_al_Zootaxa_2024.pdf)

**Liu, Z.-Z., Q. Li, and L. Ma**

- \* 2025. (17 Mar.). Three new species and one new record of *Ampulex* Jurine (Hymenoptera, Ampulicidae) from China, with a key to Chinese species. Journal of Hymenoptera Research 98:355-380. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Liu\\_et\\_al\\_JHR\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Liu_et_al_JHR_2025.pdf)

**Livory, A., H. Chevin, X. Lair, Ph. Sagot, and D. Baldock**

- \* 2008. Nouvelle liste commentée des Hymenoptera Sphecidae du département de la Manche II. Ampulicinae, Sphecinae, Mellinae, Nyssoninae, Philanthinae. Bulletin Trimestriel de l'Association Manche-Nature, L'Argiope 61:18-49. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Livory\\_et\\_al\\_2008\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Livory_et_al_2008_II.pdf)
- \* 2009. Nouvelle liste commentée des Hymenoptera Sphecidae du département de la Manche III. Pemphredoninae, Astatinae, Larrinae. Bulletin Trimestriel de l'Association Manche-Nature, L'Argiope 65:10-38. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Livory\\_et\\_al\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Livory_et_al_2009.pdf)

**Ljubomirov, T.**

- \* 1995a. Върху видовия състав на рещите оси от род *Miscophus* Jurine (Hymenoptera: Sphecidae) [= Vyrhu vidoviya sostav na rieshtite osi ot rod *Miscophus* Jurine (Hymenoptera: Sphecidae)]. VI Научна сесия на Биологическия факултет Софийски университет "Св.Кл. Охридски", май 1995, София:77-78 – On the species staff of the digger wasps of the genus *Miscophus* Jurine (Hymenoptera: Sphecidae). VI<sup>th</sup> Scientific Session of Biological Faculty St. Kliment Ohridski University of Sofia, May 1995, Sofia:77-78. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_1999b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_1999b.pdf)
- \* 1995b. Риещи оси от род *Harpactus* Jurine (Hymenoptera: Sphecidae) в България [= Rieshti osi ot rod *Harpactus* Jurine (Hymenoptera: Sphecidae) v Balgariya] – The digger wasps from the genus *Harpactus* Shuckard, 1837 (Hymenoptera: Sphecidae) in Bulgaria. Acta Entomologica Bulgarica 2:11-12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_1995b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_1995b.pdf)
  - \* 1997. On the specific staff of the digger wasps from the genus *Miscophus* Jurine (Hymenoptera: Sphecidae) in Bulgaria. Annuaire de l'Université de Sofia "St. Kliment Ohridski" 88 (4):119-121. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_1997.pdf)
  - \* 1999a. Overview of the species composition and the distribution of the digger wasp tribe Alyssontini (Hymenoptera: Sphecidae) from Bulgaria. Acta Zoologica Bulgarica 51:21-23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_1999a\\_Alyssontini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_1999a_Alyssontini.pdf)
  - \* 1999b. Preliminary studies on the digger wasp fauna (Insecta: Hymenoptera: Sphecidae) in Vitosha Mountain. Acta Zoologica Bulgarica 51:43-59. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_1999b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_1999b.pdf)
  - \* 2000. Revised check-list of digger wasps (Hymenoptera: Sphecidae) from the collection of N. Nedelkov at the National Museum of Natural History in Sofia. Historia Naturalis Bulgarica 12:5-15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2000\\_Nedelkov\\_coll.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2000_Nedelkov_coll.pdf)
  - \* 2001a. (Dec.). A new species of *Harpactus* Shuckard (Hymenoptera: Sphecidae) from the Balkan Peninsula. Revue Suisse de Zoologie 108:905-910. [*Harpactus priscus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2001a\\_Harpactus\\_priscus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2001a_Harpactus_priscus.pdf)
  - \* 2001b. Further investigations on the digger wasp fauna (Insecta: Hymenoptera: Sphecidae) in the Vitosha Mountain (Bulgaria). Acta Zoologica Bulgarica 53:45-59. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2001b\\_Vitosha.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2001b_Vitosha.pdf)
  - \* 2006. A survey of the faunistic investigations on the Hymenopteran families Siricidae, Orussidae, Stephanidae, Chrysididae, Bethyridae, Sapygidae, Scolidae, Tiphidae, Mutillidae, Pompilidae, Sphecidae, and Crabronidae from the Western Rhodopes – Bulgaria and Greece (Insecta: Hymenoptera), pp. 527-545 in P. Beron (editor). Biodiversity of Western Rhodopes (Bulgaria and Greece). I. Pensoft and National Museum of Natural History, Sofia. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2006\\_Western\\_Rhodopes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2006_Western_Rhodopes.pdf)
  - \* 2008. (29 Dec.). Digger wasp fauna (Insecta, Hymenoptera, Sphecidae, Crabronidae) of La Palma (Canary Islands) - a survey with description of a new species – La fauna de Crabronidae y Sphecidae (Insecta, Hymenoptera) de la isla de La Palma (islas Canarias - una aproximación que incluye la descripción de una especie nueva). Graellsia 64:255-264. [*Nitela laevigata*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2008\\_La\\_Palma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2008_La_Palma.pdf)
  - \* 2019. Review of the hymenopteran fauna (Insecta: Hymenoptera) of the Vrachanska Planina Mountains with a checklist of species – Преглед на фауната от ципокрили насекоми (Insecta: Hymenoptera) от Врачанската планина със списък на видовете [= Pregled na faunata ot tsipokrili nasekomi (Insecta: Hymenoptera) ot Vrachanskata planina sys spisyk na vidovete], p. 81-106 in D. Bechev and D. Georgiev (editors). Faunistic diversity of Vrachanski Balkan Nature Park. Part 2. Plovdiv University Press "Paisii Hilendarski". ZooNotes, Supplement 7. Plovdiv, 2019. 189 pp. – Д. Бечев и Д. Георгиев. Фаунистично разнообразие на Природен Парк Врачански Балкан. Част 2 [= D. Bechev and D. Georgiev. Faunistichno raznoobrazie na Priroden Park Vrachanski Balkan]. Университетско издателство "Паисий Хилендарски". Пловдив, 2019. 189 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_2019.pdf)

**Ljubomirov, T., and C. Ban-Calefariu**

- \* 2008. (Nov.). Faunistic records of Crabronidae (Hymenoptera) from Maramureş (Romania). Travaux du Muséum d'Histoire Naturelle «Grigore Antipa» 51:201-207. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_Ban-Calefariu\\_2008\\_Maramures.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_Ban-Calefariu_2008_Maramures.pdf)

**Ljubomirov, T., and Ch. Schmid-Egger**

- \* 2014. Order Hymenoptera, family Crabronidae. A new species of the genus *Harpactus* Shuckard, 1837. Arthropod Fauna of the UAE 5:632-639. [*Harpactus brevicornis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_Schmid\\_Egger\\_2014\\_Harpactus\\_UAE.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_Schmid_Egger_2014_Harpactus_UAE.pdf)

**Ljubomirov, T., and E. Yildirim**

- \* 2008. Annotated catalogue of the Ampulicidae, Sphecidae, and Crabronidae (Insecta: Hymenoptera) of Turkey. Pensoft, Sofia – Moscow. 316 pp. [reviews: M.S. Engel, 2008. Journal of the Kansas Entomological Society 81:396; W.J. Pulawski, 2009. Journal of Hymenoptera Research 18:121-122.]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ljubomirov\\_Yildirim\\_2008\\_Digger\\_Wasps\\_Turkey.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ljubomirov_Yildirim_2008_Digger_Wasps_Turkey.pdf)

**Llano, R.J.**

- \* 1959. Observaciones biológicas de insectos bonaerenses. Suplemento de la Revista de Educación. Ministerio de Educación de la Provincia de Buenos Aires. 12:1-136 + 5 unnumbered pp.

**Löcse, F., and E. Löcse**

- \* 2020. Hymenopterennester (Vespidae, Crabronidae, Sphecidae) in drei ausgewählten Biotopen nahe der Zwickauer Mulde zwischen Wolkenburg und Waldenburg. Veröffentlichungen. Museum für Naturkunde Chemnitz 43:141-172. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Locse\\_Locse\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Locse_Locse_2020.pdf)

**Lohez, D., and J.-L. Vago**

- \* 2013. Compte-Rendu de l'excursion du dimanche 12 mai 2013 au Mont St-Frieux. Bulletin de la Société du Nord de la France 347:19- 22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohez\\_Vago\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohez_Vago_2013.pdf)

**Löhr, P.-W.**

- \* 1999. Aculeate Hymenopteren (Hymenoptera: Apidae, Chrysididae, Pompilidae, Sphecidae und Vespidae) aus einem Naturgarten in Vorderen Vogelsberg. Hessische Faunistische Briefe 18:57-66. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohr\\_1999\\_Fauna\\_Vogelsberg.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohr_1999_Fauna_Vogelsberg.pdf)
- \* 2008. Aculeate Hymenopteren (Hymenoptera: Apidae, Chrysididae, Pompilidae, Sphecidae und Vespidae) aus einem Naturgarten in Vorderen Vogelsberg. Hessische Faunistische Briefe 27:8-9. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohr\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohr_2008.pdf)

**Lohrmann, E.**

- \* 1939. (15 May). Formenketten und Stammbäume in der Grabwespengruppe der Bembicinen. Archiv für Naturgeschichte. Abteilung B (Neue Folge) 8 (1):131-144. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1939.pdf)
- \* 1942a. (1941). Neue *Bembix*-Arten des Wiener Naturhistorischen Museums. Annalen des Naturhistorischen Museum in Wien 52:155-160. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1942a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1942a.pdf)
- \* 1942b. Neue Bembicinen und Stizinen. (Hym. Sphegidae). Mitteilungen der Münchner Entomologischen Gesellschaft 32:208-213. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1942b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1942b.pdf)
  - \* 1943a. (1 Apr.). Die Grabwespengruppe der Stizinen. Übersicht und Stammesgeschichte. Mitteilungen der Münchner Entomologischen Gesellschaft 33:188-208. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1943a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1943a.pdf)
  - \* 1943b. (15 Dec.). Die Grabwespengruppe der Stizinen. Berichtigung. Mitteilungen der Münchner Entomologischen Gesellschaft 33:894. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1943b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1943b.pdf)
  - \* 1948. (1944). Die Grabwespengruppe der Bembicinen. Übersicht und Stammesgeschichte. Mitteilungen der Münchner Entomologischen Gesellschaft 34:420-471. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_1948\(1944\).pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_1948(1944).pdf)

**Lohrmann, V., L. Kirschey, S. Krause, M. Schulze, and M. Ohl**

- 2012. Tiger-wasps – A preliminary review of the apoid wasp diversity in Thailand (Hymenoptera: Apoidea). Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 18:31-34. [A list of sphecid genera found in Thailand]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_et\\_al\\_2012\\_TIGER\\_wasps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_et_al_2012_TIGER_wasps.pdf)

**Lohrmann, V., M. Ohl, Ch. Bleidorn, and L. Podsiadlowski**

- \* 2008. Phylogenie des “Sphecidae” (Hymenoptera: Apoidea) basierend auf molekularen Daten. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 16:99-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lohrmann\\_Ohl\\_Bleidorn\\_and\\_Podsiadlowski.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lohrmann_Ohl_Bleidorn_and_Podsiadlowski.pdf)

**Lomholdt, O.**

- \* 1971. Nye og sjældne gravehvepse i Danmark. Entomologiske Meddelelser 39:122-126. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1971.pdf)
- \* 1972. Hymenoptera aculeata fra Laesø – Hymenoptera Aculeata from the island of Laesø. Entomologiske Meddelelser 40:119-128. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1972.pdf)
- \* 1973a. Nye og sjældne Hymenoptera aculeata fra Danmark – New and rare Hymenoptera aculeata from Denmark. Entomologiske Meddelelser 41:105-114. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1973a.pdf)
- \* 1973b. Biological observations on the digger-wasp *Passaloecus eremita* Kohl (Hym., Sphecidae, Pemphredoninae). Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening i København 136:29-41. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1973b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1973b.pdf)
- \* 1974. Grundtraek af udbredelsen af gravehvepsene i Fennoskandien og Danmark (Hymenoptera Aculeata. Sphecidae) – Essentials of the distribution of Sphecidae in Fennoscandia and Denmark. Entomologiske Meddelelser 42:189-207. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1974.pdf)
- \* 1975a. Notes on the Sphecidae of Madeira (Hymenoptera Aculeata). Boletim do Museu Municipal do Funchal 29:5-11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1975a\\_Sphecidae\\_of\\_Madeira.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1975a_Sphecidae_of_Madeira.pdf)
- \* 1975b. Bemærkninger til faunaen af gravehvepse på Anholt (Hymenoptera aculeata, Sphecidae). Flora og Fauna 81:31-34. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1975b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1975b.pdf)
- \* 1975c-1976. The Sphecidae (Hymenoptera) of Fennoscandia and Denmark in *Fauna Entomologica Scandinavica*. 4, part 1:1-224 (1 Dec.1975), part 2:225-452 (1 Sept. 1976). Scandinavian Science Press, Klampenborg, Denmark. [Review: G.M. Spooner 1978 (1977). *The Entomologist's Monthly Magazine* 113:171-172. Second edition: 1984c]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1975\\_1976\\_Fennoscandia\\_1a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1975_1976_Fennoscandia_1a.pdf) and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1975\\_1976\\_Fennoscandia\\_1b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1975_1976_Fennoscandia_1b.pdf)
  - \* 1980a. The Sphecidae (Hymenoptera) of the Rennell and Bellona Islands, pp. 27-32 in *The Natural History of Rennell Island, British Solomon Islands*, Copenhagen, 8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1980a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1980a.pdf)
  - \* 1980b. (7 July). The female *Aha evansi* Menke, 1977 (Hymenoptera: Sphecidae, Larrinae). *Entomologica Scandinavica* 11:241-244. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1980b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1980b.pdf)
  - 1982. On the origin of the bees (Hymenoptera: Apidae, Sphecidae). *Entomologica Scandinavica* 13:185-190. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1982.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1982.pdf)
  - \* 1983. A revision of *Sphodrotes* Kohl, 1889 (Hymenoptera, Sphecoidea, Larridae). *Steenstrupia* 9:85-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt-1983\\_Sphodrotes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt-1983_Sphodrotes.pdf)
  - 1984a. Årevinger (Hymenoptera), pp. 71-77 in O. Lomholdt, P. Nielsen, and K. Schnack (editors). *Entomologisk Litteratur – en hjælp til studiet af den danske insektfauna*. Entomologiske Meddelelser 51:1-85. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1984a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1984a.pdf)
  - \* 1984b. *Pemphredon montanus* Dahlbom, 1845 – en ny dansk gravehveps (Hymenoptera: Sphecoidea). *Entomologiske Meddelelser* 51:51-52. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1984b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1984b.pdf)
  - 1984c. The Sphecidae (Hymenoptera) of Fennoscandia and Denmark in *Fauna Entomologica Scandinavica*. 4. Second edition. E.J. Brill/Scandinavian Science Press, Leiden. Copenhagen. 452 pp. [First edition: 1975-1976]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1984c\\_Fennoscandia\\_2a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1984c_Fennoscandia_2a.pdf) and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1984c\\_Fennoscandia\\_2b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1984c_Fennoscandia_2b.pdf)
  - \* 1985. (15 Oct.). A reclassification of the larrine tribes with a revision of the Miscophini of southern Africa and Madagascar (Hymenoptera: Sphecidae). *Entomologica Scandinavica* 24 (Supplement):1-183. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1985.pdf)
  - 1986. Lomholdt on Lomholdt, 1985 (a summary). A redefinition of the larrine tribes with a revision of the Miscophini of southern Africa and Madagascar (Hymenoptera: Sphecidae) (*Ent. Scand. Suppl.*). *Sphecos* 11:15-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_11.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_11.pdf)
  - \* 1987. Gravehvepse (Hymenoptera, Sphecidae) fra Skallingen. *Entomologiske Meddelelser* 54:93-94. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1987.pdf)
  - \* 1989. Comments on the proposed conservation of *Philanthus triangulum* (Fabricius, 1775) (Insecta, Hymenoptera). *The Bulletin of Zoological Nomenclature* 46:45. Available through:  
<http://biodiversitylibrary.org/page/12230054> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_1989\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_1989_Philanthus_triangulum.pdf)
- Autobiography: 1981. Ole C. Lomhold. *Sphecos* 4:25. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)

Obituary: Enghoff, H. 1999. Ole Lomholdt. 8. maj 1946 – 9. februar 1999. Entomologisk Meddelelser 67:113-116. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_Obituary.pdf)

Biography: W.J. Pulawski. Ole Carsten Lomholdt (8 May 1946 – 9 February 1999). A biographic sketch, pp. 3-4 in †O. Lomholdt and W.J. Pulawski. 2010. A revision of the wasp genus *Sericophorus* F. Smith, 1851 (Hymenoptera: Apoidea: Crabronidae). Proceedings of the California Academy of Sciences 61:1-234. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_and\\_Pulawski\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_and_Pulawski_2010.pdf)

#### **Lomholdt, O., and W.J. Pulawski**

- \* 2010. (31 Mar.). A revision of the wasp genus *Sericophorus* F. Smith, 1851 (Hymenoptera: Apoidea: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 61:1-234. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomholdt\\_and\\_Pulawski\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomholdt_and_Pulawski_2010.pdf)

#### **Lomnicki, M.**

- \* 1870. Zapiski z wycieczki podolskiej odbytej w roku 1869 pomiędzy Seretem, Zbruczem a Dniestrem. Sprawozdanie Komisji Fizyograficznej c.k. Towarzystwa Naukowego Krakowskiego 4:(41)-(85). [*Sceliphron destillatorium* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lomnicki\\_1870.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lomnicki_1870.pdf)

#### **Longair, R.W., J.H. Cane, and L. Elliott**

- \* 1987. Male competition and mating behavior within mating aggregations of *Glenostictia satan* Gillasp (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 60:264-272. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Longair\\_et\\_al\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Longair_et_al_1987.pdf)

#### **Longstaff, G.B.**

- \* 1911. Three weeks in the Sudan. The Entomologist's Monthly Magazine 47:194-202. Available through:

<http://biodiversitylibrary.org/page/9016767> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Longstaff\\_1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Longstaff_1911.pdf)

#### **Looney, Ch., W.E. Hellman, and R.L. Westcott**

- \* 2014. Sampling Buprestidae (Coleoptera) in Washington state with *Cerceris californica* Cresson (Hymenoptera, Crabronidae). Journal of Hymenoptera Research 39:83-97. Available through:

<http://jhr.pensoft.net/articles.php?id=4113>

#### **Lopes, S.M., and E.H. de Oliveira**

- \* 2004 (30 Dec.). Três espécies novas do gênero *Chorisoneura* (Blattellidae, Chorisoneurinae) coletadas em ninhos de Sphecidae (Hymenoptera) do Estado do Acre, Brasil. Iheringia (Série Zoológica) 94:375-380. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lopes\\_Oliveira\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lopes_Oliveira_2004.pdf)

#### **Lopez, A.**

- \* 1994. Araignées de Guyane Française: II. La sous-famille des Gasteracanthinae O. Pickard-Cambridge (Araneidae) et les proies de *Sceliphron fistularium* (Dahlbom) (Hymenoptera: Sphecidae). Bulletin de la Sociétés des Sciences Nat 82:14-22. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lopez\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lopez_1994.pdf)

#### **López García, G.P., M.E. Mazzitelli, A. Frutos, M. González, B. Marcucci, R. Giusti, V. Alemanno, L. del Barrio, J. Portela, and G. Debandi**

- 2019. Biodiversidad de insectos polinizadores y depredadores en agroecosistemas vitícolas de Mendoza, Argentina. Consideraciones para el manejo del hábitat – Pollinator and predator insects biodiversity in

vinyards agroecosystems of Mendoza, Argentina. Considerations for habitat management. *Revista de la Facultad de Ciencias Agrarias* 51:309-322. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LopezGarcia\\_et\\_al\\_2019\\_pollinators&predators.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LopezGarcia_et_al_2019_pollinators&predators.pdf)

**López-Villalta, J.S.**

- \* 2009. La avispa de origen asiático *Sceliphron curvatum* (Smith 1870) (Hymenoptera, Sphecidae) alcanza la mitad sur de la Península Ibérica. *Boletín de la Sociedad Entomológica Aragonesa* 45:524. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LopezVillalta\\_2009\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LopezVillalta_2009_Sceliphron_curvatum.pdf)

**Lotte, F.**

- \* 1944. Note sur l'homochromie de *Sceliphron targionii* Car. (Hymenoptera Aculeata: Sphecidae). *Bulletin de la Société Fouad I<sup>er</sup> d'Entomologie* 28:145-146. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lotte\\_1944\\_Sceliphron\\_targionii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lotte_1944_Sceliphron_targionii.pdf)

**Low, B.S., and W.T. Wcislo**

- \* 1992.(Mar.). Male foretibial plates and mating in *Crabro cribriflifer* (Packard) (Hymenoptera: Sphecidae), with a survey of expanded male forelegs in Apoidea. *Annals of the Entomological Society of America* 85:219-223. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Low\\_Wcislo-1992\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Low_Wcislo-1992_Crabro.pdf)

**Löw, F.**

- \* 1866. Zoologische Notizen. Erste Serie. Verhandlungen der kaiserlich-königlichen Zoologisch-Botanischen Gesellschaft in Wien 16:943-956. [*Ectemnius gutatus* is the only sphecid]. Available through:

<http://biodiversitylibrary.org/page/13744652> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Low\\_1866.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Low_1866.pdf)

**Lowenstein, D.M., H. Andrews, E. Rudolph, N.G. Wiman, and Ch.J. Marshall**

- \* 2018. Historical records of the digger wasps, *Astata* Latreille 1796 (Hymenoptera: Crabronidae: Astatinae), from the United States and Canada in the Oregon State Arthropod Collection. *Catalog: Oregon State Arthropod Collection* 2(1) p.1-9. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lowenstein\\_et\\_al\\_2018\\_Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lowenstein_et_al_2018_Astata.pdf)

**Loyola, R.D., and R.P. Martins**

- \* 2006. Trap-nest occupation by solitary wasps and bees (Hymenoptera: Aculeata) in a forest urban remnant – Ocupação de ninhos-armadilha por espécies de vespas e abelhas solitárias (Hymenoptera: Aculeata) em um fragment de mata urbano. *Neotropical Entomology* 35:41-48. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Loyola\\_and\\_Martins\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Loyola_and_Martins_2006.pdf)

- \* 2009. On a habitat structure-based approach to evaluating species occurrence: cavity-nesting Hymenoptera in a secondary tropical forest remnant. *Journal of Insect Conservation* 13:125-129. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Loyola\\_Martins\\_2009\\_cavity\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Loyola_Martins_2009_cavity_nesting.pdf)

**Łoziński, P.**

- \* 1920. Przyczynek do fauny Grzebaczy (Sphecidae) okolic Krakowa i zachodniej części Małopolski. Sprawozdanie Komisji Fizjograficznej obejmujące pogląd na czynności dokonane w ciągu roku 1918/19 i 1919/20 oraz Materiały do fizjografii kraju. *Polska Akademia Umiejętności w Krakowie* 53-54:120-122. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lozinski\\_1920.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lozinski_1920.pdf)

**Lu, J., and Q. Li**

- 2004. Advance of the taxonomic research of Bembecinae. Journal of Yunnan Agricultural University 19:393-401. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lu\\_Li\\_2004\\_Bembecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lu_Li_2004_Bembecinae.pdf)

**Lucas, E.R., and J. Field**

- \* 2011a. Active and effective nest defence by males in a social apoid wasp. Behavioral Ecology and Sociobiology 65:1499-1504. [On *Microstigmus nigrophthalmus*]. Available through:
- \* 2011b. Assured fitness returns in a social wasp with no worker caste. Proceedings of the Royal Society. Biological Sciences 278:2991-2995. [On *Microstigmus nigrophthalmus*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_Field\\_2011a\\_Microstigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_Field_2011a_Microstigmus.pdf)

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_Field\\_2011b\\_Microstigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_Field_2011b_Microstigmus.pdf)

**Lucas, E.R., G.J. Horsburgh, D.A. Dawson, and J. Field**

- \* 2009. Characterization of microsatellite loci isolated from the wasp, *Microstigmus nigrophthalmus* (Hymenoptera). Molecular Ecology 2009:1492-1497. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_E\\_et\\_al\\_2009\\_Microstigmus\\_nigrophthalmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_E_et_al_2009_Microstigmus_nigrophthalmus.pdf)

**Lucas, E.R., R.P. Martins, and J. Field**

- \* 2011. Reproductive skew is highly variable and correlated with genetic relatedness in a social apoid wasp. Behavioral Ecology 2011:1-8. [On *Microstigmus nigrophthalmus*]. Available through:

<http://beheco.oxfordjournals.org/content/early/2011/01/21/beheco.aq214.full.pdf+html>

**Lucas, E.R., R.P. Martins, L.R.S. Zanette, and J. Field**

- \* 2011. (Feb., published electronically 15 Oct 2010). Social and genetic structure in colonies of the social wasp *Microstigmus nigrophthalmus*. Insectes Sociaux 58:107-114. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_et\\_al\\_2011\\_Microstigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_et_al_2011_Microstigmus.pdf)

**Lucas, H.**

- \* 1849. Exploration scientifique de l'Algérie pendant les années 1840, 1841 et 1842 publiée par ordre du gouvernement et avec le concours d'une commission académique, Sciences physiques, Zoologie, 3. Histoire naturelle des animaux articulés, 3. Insectes. Imprimerie Nationale, Paris. 527 pp. [Publication date from Sherborn and Woodward, 1901, and D. Baker, 1994a]. Available through:
- \* 1858. Some observations on the mode of life of a Fossorial Hymenopterous Insect, *Cerceris arenarius*. The Annals and Magazine of Natural History (Series 3) 1:398-399. Available through:
- \* 1861. Quelques remarques sur la manière de vivre du *Mellinus sabulosus*, Hyménoptère de la tribu des fouisseurs. Annales de la Société Entomologique de France (Série 4) 1:219-224. Available through:
- \* 1867. Quelques remarques sur le *Philanthus apivorus* Hyménoptère fouisseur de la tribu des Crabroniens et de la famille des Cercerites. Annales de la Société Entomologique de France (Série 4) 7:289-296. Available through:

<https://www.biodiversitylibrary.org/page/46179419>

<http://biodiversitylibrary.org/page/2361109> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1858.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1858.pdf)

<http://biodiversitylibrary.org/page/8256341> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1861\\_Mellinus\\_sabulosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1861_Mellinus_sabulosus.pdf)

<http://biodiversitylibrary.org/page/32545851> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1867\\_Philanthus\\_apivorus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1867_Philanthus_apivorus.pdf)

- \* 1869. Un mot sur le *Pelopaeus spirifex* et sur les Aranéides destinées à servir de nourriture aux larves de cet Hyménoptère de la famille des Sphégides. Annales de la Société Entomologique de France (Série 4) 9:427-429. Available through: <http://biodiversitylibrary.org/page/32546987> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1869\\_Pelopaeus\\_spirifex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1869_Pelopaeus_spirifex.pdf)
- \* 1877a. [Une note relative à un insecte de l'ordre des Hyménoptères]. Annales de la Société Entomologique de France (Série 5) 7, Bulletin:XCII-XCIII. [on *Pelopoeus pensilis*, now *Sceliphron destillatorium*]. Available through: <http://biodiversitylibrary.org/page/8244858> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1877a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1877a.pdf)
- \* 1877b. [Une note relative à un Hyménoptère fouisseur]. Annales de la Société Entomologique de France (Série 5) 7, Bulletin:CL. [on *Bembix rostrata*]. Available through: <http://biodiversitylibrary.org/page/8244916> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1877b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1877b.pdf)
- \* 1879. [Une note relative à la vie évolutive d'un Hyménoptère du genre *Chlorion* Fabricius, sous-genre *Ampulex* Jurine]. Annales de la Société Entomologique de France (Série 5) 9, Bull:CLIX. Available through: <http://biodiversitylibrary.org/page/8250835> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1879\\_Ampulex\\_compressa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1879_Ampulex_compressa.pdf)
- \* 1880. Une note relative à un Hyménoptère apivore]. Annales de la Société Entomologique de France (Série 5) 10, Bull:CXXXVII-CXXXVIII. Available through: <http://biodiversitylibrary.org/page/8232401> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lucas\\_H\\_1880\\_Philanthus\\_abdelkader.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lucas_H_1880_Philanthus_abdelkader.pdf)

#### Luchetti, D.

- \* 1993. (31 Oct.). Lista preliminare degli Imenotteri dell'arcipelago della Maddalena (Sardegna). Bollettino della Società Entomologica Italiana 125:103-108. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luchetti\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luchetti_1993.pdf)

#### Lüderwaldt, H.

- \* 1897a. Eine neue *Psammophila*-Art und eine neue Varietät des *Hydrous caraboides* F. [Stettiner] Entomologische Zeitung 58:125-126. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luderwaldt\\_1897a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luderwaldt_1897a.pdf)
- \* 1897b. Ein entomologischer Ausflug in der Umgegend Gollnows. Illustrierte Wochenschrift für Entomologie 2:27-31. [Gollnow, Germany, now Goleniów, Poland]. Available through: <http://biodiversitylibrary.org/page/31665882> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luderwaldt\\_1897b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luderwaldt_1897b.pdf)
- \* 1910. *Sphex striatus* Sm. bei seinem Brutgeschäft. Zeitschrift für Wissenschaftliche Insektenbiologie 6:177-179. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luderwaldt\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luderwaldt_1910.pdf)

#### Luff, W.A.

- \* 1901. *Bembex rostrata* L., in Jersey. The Entomologist's Monthly Magazine 37:48. Available through: <http://biodiversitylibrary.org/page/9014947> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luff\\_1901\\_Bembex\\_rostrata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luff_1901_Bembex_rostrata.pdf)
- \* 1904. Hymenoptera-Aculeata and Chrysididae new to Guernsey. The Entomologist's Monthly Magazine 40:281. Available through: <http://biodiversitylibrary.org/page/8958459> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luff\\_1904.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luff_1904.pdf)
- \* 1905a. (1904). The insects of Herm. Report and Transactions. Guernsey Society of Natural History and Local Research 4:374-387. [Sphecidae on p. 385]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luff\\_1905a\\_Herm.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luff_1905a_Herm.pdf)
- 1905b. The insects of Jethou. Report and Transactions. Guernsey Society of Natural History and Local Research 1904:388-390. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luff\\_1907b\\_Jethou.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luff_1907b_Jethou.pdf)
- \* 1907. Additions to the list of Hymenoptera-Aculeata occurring in the island of Guernsey. The Entomologist's Monthly Magazine 43:39-40. Available through: <http://biodiversitylibrary.org/page/8953335> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luff\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luff_1907.pdf)

#### Luig, J.

- \* 1993. The distribution and phenology of the Sphecoidea (Hymenoptera, Aculeata) species in Estonia. The families Ampulicidae, Sphecidae, Pemphredonidae, Astatidae, and Larridae. Proceedings of the Estonian Academy of Sciences. Biology 42:39-54. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luig\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luig_1993.pdf)

#### Luig, J., and K. Voolma

- \* 1999. Puidulembesed kaevurherilased Eestis I: alamsugukonnat Pemphredoninae ja Larrinae (Hymenoptera, Sphecidae) – Arboreal digger wasps in Estonia I: subfamilies Pemphredoninae and Larrinae (Hymenoptera, Sphecidae). Metsanduslikud Uurimused (= Forestry Studies) 31:173-180. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luig\\_Voolma-1999\\_Eestis I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luig_Voolma-1999_Eestis I.pdf)
- \* 2000. Puidulembesed kaevurherilased Eestis II: alamsugukonnat Crabroninae (Hymenoptera, Sphecidae) – Arboreal digger wasps in Estonia II: subfamily Crabroninae (Hymenoptera, Sphecidae). Metsanduslikud Uurimused (= Forestry Studies) 32:121-128. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luig\\_Voolma-2000\\_Eestis II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luig_Voolma-2000_Eestis II.pdf)

#### Luis de la Iglesia, J.A.

- \* 2020. (30 June). Algunos casos de ocupación del nido de una araña trampera (Araneae, Nemesiidae) por avispa y abejas solitarias (Hymenoptera, Crabronidae, Colletidae) que anidan en el suelo. Revista Ibérica de Aracnología 36:133-136. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Luis-de-la-Iglesia\\_2020\\_Lindenius\\_in\\_Araneid\\_nests.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Luis-de-la-Iglesia_2020_Lindenius_in_Araneid_nests.pdf)

#### Lukáš, J.

- \* 1998. Devinská Kobyla – refugium chránených a ohrozených druhov hmyzu – Devinska Kobyla – refugium of the protected and endangered insect species. Natura Carpatica 39:129-136. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lukas\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lukas_1998.pdf)
- \* 2002. Príspevok k poznaniu fauny blanokrídlovcov (Sphecidae, Pompilidae a Chrysididae) Hájnice pri Trenčianských Bohuslaviciach – Contribution to the knowledge of the fauna of Hymenoptera (Sphecidae, Pompilidae and Chrysididae) of Hájnica hill near the Trenčianske Bohuslavice. Sborník Přírodovědného Klubu v Uherském Hradišti 7:189-192. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lukas\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lukas_2002.pdf)
- \* 2003. Fauna blanokrídlovcov (Hymenoptera) starého ovocného sadu intravilánu Bratislavy – Fauna of Hymenoptera of an old fruit orchard in Bratislava. Folia Faunistica Slovaca 8:71-74. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lukas\\_2003\\_Bratislava.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lukas_2003_Bratislava.pdf)

#### Lukáš, J., P. Bogusch, and P. Liška

- \* 2006. (21 July). Distribution of *Sceliphron destillatorum* (Illiger 1807) (Hymenoptera: Sphecidae) in Moravia and Slovakia with notes on the invasion to the antropogenous [sic] localities. Linzer Biologische Beiträge 38:731-738. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0038\\_1\\_0731-0738.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0038_1_0731-0738.pdf)

#### Lukáš, J., and P. Liška

- \* 2005. First record of digger wasps (Hymenoptera, Sphecidae) from Slovakia. Biologia (Bratislava) 60:550. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lukas\\_Liska\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lukas_Liska_2005.pdf)

**Lundblad, O.**

- \* 1913. (14 Dec.). Entomologiska anteckningar. Entomologisk Tidskrift 34:211-214. Available through:  
<http://biodiversitylibrary.org/page/11417835> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lundblad\\_1913.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lundblad_1913.pdf)
- \* 1924. (1 May). Några ord om aculeat= och tubuliferfauna i Lycksele lappmark. Entomologisk Tidskrift 45:17-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lundblad\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lundblad_1924.pdf)
- \* 1958. (14 Oct.). Gaddsteklar från Gotland, huvudsakligen från Stora Karlsö. Entomologisk Tidskrift 79:47-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lundblad\\_1958.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lundblad_1958.pdf)

**Lüps, P.**

- \* 1969. (1966-1968). Die Grabwespe *Bembecinus tridens* (Fabricius) (Hymenoptera, Sphecidae). Jahrbuch des Naturhistorischen Museums der Stadt Bern 3:201-215, 1 pl. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lups\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lups_1969.pdf)
- \* 1973. Beobachtungen an *Bembecinus tridens* (Fabricius) (Hymenoptera, Sphecidae). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 46:131-139. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lups\\_1973\\_Bembecinus\\_tridens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lups_1973_Bembecinus_tridens.pdf)

**Lutz, H.**

- 1990. (28 Sept.). Systematische und palökologische Untersuchungen an Insekten aus dem Mittel-Eozän der Grube Messel bei Darmstadt. Courier Forschungsinstitut Senckenberg 124:1-165. [two unnamed sphecids described on pp. 85-87]. Section on Sphecidae available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lutz\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lutz_1990.pdf)

**Lynch Arribáizaga, E. [Enrique]**

- \* 1878. (1 Jan.). Sobre dos Bembícides argentinos. El Naturalista Argentino 1:156-157. [evidence of authorship on p. 160]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LynchArribalza\\_E\\_1878.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LynchArribalza_E_1878.pdf)
- Obituary: E.V. Gemignani. 1936. Enrique Lynch Arribáizaga (Bio-bibliografía). Revista Argentina de Entomología 1:51-54. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lynch-Arribalza\\_Obituary\\_1936\\_Gemignani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lynch-Arribalza_Obituary_1936_Gemignani.pdf)

**Lynch Arribáizaga, F. [Félix]**

- \* 1878. (Nov.). Pompilites y Esfégitas del Norte de Buenos Aires. El Naturalista Argentino 1:321-329. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/LynchArribalza\\_F\\_1\\_1878.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/LynchArribalza_F_1_1878.pdf)

**Lyneborg, L.**

- \* 1962. *Ammophila pubescens* Curt. og *Podalonia arenaria* Lüderw. (Hym., Sphecidae), nye for den danske fauna. Entomologiske Meddelelser 31:327-330. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lyneborg\\_1962.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lyneborg_1962.pdf)

**Lyngnes, R.**

- \* 1963. Rov-vepser (Hym., Sphegidae) i *Grynobius*-ganger i naust på Sunnmøre. Norsk Entomologisk Tidsskrift 12:100-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lyngnes\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lyngnes_1963.pdf)

## M

### Ma, L., X.-x. Chen, and Q. Li

- \* 2010. Description of a new species in the genus *Mimumesa* (Hymenoptera: Crabronidae) from China. *Entomotaxonomia* 32:299-303. [*Mimumesa scutiprotruberantis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_L\\_X\\_Chen\\_and\\_Q\\_Li\\_2010\\_Mimumesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_L_X_Chen_and_Q_Li_2010_Mimumesa.pdf)
- \* 2011a. Review of the genus *Tzustigmus*, with descriptions of three new species from China (Hymenoptera: Crabronidae). *Journal of the Kansas Entomological Society* 84:304-314. Available through:  
<http://www.bioone.org/doi/abs/10.2317/JKES110525.1> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_et\\_al\\_2011a\\_Tzustigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_et_al_2011a_Tzustigmus.pdf)
- \* 2011b. Two new record species of genus *Polemistus* (Hymenoptera: Crabronidae) from China. *Zoological Research* 32:205-208. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_L\\_X\\_Chen\\_Q\\_Li\\_2011\\_Polemistus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_L_X_Chen_Q_Li_2011_Polemistus.pdf)
- \* 2011c. Newly recorded subtribes, genera and species of Pemphredoninae (Hymenoptera: Crabronidae) from China. *Entomotaxonomia* 33:236-240. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_L\\_X\\_Chen\\_Q\\_Li\\_2011\\_Pemphredoninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_L_X_Chen_Q_Li_2011_Pemphredoninae.pdf)
- \* 2011d. Two new species of the genus *Mimesa* from Xinjiang, China (Hymenoptera, Apoidea, Crabronidae). *Acta Zootaxonomica Sinica* 36:268-272. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Chen\\_Li\\_2011d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Chen_Li_2011d.pdf)
- \* 2012. The genus *Carinostigmus* Tsuneki (Hymenoptera: Crabronidae) with two newly recorded species from China. *Entomotaxonomia* 34:475-481. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Chen\\_Li\\_2012.p.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Chen_Li_2012.p.pdf)

### Ma, L., and Q. Li

- \* 2006. (Dec.). A new species of the genus *Psen* (Hymenoptera: Crabronidae) from China. *Entomotaxonomia* 28:311-314. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Li\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Li_2006.pdf)
- \* 2007. (25 Sept.). Three new species and two new records of the genus *Psen* from China (Hymenoptera: Apoidea: Crabronidae). *Entomological Science* 10:259-265. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Li\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Li_2007.pdf)
- \* 2009. The genus *Mimumesa* from China with descriptions of two new species (Hymenoptera: Apoidea: Crabronidae). *Entomologica Americana* 115:160-167. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma-Li-2009\\_Mimumesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma-Li-2009_Mimumesa.pdf)
- \* 2012. Key to the Oriental species of *Passaloecus* Shuckard (Hymenoptera: Crabronidae), with descriptions of four new species from China. *Zootaxa* 3329:41-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_and\\_Li\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_and_Li_2012.pdf)
- \* 2020. The genus *Polemistus* de Saussure in China with descriptions of four new species (Hymenoptera: Crabronidae). *Zootaxa* 4852:474-484. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_and\\_Li\\_2020\\_Polemistus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_and_Li_2020_Polemistus.pdf)

### Ma, L., Q. Li, and X.-x. Chen

- \* 2008. (9 Apr.). The genus *Mimesa* in China with descriptions of two new species. *Zootaxa* 1745:19-29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Li\\_Chen\\_2008.p.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Li_Chen_2008.p.pdf)
- \* 2010. (15 Feb.). A rare genus *Odontopsen* Tsuneki in China (Hymenoptera: Apoidea: Crabronidae), with description of a new species. *Zootaxa* 2359:58-60. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_Li\\_Chen\\_2010.p.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_Li_Chen_2010.p.pdf)

**Ma, L., X. Li, X.-x. Chen, and Q. Li**

- \* 2013. XXV. Hymenoptera, Crabronidae, Pemphredoninae, pp. 577-585 in Xiaoshuan Bai, Wanzhi Cai, Xiongnaizhabu (editors). Insects of Helan Mountains, Inner Mongolia. Inner Mongolia People Publishing House, Inner Mongolia. [in Chinese]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_et\\_al\\_Insects\\_Helan\\_Mountain\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_et_al_Insects_Helan_Mountain_2013.pdf)

**Ma, L., Q. Li, Ch. Wang, X. Jiang, and H. Lu**

- \* 2018. X. Sphecoidea. pp. 823-861 in Xuexin Chen (editor). Insect fauna of the Qinling Mountains. Hymenoptera. World Book Publishing House Xi'an Co., Ltd., Xi'an. [in Chinese with English Abstract]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_et\\_al\\_Insect\\_fauna\\_of\\_the\\_Qinling\\_Mountains\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_et_al_Insect_fauna_of_the_Qinling_Mountains_2018.pdf)

**Ma, L., R. Zhang, Ch. Li, X. Ji, and Q. Li**

- 2018. Sphecidae, Crabronidae, pp. 484-490 in Fuming Shi, Jianjun Wang (editors). Insects and arachnids of Lishan. Science Press, Beijing. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_et\\_al\\_Insects\\_and\\_arachnids\\_Lishan\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_et_al_Insects_and_arachnids_Lishan_2018.pdf)

**Ma, T.C.**

- \* 1936a. (1 Jan.). Notes on some Aculeata from Szechwan, West China. Kun Chong Yu Zhi Bing [= Entomology and Phytopathology] 4:466-471. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_T\\_1936a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_T_1936a.pdf)

- \* 1936b. (1 Feb.). Nesting and flower-visiting habits of certain bees and wasps of E. China. I. Kun Chong Yu Zhi Bing [= Entomology and Phytopathology] 4:59-68. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ma\\_T\\_1936b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ma_T_1936b.pdf)

**MacCreary, D.**

- \* 1940. Report on the Tabanidae of Delaware. Bulletin. University of Delaware Agricultural Experimental Station No. 225:1-41 [p. 24: *Stictia carolina* preying on *Tabanus nigrovittatus* and *T. lineola*]. Page 24 available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MacCreary\\_1940.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MacCreary_1940.pdf)

**MacFarlane, R.P., and R.L. Palma**

- \* 1988. (24 Mar.). (1987). The first record for *Mellitobia australica* Girault in New Zealand and new host records for *Melittobia* (Eulophidae). New Zealand Journal of Zoology 14: 423-425. [nest parasite of *Pison morosum* and *spinolae*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MacFarlane\\_Palma\\_1987\\_Melittobia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MacFarlane_Palma_1987_Melittobia.pdf)

**MacIvor, S.**

- 2015. Building height matters: nesting activity of bees and wasps on vegetated roofs. Israel Journal of Ecology & Evolution 2015:1-9. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ScottMacIvor\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ScottMacIvor_2015.pdf)

**Mackay, A.P.**

- \* 1973. A note on the nesting of *Lindenius albilabris* (F.) (Hymenoptera, Crabronidae). Entomologist, 106:247-248. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mackay\\_1973.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mackay_1973.pdf)

**Macko, S., and J. Noskiewicz**

- \* 1954. Stanowisko rozchodnika białego (*Sedum album* L.) na Górze Wapiennej koło Stolca pod Żąbkowicami. Próba charakterystyki florystycznej i faunistycznej. – A station of *Sedum album* L. on

Góra Wapienna near Stolec in the vicinity of Żąbkowice (Lower Silesia). A characteristic of the flora and fauna. *Ochrona Przyrody* 22:167- 194. [includes a list of wasps and bees]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Macko\\_Noskiewicz\\_1954.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Macko_Noskiewicz_1954.pdf)

#### MacNulty, B.J.

- \* 1962. (Oct.). Field observations on some West African Hymenoptera. *Proceedings & Transactions of the South London Entomological & Natural History Society* 1961:118-133. [*Sceliphron spirifex* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MacNulty\\_1962.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MacNulty_1962.pdf)

#### Mader, D.

- \* 2001. Potentielle Einwanderungswege der Mauerwespe *Sceliphron destillatorium* nach Deutschland. *Galathea* 17:99-111. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mader\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mader_2001.pdf)

- \* 2013. Biogeography and migration of the mud-dauber *Sceliphron destillatorium* (Hymenoptera: Sphecidae) in Poland and surrounding countries in Europe – Biogeographie und Migration der Mauerwespe *Sceliphron destillatorium* (Hymenoptera: Sphecidae) in Polen und umgebenden Ländern in Europa. Mader Verlag, Walldorf. 236 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mader\\_2013\\_Sceliphron\\_destillatorium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mader_2013_Sceliphron_destillatorium.pdf)

#### Mader, L.

- \* 1940. (Mar.). Beitrag zur Kenntnis der Hymenopteren. III. *Entomologisches Nachrichtenblatt* (Troppau) 13:93-110. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mader\\_1940.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mader_1940.pdf)

#### Mader, M.T., and N. Chalwatzis

- \* 2000. Die Stechimmen-Fauna (Hymenoptera Aculeata) des Odenwaldes. *Hessische Faunistische Briefe* 19:50-64. [Odenwald is a mountain chain in southern Hesse, northern Bavaria and northern Baden-Württemberg, Germany]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mader\\_Chalwatzis\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mader_Chalwatzis_2000.pdf)

#### Madhavikutty, M.

- \* 2004. (Mar.). Description of a new species of the genus *Trirogma* Westwood (Hymenoptera: Spheciformes) from India, pp. 593-596 in K. Rajmohana, K. Sudheer, P. Girish Kumar, S. Santosh (editors). *Perspectives on biosystematics and biodiversity. Prof. T.C. Narendran commemoration volume. University of Calicut, Kerala, India.* 666 pp. [*Trirogma narendrani*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Madhavikutty\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Madhavikutty_2004.pdf)

#### Madl, M.

- \* 1997. (30 Dec.). Über Sphecidae von der Insel Sainte Marie (Madagascar) (Hymenoptera). *Linzer Biologische Beiträge* 29:819-822. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0029\\_2\\_0819-0822.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0029_2_0819-0822.pdf)
- \* 2001. (30 Nov.). Vespidae and Sphecidae from the Aldabra group (Seychelles) (Insecta: Hymenoptera). *Linzer Biologische Beiträge* 33:1107-1110. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0033\\_2\\_1107-1110.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0033_2_1107-1110.pdf)
- \* 2014a. (19 Dec.). Annotated catalog of the Ampulicidae, Crabronidae and Sphecidae (Hymenoptera) of the Malagasy subregion. *Linzer Biologische Beiträge* 46:933-1039. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Madl\\_2014\\_Sphecidae\\_Mal\\_Subregion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Madl_2014_Sphecidae_Mal_Subregion.pdf)
- \* 2014b. (Dec.). Notes on the Sphecidae of Madagascar (Hymenoptera) based on the material of the Natural History Museum Vienna, Austria. *Zeitschrift der Arbeitsgemeinschaft österreichischen Entomologen* 66:21-24. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Madl\\_2014\\_Sphecidae\\_Madagascar.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Madl_2014_Sphecidae_Madagascar.pdf)
- \* 2018. A preliminary catalogue of the Hymenoptera (Insecta) of the Republic of Djibouti. Linzer Biologische Beiträge 50:907-967. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Madl\\_2018\\_Djibouti.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Madl_2018_Djibouti.pdf)
  - 2023. (Aug.). A catalogue of the family Crabronidae (Hymenoptera, Apoidea) of Eritrea. Linzer Biologische Beiträge 55:241-264. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Madl\\_2023\\_Crabronidae\\_Eritrea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Madl_2023_Crabronidae_Eritrea.pdf)
- Short biography: Haris, 2016:145 (available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Madl, M., P. Matyot, and S. Schödl**

- \* 1996. (31 Dec.). Vespidae and Sphecidae from the Seychelles (Insecta, Hymenoptera). Linzer Biologische Beiträge 28:829-834. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0028\\_2\\_0829-0834.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0028_2_0829-0834.pdf)

**Madl, M., and M. Vidlar**

- \* 2005. *Melittobia acasta* (Walker, 1839) (Hymenoptera: Chalcidoidea: Eulophidae), ein Parasitoid von *Sceliphron curvatum* (Smith, 1870) – *Melittobia acasta* (Walker, 1839) (Hymenoptera: Chalcidoidea: Eulophidae), a parasitoid of *Sceliphron curvatum* (Smith, 1870). Beiträge zur Entomofaunistik 6:164-165. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/BEF\\_6\\_0164-0165.pdf](http://www.landesmuseum.at/pdf_frei_remote/BEF_6_0164-0165.pdf)

**Maes, J.-M.**

- \* 1989. V. Insectos depredadores del orden Hymenoptera, pp. 75-102 in Catalogo de los insectos controladores biologicos en Nicaragua. Volumen I. Insectos depredadores (primera parte). Revista Nicaraguense de Entomología 8:1-106. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maes\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maes_1989.pdf)

**Magdalou, J.-A.**

- \* 2006a. Inventaire des Hyménoptères Sphecidae (Hymenoptera, Sphecidae) de la Réserve Naturelle de la Forêt de la Massane (Commune d'Argelès-sur-Mer, Département des Pyrénées-Orientales). Travaux. Réserve Naturelle de la Massane 75:1-18 + 6 unnumbered pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magdalou\\_2006a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magdalou_2006a.pdf)
- \* 2006b. Contribution à la connaissance des Sphecidae de la Réserve Naturelle du Mas Larrieu (Argelès-sur-Mer, Pyrénées-Orientales). Revue de l'Association Rousillonnaise d'Entomologie 15:108-113. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magdalou\\_2006b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magdalou_2006b.pdf)
- \* 2006c. Contribution à la connaissance des Hyménoptères aculéates de la Réserve Naturelle du Mas Larrieu (Commune d'Argelès-sur-Mer, Département des Pyrénées-Orientales). Famille des Sphecidae. Réserve Naturelle du Mas Larrieu. Commune d'Argelès-sur-Mer, Département des Pyrénées-Orientales 2006c:1-24. Available through: [https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Magdalou\\_2006c.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Magdalou_2006c.pdf)
- \* 2017. État des connaissances des apoïdes sphéciformes des Réserves Naturelles Catalanes. Forêt de la Massane – Jujols – Mas Larrieu – Vallée d'Eyne. Hymenoptera: Apoidea: Ampulicidae, Sphecidae et Crabronidae. Travaux. Réserve Naturelle de la Massane 107:1-41 + 1 unnumbered page. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magdalou\\_2017.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magdalou_2017.pdf)

**Magretti, P.**

- \* 1881. Sugli Imenotteri della Lombardia. Memoria Iª. Bullettino della Società Entomologica Italiana 13:3-42, 89-123, 213-273. Available through: <http://biodiversitylibrary.org/page/10368980>, <http://biodiversitylibrary.org/page/10369037>, <http://biodiversitylibrary.org/page/10369165>, and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1881.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1881.pdf)
- \* 1882a. Ordo Hymenoptera, pp. 382-383 in G. Cavanna. Contributo alla fauna dell'Italia centrale. Artropodi raccolti a Lavaiano (Provincia di Pisa). *Bullettino della Società Entomologica Italiana* 14:353-383. Available through: <http://biodiversitylibrary.org/page/10369675> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1882a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1882a.pdf)
  - \* 1882b. Di alcune specie d'Imenotteri raccolte in Sardegna. *Il Naturalista Siciliano* 1:158-162. Available through: <http://biodiversitylibrary.org/page/11567888> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1882b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1882b.pdf)
  - \* 1884a. (15 Apr.). (1883). Raccolte imenotterologiche nell'Africa orientale. Relazione preventiva. *Bullettino della Società Entomologica Italiana* 15:241-253. Available through: <http://biodiversitylibrary.org/page/10440855> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1884a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1884a.pdf)
  - \* 1884b. (30 July). Nota d'Imenotteri raccolti dal Signor Ferdinando Piccioli nei dintorni di Firenze. Colla descrizione di alcuni nuove specie e di un genere nuovo. *Bullettino della Società Entomologica Italiana* 16:97-122, pl. II. Available through: <http://biodiversitylibrary.org/page/10371783> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1884b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1884b.pdf)
  - \* 1884c. Risultati di raccolte imenotterologiche nell'Africa orientale. *Annali del Museo Civico di Storia Naturale di Genova* 21:523-636, pl. I. Available through: [http://www.antwiki.org/wiki/images/4/4a/Magretti\\_P\\_1884b.pdf](http://www.antwiki.org/wiki/images/4/4a/Magretti_P_1884b.pdf)
  - \* 1892. (between 9 and 27 June). (1890-1891). Di alcune specie d'Imenotteri raccolti dal'Ing. Brichetti Robecchi nel paese dei somali. *Annali del Museo Civico di Storia Naturale* 30:950-960. [described *Bembex fischeroides*, recorded *Sphex aegyptius*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1892.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1892.pdf)
  - \* 1895. Esplorazione del Giuba e dei suoi affluenti compiuta dal cap. V. Bottego durante gli anni 1892-93 sotto gli auspicii della Società Geografica Italiana. – Risultati Zoologici. IX. Imenotteri. *Annali del Museo Civico di Storia Naturale di Genova* 35:149-173. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1895.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1895.pdf)
  - \* 1898. Imenotteri della seconda spedizione di Don Eugenio dei Principi Ruspoli nei paesi Galla e Somali. *Annali del Museo Civico di Storia Naturale di Genova* 39:25-56. (25-32:28 May, 33-56: 10 June). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1898.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1898.pdf)
  - \* 1899. Imenotteri dell'ultima spedizione del Cap. Bottego. *Annali del Museo Civico di Storia Naturale di Genova* 39:583-612. (581-592:7 March, 593-612:10 April). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1899.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1899.pdf)
  - \* 1906. (15 Feb.). (1905). Materiali per la conoscenza della fauna eritrea. Insetti. Ord. Imenotteri. Parte I. Fam. Mutillidi. *Bullettino della Società Entomologica Italiana* 37:3-96. [Includes data on Sphecidae in the introductory section, pp. 11-20]. Available through: <http://biodiversitylibrary.org/page/10439284> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1906.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1906.pdf)
  - \* 1908. Collections recueillies par M. le baron Maurice Rothschild dans l'Afrique orientale. Insectes hyménoptères: Sphégides et Évaniides. *Bulletin du Muséum National d'Histoire Naturelle* 14:187-190. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_1908.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_1908.pdf)
- Obituary: G. Mantero. 1914. Paolo Magretti. Cenni biografici. *Annali del Museo Civico di Storia Naturale di Genova* 46:51-58, portrait. [includes list of publications]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Magretti\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Magretti_Obituary.pdf)

**Maharramov, M., Kh. Aliyev, and A. Mammadov**

- \* 2018. The wasp genus *Tachysphex* Kohl, 1883 (Hymenoptera: Apoidea: Crabronidae) in Azerbaijan, Caucasus. *Acta Zoologica Bulgarica* 70:453-457. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maharramov\\_et\\_al\\_2018\\_Tachysphex\\_Azerbaijan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maharramov_et_al_2018_Tachysphex_Azerbaijan.pdf)

**Maharramov, M., Kh. Aliyev, and M.Yu. Proshchalykin [M.M. Магєррамов, X.A. Алиев, М.Ю. Прошчалыкин]**

- \* 2019. To the knowledge of digger wasps (Hymenoptera: Crabronidae) of Nakhchivan Autonomous Republic of Azerbaijan – К познанию роющих ос (Hymenoptera: Crabronidae) Нахичеванской Автономной Республики Азербайджана. *Far Eastern Entomologist* (= Дальневосточный энтомолог) 394:1-24. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2019\\_Nakhchivan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2019_Nakhchivan.pdf)

**Maharramov, M.M., Kh.A. Aliyev, and M.Yu. Proshchalykin [M.M. Магєррамов, X.A. Алиев, М.Ю. Прошчалыкин]**

- 2019. К познанию фауны жалоносных перепончатокрылых насекомых (Hymenoptera: Apocrita) Нахичеванской Автономной Республики Азербайджана – To the knowledge of Aculeata (Hymenoptera) of Nakhchivan Autonomous Republic of Azerbaijan. IV Евразийский симпозиум по перепончатокрылым насекомым. Владивосток – IV Euroasian Symposium on Hymenoptera. Vladivostok. Pp. 117-118. [Only genera are mentioned, but no species]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maharramov\\_et\\_al\\_2019\\_Nakhchivan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maharramov_et_al_2019_Nakhchivan.pdf)

**Maharramov, M.M., M.V. Mokrousov, and M.Yu. Proshchalykin [M.M. Магєррамов, М.В. Мокроусов и М.Ю. Прошчалыкин]**

- \* 2020. New distributional records of the family Sphecidae (Hymenoptera) in Azerbaijan – Новые сведения о распространении семейства Sphecidae (Hymenoptera) в Азербайджане. *Caucasian Entomological Bulletin* (= Кавказский энтомологический бюллетень, = Kavkazskiy éntomologicheskii byulleten') 16:43-47. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maharramov\\_et\\_al\\_2020\\_Sphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maharramov_et_al_2020_Sphecidae.pdf)

**Maidhof, A., and U. Maschwitz**

- \* 1967. (20 June). Einige Hymenopteren-Funde aus den Foreste Demaniali Casentinesi. *Bollettino della Società Entomologica Italiana* 97:85-88. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidhof\\_Maschwitz.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidhof_Maschwitz.pdf)

**Maidl, F.**

- \* 1913. Ergebnisse der mit Subvention aus der Erbschaft Treilt unternommenen zoologischen Forschungsreise Dr. Franz Werner's nach dem ägyptischen Sudan und nach Nord-Uganda. XXIII. Verzeichnis der von Prof. Dr. Franz Werner gesammelten Hymenopteren mit Ausnahme der Formiciden. *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften. Mathematisch-Naturwissenschaftliche Classe. Abteilung I* 122:557-563. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1913.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1913.pdf)

- \* 1914a. Neue paläarktische Arten der Gattung *Mimesa* Shuck. (Hym. Sphegid.). *Archiv für Naturgeschichte. Abteilung A* 80 (Heft 3):169-173. Available through: <http://biodiversitylibrary.org/page/13260429> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1914a\\_Mimesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1914a_Mimesa.pdf)

- \* 1914b. (27 Oct.). Neue Sphegiden aus Westafrika (Hym.). *Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore di Agricoltura di Portici* 9:147-150. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1914b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1914b.pdf)

- \* 1922. Beiträge zur Hymenopterenfauna Dalmatiens, Montenegros und Albaniens. Annalen des Naturhistorischen Museums in Wien 35:36-106. Available through:  
<http://www.biodiversitylibrary.org/item/27931#page/42/mode/1up> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1922.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1922.pdf)
  - \* 1924. Wissenschaftliche Ergebnisse der mit Unterstützung der Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner unternommenen zoologischen Expedition nach dem Anglo-Ägyptischen Sudan (Kordofan) 1914. XV. Hymenoptera E. Scoliidæ et Sphegidae. Denkschriften der Akademie der Wissenschaften in Wien. Mathematisch-Naturwissenschaftliche Klasse. Abteilung I 99:233-246. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1924.pdf)
  - \* 1925a. (10 Oct.). Fauna sumatrensis. (Beitrag Nr. 11). Sphegidae (Hym.). Entomologische Mitteilungen 14:376-390. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1925a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1925a.pdf)
  - \* 1925b. (10 Oct.). Fauna simalurensis. Sphegidae (Hym.). Entomologische Mitteilungen 14:391-392. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1925b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1925b.pdf)
  - \* 1926. Neue Indomalayische *Cerceris*-Arten. Zoologische Mededelingen (Leiden) 9:221-238. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1926\\_Cerceris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1926_Cerceris.pdf)
  - \* 1927. Zwei neue indomalayische *Notogonidea*-Arten. Treubia 9:409-410. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1927\\_Notogonidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1927_Notogonidea.pdf)
  - \* 1930. *Oxybelus* Latr., pp. 660-666, *Belomicrus* Ach. Costa, p. 666 in O. Schmiedeknecht. Die Hymenopteren Nord- und Mitteleuropas mit Einschluss von England, Südschweiz, Südtirol und Ungarn nach ihren Gattungen und zum grossen Teil auch nach Arten analytisch bearbeitet. Zweite, gänzlich umbearbeitete Auflage. Verlag von Gustav Fischer, Jena. X + 1062 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1930\\_Oxybelus\\_Belomicrus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1930_Oxybelus_Belomicrus.pdf)
  - \* 1933a. (14 Apr.). Eine neue *Mimesa* (Hymenoptera, Sphegidae) aus Italien. Bollettino del Laboratorio di Entomologia del R. Istituto Superiore Agrario di Bologna 6:5-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1933a\\_Mimesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1933a_Mimesa.pdf)
  - \* 1933b. (21 Aug.). Verzeichnis der von Univ.-Prof. Dr. Franz Werner und Prof. Dr. Richard Ebner 1930 in Marokko gesammelten Sphegiden und Scoliidæ (Hym.). Mit Beschreibung einer neuen Art und einem Verzeichnis der übrigen in Marokko gesammelten Hymenopteren. Konowia 12:121-128. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/KON\\_12\\_0121-0128.pdf](http://www.landesmuseum.at/pdf_frei_remote/KON_12_0121-0128.pdf)
  - \* 1934. 2. Liste der von Univ. Prof. Dr. Franz Werner im Jahre 1932 auf den Ägäischen Inseln gesammelten Sphegiden und Scoliidæ (Hym.), pp. 64-65 in J.D. Alfken, H. Bischoff, F. Maidl, St. Zimmermann. III. Hymenopteren in Franz Werner. Ergebnisse einer zoologischen Studien- und Sammelreise nach Griechenland, namentlich nach den Inseln des Ägäischen Meeres. Sitzungsberichte. Abteilung I. Akademie der Wissenschaften in Wien. Mathematisch-Naturwissenschaftliche Klasse 143:61-69, pls. I-III. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_1934.pdf)
- Obituary: M. Baier. 1953. Direktor Dr. Franz Maidl†. Annalen des Naturhistorischen Museums in Wien 59:1-4, pl. 1 (portrait). Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_Obituary.pdf)
- Biography: Nonveiller, 1999:212; Haris, 2016 (available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).
- Maidl, F., and A. Klima**
- \* 1939. (15 Feb.). Pars 8: Sphecidae I. (Astatinae – Nyssoninae) in H. Hedicke (editor). Hymenopterorum Catalogus. Dr. W. Junk, Verlag für Naturwissenschaften, 's-Gravenhage. 150 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maidl\\_Klima\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maidl_Klima_1939.pdf)

#### Maigre, E.

- \* 1909. (1 Nov.). Quelques observations sur les Ammophiles. Feuille des Jeunes Naturalistes 40:1-2. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maigre\\_1909\\_Ammophiles.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maigre_1909_Ammophiles.pdf)

#### Maindron, M.M.

- \* 1878. Notes pour servir à l'histoire des Hyménoptères de l'Archipel Indien et de la Nouvelle-Guinée. I. Observations sur quelques Sphegiens (G. *Pelopaeus*) de l'Archipel Indien (Métamorphoses. – Descriptions d'espèces). Annales de la Société Entomologique de France (Série 5) 8:385-398, pl. 9. Available through: <http://biodiversitylibrary.org/page/8232949> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maindron\\_1878.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maindron_1878.pdf)
- \* 1879. Notes pour servir à l'histoire des Hyménoptères de l'Archipel Indien et de la Nouvelle-Guinée. II. Observations sur quelques Sphegiens. Suite (*Macromeris splendida*, *Larrada modesta*, *Tachytes morosus* et *Pison nitidus*). Annales de la Société Entomologique de France (Série 5) 9:173-182, pl. 5. Available through: <http://biodiversitylibrary.org/page/8250447> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maindron\\_1879.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maindron_1879.pdf)

#### Majzlan, O., and P. Deván

- \* 2004. Fauna vybraných skupín blanokřídlcov (Hymenoptera) na pieskových biotopach Záhoria – Fauna of selected Hymenoptera in the sand biotopes of Záhorie. Naturae Tutela 8:25-35. [Záhorie is a region in Slovakia]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Majzlan\\_Devan\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Majzlan_Devan_2004.pdf)

#### Majzlan, O., I. Rychlík, and P. Deván

- \* 1999. Vybrané skupiny hmyzu (Coleoptera, Hymenoptera – Sphecidae, Pompilidae, Vespidae) NPR Čenkovská step a NPR Čenkovská lesostep na južnom Slovensku – A select [sic] group of insects (Coleoptera, Hymenoptera – Sphecidae, Pompilidae and Vespidae in study site National Nature Reserve Čenkovská Step in south Slovakia). Folia Faunistica Slovaca 4:129-149. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Majzlan\\_et\\_al\\_1999\\_Slovakia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Majzlan_et_al_1999_Slovakia.pdf)

#### Makovetskaya, E.V., and V.I. Khvir [Е.В. Маковецкая и В.И. Хвир ]

- \* 2015. К структуре сообществ жалоносных перепончатокрылых – посетителей соцветий мяты перечной (*Mentha piperita* L.) в условиях города Минска – The structure of the communities of Aculeata Hymenoptera visitors of peppermint inflorescence (*Mentha piperita* L.) of Minsk-city. Trudy Belorusskogo Gosudarstvennogo Universiteta 10:266-270. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Makovetskaya\\_Khvir\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Makovetskaya_Khvir_2015.pdf)

#### Malash, A.A., Y.A. Edmardash, and N.S. Gadallah

- \* 2022. (18 July). Biodiversity of the philanthine wasps in the Middle Eastern and North African countries with special reference to the Egyptian fauna (Apoidea: Crabronidae: Philanthinae). Oriental Insects 2022:1-90. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malash\\_et\\_al\\_2022\\_\(Philanthinae\).pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malash_et_al_2022_(Philanthinae).pdf)
- \* 2023. (1 March). The genera *Philanthus* Fabricius, 1790 and *Philanthinus* de Beaumont, 1949 (Hymenoptera: Crabronidae: Philanthinae) in Egypt, with a new record and the description of a new species. Zootaxa 5249:151-189. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malash\\_et\\_al\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malash_et_al_2023.pdf)
- \* 2024a. (May). A revision of bupresticida species group of *Cerceris* Latreille, 1802 (Hymenoptera: Crabronidae: Philanthinae) of the Western Palearctic region, with the description of *Cerceris ammonia*, a new species from Egypt. Zootaxa 5448:1-28. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malash\\_et\\_al\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malash_et_al_2024.pdf)

- \* 2024b. (27 Aug.). Review of taxonomy of the genus *Pseudoscolia* Radoszkowski, 1876 (Hymenoptera: Apoidea (Spheciformes): Crabronidae: Philanthinae) in Egypt, with the description of the hitherto unknown male of *Pseudoscolia efflatouni* (Mochi, 1939). International Journal of Tropical Insect Science 2024:16 unnumbered pages. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malash\\_et\\_al\\_2024b\\_Pseudoscolia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malash_et_al_2024b_Pseudoscolia.pdf)

#### **Maldès, J.-M., J.-P. Bouguet, and J.C. Teulou**

- \* 1993. Contribution à l'étude de la répartition de *Palarus variegatus* (Fabricius), 1781 en France (Hymenoptera: Sphecidae). L'Entomologiste 49:225-227. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maldes\\_et\\_al\\_1993\\_Palarus\\_variegatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maldes_et_al_1993_Palarus_variegatus.pdf)

#### **Mal'kovskij, M.P. [М.П. Мальковский]**

- \* 1962. Роль роющей осы – *Tachysphex pompiliformis* (Panz.) в снижении численности атбасарской кобылки *Doclostaurus kraussi* Ingen [= Rol' royushchey osy – *Tachysphex pompiliformis* (Panz.) v snizhenii chislennosti atbasarskoy kobylyki *Doclostaurus kraussi* Ingen, = Role of a digger wasp, *Tachysphex pompiliformis* (Panz.) in reducing populations of the grasshopper *Doclostaurus kraussi* Ingen]. Trudy Nauchno-Issledovatel'skogo Instituta Zashchity Rasteniy. Ministerstvo Sel'skogo Khozyaystva Kaz. SSR 7:342-346. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mal%27kovskiy\\_1962.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mal%27kovskiy_1962.pdf)

#### **Malloch, J.R.**

- \* 1901. Aculeate Hymenoptera in Dumbartonshire. The Entomologist's Monthly Magazine 37:5-6. [Dumbartonshire, Scotland]. Available through: <http://biodiversitylibrary.org/page/9014904> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malloch\\_1901.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malloch_1901.pdf)
- \* 1928. The Hawaiian species of the genus *Lispocephala* Pokorny (Diptera, Anthomyiidae [sic]. Proceedings of the Hawaiian Entomological Society 7:67-89. [use of *Lispocephala brevispina* Malloch as prey by *Hylocrabro tumidoventris*, now *Ectemnius tumidoventris*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malloch\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malloch_1928.pdf)
- \* 1933. Review of the wasps of the subfamily Pseninae of North America (Hymenoptera: Aculeata). Proceedings of the United States National Museum 82 (26):1-60, 2 pls. Available through: <http://biodiversitylibrary.org/page/7609329> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malloch\\_1933\\_Pseninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malloch_1933_Pseninae.pdf)

#### **Malloch, J.R., and S.A. Rohwer**

- \* 1930. New forms of sphecoid wasps of the genus *Didineis* Wesmael. Proceedings of the United States National Museum 77 (14):1-7. Available through: <http://biodiversitylibrary.org/page/32382586> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malloch\\_Rohwer\\_1930\\_Didineis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malloch_Rohwer_1930_Didineis.pdf)

#### **Malyshev, S.I. [С.И. Малышев]**

- \* 1908. Топографическая способность насекомых [= Topograficheskaya sposobnost' nasekomykh, = Topographic ability of insects]. Estestvoznaniye i Geografiya No. 8:1-21. [*Trypoxylon figulus* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malyshev\\_1908\\_Topographic\\_abilities.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malyshev_1908_Topographic_abilities.pdf)

- 1921. (1917). Къ вопросу о классификации пчелиных и осиных гнѣздъ [= K voprosu o klassifikatsii pchelinykh i osinykh gnezd] – Sur la classification des nids des abeilles et des guêpes. Russkoye Éntomologicheskoye Obozreniye (= Revue Russe d'Entomologie) 17:1-19. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malyshev\\_1921.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malyshev_1921.pdf)

- \* 1941. К биологии осы *Larra anathema* Rossi (Hym. Sphegidae) [= K biologii osy *Larra anathema* Rossi (Hym. Sphegidae) = On the biology of the wasps *Larra anathema* Rossi (Hym. Sphegidae)]. Nauchno-Metodicheskiye Zapiski Glavnogo Upravleniya po Zapovednikam 7:166-172. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malyshev\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malyshev_1941.pdf)
- 1949. Пути и условия эволюции оообразных перепончатокрылых (Vespoidea и Sphecoidea) [= Puti i usloviya évolutsii osoobraznykh pereponchatokrylykh (Vespoidea i Sphecoidea) = Ways and conditions of evolution of vespiform Hymenoptera (Vespoidea and Sphecoidea)]. Doklady Akademii Nauk SSSR 65:567-570. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Malyshev\\_1949.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Malyshev_1949.pdf)
- 1959. Перепончатокрылые, их происхождение и эволюция [= Pereponchatokrylye, ikh proiskhozhdenie i évolutsiya, = Hymenoptera, their origin and evolution]. Sovetskaya Nauka, Moskva. 291 pp.
- 1966. Становление перепончатокрылых и фазы их эволюции [= Stanovleniye pereponchatokrylykh i fazy ikh évolutsii, = Origin of Hymenoptera and the phases of their evolution]. Nauka, Moskva. 329 pp.
- 1968. Genesis of the Hymenoptera and the phases of their evolution. Translated from the Russian by the National Lending Library for Science and Technology. Edited by Professor O.W. Richards and Sir Boris Uvarov. London. VIII + 319 pp.

**Mamadov, A.A., and M.M. Maharramov**

- \* 2024. Wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae) in the collection of the Institute of Zoology, Ministry of Science and Education of the Republic of Azerbaijan. Acta Biologica Sibirica 10:1379-1387. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mamadov\\_Maharramov\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mamadov_Maharramov_2024.pdf)

**Mamadou, A., A. Mazih, S. Ghaout, and A. Hormatallah**

- \* 2015. Étude de l'impact des pesticides utilisés en lutte contre le criquet pèlerin (*Schistocerca gregaria* Forskål 1775) (Acrididae: Orthoptera) sur deux espèces de *Prionyx* (Hymenoptera, Sphecidae) dans l'Aïr (Niger) – Impact study of the pesticides used to control Desert Locust (*Schistocerca gregaria* Forskål 1775) (Acrididae: Orthoptera) on two species of *Prionyx* (Hymenoptera, Sphecidae) in Aïr (Niger). Actes de l'Institut Agronomique et Vétérinaire Hassan II 25:59-65. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mamadou\\_et\\_al\\_2015\\_Prionyx\\_pesticides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mamadou_et_al_2015_Prionyx_pesticides.pdf)

**Man, R. de, see: de Man, R.**

**Mandery, K.**

- \* 1999. Die Stechimmen der Sammlung Ruppert (Coburg und Umgebung 1910-1925) in Naturalienkabinett des Klosters Münsterschwarzach (Lankreis Kitzingen) (Hymenoptera: Aculeata: Apidae, Sphecidae, Pompiloidea, Vespoidea, Scolioidae). Abhandlungen des Naturwissenschaftlichen Vereins Würzburg 39/40:99-112. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_1999.pdf)
- \* 2000. (Jan.). Nachweise der Grabwespe *Ammoplanus pragensis* Šnoflak, 1945, (Hymenoptera: Sphecidae) aus Bayern. Bembix 13:25-29. With Anmerkung: *Ammoplanus pragensis* auch in Baden-Württemberg! by C. Schmid-Egger on p. 29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_2000\\_Ammoplanus\\_pragensis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_2000_Ammoplanus_pragensis.pdf)
- \* 2005. Bienen und Wespen (Hymenoptera: Apocrita) im Hainberg einem außergewöhnlichen Sandlebensraum an der Rednitz, Gde. Oberasbach (Lkr. Fürth) u. Stad Nürnberg. Galathea 21:167-186. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_2005.pdf)

- \* 2016. Über Fächerflügler (Strepsiptera) bei Hautflüglern (Hymenoptera) in Franken und darüber hinaus. *Galathea* 32:83-99. [*Ammophila sabulosa* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_2016\\_Para\\_xenos\\_vs\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_2016_Para_xenos_vs_Ammophila.pdf)

**Mandery, K., M. Kraus, J. Voith, K.-H. Wickl, E. Scheuchl, J. Schubert, and K. Warncke (†)**

- \* 2003. Faunenliste der Bienen und Wespen Bayerns mit Angaben zur Verbreitung und Bestandssituation (Hymenoptera Aculeata). Beiträge zur Bayerischen Entomofaunistik 5:47-98. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_et\\_al\\_2003.PDF](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_et_al_2003.PDF)

**Mandery, K., J. Voith, K.-H. Wickl, M. Kraus, E. Scheuch, and K. Warncke (†)**

- \* 2002. Faunenliste der Bienen und Wespen Bayerns mit Angaben zur Verbreitung und Bestandssituation (Hymenoptera: Aculeata). Beiträge zur Bayerischen Entomofaunistik, 5. 39 unnumbered pages. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandery\\_et\\_al\\_2002\\_Bavaria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandery_et_al_2002_Bavaria.pdf)

**Mandujano, V., L. Flores-Prado, and E. Chiappa**

- \* 2016. Behavioral analysis and ethogram of mating in the wasp *Sphex latreillei* (Lepelletier) (Hymenoptera: Crabronidae). *Neotropical Entomology* 45:369-373. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mandujano\\_et\\_al\\_2016\\_Sphex\\_latreillei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mandujano_et_al_2016_Sphex_latreillei.pdf)

**Maneval, H.**

- \* 1926. Notes sur quelques Hyménoptères fouisseurs. *La Feuille des Naturalistes* 47:81-85. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1926.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1926.pdf)

- \* 1928. (28 Feb.). Notes sur quelques Hyménoptères fouisseurs. *Bulletin de la Société Entomologique de France* 1928:29-32. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1928.pdf)

- \* 1929a. (20 Feb.). Observations sur *Hilarella stictica* Meig. (Dipt. Tachinidae) spoliatrice d'*Ammophila sabulosa* L. *Bulletin de la Société Entomologique de France* 1929:26-28. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1929a\\_Ammophila\\_sabulosa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1929a_Ammophila_sabulosa.pdf)

- \* 1929b. (31 Oct.). Notes sur quelques Hyménoptères. *Annales de la Société Entomologique de France* 98:289-300. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1929b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1929b.pdf)

- \* 1932. Notes recueillis sur les Hyménoptères. *Annales de la Société Entomologique de France* 101:85-110. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1932.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1932.pdf)

- \* 1935. Observations sur des Hyménoptères de la faune française et description d'une espèce nouvelle. *Revue Française d'Entomologie* 2:65-76. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1935.pdf)

- \* 1936. Nouvelles notes sur divers Hyménoptères et leurs larves. *Revue Française d'Entomologie* 3:18-32. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1936.pdf)

- \* 1937. Notes sur les Hyménoptères (5<sup>e</sup> série). *Revue Française d'Entomologie* 4:162-181. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1937.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1937.pdf)

- \* 1939. Notes sur les Hyménoptères (6<sup>e</sup> série). *Annales de la Société Entomologique de France* 108:49-108. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maneval\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maneval_1939.pdf)

**Manikandan, S., and D. Dey**

- \* 2001. Systematic position of genus *Oxybelus* Latreille, its redescription and checklist of species of the Oriental Region. *Indian Journal of Entomology* 63:260-266. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Manikandan\\_Dej\\_2001\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Manikandan_Dej_2001_Oxybelus.pdf)

**Manikandan, S., D. Dey, and S.I. Farooqi**

- \* 1998. (Sept.). Four new species of *Oxybelus* Latreille (Sphecoidea: Sphecidae) from India. Shashpa (A Journal of Entomological Research) 5:115-122. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Manikandan\\_et\\_al\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Manikandan_et_al_1998.pdf)
- \* 1999. (Mar.). Three new species and key to the Indian species of *Oxybelus* Latreille (Sphecoidea: Sphecidae). Shashpa (A Journal of Entomological Research) 6:5-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Manikandan\\_et\\_al\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Manikandan_et_al_1999.pdf)

**Manley, D.G., and T.P. Carithers**

- \* 1998. A new host record for *Sphaerophthalma pensylvanica pensylvanica* (Hymenoptera: Mutillidae). Entomological News 109:198-199 [reared from cocoon of *Isodontia mexicana*]. Available through:  
<http://biodiversitylibrary.org/page/2727573> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Manley\\_Carithers\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Manley_Carithers_1998.pdf)

**Mantero, G.**

- \* 1902. (15 May). (1901). Descrizione di alcune specie nuove di Imenotteri scavatori provenienti dal Rio Santa Cruz in Patagonia. Bollettino della Società Entomologica Italiana 33:197-203. Available through:  
<http://biodiversitylibrary.org/page/10449669> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mantero\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mantero_1902.pdf)
- \* 1905. Materiali per una fauna dell'arcipelago toscano. IV. Isola del Giglio. Catalogo degli Imenotteri. Parte I. Annali del Museo Civico di Storia Naturale di Genova 42:40-86. [signature dates: p. 33, 10 Oct. 1905; pp. 49, 65, and 81, 3 Nov 1905]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mantero\\_1905.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mantero_1905.pdf)
- \* 1911. (28 Feb.). (1909). Imenotteri dell'Isola dell'Asinara raccolti dal Signor Silvio Folchini. Bollettino della Società Entomologica Italiana 41:56-83. Available through:  
<http://biodiversitylibrary.org/page/10377914> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mantero\\_1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mantero_1911.pdf)
- \* 1915. Contributo allo studio della fauna libica. Materiali raccolti nelle zone di Misurata e Homs (1912-1913) dal Dott. Alfredo Andreini, Capitano medico. Imenotteri. Annali del Museo Civico di Storia Naturale di Genova 46:305-331. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mantero\\_1915.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mantero_1915.pdf)
- \* 1917. Materiali per la conoscenza della fauna Eritrea raccolti dal Dott. Paolo Magretti. Nuove specie di Imenotteri scavatori dei generi *Stizus* Latr., *Gorytes* Latr. e *Nysson* Latr. Annali del Museo Civico di Storia Naturale Giacomo Doria 47:365-376. Available through:  
<http://www.biodiversitylibrary.org/item/94442#page/379/mode/1up> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mantero\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mantero_1917.pdf)

**Marathe, A.D., and P.V. Joshi**

- \* 1990. Histology of the corpora pedunculata of two species of solitary wasps. Indian Bee Journal 52:24-27. [*Eumenes conica* and *Sceliphron coromandelicum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marathe\\_Joshi\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marathe_Joshi_1990.pdf)

**Marchal, J.-L., and J. Leclercq**

- \* 1979. Les Hyménoptères Aculéates solitaires du carré de Gembloux (UTM: FS 10). Notes Fauniques de Gembloux 3:1-32. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_Leclercq\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_Leclercq_1979.pdf)

**Marchal, P.**

- \* 1887. Etude sur l'instinct de *Cerceris ornata*. Archives de Zoologie Expérimentale et Générale (Série 2) 5:27-60. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1887\\_Cerceris\\_ornata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1887_Cerceris_ornata.pdf)
- \* 1892. Note sur la vie et les mœurs des insectes. Observations sur l'»*Ammophila affinis*», Kirby. Archives de Zoologie Expérimentale et Générale (Série 2) 10:23-36. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1892\\_Ammophila\\_affinis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1892_Ammophila_affinis.pdf)
- \* 1893a. (July). Remarques sur les *Bembex*. Annales de la Société Entomologique de France 62:93-98. Available through: <http://biodiversitylibrary.org/page/8236927> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1893a\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1893a_Bembex.pdf)
- \* 1893b. (25 Oct.). Note sur la nidification de divers Spéchiens. Annales de la Société Entomologique de France 62, Bulletin:LXVIII. Available through: <http://biodiversitylibrary.org/page/8237406> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1893b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1893b.pdf)
- \* 1893c. (30 Dec.). Observations biologiques sur les Crabronides. Annales de la Société Entomologique de France 62:331-338, pl. 8. Available through: <http://biodiversitylibrary.org/page/8237165> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1893c\\_Crabronides\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1893c_Crabronides_1.pdf)
- \* 1893d. Sur les nidifications du *Sphex splendidulus* et du *Chalicodoma perezii*. Archives de Zoologie Expérimentale et Générale (Série 3) 1. Notes et Revue: XXIX-XXX. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchal\\_1893d\\_Sphex\\_splendidulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchal_1893d_Sphex_splendidulus.pdf)

**Marchand, E.**

- \* 1901. (1900). Sur le retour au nid du *Bembix rostrata* Fabr. (Unique observation). Bulletin de la Société des Sciences Naturelles de l'Ouest de la France 10:247-250. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marchand\\_1901\\_Bembex\\_rostrata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marchand_1901_Bembex_rostrata.pdf)

**Marchand, P., and A. Dulac**

- \* 1935. S<sup>t</sup> Laurent d'Andenay. Essai monographique. [Bulletin de la] Société d'Histoire Naturelle du Creusot 3:54-62. [Saint Laurent d'Andenay is located in the département de Saône-et-Loire, France].

**Maréchal, P.**

- \* 1923. Liste d'Hyménoptères capturés aux environs de Liège. Revue Mensuelle de la Société Entomologique Namuroise 1923:14-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1923.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1923.pdf)
- \* 1924. Hyménoptères capturés en 1923 principalement aux environs de Liège [sic]. Revue Mensuelle de la Société Entomologique Namuroise 1924:5-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1924.pdf)
- \* 1925. Liste d'Hyménoptères intéressants. Revue Mensuelle de la Société Entomologique Namuroise 1925:11-12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1925.pdf)
- \* 1927. Etudes sur les rubicoles. I. *Coelocrabro capitosus* Shuck. (Hymen. Sphegidae). Annales de la Société Entomologique de France 96:101-109, pl. I. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1927\\_Coelocrabro\\_capitosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1927_Coelocrabro_capitosus.pdf)
- \* 1928. [Capture à Sy (Vieuxville) du rare *Ammoplanus perrisi*]. Bulletin & Annales de la Société Entomologique de Belgique 68:25. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1928.pdf)
- \* 1929a. Etudes sur les rubicoles. 2. *Rhopalum clavipes* L. et *R. tibiale* F. (Hymen. Sphegidae). Annales de la Société Entomologique de France 98:111-122, pls. I-II. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1929a\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1929a_Rhopalum.pdf)

- \* 1929b. (16 Nov.). Nouvelles observations sur les *Rhopalum* (Hym. Sphegidae). Bulletin de la Société Entomologique de France 1929:238-240. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1929b\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1929b_Rhopalum.pdf)
  - \* 1929c. Deux drames dans une ronce (*Pemphredon unicolor* Fab., *Prosopis confusa* Nyl., *Gasteruption* sp. et Ichneumonidae). Bulletin de la Société des Sciences de Seine-&-Oise. (Série 2) 10:34-38. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1929c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1929c.pdf)
  - \* 1930a. (25 Mar.). Notes biologiques (suite). Lambillionea 30:45-47. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1930a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1930a.pdf)
  - \* 1930b. Sur trois Hyménoptères se développant dans un cocon en mosaïque (*Miscophus spurius* Dahlb., *Oxybelus bipunctatus* Ol., *Mutilla rufipes* F.). Mémoires de la Société Royale Entomologique de Belgique 23:1-23, pls. I-IV. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1930b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1930b.pdf)
  - \* 1930c. Sur trois Hyménoptères se développant dans un cocon en mosaïque (Supplément). Mémoires de la Société Royale Entomologique de Belgique 23:165. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1930c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1930c.pdf)
  - 1932. Quelques remarques sur l'oeuvre et la collection biologique de feu L. Chevalier. Bulletin de la Société des Sciences de Seine-&-Oise (Série 2) 13:85-89. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1932.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1932.pdf)
  - \* 1935. Notes biologiques (suite). Lambillionea 35:123-126. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1935.pdf)
  - \* 1936. Ethologie des *Trypoxylon* (Hym. Sphég.) et observations sur *T. attenuatum* Sm. Bulletin & Annales de la Société Entomologique de Belgique 76:373-396. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1936.pdf)
  - \* 1938a. (26 Oct.). Recherches sur les *Ammoplanus Wesmaeli* et *Perrisi* Gir. et description d'une nouvelle espèce d'*Ammoplanus* (Hymén., Sphégides). Bulletin & Annales de la Société Entomologique de Belgique 78:397-409. [publication date at bottom of page 395]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1938a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1938a.pdf)
  - \* 1938b. (Nov.). Notes biologiques. Lambillionea 38:208-215. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1938b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1938b.pdf)
  - \* 1939. Les richesses entomologiques de la Montagne-Saint-Pierre. Bulletin & Annales de la Société Entomologique de Belgique 79:331-346. [Montagne-Saint-Pierre is in Belgium, extending into the Netherlands]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1939.pdf)
  - \* 1949. (25 Oct.). Insectes intéressants récoltés par le Cercle des Entomologistes Liégeois. Lambillionea 49:92-97. [*Ectemnius cavifrons* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_1949.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_1949.pdf)
  - Obituary: J. Leclercq. 1994. Souvenirs de Paul Maréchal. Sphecos 27:7-10 (includes list of publications). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_27.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_27.pdf)
  - Biography: Pauly, 2002:62. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002a\\_44\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002a_44_Bibliography.pdf)
- Maréchal, P., and J. Petit**
- \* 1961. Sur les *Ammophila adriaansei* Wilcke et *campestris* Latr. (Hym. Sphég.). Lambillionea 61:82-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marechal\\_Petit\\_1961.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marechal_Petit_1961.pdf)

**Marion, H.**

- \* 1978. Les Hyménoptères Spécidés de la Nièvre. L'Entomologiste 34:83-91. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marion\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marion_1978.pdf)

**Marisova, I.V., P.N. Sheshurak, and N.I. Bereznyak [И.В. Марисова, П.Н. Шешурак и Н.И. Бережняя]**

- \* 2004. Беспозвоночные в питании зелёной лягушки *Rana esculenta synklepton* (Amphibia: Anura: Ranidae) в Черниговской Области Украины. Сообщение 2 [= Bespozvonochnyie v pitanii zelenoy lyagushki *Rana esculenta synklepton* (Amphibia: Anura: Ranidae) v Chernigovskoy Oblasti Ukrainy] – Invertebrata in feed of *Rana esculenta synklepton* (Amphibia: Anura: Ranidae) in the Chernigov Region of Ukraine. Communication 2. Известия харьковского энтомологического общества [= Izvestiya Khar'kovskogo Éntomologicheskogo Obshchestva] 11:133-136. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marisova\\_et\\_al\\_2004\\_communication\\_2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marisova_et_al_2004_communication_2.pdf)

**Marlatt, C.L.**

- \* 1891. [Note on *Cerceris fumipennis* Say]. Proceedings of the Entomological Society of Washington 2:147. Available through: <http://biodiversitylibrary.org/page/2337568> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marlatt\\_1892\\_Cerceris\\_fumipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marlatt_1892_Cerceris_fumipennis.pdf)

**Marle, J. van, see: van Marle, J.****Marquenie, J.B.M.**

- 1954. Over de functie van een open nestgang bij onze graafbijen en graafwespen [= On the function of an open nest entrance in our ground nesting bees and wasps]. De Levende Natuur 57:23-30. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marquenie\\_1954.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marquenie_1954.pdf)

**Marquet, Ch.**

- \* 1875. Aperçu des Insectes Hyménoptères qui habitent une partie du Languedoc. Bulletin de la Société d'Histoire Naturelle de Toulouse 9:193-221. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marquet\\_1875.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marquet_1875.pdf)
- \* 1881. Aperçu des Insectes Hyménoptères qui habitent le Midi de la France. Bulletin de la Société d'Histoire Naturelle de Toulouse 13:129-190. [dated 1879 by Horn and Schenckling, 1928; dated 1881 in Zoological Records for 1881, in Dalla Torre, 1897, and in Bitsch and Leclercq, 1993:284]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marquet\\_1881.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marquet_1881.pdf)
- \* 1896. Aperçu des espèces du genre *Oxybelus* (Latreille) qui de trouvent dans le Midi et le centre de la France. Bulletin de la Société d'Histoire Naturelle de Toulouse 13:13-36. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marquet\\_1896.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marquet_1896.pdf)

**Marsh, P.M., and G.A.R. Melo**

- \* 1999. Biology and systematics of New World *Heterospilus* (Hymenoptera: Braconidae) attacking Pemphredoninae (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 8:13-22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marsh\\_Melo-1999\\_Braconidae\\_vs\\_Pemphredoninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marsh_Melo-1999_Braconidae_vs_Pemphredoninae.pdf)

**Marshakov, V.G. [В.Г. Маршаков, as Maršakovs in 1970]**

- \* 1970. Заметки по биологии роющих ос рода *Crabro* Fabr. (Hymenoptera, Sphecidae) [= Zametki po biologii royushchikh os roda *Crabro* Fabr. (Hymenoptera, Sphecidae)] – Piezīmes par racējlapseņu *Crabro* Fabr. ģints (Hymenoptera, Sphecidae) Biologiju – Anmerkungen über die Biologie der Grabwespen der Gattung *Crabro* Fabr. (Hymenoptera, Sphecidae). Zoologijas Muzeja Raksti 6:35-39. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1970.pdf)
- \* 1973a. Новые виды роющих ос рода *Lindenius* (Hymenoptera, Sphecidae) фауны СССР. 1 [= Novye vidy royushchikh os roda *Lindenius* (Hymenoptera, Sphecidae) fauny SSSR. 1] – New species of *Lindenius* (Hymenoptera, Sphecidae) of the fauna of the USSR. 1. Zoologicheskii Zhurnal 52:1092-1094. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1973\\_new\\_Lindenius-1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1973_new_Lindenius-1.pdf)
  - \* 1973b. Новые виды роющих ос рода *Lindenius* (Hymenoptera, Sphecidae) фауны СССР. Сообщение 2 [= Novyye vidy royushchikh os roda *Lindenius* (Hymenoptera, Sphecidae) fauny SSSR. Soobshcheniye 2] – New species of the genus *Lindenius* (Hymenoptera, Sphecidae) of the fauna of the USSR. 2. Zoologicheskii Zhurnal 52:1420-1422. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1973b\\_new\\_Lindenius-2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1973b_new_Lindenius-2.pdf)
  - \* 1975a. Обзор родов трибы Crabronini (Hymenoptera, Sphecidae) фауны СССР. Род *Lestica* Billberg, 1820 [= Obzor rodov triby Crabronini (Hymenoptera, Sphecidae) fauny SSSR. Rod *Lestica* Billberg, 1820] – A review of the genera of the tribe Crabronini (Hymenoptera, Sphecidae) from the USSR. The genus *Lestica* Billberg, 1820. Éntomologicheskoye Obozreniye 54:151-163. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1975a\\_Lestica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1975a_Lestica.pdf)  
English translation: 1975. A review of the genera of the tribe Crabronini (Hymenoptera, Sphecidae) of the USSR. The genus *Lestica* Billberg, 1820. Entomological Review 1:108-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1975a\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1975a_English.pdf)
  - \* 1975b. Роющие осы трибы Crabronini (Hymenoptera, Sphecidae) фауны Монголии [= Royushchiye osy triby Crabronini (Hymenoptera, Sphecidae) fauny Mongolii] – Fossorial wasps of the tribe Crabronini (Hymenoptera, Sphecidae) of Mongolia. Nasekomye Mongolii 6:326-336. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1975b\\_Mongolian\\_Crabronini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1975b_Mongolian_Crabronini.pdf)
  - \* 1976a. Роющие осы родов *Eremiasphecium* Kohl, *Ammoplanus* Gir., *Ammoplanops* Guss. и *Anomiapteryx* Guss. (Hymenoptera, Sphecidae) фауны СССР и Монголии [= Royushchiye osy rodov *Eremiasphecium* Kohl, *Ammoplanus* Gir., *Ammoplanops* Guss. i *Anomiapteryx* Guss. (Hymenoptera, Sphecidae) fauny SSSR i Mongolii] – Digger wasps of the genera *Eremiasphecium* Kohl, *Ammoplanus* Gir., *Ammoplanops* Guss. and *Anomiapteryx* Guss. (Hymenoptera, Sphecidae) of the fauna of the USSR and Mongolia. Éntomologicheskoye Obozreniye 55:668-682. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1976a\\_Eremiasphecium\\_etc.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1976a_Eremiasphecium_etc.pdf)
  - \* 1976b. Обзор родов трибы Crabronini (Hymenoptera, Sphecidae) фауны СССР. 3. Род *Entomognathus* Dahlbom [= Obzor rodov triby Crabronini (Hymenoptera, Sphecidae) fauny SSSR. 3. Rod *Entomognathus* Dahlbom] – Review of genera of the tribe Crabronini (Hymenoptera, Sphecidae) in the fauna of the USSR. III. Genus *Entomognathus* Dahlbom. Zoologicheskii Zhurnal 55:614-618. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1976\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1976_Entomognathus.pdf)
  - \* 1976c. Новые виды роющих ос (Hymenoptera, Sphecidae) [= Novye vidy royushchikh os (Hymenoptera, Sphecidae)] – New species of Sphecidae (Hymenoptera). Zoologicheskii Zhurnal 55:938-941. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov\\_1976\\_New\\_species.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov_1976_New_species.pdf)
  - \* 1976d. Обзор родов трибы Crabronini (Hymenoptera, Sphecidae) фауны СССР. Род *Rhopalum* Stephens, 1829 [= Obzor rodov triby Crabronini (Hymenoptera, Sphecidae) fauny SSSR. Rod *Rhopalum* Stephens, 1829] – Review of the genera of the tribe Crabronini (Hymenoptera, Sphecidae) from the USSR. The genus *Rhopalum* Stephens, 1829. Trudy Zoologicheskogo Instituta Akademii Nauk SSSR 67:100-112. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1976d\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1976d_Rhopalum.pdf)
- \* 1977. Обзор роющих ос трибы Crabronini (Hymenoptera, Sphecidae) фауны СССР. Род *Crabro* Fabricius, 1775 [= Obzor royushchikh os triby Crabronini (Hymenoptera, Sphecidae) fauny SSSR. Rod *Crabro* Fabricius, 1775] – Review of digger wasps of the tribe Crabronini (Hymenoptera, Sphecidae) of the USSR. Genus *Crabro* Fabricius, 1775. *Entomologicheskoye Obozreniye* 56:854-872. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1977\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1977_Crabro.pdf)
  - English translation: 1977. A review of the digger wasps of the tribe Crabronini (Hymenoptera, Sphecidae) in the USSR. Genus *Crabro* Fabricius, 1775. *Entomological Review* 101-112. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1977\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1977_English.pdf)
  - \* 1979a. Роющие осы родов *Crossocerus* Lepeletier et Brullé, 1834, *Ectemnius* Dahlbom, 1845 и *Towada* Tsuneki, 1970 (Hymenoptera, Sphecidae, Crabroninae) Дальнего Востока СССР [= Royushchiye osy rodov *Crossocerus* Lepeletier et Brullé, 1834, *Ectemnius* Dahlbom, 1845 i *Towada* Tsuneki, 1970 (Hymenoptera, Sphecidae, Crabroninae) Dal'nego Vostoka SSSR, = Fossorial wasps of the genera *Crossocerus* Lepeletier and Brullé, 1834, *Ectemnius* Dahlbom, 1845, and *Towada* Tsuneki, 1970 (Hymenoptera, Sphecidae) of the Soviet Far East], pp. 90-107 in P.A. Lehr (chief editor). *Nazemnyie Chlenistonogiye Dal'nego Vostoka* [= Terrestrial Arthropods of the Far East]. Vladivostok, Akademiya Nauk SSSR, Dal'nevostochniy Nauchnyi Tsentr, Biologo-Pochvennyi Institut. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1979a\\_Far\\_East.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1979a_Far_East.pdf)
  - \* 1979b. Роющие осы родов *Protostigmus* Turner и *Ammoplanus* Giraud (Hymenoptera, Sphecidae) фауны Монголии и Средней Азии [= Royushchiye osy rodov *Protostigmus* Turner i *Ammoplanus* Giraud (Hymenoptera, Sphecidae) fauny Mongolii i Sredney Azii] – Fossorial wasps of the genera *Protostigmus* Turner and *Ammoplanus* Giraud (Hymenoptera, Sphecidae) from Mongolia and Middle Asia. *Nasekomyie Mongolii* 6:362-374. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1979b\\_Protostigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1979b_Protostigmus.pdf)
  - \* 1980a. Роющие осы рода *Odontocrabro* Tsuneki (Hymenoptera, Sphecidae) [= Royushchiye osy roda *Odontocrabro* Tsuneki (Hymenoptera, Sphecidae)] – Fossorial wasps of the genus *Odontocrabro* Tsuneki (Hymenoptera, Sphecidae). *Nasekomyie Mongolii* 7:323-326. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980\\_Odontocrabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980_Odontocrabro.pdf)
  - \* 1980b. Роющие осы подрода *Othyreus* Marshakov рода *Crabro* Fabricius (Hymenoptera, Sphecidae) [= Royushchiye osy podroda *Othyreus* Marshakov roda *Crabro* Fabricius (Hymenoptera, Sphecidae)] – Fossorial wasps of the subgenus *Othyreus* Marshakov of the genus *Crabro* Fabricius (Hymenoptera, Sphecidae). *Nasekomyie Mongolii* 7:327-335. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980b\\_Crabro\\_Othyreus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980b_Crabro_Othyreus.pdf)
  - \* 1980c. Роющие осы рода *Crossocerus* Lepeletier et Brullé (Hymenoptera, Sphecidae) фауны Монголии, Казахстана и Средней Азии [= Royushchiye osy roda *Crossocerus* Lepeletier et Brullé (Hymenoptera, Sphecidae) fauny Mongolii, Kazakhstana i Sredney Azii] – Fossorial wasps of the genus *Crossocerus* Lepeletier et Brullé (Hymenoptera, Sphecidae) from Mongolia, Kazakhstan and Middle Asia. *Nasekomyie Mongolii* 7:336-365. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980c\\_Crossocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshakov-1980c_Crossocerus.pdf)

#### Marshall, B.E.

- \* 1997. New plants and animal species described in the journals of the Zimbabwe Scientific Association, 1899-1999. *Transactions of the Zimbabwe Scientific Association* 71:1-4. [contains bibliographic references for four species group taxa of *Ammophila* described by Arnold, 1920, under the generic name *Sphex*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshall-1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshall-1997.pdf)

**Marshall, S.A., S.M. Paiero, and M. Buck**

- \* 2005. Buprestid sampling at nests of *Cerceris fumipennis* (Hymenoptera: Crabronidae) in southern Ontario: the first Canadian records of three buprestids (Coleoptera: Buprestidae). *The Canadian Entomologist* 137:416. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Marshall\\_et\\_al\\_2005\\_Cerceris\\_fumipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Marshall_et_al_2005_Cerceris_fumipennis.pdf)

**Martin, W.F., and R.F. Martin**

- \* 1990. Reproduction of the sand wasps *Stictia signata* (L.) and *Bicyrtes variegata* Oliver (Hymenoptera: Sphecidae) on the Caribbean coast of Quintana Roo, México. *The Pan-Pacific Entomologist* 66:71-78. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martin\\_W\\_Martin\\_R\\_1990\\_Stictia\\_Bicyrtes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martin_W_Martin_R_1990_Stictia_Bicyrtes.pdf)

**Martín Albaladejo, C., and I. Izquierdo Moya**

- \* 2006. Tipos de especies de insectos descritas de la comunidad de Madrid, conservados en el Museo Nacional de Ciencias Naturales, inventario preliminar. *Graellsia* 62 (número extraordinario):109-144. [Hymenoptera on pp. 117-129]. Available through:

<http://graellsia.revistas.csic.es/index.php/graellsia/article/view/117/116> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Albaladejo\\_Moya\\_2006\\_tipos.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Albaladejo_Moya_2006_tipos.pdf)

**Martineau, A.H. [as R.H. in 1897b]**

- \* 1897a. [*Crabro interruptus* from Solihull, Great Britain]. *The Entomologist* 30:95. Available through: <http://biodiversitylibrary.org/page/11674522> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martineau\\_1897a\\_Crabro\\_interruptus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martineau_1897a_Crabro_interruptus.pdf)
- \* 1897b. [*Mimesa bicolor* from Coleshill and *Ammophila sabulosa* from Wyre Forest]. *The Entomologist* 30:275. Available through: <http://biodiversitylibrary.org/page/11674702> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martineau\\_1897b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martineau_1897b.pdf)
- \* 1904. [Aculeates collected at Budleigh Salterton, England]. *The Entomologist's Monthly Magazine* 40:46. Available through: <http://biodiversitylibrary.org/page/8958220> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martineau\\_1904.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martineau_1904.pdf)

**Martínez, J.J., and J. P. Torretta**

- 2015. Nuevos registros de *Messatoporus* (Hymenoptera; Ichneumonidae) de la Argentina, con comentarios sobre su biología. *Revista de la Sociedad Entomologica Argentina* 74:213-216. [*Messatoporus transversostriatus* Spinola is a nest parasite of *Isodontia costipennis*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martinez\\_Torretta\\_2015\\_Messatoporus\\_vs\\_Isodontia\\_costipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martinez_Torretta_2015_Messatoporus_vs_Isodontia_costipennis.pdf)

**Martínez de Murguía, L., A. Vázquez, and J.L. Nieves Aldrey**

- \* 2002. Distributions of sawflies and aculeates in a heterogenous secondary acid forest in Artikutza (Navarre) (Insecta: Hymenoptera). *Munibe* 53:183-204. [Navarra is a province of Spain]. Available through:

<http://www.aranzadi-zientziak.org/fileadmin/docs/Munibe/2002183203CN.pdf>

**Martínez y Saez, F.P.**

- \* 1874. [Lista de los Himenópteros regalados por el autor a M. Leon Dufour]. *Actas de la Sociedad Española de Historia Natural* 3:29-32. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martinez\\_y\\_Saez\\_1874.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martinez_y_Saez_1874.pdf)

**Martins, G.F., J.E. Serrão, and K. Schmidt Furieri**

- \* 2005. Notes on the spermatheca of Vespidae and Sphecidae. *Sociobiology* 45:119-127. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martins\\_et\\_al\\_2005\\_spermatheca.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martins_et_al_2005_spermatheca.pdf)

**Martins, R.P.**

- \* 1993. The biology of *Editha magnifica* (Perty 1834) (Hymenoptera Sphecidae). Tropical Zoology 6:109-123. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martins\\_1993\\_Editha\\_magnifica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martins_1993_Editha_magnifica.pdf)

**Martins, R.P., L.A. Soares, and D. Yanega**

- \* 1998. (20 Oct.). The nesting behavior and dynamics of *Bicyrtes angulata* (F. Smith) with a comparison to other species in the genus. Journal of Hymenoptera Research 7:165-177. Available through:

<http://biodiversitylibrary.org/page/4490868> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martins\\_et\\_al\\_1998\\_Bicyrtes\\_angulata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martins_et_al_1998_Bicyrtes_angulata.pdf)

**Martorell, L.F.**

- \* 1939. Methods of collecting and shipping *Larra americana* Sauss., a parasite of the Puerto Rican mole-cricket. Annals of the Entomological Society of America 32:703-712. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martorell\\_1939\\_Larra\\_americana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martorell_1939_Larra_americana.pdf)

**Martorell y Peña, M.**

- 1879. Catálogos sinónimicos de los insectos encontrados en Cataluña, aumentados con los recientemente hallados por el Autor en los diversos órdenes de los Coleópteros, Hemípteros, Hymenópteros, Ortópteros, Lepidópteros, Dípteros y Neurópteros. Barcelona. 201 pp.

**Martynova, K.V.**

- \* 2017. *Hedychridium monochroum* and *Chrysis lanceolata* (Hymenoptera: Chrysididae) – two species of cuckoo wasps reared from nests of *Solierella compedita* (Hymenoptera: Crabronidae) in southeastern Ukraine. Turkish Journal of Zoology 41:397-407. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martynova\\_2017\\_Solierella\\_compedita\\_parasites.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martynova_2017_Solierella_compedita_parasites.pdf)

**Martynova, K.V., and A.V. Fateryga [К.В. Мартынова и А.В. Фатерыга]**

- \* 2014. *Omalus sculpticollis* as the main enemy of *Psenulus fuscipennis* (Hymenoptera: Chrysididae, Crabronidae) in the Crimea, Ukraine – *Omalus sculpticollis* как главный враг *Psenulus fuscipennis* (Hymenoptera, Chrysididae, Crabronidae) в Крыму, Украина [= *Omalus sculpticollis* kak glavnyi vrag *Psenulus fuscipennis* (Hymenoptera: Chrysididae, Crabronidae) v Krymu, Ukraina]. Vestnik Zoologii 48:11-26. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Martynova\\_Martynov\\_2021\\_Cerceris\\_tuberculata.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Martynova_Martynov_2021_Cerceris_tuberculata.pdf)

**Martynova, K.V., and A.V. Martynov**

- \* 2021. New records of *Cerceris tuberculata* (Villers, 1787) (Hymenoptera: Crabronidae) from Ukraine, with notes on its parasitoids and prey. Ukrainian Entomological Journal 19:77-84. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Martynova\\_Martynov\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Martynova_Martynov_2021.pdf)

**Maruyama, K.**

- \* 1948. Habits of a Diptera-hunter, *Mellinus obscurus tristis* Pérez (Hymenoptera). Mushi 19:7-11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maruyama\\_1948.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maruyama_1948.pdf)

**Masaki, J.**

- \* 1936. (10 Sept.). On the insect-fauna of various islands of Korea (I). Kontyû 10:251-274. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masaki\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masaki_1936.pdf)

- \* 1937. (11 Feb.). On the insect-fauna of southern islands off the coast of Izu (I). Kontyû 11:80-93. Available

through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masaki\\_1937.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masaki_1937.pdf)

**Masi, L.**

- \* 1933. (28 Feb.). Raccolte entomologiche nell'isola di Capraia fatte da C. Mancini e F. Capra (1927-1931). III. Hymenoptera Aculeata. Memorie della Società Entomologica Italiana 11:181-205. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masi\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masi_1933.pdf)

**Mason, W.R.M.**

- 1986 Standard drawing conventions and definitions for venational and other features of wings of Hymenoptera. Proceedings of the Entomological Society of Washington 88:1-7. Available through: <http://biodiversitylibrary.org/page/16264721> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mason\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mason_1986.pdf)

**Masuda, H.**

- \* 1930. Tsutsunaga-bachi *Sphex muticus* Kohl shusei ni kansuru kenkyu [= Studies on the habits of *Sphex muticus* Kohl]. Dobutsugaku Zasshi 42:174-189. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1930.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1930.pdf)
- \* 1934. On the habits of *Passaloecus shuckardi* Yasumatsu. Mushi 7:41-54, pl. 5. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1934.pdf)
- \* 1939a. (Apr.). Habits of *Oxybelus strandi* Yasumatsu (Hymenoptera, Oxybelidae). The Transactions of the Kansai Entomological Society 8:47-57, pls. IV-VI. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1939a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1939a.pdf)
- \* 1939b. On the habits of *Tachysphex japonicus* Iwata (Hymenoptera, Larridae). The Entomological World 7:161-167, 230-236, pl. 289. [in Japanese with English summary, Japanese title not recorded]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1939b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1939b.pdf)
- \* 1939c. (25 July). Biological notes on *Pison iwatai* Yasumatsu (Hymenoptera, Trypoxylonidae). Mushi 12:114-146, pls. 4-5. [in Japanese with English summary, Japanese title not recorded]. Available through: [https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1939c.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1939c.pdf)
- \* 1940. (3 Mar.). Biological notes on *Crabro* (*Acanthocrabro*) *vagabundus* (Panzer, 1798) (Hymenoptera, Crabronidae). Mushi 13:33-39, pl. 2. [in Japanese, Japanese title not recorded]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1940.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1940.pdf)
- \* 1943. (Jan.). Biological notes on *Trypoxylon pygmaeum* Gussakovskij (Hymenoptera, Trypoxylonidae). Mushi 15:1-15. [in Japanese, Japanese title not recorded. Actually *Trypoxylon clavicerum exiguum*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Masuda\\_1943.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Masuda_1943.pdf)

**Matsumoto, K., and S. Makino**

- \* 2011. Monitoring of tube nesting bees and wasps with bamboo tube nest traps of different types in two types of forests in temperate Japan. Entomological Science 14:154-161. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matsumoto\\_Makino\\_2011\\_tube\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matsumoto_Makino_2011_tube_nesting.pdf)

**Matsumura, S.**

- \* 1911. Thousand insects of Japan. Supplement III. Keiseisha, Tokyo. 147 pp., pl. XXX-XLI + Index (4 unnumbered pp.). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matsumura\\_1911\\_Thousand\\_insects\\_of\\_Japan\\_Supplement\\_III.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matsumura_1911_Thousand_insects_of_Japan_Supplement_III.pdf)
- \* 1912. Thousand insects of Japan. Supplement IV. Keiseisha, Tokyo. 247 pp., pl. XLII-LV. Available through: [http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Matsumura\\_1912\(part\\_1\\_of\\_2\).pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Matsumura_1912(part_1_of_2).pdf)  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matsumura\\_1912\(part\\_2\\_of\\_2\).pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matsumura_1912(part_2_of_2).pdf)

**Matsumura, S., and T. Uchida**

- \* 1926. Die Hymenopteren-Fauna von den Riukiu-Inseln. Insecta Matsumurana 1:32-52 (July), 63-76 (28 Oct.). Available through: [http://eprints.lib.hokudai.ac.jp/dspace/bitstream/2115/9106/1/1\\_1\\_p32-52.pdf](http://eprints.lib.hokudai.ac.jp/dspace/bitstream/2115/9106/1/1_1_p32-52.pdf) and [http://www.antwiki.org/wiki/images/e/eb/Matsumura\\_%26\\_Uchida\\_1926.pdf](http://www.antwiki.org/wiki/images/e/eb/Matsumura_%26_Uchida_1926.pdf)

**Matsuura, M.**

- \* 1968. Contribution from my Cabinets to the Knowledge of the Japanese Hymenoptera. The Life Study (Fukui) 12:23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matsuura\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matsuura_1968.pdf)

**Matthews, R.W.**

- \* 1968a. *Microstigmus comes*: sociality in a sphecid wasp. Science (Washington) 160:787-788. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1968a\\_Microstigmus\\_comes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1968a_Microstigmus_comes.pdf)
- \* 1968b. Nesting biology of the social wasp *Microstigmus comes* (Hymenoptera: Sphecidae, Pemphredoninae). Psyche 75:23-45. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1968b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1968b.pdf)
- \* 1970. A new thrips-hunting *Microstigmus* from Costa-Rica (Hymenoptera: Sphecidae, Pemphredoninae). Psyche 77:120-126. [*Microstigmus thripoctenus* Richards]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1970.pdf)
- \* 1983a. Biology of a new *Trypoxylon* that utilizes nests of *Microstigmus* in Costa Rica (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 59:152-162. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1983\\_Trypoxylon\\_in\\_Microstigmus\\_nests.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1983_Trypoxylon_in_Microstigmus_nests.pdf)
- \* 1983b. Social biology and nest construction of a unique neotropical wasp, *Microstigmus comes*, p. 188 in Proceedings of the 18th International Ethological Conference. Abstracts. 29 August – 6 September 1983. University of Queensland, Brisbane, Australia. 317 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1983b\\_Microstigmus\\_comes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1983b_Microstigmus_comes.pdf)
- \* 1991. Evolution of social behavior in sphecid wasps, pp. 570-602 in K.C. Ross and R.W. Matthews (editors). The social biology of wasps. Comstock Publishing Associates, Ithaca and London. 678 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1991.pdf)
- \* 1996. (13 June). *Microstigmus krombeini*: a new gregarious nester from Colombia (Hymenoptera: Sphecidae: Pemphredoninae). Memoirs of the Entomological Society of Washington 17:119-124. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1996.pdf)
- \* 1997a. (Mar.). Teaching ecological interactions with mud dauber nests. American Biology Teacher 59:152-158. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1997a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1997a.pdf)
- \* 1997b. Unusual sex allocation in a solitary parasitoid wasp, *Sphaerophthalma pensylvanica* (Hymenoptera: Mutillidae). The Great Lakes Entomologist 30:51-54. [host: *Trypoxylon politum* Say]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_1997b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_1997b.pdf)
- \* 2000a. (1 Feb.). Nesting biology of the stem-nesting wasp *Psenulus interstitialis* Cameron (Hymenoptera: Crabronidae: Pemphredoninae) on Magnetic Island, Queensland. Australian Journal of Entomology 39:25-28. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_2000a\\_Psenulus\\_interstitialis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_2000a_Psenulus_interstitialis.pdf)
- \* 2000b. (5 May). A new species of *Nitela* (Hymenoptera: Sphecidae: Larrinae) from Australia with notes on the nests and prey of two species. Journal of Hymenoptera Research 9:41-47. Available through: <http://biodiversitylibrary.org/page/2858222> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_2000b\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_2000b_Nitela.pdf)
- \* 2000c. (24 June). Nesting biology of the Australian stem-nesting wasp *Rhopalum bendorens* Leclercq (Hymenoptera: Crabronidae). The Australian Entomologist 27:1-4. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_2000c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_2000c.pdf)

**Matthews, R.W., and H.E. Evans**

- \* 1971. (1970). Biological notes on two species of *Sericophorus* from Australia (Hymenoptera: Sphecidae). Psyche 77:413-429. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Evans\\_1971\\_Sericophorus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Evans_1971_Sericophorus.pdf)
- \* 1974. Notes on the behavior of three species of *Microbembex* (Hymenoptera: Sphecidae) in South America. Journal of the Georgia Entomological Society 9:79-85. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Evans\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Evans_1974.pdf)

**Matthews, R.W., A. Hook, and J.W. Krispyn**

- \* 1979. Nesting behavior of *Crabro argusinus* and *C. hilaris* (Hymenoptera: Sphecidae). Psyche 86:149-166. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Hook\\_Krispyn\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Hook_Krispyn_1979.pdf)

**Matthews, R.W., and J.R. Matthews**

- \* 1968. A note on *Trypargilum arizonense* in trap nests from Arizona, with a record of prey preferences and cocoon structure in the genus (Hymenoptera, Sphecidae). Psyche 75:285-293. Available through: <http://downloads.hindawi.com/journals/psyche/1968/082018.pdf>
- \* 2005. Biological notes on ground-nesting digger wasps from Western Nebraska. The Prairie Naturalist 37:61-71. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Matthews\\_2005\\_Western\\_Nebraska.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Matthews_2005_Western_Nebraska.pdf)

**Matthews, R.W., and I.D. Naumann**

- \* 1989. (20 June). (1988). Nesting biology and taxonomy of *Arpactophilus mini*, a new species of social sphecids (Hymenoptera: Sphecidae) from Northern Australia. Australian Journal of Zoology 36:585-597. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Naumann\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Naumann_1989.pdf)
- \* 2002. (18 Apr.). Descriptions and biology of nine new species of *Arpactophilus* (Hymenoptera: Crabronidae), with a key to described Australian species. Journal of Hymenoptera Research 11:101-133. Available through: <http://biodiversitylibrary.org/page/2859022> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Naumann\\_2002\\_Arpactophilus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Naumann_2002_Arpactophilus.pdf)

**Matthews, R.W., R.A. Saunders, and J.R. Matthews**

- \* 1981. (29 Apr.). Nesting behavior of the sand wasp *Stictia maculata* (Hymenoptera: Sphecidae) in Costa Rica. Journal of the Kansas Entomological Society 54:249-254. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Saunders\\_Matthews\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Saunders_Matthews_1981.pdf)

**Matthews, R.W., and Ch.K. Starr**

- \* 1984. *Microstigmus comes* wasps have a method of nest construction unique among social insects. Biotropica 16:55-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthews\\_Starr\\_1984\\_Microstigmus\\_comes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthews_Starr_1984_Microstigmus_comes.pdf)

**Matthey, R.**

- \* 1943. (28 Feb.). Note sur la capture de *Larra anathema* Rossi (Hym. Sphec.) en été 1942. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 18:522-523. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matthey\\_1943\\_Larra\\_anathema.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matthey_1943_Larra_anathema.pdf)

**Matushkina, N.A.**

- \* 2011. Sting microsculpture in the digger wasp *Bembix rostrata* (Hymenoptera, Crabronidae). Journal of Hymenoptera Research 21:41-52. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matushkina\\_2011\\_Sting\\_microsculpture.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matushkina_2011_Sting_microsculpture.pdf)

**Matushkina, N.A., and H.A. Stetsun**

- \* 2016. Morphology of the sting apparatus of the digger wasp *Oxybelus uniglumis* (Linnaeus, 1758) (Hymenoptera, Crabronidae), with emphasis on intraspecific variability and behavioural plasticity. Insect Systematics & Evolution 47:347-362. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Matushkina\\_Stetsun\\_2016\\_Oxybelus\\_uniglumis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Matushkina_Stetsun_2016_Oxybelus_uniglumis.pdf)

**Mauss, S., S. Schröder, and C. Botta**

- \* 2000. (15 Oct.). Untersuchungen zur Höhenverbreitung von Hummeln und sozialen Faltenwespen in Arbergebiet des Bayerischen Waldes mit Anmerkungen zum Vorkommen solitärer Stechimmenarten (Hymenoptera: “Sphecidae”, Apidae, Pompilidae, Vespidae). Nachrichtenblatt der Bayerischen Entomologen 49:71-79. Available through:

<http://www.biodiversitylibrary.org/item/92132#page/81/mode/1up> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mauss\\_et\\_al\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mauss_et_al_2000.pdf)

**Mauss, V., and M. Schindler**

- \* 1998. Nachweise von Bienen und Wespen im Kreis Nordfriesland, Schleswig-Holstein (Chrysididae, Apidae, “Sphecidae”, Pompilidae, Vespidae). Bombus 3:134-136. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mauss\\_Schindler\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mauss_Schindler_1998.pdf)

**Mawadda, N.V.A., A.K. Aseeb, and P. Girish Kumar**

- \* 2025. Three new species of the genus *Nitela* Latreille, 1809 (Hymenoptera: Crabronidae) from India. Zootaxa 5706:214-230. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_et\\_al\\_2025\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_et_al_2025_Nitela.pdf)

**Mawadda, N.V.A., and P. Girish Kumar**

- \* 2022. (5 Jan.). *Solierella turneri* Dutt, 1917 (Hymenoptera: Crabronidae: Crabroninae) from India: description of female and new distribution records. Journal of Insect Biodiversity and Systematics 8:111-120. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_Girish\\_Kumar\\_2022.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_Girish_Kumar_2022.pdf)

- \* 2023a. Distribution of Crabroninae (Hymenoptera: Crabronidae) wasps of Northern India with an updated checklist, pp. 102-119 in A. Poovoli, T.M.V. Mumtaz, and N. Bushra (editors). Proceedings on Faunal Diversity, Climate, Global Warming and Human Interference. Publication Division, Sir Syed College. Taliparamba, Kerala, India, 181 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_Girish\\_Kumar\\_2023a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_Girish_Kumar_2023a.pdf)

- \* 2023b. On the geographic distribution of *Gastrosericus* Spinola, 1839 (Hymenoptera: Crabronidae) in India. Records of the Zoological Survey of India 122:415-424. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_Girish\\_Kumar\\_2023b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_Girish_Kumar_2023b.pdf)

**Mawadda, N.V.A., P. Girish Kumar, and V.D. Hegde**

- \* 2023. Range extensions of two species of *Palarus* Latreille, 1802 (Hymenoptera: Crabronidae) within India. Government Arts & Science College Research Journal 11:64-75. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_et\\_al\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_et_al_2023.pdf)

**Mawadda, N.V.A., P. Girish Kumar, and P.M. Sureshan**

- \* 2020. First report of the genus *Kohliella* Brauns, 1910 (Hymenoptera: Crabronidae: Crabroninae) from India with the species *K. anula* Pulawski, 1991 from Kerala. Zootaxa 4890:148-150. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_et\\_al\\_Kohliella\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_et_al_Kohliella_2020.pdf)
- \* 2021. Additions to the knowledge of the genus *Lyroda* Say (Hymenoptera: Crabronidae) from India with the descriptions of two new species. Zootaxa 5005:201-217. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_et\\_al\\_2021\\_Lyroda.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_et_al_2021_Lyroda.pdf)

**Mawadda, N.V.A., P. Girish Kumar, P.M. Sureshan, and T. Rajan**

- \* 2019. A taxonomic review of the genus *Dicranorhina* Shuckard (Hymenoptera: Crabronidae: Crabroninae) from the Indian subcontinent with the description of three new species from Southern Western Ghats. Zootaxa 4629:109-121. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mawadda\\_Girish\\_Kumar\\_Sureshan\\_Rajan\\_.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mawadda_Girish_Kumar_Sureshan_Rajan_.pdf)

**Maxwell-Lefroy, W.**

- \* 1909. Indian insect life: a manual of the insects of the plains (tropical India). Thacker, Spink & Co., Calcutta and Simla. xii + 786 pp., 84 pl. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maxwell-Lefroy\\_1909\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maxwell-Lefroy_1909_1.pdf) and continued through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Maxwell-Lefroy\\_1909\\_2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Maxwell-Lefroy_1909_2.pdf)

**May, T.E., and T. Piek**

- \* 1979. Neuromuscular block in locust skeletal muscle caused by a venom preparation made from the digger wasp *Philanthus triangulum* F. from Egypt. Journal of Insect Physiology 25:685-691 Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/May\\_Piek\\_1979\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/May_Piek_1979_Philanthus_triangulum.pdf)

**Mazek-Fialla, K.**

- \* 1935. Die Mordwespe (*Sceliphron destillatorius* [sic]) am Neusiedlersee. Natur und Volk 65:470-473. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mazek-Fialla\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mazek-Fialla_1935.pdf)
- \* 1936. Angaben zur Lebensweise von *Sceliphron destillatorius* [sic] Illig am Neusiedlersee, mit besonderer Berücksichtigung des Nestbaues. Zeitschrift für Wissenschaftliche Zoologie 148:298-308. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mazek-Fialla\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mazek-Fialla_1936.pdf)

**Mazumdar, P.C., S.I. Kazmi, and P. Girish Kumar**

- \* 2018. Further distributional record of *Chalybion bengalense* (Dahlbom) (Insecta: Hymenoptera: Sphecidae) from Indian States. Journal of Environment and Sociobiology 15:217-220. Available through: [http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/mazumdar.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/mazumdar.pdf)

**Mazzucco, K.**

- \* 2001. (31 May). Untersuchungen zur Stechimmenfauna des Truppenübungsplatzes Großmittel im Steinfeld, Niederösterreich (Hymenoptera: Apoidea, Sphecidae, Pompilidae, Vespoidea, Scoliidae, Chrysididae, Tiphidae, Mutillidae). Stapfia 77:189-204. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mazzucco\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mazzucco_2001.pdf)

**McCorquodale, D.B.**

- \* 1986. Digger wasp (Hymenoptera: Sphecidae) provisioning flights as a defence against a nest parasite, *Senotainia trilineata* (Diptera: Sarcophagidae). Canadian Journal of Zoology 64:1620-1627. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1986.pdf)

- \* 1988a. Prey carriage on the sting by *Sericophorus relucens* (Hymenoptera: Sphecidae: Larrinae). Journal of the New York Entomological Society 96:121-122. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1988a\\_Sericophorus\\_relucens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1988a_Sericophorus_relucens.pdf)
- \* 1988b. Why do "solitary" wasps share nests? Proceedings of the Entomological Society of Ontario 119:93-94. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1988b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1988b.pdf)
- \* 1988c. Relatedness among nestmates in a primitively social wasp, *Cerceris antipodes* (Hymenoptera: Sphecidae). Behavioral Ecology and Sociobiology 23:401-406. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1988c\\_Cerceris\\_antipodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1988c_Cerceris_antipodes.pdf)
- \* 1989a. (Mar.). Nest defense in single- and multifemale nests of *Cerceris antipodes* (Hymenoptera: Sphecidae). Journal of Insect Behavior 2:267-276. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1989a\\_Cerceris\\_antipodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1989a_Cerceris_antipodes.pdf)
- \* 1989b. (May). Soil softness, nest initiation and nest sharing in the wasp, *Cerceris antipodes* (Hymenoptera: Sphecidae). Ecological Entomology 14:191-196. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1989b\\_Cerceris\\_antipodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1989b_Cerceris_antipodes.pdf)
- \* 1989c. Nest sharing, nest switching, longevity and overlap of generations in *Cerceris antipodes* (Hymenoptera: Sphecidae). Insectes Sociaux 36:42-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1989c\\_Cerceris\\_antipodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1989c_Cerceris_antipodes.pdf)
- \* 1990. Oocyte development in the primitive social wasp, *Cerceris antipodes* (Hymenoptera Sphecidae). Ethology, Ecology & Evolution 2:345-362. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_1990\\_Cerceris\\_antipodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_1990_Cerceris_antipodes.pdf)

#### **McCorquodale, D.B., and I.D. Naumann**

- \* 1988. A new Australian species of communal ground nesting wasp, in the genus *Spilomena* Shuckard (Hymenoptera: Sphecidae: Pemphredoninae). Journal of the Australian Entomological Society 27:221-231. [*Spilomena subterranea*]. Available through:  
<http://onlinelibrary.wiley.com/doi/10.1111/j.1440-6055.1988.tb01529.x/pdf> and  
<http://www.cbucommons.ca/science/biology/images/uploads/McCorquodaleNaumann1988.pdf>

#### **McCorquodale, D.B., and C.E. Thomson**

- \* 1988. A nest shared by the solitary wasps, *Cerceris antipodes* Smith and *C. australis* Saussure (Hymenoptera: Sphecidae). Journal of the Australian Entomological Society 27:9-10. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_Thomson\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_Thomson_1988.pdf)
- \* 1989. The prey of some Australian sphecid wasps (Hymenoptera). Australian Entomological Magazine 16:93-97. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_Thomson\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_Thomson_1989.pdf)

#### **McCorquodale, D.B., C.E. Thomson, and V. Elder**

- \* 1989. Nest and prey of *Williamsita bivittata* (Turner) (Hymenoptera: Sphecidae: Crabroninae). Australian Entomological Magazine 16:5-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCorquodale\\_Thomson\\_Elder\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCorquodale_Thomson_Elder_1989.pdf)

#### **McCoy, E.D., and J.R. Rey**

- \* 1987. Terrestrial arthropods of northwest Florida salt marshes: Hymenoptera (Insecta). The Florida Entomologist 70:90-97. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCoy\\_Rev\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCoy_Rev_1987.pdf)

**McCravy, K.W., J.J. Bara, Sh.N. Hessler, L.K. Luxmore, K.S. Stinebaker, and S.E. Jenkins**

- \* 2009. Abundance and diversity of thread-waisted wasps (Hymenoptera: Sphecidae: Sphecinae) at Alice L. Kibbe Life Science Station, Hancock County, Illinois USA. Transactions of the Illinois State Academy of Science 102:107-115. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McCravy\\_et\\_al\\_2009\\_Sphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McCravy_et_al_2009_Sphecinae.pdf)

**McDaniel, C.A., R.W. Howard, K.M. O'Neill, and J.O. Schmidt**

- \* 1987. Chemistry of male mandibular gland secretions of *Philanthus basilaris* Cresson and *Philanthus bicinctus* (Mickel) (Hymenoptera: Sphecidae). Journal of Chemical Ecology 13:227-235. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McDaniel\\_et\\_al\\_1987\\_Mandibular\\_gland.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McDaniel_et_al_1987_Mandibular_gland.pdf)

**McDaniel, C.A., J.O. Schmidt, and R.W. Howard**

- \* 1992. Mandibular gland secretions of the male beeswolves *Philanthus crabroniformis*, *P. barbatus*, and *P. pulcher* (Hymenoptera: Sphecidae). Journal of Chemical Ecology 18:27-37. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McDaniel\\_et\\_al\\_1992\\_Philanthus\\_gland\\_secretion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McDaniel_et_al_1992_Philanthus_gland_secretion.pdf)

**McIntosh, M.**

- \* 1997. (15 Jan.). (1996). Nest-substrate preference of the twig-nesters *Ceratina acantha*, *Ceratina nanula* (Apidae) and *Pemphredon lethifer* (Sphecidae). Journal of the Kansas Entomological Society 66 (Supplement):216-231. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/McIntosh\\_1997\\_nest\\_substrate.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/McIntosh_1997_nest_substrate.pdf)

**Meade-Waldo, G., C. Morley, and R.E. Turner**

- \* 1915. Notes and synonymy of Hymenoptera in the Collection of the British Museum. The Annals and Magazine of Natural History (Series 8) 16:331-341. Available through: <http://biodiversitylibrary.org/page/22131428> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MeadeWaldo\\_et\\_al\\_1915\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MeadeWaldo_et_al_1915_II.pdf)

**Meagher, R.L.**

- \* 2001a. Collection of fall armyworm (Lepidoptera: Noctuidae) adults and nontarget Hymenoptera in different colored unitraps. The Florida Entomologist 84:77-82. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meagher\\_2001a\\_Effect\\_of\\_Trap.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meagher_2001a_Effect_of_Trap.pdf)

- \* 2001b. Trapping fall armyworm (Lepidoptera: Noctuidae) adults in traps baited with pheromone and a synthetic floral volatile compound. The Florida Entomologist 84:288-292. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meagher\\_2001b\\_Trap.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meagher_2001b_Trap.pdf)

**Meagher, R.L., and J.H. Frank**

- \* 1998. (30 Dec.). *Larra bicolor* (Hymenoptera: Sphecidae: Larrinae) collected in pheromone- and phenylacetaldehyde-baited traps. The Florida Entomologist 81:555-556. Available through:

<http://arserv0.tamu.edu/sp2userfiles/person/11809/larra%20bicolor.pdf>

**Meagher, R.L., and E.R. Mitchell**

- \* 1999. Nontarget Hymenoptera collected in pheromone- and synthetic floral volatile-baited traps. Environmental Entomology 28:367-371. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meagher\\_Mitchell-1999\\_Nontarget.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meagher_Mitchell-1999_Nontarget.pdf)

**Medetov, M.J., M.A. Embergenov, and M.V. Elmurodova**

- \* 2024. (2023). O'zbekistonda *Stizus ruficornis* J. Forster, 1771 (Hymenoptera: Crabronidae, Bembicinae) turining tarqalishi. Materials of the Conference: O'zbekiston zoologiya fani: hozirgi zamon

muammolari va rivojlanish istiqbollari – Зоологическая наука Узбекистана: современные проблемы и перспективы развития. Bookmany Print, Toshkent. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medetov\\_et\\_al\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medetov_et_al_2024.pdf)

**Medetov, M.Zh., M.A. Embergenov, B.R. Kholmatov, M.V. Elmurodova, M.Sh. Rakhimov, and J.D. Tajibaeva**

- \* 2024. Ecologo-faunistic analysis of digger wasps (Hymenoptera: Sphecidae, Crabronidae) in Uzbekistan. Acta Biologica Sibirica 10:409-439. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medetov\\_et%20al\\_Uzbekistan\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medetov_et%20al_Uzbekistan_2024.pdf)

**Medina, M.**

- \* 1894a. Datos para el conocimiento de la fauna himenopterológica de España. Actas de la Sociedad Española de Historia Natural 23:259-260. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medetov\\_et%20al\\_Uzbekistan\\_2024.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medetov_et%20al_Uzbekistan_2024.pdf)

- \* 1894b. Datos para el conocimiento de la fauna himenopterológica de España. Actas de la Sociedad Española de Historia Natural 23:262-263. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1894b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1894b.pdf)

- \* 1896. Datos para el conocimiento de la fauna himenopterológica de España (Adiciones y rectificaciones). Actas de la Sociedad Española de Historia Natural 25:102-106. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1896.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1896.pdf)

- \* 1897. Datos para el conocimiento de la fauna himenopterológica de España (Adiciones). Actas de la Sociedad Española de Historia Natural 26:191-192. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1897.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1897.pdf)

- \* 1898. Datos para el conocimiento de la fauna himenopterológica de Portugal. Actas de la Sociedad Española de Historia Natural 1898:152-154. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1898.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1898.pdf)

- \* 1899. Datos para el conocimiento de la fauna himenopterológica de España (Continuación). Actas de la Sociedad Española de Historia Natural 1899:115. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1899.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1899.pdf)

- \* 1903. Datos para el conocimiento de la fauna himenopterológica de España. Boletín de la Real Sociedad Española de Historia Natural 3:320-321. [*Podalonia hirsuta* is the only sphecid]. Available through:

<http://www.biodiversitylibrary.org/item/28616#page/332/mode/1up> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1903.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1903.pdf)

- \* 1905. [Esfécidos que existen en su colección]. Boletín de la Real Sociedad Española de Historia Natural 5:136. [Seven species of *Bembix* from Spain]. Available through:

<http://www.biodiversitylibrary.org/item/17794#page/140/mode/1up> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medina\\_1905.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medina_1905.pdf)

**Medina Gaud, S., and L.F. Martorell**

- \* 1974. The Insects of Caja de Muertos Island, Puerto Rico. The Journal of Agriculture of University of Puerto Rico 58:244-272. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MedinaGaud\\_Martorell\\_1974\\_Puerto\\_Rico.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MedinaGaud_Martorell_1974_Puerto_Rico.pdf)

**Medler, J.T.**

- \* 1965. Biology of *Isodontia (Murrayella) mexicana* in trap-nests in Wisconsin (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 58:137-142. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medler\\_1965\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medler_1965_Isodontia_mexicana.pdf)

- \* 1967. (30 Oct.). Biology of *Trypoxylon* in trap nests in Wisconsin (Hymenoptera: Sphecidae). The American Midland Naturalist 78:344-358. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Medler\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Medler_1967.pdf)

#### Mei, M.

- \* 2008. (27 Dec.). Note faunistiche su alcuni crabronidi della fauna italiana. Bollettino dell'Associazione Romana di Entomologia 63:173-182. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mei\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mei_2008.pdf)
- \* 2016. Records of *Tracheliodes varus* (Panzer) and *T. curvitorsus* (Herrich-Schaeffer) from Central Italy (Hymenoptera, Crabronidae). Ampulex 8:16-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/mei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/mei.pdf)

#### Mei, M., and I. Boščik

- \* 2016. Evidence of the introduction into Europe of the Nearctic mud-dauber wasp *Chalybion californicum* (de Saussure) (Hymenoptera, Sphecidae). Boletín de la Sociedad Entomológica Aragonesa 58:239-240. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/mei\\_boschik\\_chalybion\\_californicum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/mei_boschik_chalybion_californicum.pdf)

#### Mei, M., and A. Cappellari

- \* 2021. (15 Mar.). First record of *Pison koreense* (Radoszkowski, 1887) from Italy (Hymenoptera: Apoidea, Crabronidae). Fragmenta Entomologica 53:67-68. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mei\\_Cappellari\\_2021\\_Pison\\_koreense\\_Italy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mei_Cappellari_2021_Pison_koreense_Italy.pdf)

#### Mei, M., G. Pezzi, R. De Togni, and U. Devincenzo

- \* 2012. The Oriental mud-dauber wasp *Chalybion bengalense* (Dahlbom) introduced in Italy (Hymenoptera, Sphecidae). Ampulex 5:37-41. Available through: [http://www.zobodat.at/pdf/Ampulex\\_5\\_0037-0041.pdf](http://www.zobodat.at/pdf/Ampulex_5_0037-0041.pdf)

#### Mei, M., and A. Zilli

- \* 1997. Further notes on a sphecid wasp (Hymenoptera: Sphecidae) feeding upon burnet moths (Lepidoptera: Zygaenidae). Entomologist's Gazette 48:146. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mei-Zilli\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mei-Zilli_1997.pdf)

#### Meillon, B. de, see: de Meillon, B.

#### Melander, A.L.

- \* 1903. Synopsis of the North American species of *Ammophila*. Psyche 10:156-164. Available through:  
<http://biodiversitylibrary.org/page/13760844> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melander\\_1903\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melander_1903_Ammophila.pdf)

#### Melander, A.L., and C.T. Brues

- \* 1902. New species of *Gasteruption*, *Trigonalys*, *Parnopes* and *Psammophila*. Biological Bulletin published by The Marine Biological Laboratory, Woods Holl [sic], Massachusetts. 3:33-42. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melander\\_Brues\\_1902\\_new\\_species.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melander_Brues_1902_new_species.pdf)

#### Mellor, J.E.M.

- \* 1927. A note on the Mutillid *Ephutomma continua* Fabr. and of *Bembex mediterranea* Hdl. in Egypt with a summary of the distribution and of some previously recorded habits of the Mutillidae. Bulletin de la Société Royale Entomologique d'Egypte 11:69-79. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mellor\\_1927.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mellor_1927.pdf)
- \* 1928. (1927). Notes on certain Hymenoptera, a coleopterous and two dipterous parasites, 1926-1927. Bulletin de la Société Royale Entomologique d'Egypte 11:122-132. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mellor\\_1928.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mellor_1928.pdf)

**Melo, G.A.R. [the author's last name spelled de Melo in 1992]**

- \* 1992. Duas novas espécies de *Microstigmus* Ducke, 1907 (Hymenoptera, Sphecidae). Revista Brasileira de Entomologia. 36:663-670. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_1992.pdf)
- \* 1997. (6 May). Silk glands in adult sphecid wasps (Hymenoptera, Sphecidae, Pemphredoninae). Journal of Hymenoptera Research 6:1-9. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_1997.pdf)
- \* 1999. (10 Dec.). Phylogenetic relationships and classification of the major lineages of Apoidea (Hymenoptera), with emphasis on crabronid wasps. Scientific Papers. Natural History Museum. The University of Kansas 14:1-55. [Recognized Heterogynaidae, Ampulicidae, Sphecidae, Crabronidae, and Apidae]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_1999\\_Phylogeny\\_Apoidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_1999_Phylogeny_Apoidea.pdf)
- \* 2000. Comportamento social em vespas da família Sphecidae (Hymenoptera, Apoidea), pp. 85-130 in R.P. Martins, T.M. Lewinsohn, and M.S. Barbeitos (editors). Ecologia e comportamento de insectos. Oecologia Brasiliensis 8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_2000\\_social\\_Sphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_2000_social_Sphecidae.pdf)

**Melo, G.A.R., and L.A. de Oliveira Campos**

- \* 1993a. Trophallaxis in a primitively social sphecid wasp. Insectes Sociaux 40:107-109. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Campos\\_1993a\\_trophallaxis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Campos_1993a_trophallaxis.pdf)
- \* 1993b. Nesting biology of *Microstigmus myersi* Turner, a wasp with long-haired larvae (Hymenoptera: Sphecidae, Pemphredoninae). Journal of Hymenoptera Research 2:183-188. Available through:  
<http://biodiversitylibrary.org/page/4490323> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Campos\\_1993b\\_Microstigmus\\_myersi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Campos_1993b_Microstigmus_myersi.pdf)

**Melo, G.A.R., and H.E. Evans**

- \* 1993. Two new *Microstigmus* species (Hymenoptera, Sphecidae), with the description of their parasite, *Goniozus microstigma* sp. n. (Hymenoptera, Bethyridae). Proceedings of the Entomological Society of Washington 95:258-263. Available through: <http://biodiversitylibrary.org/page/16150986>, and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Evans\\_1993\\_2\\_Microstigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Evans_1993_2_Microstigmus.pdf)

**Melo, G.A.R., M.G. Hermes, and B.R. Garcete-Barrett**

- \* 2011. Origin and occurrence of predation among Hymenoptera: a phylogenetic perspective, pp. 1-22 in C. Polidori (editor). Predation in the Hymenoptera: an evolutionary perspective. Transworld Research Network, Trivandrum. 245 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_et\\_al\\_2011\\_Hymenoptera\\_predation.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_et_al_2011_Hymenoptera_predation.pdf)

**Melo, G.A.R., and R.W. Matthews**

- \* 1997. Six new species of *Microstigmus* wasps (Hymenoptera: Sphecidae), with notes on their biology. Journal of Natural History 31:421-437. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Matthews\\_1997\\_6\\_Microstigmus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Matthews_1997_6_Microstigmus.pdf)

**Melo, G.A.R., and I. Naumann**

- \* 1999. (17 Dec.). Two new genera of pemphredonine wasps from Australia (Hymenoptera: Apoidea: Crabronidae) in G.W. Byers, R.H. Hagen, and R.W. Brooks (editors). Entomological Contribution in Memory of Byron A. Alexander. The University of Kansas, Natural History Museum, Special Publication 24:221-229. Available through: <http://www.archive.org/details/entomologicalcon00byer> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Naumann\\_1999\\_2\\_new\\_genera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Naumann_1999_2_new_genera.pdf)

**Melo, G.A.R., and B.B. Rosa**

- \* 2015. (1 Apr.). A new species of the ant-hunter genus *Tracheliodes* Morawitz (Hymenoptera: Crabronidae: Crabronini) from Brazil. Zootaxa 3941:421-428. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Rosa2015\\_New\\_Tracheliodes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Rosa2015_New_Tracheliodes.pdf)
- \* 2018. New genus of fossil apoid wasps (Hymenoptera, Apoidea) from the Cretaceous amber of Myanmar. Revista Brasileira de Entomologia 62:319-323. [*Burmasphex*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Rosa\\_2018\\_Burmasphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Rosa_2018_Burmasphex.pdf)
- \* 2019. A new fossil species of the crabronid wasp genus *Tracheliodes* (Hymenoptera: Crabronidae) from Dominican amber. Zoologia 36:1-5. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Melo\\_Rosa\\_2019\\_Tracheliodes\\_grimaldii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Melo_Rosa_2019_Tracheliodes_grimaldii.pdf)

**Menezes, R.S.T., A.F. Carvalho, J.G. Silva, and M.A. Costa**

- \* 2011. Molecular characterization of constitutive heterochromatin in three species of *Trypoxylon* (Hymenoptera, Crabronidae, Trypoxylini) by CMA<sub>3</sub>/DAPI staining. Comparative Cytogenetics 5:71-80. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menezes\\_et\\_al\\_2011\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menezes_et_al_2011_Trypoxylon.pdf)

**Menezes de Jesus, J., H.C. Onody, K. dos Santos Ramos, T. de Oliveira Andrade, A. Doria dos Santos, and C.R. Ferreira Brandão**

- 2019. Crabronidae and Sphecidae (Hymenoptera: Apoidea) type specimens deposited in the Museu de Zoologia da Universidade de São Paulo, Brazil. Papéis Avulsos de Zoologia 59:23 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MenezesdeJesus\\_et\\_al\\_2019\\_types\\_SaoPauloBrazil.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MenezesdeJesus_et_al_2019_types_SaoPauloBrazil.pdf)

**Menke, A.S.**

- \* 1961. A review of the Nearctic species of *Chlorion* (Hymenoptera: Sphecidae) with the description of a new species from Baja California. Annals of the Entomological Society of America 54:667-669. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1961\\_Chlorion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1961_Chlorion.pdf)
- \* 1962a. Notes on two species of sphecine wasps described by H.T. Fernald from South America (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 38:63. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1962a\\_Fernald\\_Sphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1962a_Fernald_Sphecinae.pdf)
- \* 1962b. A new genus of digger wasps from South America (Hymenoptera: Sphecidae). Proceedings of the Biological Society of Washington 75:303-306. [*Stangeella*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1962b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1962b.pdf)
- 1963a. (4 July). (1962). The dates of publication of Palisot de Beauvois "Insectes recueillis en Afrique et en Amérique". The Annals and Magazine of Natural History (Series 13) 5:701-702. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1963a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1963a.pdf)
- \* 1963b. (28 Oct.). Notes and synonymy of some Neotropical *Sphex* and *Isodontia* described by E. Taschenberg and S. Rohwer (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 39:228-230. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1963b\\_Sphex\\_Isodontia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1963b_Sphex_Isodontia.pdf)
- \* 1964a. (Mar.). (1963). New species of North American *Ammophila* (Hymenoptera, Sphecidae). Acta Hymenopterologica 2:5-27. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1964a\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1964a_Ammophila.pdf)
- \* 1964b. (18 June). Miscellaneous notes on *Ammophila* (Hymenoptera, Sphecidae). Entomological News 75:149-155. Available through: <http://biodiversitylibrary.org/page/2692929> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1964b\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1964b_Ammophila.pdf)

- \* 1964c. (18 June). A new subgenus of *Ammophila* from the Neotropical Region (Hymenoptera: Sphecidae). The Canadian Entomologist 96:874-883. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1964c\\_Ammophila\\_subgenus.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1964c_Ammophila_subgenus.pdf)
- \* 1964d. (28 Oct.). Notes on two Sphecinae described by Fox (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 40:238-240. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1964d\\_Sphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1964d_Sphecinae.pdf)
- \* 1965a. (17 Sept.). Synonymical notes on New World wasps of the subfamily Sphecinae (Hymenoptera, Sphecidae). Tijdschrift voor Entomologie 108:205-217. Available through:  
<http://biodiversitylibrary.org/page/28271678> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1965a\\_Sphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1965a_Sphecinae.pdf)
- \* 1965b. (10 Dec.). The identity of some *Ammophila* observed by C.H. Hicks, H.E. Evans and others in connection with biological studies (Hymenoptera, Sphecidae). Entomological News 76:257-261. Available through: <http://biodiversitylibrary.org/page/2708595> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1965b\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1965b_Ammophila.pdf)
- \* 1965c. (dated 1966, but received on 15 Dec. 1965 by the University of California Davis library). A revision of the North American *Ammophila* (Hymenoptera, Sphecidae). Dissertation Abstracts 26 (4):two unnumbered pages. [An Abstract of the Ph.D. thesis]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1965c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1965c.pdf)
- \* 1966a. (9 Feb.). The genera of the Ammophilini (Hymenoptera: Sphecidae). The Canadian Entomologist 98:147-152. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1966a\\_Ammophilini\\_genera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1966a_Ammophilini_genera.pdf)
- \* 1966b. (23 May). New species of North American *Ammophila*, Part II (Hymenoptera, Sphecidae). Proceedings of the Biological Society of Washington 79:25-40. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1966b\\_Ammophila\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1966b_Ammophila_II.pdf)
- \* 1966c. (Aug.). The identity of *Parapsammophila lutea* Taschenberg, 1869 (Hymenoptera, Sphecidae). Polskie Pismo Entomologiczne 36:57-61. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1966c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1966c.pdf)
- \* 1967a. (30 Jan.). New species of North American *Ammophila*, Part III. (Hymenoptera, Sphecidae). Los Angeles County Museum Contributions in Science 123:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1967a\\_Ammophila\\_III.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1967a_Ammophila_III.pdf)
- \* 1967b. (3 Feb.). New genera of Old World Sphecidae (Hymenoptera). Entomological News 78:29-35. Available through: <http://biodiversitylibrary.org/page/2734594> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1967b\\_Larriison\\_Afrotorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1967b_Larriison_Afrotorytes.pdf)
- \* 1967c. (14 July). A new South American species of *Bothynostethus* (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 43:140-141. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1967c\\_Bothynostethus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1967c_Bothynostethus.pdf)
- \* 1967d. (14 July). *Odontosphex* Arnold, a genus of the Philanthinae, with a key to the tribes and genera of the subfamily (Hymenoptera: Sphecidae). The Pan Pacific Entomologist 43:141-148. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1967d\\_Odontosphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1967d_Odontosphex.pdf)
- \* 1968a. (Feb.). New genera and species of wasps of the tribe Trypoxylonini from the Neotropical Region (Hymenoptera, Sphecidae, Larrinae). Los Angeles County Museum Contributions in Science 135:1-9. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke-1968a\\_Trypoxylini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke-1968a_Trypoxylini.pdf)
- \* 1968b. (Feb.). (1967). New species of Neotropical Sphecidae (Hymenoptera, Sphecidae). The Pan-Pacific Entomologist 43:309-314. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1968b\\_Neotropical\\_Sphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1968b_Neotropical_Sphecidae.pdf)

- \* 1968c. (Oct.). A review of the New World species of *Pison*. I. The subgenus *Krombeiniellum* (Hymenoptera: Sphecidae). The Canadian Entomologist 100:1100-1107. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1968c\\_Pison\\_Krombeiniellum.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1968c_Pison_Krombeiniellum.pdf)
- \* 1968d. (Nov.). (1967). New South American genera and species of the tribe Bothynostetini (Hymenoptera: Sphecidae; Larrinae). Acta Zoologica Lilloana 22:89-99. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke-1968d\\_Bothynostetini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke-1968d_Bothynostetini.pdf)
- \* 1968e. (Dec.). Two new species of *Nitela* with taxonomic notes on the taxa *Tenila*, *Rhinonitela*, and *Nitela rugosa*. Mushi 42:133-139. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1968e\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1968e_Nitela.pdf)
- \* 1968f. (Dec.). *Ammophila rhinoceras* Strand, 1913 = *Hoplammophila aemulaus* [sic] (Kohl), 1901 (Hymenoptera, Sphecidae). Mushi 42:139. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1968f.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1968f.pdf)
- \* 1969. A new *Nitela*, subgenus *Tenila*, with a key to the species of the subgenus (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 71:197-201. Available through:  
<http://biodiversitylibrary.org/page/16277701> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1969\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1969_Nitela.pdf)
- \* 1970. The genus *Ammophila* in the West Indies (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 72:236-239. Available through:  
<http://biodiversitylibrary.org/page/16278366> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1970\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1970_Ammophila.pdf)
- \* 1974a. (25 Feb.). (1973). A preliminary review of the *agile* group of *Podium* Fabricius (Hymenoptera: Sphecidae). Journal of the Washington Academy of Sciences 63:147-153. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke-1974a\\_Podium\\_agile\\_group.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke-1974a_Podium_agile_group.pdf)
- \* 1974b. (30 May). The dates of publications of A. G. Dahlbom's Hymenoptera Europaea, vol. 1. Polskie Pismo Entomologiczne 44:315-317. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1974b\\_publications\\_of\\_Dahlbom.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1974b_publications_of_Dahlbom.pdf)
- 1974c. (Aug.). Some sphecids workers past and present. U.S. Dep. Agric., Washington, D.C. pp. 1-3.
- \* 1974d. (30 Sept.). *Hoplammophila* de Beaumont: a key to the species (Hymenoptera, Sphecidae) – Klucz do oznaczania gatunków rodzaju *Hoplammophila* de Beaumont (Hymenoptera, Sphecidae). Polskie Pismo Entomologiczne 44:581-583. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1974\\_Hoplammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1974_Hoplammophila.pdf)
- \* 1974e. (31 Dec.). The correct name for a common North American *Trypoxylon* wasp (Hymenoptera, Sphecidae). Proceedings of the Entomological Society of Washington 76:418. Available through:  
<http://biodiversitylibrary.org/page/16357233> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1974e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1974e.pdf)
- \* 1975. (27 June). Comment on the proposed suppression of *Euplilis* Risso, 1826 in favour of *Rhopalum* Stephens, 1829, Z. N. (S.) 2056. The Bulletin of Zoological Nomenclature 32:97-98. Available through: <http://biodiversitylibrary.org/page/12225708> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1975\\_Euplilis\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1975_Euplilis_Rhopalum.pdf)
- 1976. Notice. Proceedings of the Entomological Society of Washington 78:489 [Correct publication date of R. Bohart and Menke, 1976, is 27 April]. Available through:  
<http://biodiversitylibrary.org/page/16252980> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1976.pdf)
- \* 1977. (Nov.). *Aha*, a new genus of Australian Sphecidae and revised key to the world genera of the tribe Miscophini (Hymenoptera, Larrinae). Polskie Pismo Entomologiczne 47:671-681. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1977\\_Aha.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1977_Aha.pdf)

- \* 1979a. (26 June). Three sphecid wasps previously unrecorded from Tahiti (Hymenoptera: Sphecidae). *Proceedings of the Entomological Society of Washington* 81:303. Available through: <http://biodiversitylibrary.org/page/25209150> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1979a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1979a.pdf)
- \* 1979b. A review of the genus *Larrius* Menke (Hymenoptera: Sphecidae). *Australian Journal of Zoology* 27:453-463. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1979b\\_Larrius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1979b_Larrius.pdf)
- \* 1979c. (Oct.). Corrections. *Sphecos* 1:21-22. [corrections to R. Bohart and Menke, 1976. Sphecid wasps of the world]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_1.pdf)
- \* 1980a. (2 Jan.). Biological notes on *Trachypus mexicanus* Saussure and *T. petiolatus* (Spinola) (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 53:235-236. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1980a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1980a.pdf)
- \* 1980b. (Feb.). Dates of Publication. *Sphecos* 2:18-19. [on Lepeletier and Brullé, 1835, and on Catalog of Hymenoptera of America North of Mexico]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_2.pdf)
- \* 1980c. (Feb.). More errata – Sphecid Wasps of the World. *Sphecos* 2:19. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_2.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_2.pdf)
- \* 1980d. The M. Spinola collection. *Sphecos* 3:9. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_3.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_3.pdf)
- \* 1980e. Spinola's Fauna Ligusticae fragmenta. Decas Prima. *Sphecos* 3:10. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_3.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_3.pdf)
- 1980f. Pomona Insect Collection. *Sphecos* 3:29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_3.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_3.pdf)
- 1980g. Meadow Valley, Mexico. *Sphecos* 3:29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_3.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_3.pdf)
- \* 1981a. Fabricius–Species Insectorum = 1781. *Sphecos* 4:4. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)
- \* 1981b. Dufour–1841. *Sphecos* 4:5. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)
- \* 1981c. Still more errata–Sphecid Wasps of the World. *Sphecos* 4:5-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)
- 1982a. Important Hymenoptera collection transferred. *Sphecos* 5:8. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_5.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_5.pdf)
- 1982b. American Entomological Institute Collection to Florida. *Sphecos* 6:6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_6.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_6.pdf)
- \* 1982c. *Larra bicolor* established in Florida. *Sphecos* 6:6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_6.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_6.pdf)
- \* 1983a. Sphecid Wasps of the World–More Errata. *Sphecos* 7:11-12. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_7.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_7.pdf)
- \* 1983b. New Harmony, Indiana and the Sand Hill Country of Nebraska. *Sphecos* 7:20-22. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_7.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_7.pdf)
- \* 1984a. *Editha magnifica* (Perth) in Venezuela (Hymenoptera: Sphecidae: Nyssoninae). *Proceedings of the Entomological Society of Washington* 86:960. Available through: <http://biodiversitylibrary.org/page/16361425> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1984a\\_Editha\\_magnifica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1984a_Editha_magnifica.pdf)
- \* 1984b. More errata–Sphecid Wasps of the World. *Sphecos* 8:31. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_8.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_8.pdf)
- \* 1984c. More errata in the Big Blue Book. Sphecos 9:26-27. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_9.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_9.pdf)
  - \* 1985. More errata: Sphecid Wasps of the World. Sphecos 10:44-46. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_10.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_10.pdf)
  - \* 1986a. Sphecid Wasps of the World—a few errors. Sphecos 12:21. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_12.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_12.pdf)
  - \* 1986b. *Philanthus ruspatrix* (L.). Sphecos 12:21. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_12.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_12.pdf)
  - \* 1986c. Utah–Arizona 1986. Sphecos 13:35-37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_13.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_13.pdf)
  - \* 1986d. Bohart and Menke errata—continued (Sphecid Wasps of the World). Sphecos 13:39-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_13.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_13.pdf)
  - \* 1987a. Errata in Sphecid Wasps of the World. Sphecos 14:33. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_14.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_14.pdf)
  - 1987b. A visit to the American Entomological Institute. Sphecos 14:38-39. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_14.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_14.pdf)
  - \* 1988a. *Pison* in the New World: a revision (Hymenoptera: Sphecidae: Trypoxylini). Contributions of the American Entomological Institute 24 (3):i-iii, 171 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1988a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1988a.pdf)
  - 1988b. Errata in Sphecid Wasps of the World. Sphecos 16:23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_16.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_16.pdf)
  - \* 1988c. Additional errata for the Big Blue Book. Sphecos 17:24-25. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_17.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_17.pdf)
  - \* 1989a. *Arpactophilus* reassessed, with three bizarre new species from New Guinea (Hymenoptera: Sphecidae: Pemphredoninae). Invertebrate Taxonomy 2:737-747. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1989a\\_Arpactophilus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1989a_Arpactophilus.pdf)
  - \* 1989b. A new species of *Sericophorus* from New Guinea (Hymenoptera: Sphecidae: Larrinae). The Pan-Pacific Entomologist 65:458-462. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1989b\\_Sericophorus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1989b_Sericophorus.pdf)
  - \* 1989c. Errata in Sphecid Wasps of the World. Sphecos 18:19-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_18.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_18.pdf)
  - \* 1990a. The status of *Pison doggonum* (Hymenoptera: Sphecidae). Entomological News 101:154. Available through: <http://biodiversitylibrary.org/page/2699543> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1990a\\_Pison\\_doggonum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1990a_Pison_doggonum.pdf)
  - \* 1990b. Big Blue Book errata, part 14. Sphecos 19:37 Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_19.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_19.pdf)
  - \* 1990c. Generic names in Hymenoptera. Sphecos 20:29-30 [a review of Pagliano and Scaramozzino, 1990]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_20.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_20.pdf)
  - \* 1990d. Big Blue Book errata, part 15. Sphecos 20:35. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_20.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_20.pdf)
  - \* 1991a. Big Blue Book errata. Part 16. Sphecos 21:20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_21.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_21.pdf)
  - \* 1991b. Big Blue Book errata. Part 17 Sphecos 22:17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_22.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_22.pdf)
  - \* 1992a. *Pison* in Costa Rica (Sphecidae). Sphecos 23:8-10 Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_23.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_23.pdf)
- \* 1992b. Further records of Neotropical *Pison*. Sphecos 23:10. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_23.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_23.pdf)
  - \* 1992c. Big Blue Book errata. Part 18. Sphecos 23:15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_23.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_23.pdf)
  - \* 1992d. Mole cricket hunters of the genus *Larra* in the New World (Hymenoptera: Sphecidae, Larrinae). Journal of Hymenoptera Research 1:175-234. Available through: <http://biodiversitylibrary.org/page/4490049>
  - 1993a. (Feb.). Notauli and parapsidal lines: just what are they? Sphecos 24:9-12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_24.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_24.pdf)
  - \* 1993b. (Feb.). Big Blue Book Errata. Part 19. Sphecos 24:23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_24.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_24.pdf)
  - 1993c. (July). On Budrys' line (response to Budrys and Rasnitsyn). Sphecos 25:6 Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_25.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_25.pdf)
  - \* 1993d. (July). Further records of *Pison* mainly from Guanacaste Province, Costa Rica. Sphecos 25:11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_25.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_25.pdf)
  - \* 1993e. (July). Big Blue Book Errata. Part 20. Sphecos 25:21-22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_25.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_25.pdf)
  - 1993f. (Dec.). Crabroninae vs Larrinae (Sphecidae). Sphecos 26:6-7. [Crabroninae Latreille, 1802 has priority over Larrinae Latreille, 1810]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)
  - \* 1993g. (Dec.). *Larra altamazonica* in Panama. Sphecos 26:7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)
  - \* 1993h. (Dec.). Additional records for New World *Pison*. Sphecos 26:7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)
  - \* 1993i. Hyménoptères Sphecidae d'Europe Occidentale. Volume 1. Généralités – Crabroninae by Jacques Bitsch and Jean Leclercq. Fauna [sic] de France, vol. 79, 325 pp. Sphecos 26:20. [Book review]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)
  - \* 1993j. Big Blue Book Errata. Part 21. Sphecos 26:22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)
  - \* 1994a. (July). *Podium plesiosaurus* (Smith): the second known specimen (Sphecidae). Sphecos 27:13. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_27.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_27.pdf)
  - \* 1994b. (July). Further records of Neotropical *Pison*. Sphecos 27:13. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_27.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_27.pdf)
  - \* 1994d. (July). Spring collecting in the California Coast Ranges. Sphecos 27:15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_27.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_27.pdf)
  - \* 1994e. (July). Big Blue Book Errata. Part 22. Sphecos 27:20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_27.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_27.pdf)
  - \* 1994f. (Dec.). New Mexico, Arizona, and Utah. Sphecos 28:20:22. [A trip report]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)
  - \* 1994g. (Dec.). Big Blue Book Errata. Installment 23. Sphecos 28:29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)
  - 1995. (July). More on Tsuneki type material. Sphecos 29:14. [Tsuneki collection to be placed in The Museum of Nature and Human Activities, 6 Yayoigaoka, Sanda, Hyogo 669-13, Japan]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_29.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_29.pdf)
  - \* 1996a. (13 June). Neotropical *Mellinus*: a review (Hymenoptera: Sphecidae). Memoirs of the Entomological Society of Washington 17:125-141.

- \* 1996b. (June). Some newly recognized Holarctic species of Sphecidae. Sphecos 30:11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_30.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_30.pdf)
- \* 1996c. (June). *Sphecius spectabilis* (Taschenberg) in Colombia. Sphecos 30:11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_30.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_30.pdf)
- \* 1996d. (June). Big Blue Book Errata. Installment 24 (final). Sphecos 30:31-32. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_30.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_30.pdf)
- \* 1996e. (Aug.). The Ammophilini of Costa Rica; an identification guide (Hymenoptera: Sphecidae: Sphecinae). Journal of Hymenoptera Research 5:190-202. Available through: <http://www.biodiversitylibrary.org/item/26143#page/198/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1996e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1996e.pdf)
- \* 1997a. (25 Feb.). A new *Ammoplanus* Gussakovskij [sic] (Hymenoptera: Sphecidae: Pemphredoninae) from San Clemente Island, California. Proceedings of the Entomological Society of Washington 99:133-135. [*Ammoplanus clemente* described, the correct author of *Ammoplanus* is Giraud]. Available through: <http://biodiversitylibrary.org/page/16212796> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1997a\\_Ammoplanus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1997a_Ammoplanus.pdf)
- \* 1997b. (15 May). Species homonymy in *Belomicrus* Costa (Hymenoptera: Sphecidae: Crabroninae). Proceedings of the Entomological Society of Washington 99:378. [proposed *Belomicrus boharti*]. Available through: <http://biodiversitylibrary.org/page/16213045> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1997b\\_Belomicrus\\_boharti.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1997b_Belomicrus_boharti.pdf)
- \* 1997c. (20 Oct.). Family-group names in Sphecidae (Hymenoptera: Apoidea). Journal of Hymenoptera Research 6:243-255. Available through: <http://www.biodiversitylibrary.org/item/26143#page/535/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_1997c\\_family\\_group.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_1997c_family_group.pdf)  
[Review: M. Ohl. 1998. Nomenklatorische Revision höherrangiger Grabwespen-Gruppen. BembiX 10:50-53, available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl-1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl-1998.pdf) and 1999. Berichtigung zu: Ohl, M. 1998. Nomenklatorische Revision höherrangiger Grabwespen-Gruppen. Kommentar zu Menke, A.S. (1997): Family-group names in Sphecidae. BembiX 10:50-53. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1999\\_Berichtigung.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1999_Berichtigung.pdf)].
- \* 2004. (10 Dec.). *Ammophila hevans* Menke, a new species from southern South America, with taxonomic notes on similar species (Hymenoptera: Apoidea: Sphecidae). Journal of the Kansas Entomological Society 77:765-773. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2004.pdf)
- \* 2007. (9 Aug.). *Ammophila nancy* Menke, a new species in the *pruinosa* complex (Hymenoptera: Sphecidae: Ammophilinae). Zootaxa 1546:321-33. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2007.pdf)
- \* 2015. A new species of red-legged *Pison* in Australia (Hymenoptera, Crabronidae, Trypoxylini). Proceedings of the Entomological Society of Washington 116:402-407. [*Pison amabile*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2015.pdf)
- \* 2016. Re-evaluation of the generic limits of *Pison* Jurine, and a new species of the genus *Aulacophilinus* Lomholdt (Hymenoptera: Crabronidae: Trypoxylini). Proceedings of the California Academy of Sciences (Series 4) 63:333-340. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2016.pdf)
- \* 2020. (22 Nov.). The *Ammophila* of North & Central America (Hymenoptera, Sphecidae). Ammophila Press, 1429 Franklin Street, Bisbee, Arizona. Privately printed. 162 pp. This work had four printings, slightly different from each other. The first printing (here reproduced without covers) is available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2020\\_text.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2020_text.pdf),

the second printing was published in February 2021

the third printing (published March 2021), which should be used for the key, is available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Ammophila\\_2021\\_Third\\_Printing.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Ammophila_2021_Third_Printing.pdf)

and the fourth printing (published August 2021) is available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_2021\\_Fourth\\_Printing.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_2021_Fourth_Printing.pdf)

Review: W.J. Pulawski. 2021. Proceedings of the Entomological Society of Washington 123:450-451. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Review\\_of\\_Menke's\\_Ammophila\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Review_of_Menke's_Ammophila_2021.pdf)

Autobiography: 1979. Arnold S. Menke. 1979. Sphecos 1:15-17. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_1.pdf)

#### **Menke, A.S., and R.M. Bohart**

- \* 1979. Sphecid Wasps of the World: errors and omissions (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 81:111-124. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Bohart\\_1979\\_errors\\_omissions.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Bohart_1979_errors_omissions.pdf)

#### **Menke, A.S., R.M. Bohart, and O.W. Richards**

- 1974a. Proposed emendation to Nysson of the name *Nysson* Latreille, 1796 (Hymenoptera, Sphecidae). Z. N. (S.) 2055. The Bulletin of Zoological Nomenclature 30:217-218. Available through:

<http://biodiversitylibrary.org/page/12225244> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_et\\_al\\_1974a\\_Nysson\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_et_al_1974a_Nysson_Nysson.pdf)

- \* 1974b. *Euplilis* Risso, 1826 (Hymenoptera, Sphecidae): proposed suppression under the plenary powers in favor of *Rhopalum* Stephens, 1829. Z.N. (S.) 2056. The Bulletin of Zoological Nomenclature 30:219-220. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_et\\_al\\_1974b\\_Euplilis\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_et_al_1974b_Euplilis_Rhopalum.pdf)

#### **Menke, A.S., R.M. Bohart, and J. van der Vecht**

- 1966. *Podalonia* Spinola, 1853 (Hymenoptera, Sphecidae): proposed suppression under plenary powers in favour of *Podalonia* Fernald, 1927, with *Ammophila violaceipennis* Lepeletier, 1845, as type species. Z. N. (S.) 1735. The Bulletin of Zoological Nomenclature 23:48-51. Available through:

<http://biodiversitylibrary.org/page/12222849> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_et\\_al\\_1966\\_Podalonia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_et_al_1966_Podalonia.pdf)

#### **Menke, A.S., P. Bouchard, and M. Buck**

- \* 2008. (8 July). Two overlooked family-group names in Sphecidae (Hymenoptera: Apoidea) and Tenebrionidae (Coleoptera: Tenebrionoidea). Proceedings of the Entomological Society of Washington, 110:816. [Ammobiini Krombein, 1967, is a junior homonym of Ammobiini Desbrocher de Loges, 1902, the latter is a synonym of Opatrini Brullé, 1832]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_et\\_al\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_et_al_2008.pdf)

#### **Menke, A.S., and F. Fernández C.**

- 1996. (Aug.). Claves ilustradas para las subfamilias, tribus y géneros de esfécidos neotropicales (Apoidea: Sphecidae). Revista de Biología Tropical 44 (Supplement 2):1-68. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Fernandez\\_1996\\_Claves\\_ilustradas.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Fernandez_1996_Claves_ilustradas.pdf)

#### **Menke, A.S., and K. Menke**

- \* 1990. Prey record for *Podalonia valida* (Cresson) (Sphecidae). Sphecos 19:22. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_19.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_19.pdf)

**Menke, A.S., and F.D. Parker**

- \* 1996. (Aug.). Phenology of ammophiline wasps in a premontane wet forest in Costa Rica (Hymenoptera, Sphecidae, Ammophilini). *Journal of Hymenoptera Research* 5:184-189. Available through: <http://www.biodiversitylibrary.org/item/26143#page/192/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Parker\\_1996\\_Ammophiline\\_phenology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Parker_1996_Ammophiline_phenology.pdf)

**Menke, A.S., and W.J. Pulawski**

- \* 2000. (27 Oct.). A review of the *Sphex flavipennis* species group (Hymenoptera: Apoidea: Sphecidae: Sphecini). *Journal of Hymenoptera Research* 9:324-346. Available through: <http://biodiversitylibrary.org/page/2858391>, <http://www.archive.org/details/journalofhymenop09inte>, and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Pulawski\\_2000\\_Sphex\\_flavipennis\\_group.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Pulawski_2000_Sphex_flavipennis_group.pdf)
- 2002. (8 Oct.). Authorship of the family-group names Palarini and Xenosphecini (Hymenoptera: Apoidea: Crabronidae). *Journal of Hymenoptera Research* 11:366-367. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Pulawski-2002\\_authorship.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Pulawski-2002_authorship.pdf)

**Menke, A.S., and A.P. Rasnitsyn**

- \* 1987. Affinities of the fossil wasp, *Hoplisidea* [sic] *kohlana* Cockerell (Hymenoptera: Sphecidae: Sphecinae). *Psyche* 94:35-38. [*Hoplisidia* is correct]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Rasnitsyn\\_1987\\_Hoplisidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Rasnitsyn_1987_Hoplisidea.pdf)

**Menke, A.S., and O.W. Richards**

- \* 1983. *Trypoxylon latro*, new species, pp. 152-156 in R.W. Matthews, *Biology of a new Trypoxylon that utilizes nests of Microstigmus* in Costa Rica (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 59:152-162. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Richards\\_1983\\_Trypoxylon\\_in\\_Microstigmus\\_nests.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Richards_1983_Trypoxylon_in_Microstigmus_nests.pdf)

**Menke, A.S., and C. Vardy**

- \* 1980. (25 Nov.). A synopsis of the tribe Scapheutini (Hymenoptera: Sphecidae). *Papéis Avulsos de Zoologia* 34:73-85. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Vardy\\_1980\\_Scapheutini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Vardy_1980_Scapheutini.pdf)

**Menke, A.S., and D.L. Vincent**

- \* 1983. A review of the genus *Polemistus* in the New World (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 59:163-175. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Vincent-1983\\_Polemistus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Vincent-1983_Polemistus.pdf)

**Menke, A.S., and A. Willink**

- \* 1964. A survey of the Neotropical species of *Chlorion* (Hymenoptera: Sphecidae). *Annals of the Entomological Society of America* 57:548-552. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Willink-1964\\_Chlorion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Willink-1964_Chlorion.pdf)

**Menke, A.S., and E. Yustiz**

- \* 1983. (31 Jan.). *Ampulex compressa* (F.) in Venezuela (Hymenoptera: Sphecidae). *Proceedings of the Entomological Society of Washington* 85:180. Available through: <http://biodiversitylibrary.org/page/16179589> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menke\\_Yustiz\\_1983\\_Ampulex\\_compressa\\_Venezuela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menke_Yustiz_1983_Ampulex_compressa_Venezuela.pdf)

**Menzel, R.**

- \* 1928. Ueber den Nestbau von *Sceliphron*. Revue Suisse de Zoologie 35:265-270. [nest structure of *Sceliphron javanum* or *madraspatanum*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Menzel\\_1928\\_Sceliphron\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Menzel_1928_Sceliphron_nesting.pdf)

**Mercet, R.G.**

- \* 1903. Descripción de himenópteros nuevos. Boletín de la Real Sociedad Española de Historia Natural 3:98-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1903.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1903.pdf)
- \* 1904a. Las «*Bembex*» de España. Boletín de la Real Sociedad Española de Historia Natural 4:341-356. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1904a\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1904a_Bembex.pdf)
- \* 1904b. Un nisonino nuevo de España. Boletín de la Real Sociedad Española de Historia Natural 4:392-393. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1904b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1904b.pdf)
- \* 1905a. Una «*Bembex*» de Río de Oro. Boletín de la Real Sociedad Española de Historia Natural 5:342-343. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1905a\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1905a_Bembex.pdf)
- \* 1905b. «*Bembex*» nuevas de Africa. Boletín de la Real Sociedad Española de Historia Natural 5:352-355. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1905b\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1905b_Bembex.pdf)
- \* 1905c. Un «*Gorytes*» y una «*Bembex*» de Marruecos. Boletín de la Real Sociedad Española de Historia Natural 5:464-466. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1905c\\_Gorytes\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1905c_Gorytes_Bembex.pdf)
- \* 1906a. (10 July). Los «*Gorytes*» y «*Stizus*» de España. Memorias de la Real Sociedad Española de Historia Natural 4:111-158. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1906a\\_Gorytes\\_Stizus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1906a_Gorytes_Stizus.pdf)
- \* 1906b. Algunas especies del género «*Ammophila*». Boletín de la Real Sociedad Española de Historia Natural 6:186-192. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1906b\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1906b_Ammophila.pdf)
- \* 1906c. Un "*Trypoxylon*" nuevo y los «*Trypoxylon*» paleárticos. Boletín de la Real Sociedad Española de Historia Natural 6:462-466. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1906c\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1906c_Trypoxylon.pdf)
- \* 1907. El género «*Prosopigastera*». Boletín de la Real Sociedad Española de Historia Natural 7:292-304. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1907\\_Prosopigastera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1907_Prosopigastera.pdf)
- \* 1909a. Los «*Nysson*» de España. Revista de la Real Academia de Ciencias Exactas, Físicas y Naturales de Madrid 7:498-512, 617-628. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1909a\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1909a_Nysson.pdf)
- \* 1909b. (Apr.). Especies nuevas de «*Tachysphex*». Boletín de la Real Sociedad Española de Historia Natural 9:194-199. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1909b\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1909b_Tachysphex.pdf)
- \* 1910a. Especies europeas del gén. «*Ancistromma*». Boletín de la Real Sociedad Española de Historia Natural 10:125-130. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1910a\\_Ancistromma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1910a_Ancistromma.pdf)
- \* 1910b. Los Lárridos de España. Boletín de la Real Sociedad Española de Historia Natural 10:160-166. Available through:

- \* 1914. Los Filántidos de España. Boletín de la Real Sociedad Española de Historia Natural 14:443-450. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1910b\\_Larridos.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1910b_Larridos.pdf)
- \* 1915. Una especie nueva de Crabronido (Himenópteros). Boletín de la Real Sociedad Española de Historia Natural 15:366-369. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet-1914\\_Filantidos.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet-1914_Filantidos.pdf)
- \* 1915. Encopognathus braunsi.pdf  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mercet\\_1915\\_Encopognathus\\_braunsi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mercet_1915_Encopognathus_braunsi.pdf)

#### Merisuo, A.K.

- \* 1932. Drei interessante *Crabro*-Funde (Hymen., Sphecidae). Notulae Entomologicae 12:89-92. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1932\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1932_Crabro.pdf)
- \* 1933a. Eine reichliche und interessante Sphecidenfauna (Hymenopt.) mitten in der Stadt. Notulae Entomologicae 13:59-60. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1933a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1933a.pdf)
- \* 1933b. Ein Männchen von *Belomicrus (Oxybeloides) borealis* Fors. (Hym., Sphecidae) gefunden. Notulae Entomologicae 13:71-73. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1933b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1933b.pdf)
- \* 1933c. *Mimesa atratina* F. Mor., eine für Finnland neue Art. (Hym., Sphecidae). Notulae Entomologicae 13:73-76. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1933c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1933c.pdf)
- \* 1936. Das Männchen von *Pemphredon flavistigma* Thoms. (Hym., Sphecidae) gefunden. Annales Entomologici Fennici 2:120-123. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1936.pdf)
- \* 1937a. Die *Psenulus*-Arten (Hym., Sphecidae) Finnlands, mit einer für die Fauna des Landes neuen Art, *Ps. puncticeps* Guss. Annales Entomologici Fennici 3:84-93. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1937a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1937a.pdf)
- \* 1937b. Eine neue Art zur Gattung *Psenulus* Kohl (Hym. Sphecidae). Annales Entomologici Fennici 3:192-197. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1937b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1937b.pdf)
- \* 1938. Die *Pseninen* (Hym., Sphecidae) Finnlands. Mit einer Bestimmungstabelle der Arten. Annales Entomologici Fennici 4:248-254. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1938.pdf)
- 1943. Die im Holz und im Boden nistenden finnischen Raubwespen (Hym., Sphecidae), ihre Nesttypen und Provianttiere. Annales Entomologici Fennici 9:219-260. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1943.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1943.pdf)
- \* 1946. Über die Färbung der Hauptform von *Ceratocolus alatus* Panz. (Hym., Sphecidae), ihrer Aberration *basalis* Sm. sowie der Zwischenformen. Annales Entomologici Fennici 12:139-142. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1946.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1946.pdf)
- \* 1967a. Zur Lebensweise von *Coelorabro [sic] ambiguus* Dahlb. (Hym., Sphecidae). Annales Entomologici Fennici 33:99-101. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1967a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1967a.pdf)
- \* 1967b. Die mir bekannt gewordenen mittel- und nordeuropäischen Arten der Gattung *Psenulus* Kohl (Hym., Sphecoidea). Annales Entomologici Fennici 33:151-154. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1967b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1967b.pdf)
- 1967c. Ein Entwurf zum dreidimensionalen Zeichnen der Raubwespenester (Hym., Sphecoidea). Annales Entomologici Fennici 33:176-180. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1967c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1967c.pdf)

- \* 1968. Ein in Finnland gefundenes Nest von *Rhopalum nigrinum* Kiesenw. (Hym., Sphecidae). Annales Entomologici Fennici 34:46-48. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1968.pdf)
- \* 1972a. Das bisher unbekannte Männchen von *Pemphredon fennicus* Meris. (Hym., Sphecoidea) in Schweden gefunden. Annales Entomologici Fennici 38:93-95. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1972a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1972a.pdf)
- \* 1972b. Zur Kenntnis der *Pemphredon* Latreille-Arten (Hym., Sphecoidea). Annales Entomologici Fennici 38:190-192. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1972b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1972b.pdf)
- \* 1972c. Über die Tyloide der finnischen *Passaloecus*-Männchen (Hym., Sphecoidea). Annales Entomologici Fennici 38:203-207. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1972c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1972c.pdf)
- \* 1973a. Eine neue Art zur Gattung *Passaloecus* Shuckard (Hym., Sphecoidea). Annales Entomologici Fennici 39:22-23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1973a.pdf)
- \* 1973b. Zur Biologie von *Passaloecus clypealis* Faester (Hym., Sphecoidea). Annales Entomologici Fennici 39:103-108. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1973b\\_Passaloecus\\_clypealis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1973b_Passaloecus_clypealis.pdf)
- \* 1973c. Beiträge zur Kenntnis der finnischen Arten der Gattung *Passaloecus* Shuckard (Hym., Sphecoidea). Annales Entomologici Fennici 39:108-119. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1973c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1973c.pdf)
- \* 1974a. Zur Kenntnis der europäischen Arten der Gattung *Passaloecus* Shuckard (Hym., Sphecoidea). Annales Entomologici Fennici 40:10-15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1974a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1974a.pdf)
- \* 1974b. *Passaloecus ribauti* sp. n. (Hymenoptera, Sphecoidea). Annales Entomologici Fennici 40:138-140. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1974b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1974b.pdf)
- \* 1975a. Ein gynandromorphes Exemplar der Art *Psenulus schencki* (Tourn.) (Hym., Sphecoidea). Annales Entomologici Fennici 41:78. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1975a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1975a.pdf)
- 1975b. (27 June). Comment on the proposed suppression of *Euphilis* Risso, 1826 in favour of *Rhopalum* Stephens, 1829. Z. N. (S.) 2056. The Bulletin of Zoological Nomenclature 32:99. Available through:  
<http://biodiversitylibrary.org/page/12225710> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1975b\\_Euphilis\\_Rhopalum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1975b_Euphilis_Rhopalum.pdf)
- \* 1976a. *Passaloecus iwatai* sp. n. (Hym., Sphecoidea). Annales Entomologici Fennici 42:21-26. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1976a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1976a.pdf)
- \* 1976b. Interessante Anomalien bei den Raubwespen (Hym., Sphecoidea). Annales Entomologici Fennici 42:112. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1976b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1976b.pdf)
- \* 1976c. *Passaloecus cuspidifrons* sp. n. (Hym., Sphecoidea), eine asiatische Hochlandart. Annales Entomologici Fennici 42:140-143. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1976c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1976c.pdf)
- \* 1976d. *Passaloecus australis* sp. n. (Hym., Sphecoidea). Annales Entomologici Fennici 42:144-146. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1976d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1976d.pdf)
- \* 1976e. Drei neue asiatische Arten zur Gattung *Passaloecus* Shuckard (Hym., Sphecoidea). Annales Entomologici Fennici 42:171-177. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1976e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1976e.pdf)

- \* 1980. Das Männchen von *Passaloecus ribauti* Merisuo (Hymenoptera, Sphecoidea) gefunden und beschrieben. *Annales Entomologici Fennici* 46:83-84. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_1980.pdf)

Obituary: Pekkarinen, A. 1985. Aimo K. Merisuo (1907-1984). *Notulae Entomologicae* 101-102. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_Obituary.pdf)

#### **Merisuo, A., and A. Pekkarinen**

- \* 1980. Vridvingen *Paraxenos sphecedarum* som parasit på *Ammophila sabulosa* och *A. pubescens* på Gotland – The stylopod *Paraxenos sphecedarum* (Strepsiptera) – a parasite of *Ammophila sabulosa* and *A. pubescens* on the Baltic island Gotland. *Entomologisk Tidskrift* 101:43. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_Pekkarinen\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_Pekkarinen_1980.pdf)

#### **Merisuo, A.K., and E. Valkela**

- \* 1972. Beiträge zur Kenntnis der paläarktischen Arten der Gattung *Pemphredon* Latreille (Hym., Sphecoidea). *Annales Entomologici Fennici* 38:7-24. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merisuo\\_Valkela\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merisuo_Valkela_1972.pdf)

#### **Merz, B., and A. Krebs**

- \* 2001. (15 May). (2000). Zwei bemerkenswerte Funde von Grabwespen (Hymenoptera, Sphecidae) aus der Schweiz. *Mitteilungen der Entomologischen Gesellschaft Basel* 50:149-150. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Merz\\_Krebs\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Merz_Krebs_2000.pdf)

#### **Meunier, F.**

- 1888. Description d'une nouvelle espèce de Sphegides du Brésil. *Il Naturalista Siciliano* 7:301-303. [*Aphanilopterus vagabundus*, listed as a pompilid incertae sedis by von Dalla Torre, 1897:346.]. Available through: <http://biodiversitylibrary.org/page/11566673> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1888\\_Aphanilopterus\\_vagabundus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1888_Aphanilopterus_vagabundus.pdf)
- 1889. Description d'une nouvelle espèce ou peu connue de «Crabronides» de la tribue des Mellinites. *Le Naturaliste* 11:24-25. [*Mellinisterius aphidum*, genus and species not recognized by subsequent authors.]. Available through: <http://biodiversitylibrary.org/page/10450845> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1889\\_Mellinisterius\\_aphidum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1889_Mellinisterius_aphidum.pdf)
- \* 1896. (1895-1896). Les chasses hyménoptérologiques aux environs de Bruxelles. *Annales de la Société Scientifique de Bruxelles* 20:268-276. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1897a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1897a.pdf)
- \* 1897a. Quelques mots sur les faunes hyménoptérologiques et diptérologiques de la Bulgarie septentrionale. *Annales de la Société Scientifique de Bruxelles* 22:348-350. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1897b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1897b.pdf)
- \* 1897b. Liste des Diptères et des Hyménoptères capturés sur les dunes de Blankenberghe. *Annales de la Société Scientifique de Bruxelles* 22:351-353. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1897c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1897c.pdf)
- \* 1911. Über einige Dipteren und eine Grabwespe (Hym.) aus der untermiocänen Braunkohle von Turnich (Rheinpreussen). *Jahrbuch der Königlichen Preussischen Geologischen Landesanstalt zu Berlin* 30:538-539. [claimed to have found the recent *Crabro vagus*, now *Ectemnius continuus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1911.pdf)
- \* 1915. Nouvelles recherches sur quelques insectes des plâtrières d'Aix en Provence. *Verhandelingen der Koninklijke Akademie van Wetenschappen te Amsterdam. Tweede Sectie* 18, No. 5:1-17, 5 pls. [described *Sceliphron tertiarium*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1915.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1915.pdf)

- \* 1916. (1915). Über einige fossile Insekten aus den Braunkohlenschichten (Aquitani) von Rott (Siebengebirge). Zeitschrift der Deutschen Geologischen Gesellschaft 67:205-217 [described *Nysson rottensis* on p. 212, which is a eumenine according to Evans, 1966d:396; Siebengebirge are in Niederrhein-Westfalen province of Germany]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meunier\\_1916.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meunier_1916.pdf)

Biography: Pauly, 2002:55. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002a\\_44\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002a_44_Bibliography.pdf)

#### **Meyer, M., R. Proess, and N. Schneider**

- \* 2006. Entomologische Notizen aus Luxemburg, 2000–2004. Bulletin de la Société des Naturalistes Luxembourgeois 106:105-112. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meyer\\_et\\_al\\_2006\\_List\\_of\\_Luxemburg.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meyer_et_al_2006_List_of_Luxemburg.pdf)

#### **Meyer, O.**

- \* 1919. (1 June). Hymenoptera aculeata der Provinz Posen. Vespidae, Sphegidae, Pompilidae, Sapygidae, Scolidae. Deutsche Entomologische Zeitschrift 1919:145-160. [Posen, Germany, now Poznań, Poland]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meyer\\_O\\_1919.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meyer_O_1919.pdf)

#### **Meyer, R.**

- \* 1921. (1 Mar.). Zur Kenntnis des *Oxybelus monachus* Gerst. (Hym.). Entomologische Mitteilungen 10:48-53. Available through: <http://biodiversitylibrary.org/page/10434304>, and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Meyer\\_R\\_1921\\_Oxybelus\\_monachus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Meyer_R_1921_Oxybelus_monachus.pdf)

#### **Meyer-Holzappel, M.**

- 1986. Vergleichende Betrachtung des Verhaltens brutparasitischer Fliegen aus zwei Familien bei solitären Aculeaten Hymenopteren (Methodische Kritik). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 59:95-110. [Review of nest parasites of Anthomyiidae and Miltogramminae]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/MeyerHolzapfel\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/MeyerHolzapfel_1986.pdf)

#### **Micheli, L.**

- \* 1929. (25 Mar.). Note biologiche e morfologiche sugli Imenotteri (Contributo 1°). Bollettino della Società Entomologica Italiana 61:34-43. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Micheli\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Micheli_1929.pdf)
- \* 1930. Note biologiche e morfologiche sugli Imenotteri (Contributo 2°). Memorie della Società Entomologica Italiana 9:46-66. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Micheli\\_1930.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Micheli_1930.pdf)
- \* 1933. Note biologiche e morfologiche sugli Imenotteri (Contributo 4). Memorie della Società Entomologica Italiana 12:5-15. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Micheli\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Micheli_1933.pdf)
- \* 1937. (Oct.). Note biologiche e morfologiche sugli Imenotteri (Serie VIII). *Megachile nigriventris* Schenck (Apidi). *Solierella xambeui* Gir. (Sfegidi). Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano 76:280-290. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Micheli\\_1937.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Micheli_1937.pdf)

#### **Michener, Ch.D.**

- 1944. (10 Apr.). Comparative external morphology, phylogeny, and a classification of the bees (Hymenoptera). Bulletin of the American Museum of Natural History 82:151-326 pp. [bees should be recognized as a division of the superfamily Sphecoidea].

1952. A note on the larvae of Sphecids wasps. *Journal of the Kansas Entomological Society* 25:115-116. [in most aculeates including Sphecinae and Astatinae, the salivary opening is a broad, transverse slit; in remaining Sphecidae, the salivary opening is divided]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Michener\\_1952.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Michener_1952.pdf)
- \* 1971. (18 Oct.). Notes on crabronine wasp nests. *Journal of the Kansas Entomological Society* 44:405-407. [on *Crossocerus ambiguus* and *Ectemnius lapidarius*], Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Michener\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Michener_1971.pdf)
1981. Comparative morphology of the middle coxae of Apoidea. *Journal of the Kansas Entomological Society* 54:319-326.
1986. Family-group names among bees. *Journal of the Kansas Entomological Society* 59:219-234. [Apidae Latreille, 1802, published before April, has priority over Sphecidae Latreille, 1802, published May or later].
- \* 2005. (24 Mar.). *Pseudoscolia*: a spheciform wasp with a pointed glossa (Hymenoptera: Crabronidae). *Journal of Hymenoptera Research* 14:78-83. Available through: <http://biodiversitylibrary.org/page/2858391> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Michener\\_2005\\_Pseudoscolia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Michener_2005_Pseudoscolia.pdf)
- Autobiography: Ch.D. Michener. 2007. The professional development of an entomologist. *Annual Review of Entomology* 52:1-15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Michener\\_Autobiography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Michener_Autobiography.pdf)
- Obituaries: <http://eeb.ku.edu/ku-mourns-passing-charles-d-michener> and <https://journals.ku.edu/index.php/melittology/article/view/5006/4494>
- Mickel, C.E.**
- \* 1916a. (15 Dec.). New species of Hymenoptera of the superfamily Sphecoidea. *Transactions of the American Entomological Society* 42:399-434. Available through: <http://biodiversitylibrary.org/page/6513569> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mickel\\_1916a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mickel_1916a.pdf)
- \* 1916b. (Dec.). A review of the American species of *Xylocelia* (Hymenoptera; Psenidae). *Annals of the Entomological Society of America* 9:344-352. Available through: <http://biodiversitylibrary.org/page/11919202> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mickel\\_1916b\\_Xylocelia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mickel_1916b_Xylocelia.pdf)
- \* 1917. (1 Aug.). Notes on Nebraska Bembicinae. *The Canadian Entomologist* 49:285-287. Available through:  
<http://biodiversitylibrary.org/page/3088588> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mickel\\_1917\\_Bembicinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mickel_1917_Bembicinae.pdf)
- \* 1918a. (1917). New species of Sphecoidea from the central and western States. *University Studies Published by the University of Nebraska* 17:319-341. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mickel\\_1918a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mickel_1918a.pdf)
- \* 1918b. (1917). A synopsis of the Sphecoidea of Nebraska (Hymenoptera). *University Studies Published by the University of Nebraska* 17:342-456. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mickel\\_1918b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mickel_1918b.pdf)
- Obituary: A.C. Hodson. 1982. Clarence E. Mickel 1892-1982. *Bulletin of the Entomological Society of America* 28:379.
- D.G. Manley. 1983. Clarence E. Mickel (1892-1982). *Sphecos* 7:23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_7.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_7.pdf)
- Miczulski, B.**
- \* 1967. Błonkówki (Hymenoptera) w biocenozie upraw rzepaku. Część IV. Żądłówki (Aculeata) – Community studies on Hymenoptera found on *Brassica napus* L. Part IV. Aculeata. *Polskie Pismo Entomologiczne* 37:487-506. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miczulski\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miczulski_1967.pdf)

**Milkowski, M., and L. Buchholz**

- \* 2016. *Sceliphron destillatorium* (Illiger, 1807) (Hymenoptera: Sphecidae) – Nowe stanowiska na Wyżynie Małopolskiej i w Górach Świętokrzyskich – *Sceliphron destillatorium* (Illiger, 1807) (Hymenoptera: Sphecidae) – new localities in the Małopolska Upland and in the Świętokrzyskie Mountains. Kulon 21:81-82. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Milkowski\\_Buchholz\\_2016\\_Sceliphron\\_destillatorium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Milkowski_Buchholz_2016_Sceliphron_destillatorium.pdf)

**Millar, J.G., R.E. Rice, S.A. Steffan, K.M. Daane, E. Cullen, and F.G. Zalom**

- \* 2001. (7 Dec.). Attraction of female digger wasps, *Astata occidentalis* Cresson (Hymenoptera: Sphecidae) to the sex pheromone of the stink bug *Thyanta pallidovirens* (Heteroptera: Pentatomidae). The Pan-Pacific Entomologist 77:244-248. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Millar\\_et\\_al\\_2001\\_Astata\\_occidentalis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Millar_et_al_2001_Astata_occidentalis.pdf)

**Miller, D.**

- \* 1955. Nature in New Zealand. Native insects. Wellington. 64 pp. Pages 34-37, including sphecids wasps, available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_D\\_1955.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_D_1955.pdf)
- 1971. Common insects in New Zealand, A. H. and A. W. Reed. Printed in Hong Kong. I-XIX, 178 pp.

**Miller, R.C.**

- \* 1976. A review of the *hilaris* species group of *Crabro* (Hymenoptera: Sphecidae). The Florida Entomologist 59:241-265. [includes discussion of Floridan color forms in *Ectemnius* on p. 261]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_1976\\_Crabro\\_hilaris.gr.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_1976_Crabro_hilaris.gr.pdf)

**Miller, R.C., and F.E. Kurczewski**

- \* 1972. A review of nesting behavior in the genus *Entomognathus* with notes on *E. memorialis* Banks (Hym., Sphec.). Psyche 79:61-78. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_Kurczewski\\_1972\\_Entomognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_Kurczewski_1972_Entomognathus.pdf)
- 1973a. Ecology of digger wasps (Sphecidae), pp. 204-217 in D.L. Dindal (editor). Soil Microcommunities. I. Symbiotic relationships of soils invertebrates. Proceedings of First Soil Microcommunities Conference, USAEC, Office of Inform Serv. CONF-711076. National Technical Information Service, USDC, Springfield, Va. [an outline of nesting habits]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_R\\_Kurczewski\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_R_Kurczewski_1973a.pdf)
- \* 1973b. Intraspecific interactions in aggregations of *Lindenius* (Hymenoptera: Sphecidae, Crabroninae). Insectes Sociaux 20:365-378. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_Kurczewski\\_1973b\\_Lindenius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_Kurczewski_1973b_Lindenius.pdf)
- \* 1975. Comparative behavior of wasps in the genus *Lindenius* (Hymenoptera: Sphecidae, Crabroninae). Journal of the New York Entomological Society 83:82-120. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_Kurczewski\\_1975\\_Lindenius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_Kurczewski_1975_Lindenius.pdf)
- \* 1976. Comparative nesting behaviors of *Crabro rufibasis* and *Crabro arcadiensis* (Hymenoptera: Sphecidae: Crabroninae). The Florida Entomologist 59:267-286. Available through:  
<http://journals.fcla.edu/flaent/article/view/57106/54785> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miller\\_Kurczewski\\_1976\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miller_Kurczewski_1976_Crabro.pdf)

**Miller, R.S., A.M. Pearce, and K.M. O'Neill**

- \* 2009. Prevalence of stylopization of *Sphex ichneumoneus* (L.) (Hymenoptera: Sphecidae) by *Paraxenos westwoodi* (Templeton) (Strepsiptera: Xenidae). Psyche 2009 Article ID 690125:1-4. Available through: <http://downloads.hindawi.com/journals/psyche/2009/690125.pdf>

**Minamikawa, J.**

- \* 1968. Observations of the insects pests of the old shrine and the Buddhist temple wooden buildings and a few trypoxylonid [sic] wasps. Nihon Ôyô Dôbutsu Konchu Gakkai Shi = Japanese Journal of Applied Entomology and Zoology 12:45. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minamikawa\\_1968\\_Trypoxylon\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minamikawa_1968_Trypoxylon_nesting.pdf)

**Mingo, E., and S.F. Gayubo**

- \* 1983. Sphecidae de España. I. Ampulicinae y Sphecinae (Hym.). Eos. Revista Española de Entomología 59:137-164. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Gayubo\\_1983\\_I\\_Ampulici\\_y\\_Sph.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Gayubo_1983_I_Ampulici_y_Sph.pdf)
- \* 1984. Sphecidae de España. II. Pemphredoninae (Hymenoptera). Graellsia 40:99-117. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Gayubo\\_1984\\_II\\_Pemphredoninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Gayubo_1984_II_Pemphredoninae.pdf)
- \* 1985. (Jan.). (1984). *Carinostigmus hispanicus* sp. n., nuevo penfredonino encontrado en España, y nuevo género para Europa (Hym., Sphecidae). Eos. Revista Española de Entomología 60:205-210. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_et\\_Gayubo\\_1984b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_et_Gayubo_1984b.pdf)
- \* 1986. Sphecidae de España. III. Astatinae (Hym.). Actas de las VIII Jornadas de la Asociación Española de Entomología (Sevilla) 1986:1003-1011. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Gayubo\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Gayubo_1986.pdf)

**Mingo Pérez, E.**

- \* 1965. (15 Jan.). (1964). Los Psenini de España (Insecta, Hymenoptera). Boletín de la Real Sociedad Española de Historia Natural (Sección Biologica) 62:155-173. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Perez\\_1965.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Perez_1965.pdf)
  - \* 1966. Los Oxybelini de la Península Ibérica (Hymenoptera). Graellsia 22:57-121. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Perez\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Perez_1966.pdf)
  - \* 1968. (31 May). (1967). Adición a los Psenini de España (Hym. Sphecidae). Graellsia 23:81-92. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Perez\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Perez_1968.pdf)
- Obituary: V. Llorente del Moral, and C. Rey del Castillo. 2025. In memoriam: Elvira Mingo Pérez (1930-2024). Graellsia 91:1- 5. [Includes list of publications]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mingo\\_Perez\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mingo_Perez_Obituary.pdf)

**Minkiewicz, R.**

- \* 1931a. L'intéressant comportement des mâles de *Bembex* (Guet-danse nuptial. Orientation. Habitudes. Rythme mnémonique). Polskie Pismo Entomologiczne 10:8-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1931a\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1931a_Bembex.pdf)
- \* 1931b. Nids et proies des Sphégiens de Pologne. Fragments éthologiques (première série). Polskie Pismo Entomologiczne 10:196-218, pls. XI-XVI. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1931b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1931b.pdf)
- \* 1933. (1932). Gniazda i zwierzyna łowna Grzebaczowatych – Nids et proies des Sphégiens de Pologne. Deuxième série de fragments éthologiques. Polskie Pismo Entomologiczne 11:98-112, pl. VI. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1933.pdf)
- \* 1934. (1933). Gniazda i zwierzyna łowna Grzebaczowatych w Polsce – Nids et proies de Sphégiens de Pologne. Troisième série. Polskie Pismo Entomologiczne 12:181-261, pls. XI-XV. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1934.pdf)
- \* 1935. *Myrmosa brunnipes* Lepel. tudzież inne żądłowki południowe lub rzadkie, wykryte w Polsce środkowej (na tle odnosnych zbiorowisk gniazdowania) – *Myrmosa brunnipes* Lepel. et autres Hyménoptères Aculéates méridionaux ou rares, trouvés en Pologne centrale (en relation avec les

aggrégations de nidification respectives). Fragmenta Faunistica Musei Zoologici Polonici 2:189-227, pl. IX. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1935\\_Myrmosa\\_brunnipes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1935_Myrmosa_brunnipes.pdf)

- \* 1936. (1934). Typy obyczajowe samców Grzebaczy – Les types de comportement des mâles de Sphégiens. Polskie Pismo Entomologiczne 13:1-20. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minkiewicz\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minkiewicz_1936.pdf)

#### **Minoranskiy, V.A. [В.А. Миноранский]**

- \* 1971. Обыкновенный пелопей [= Obyknovennyi pelopey, = The common Pelopoeus, *Sceliphron destillatorium*]. Priroda 9:71-76. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minoransky\\_1971\\_Sceliphron\\_destillatorium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minoransky_1971_Sceliphron_destillatorium.pdf)

#### **Minoranskiy, V.A., V.I. Kharchenko, and A.I. Fomichev [В.А. Миноранский, В.И. Харченко и А.И. Фомичев]**

- \* 1970. Некоторые сведения о пелопее обыкновенном – *Sceliphron destillatorium* Kl. (Sphecidae, Hymenoptera) [= Nekotoryie svedeniya o pelopeye obyknovennom – *Sceliphron destillatorium* Kl. (Sphecidae, Hymenoptera)] – Some data on *Sceliphron destillatorium* Kl. (Sphecidae, Hymenoptera). Vestnik Zoologii 5:15-20. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minoranskiy\\_et\\_al\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minoranskiy_et_al_1970.pdf)

#### **Minoranskiy, V.A., and A.V. Shkuratov [В.А. Миноранский и А.В. Шкуратов]**

- \* 1996. К фауне роющих ос (Hymenoptera, Sphecidae) Ростовской области [= K faune royushchikh os (Hymenoptera, Sphecidae) Rostovskoy oblasti, = On the sphecid fauna of Rostov Oblast', Russia]. Izvestiya Vysshikh Uchebnykh Zavedeniy. Severo-Kavkazskiy Region. Estestvennyye nauki 1996 (4):80-83. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Minoranskiy\\_Shkuratov\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Minoranskiy_Shkuratov_1996.pdf)

#### **Misra, R.M.**

- \* 1984. Some observations on the life history and behavior of digger wasp *Ammophila erythrocephala* Fabricius (Sphecidae: Hymenoptera). Indian Forester 110:1203-1208. Available through (plates missing): [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Misra\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Misra_1984.pdf)

#### **Mita, T.**

- 2021. (22 Mar.). Records of *Elampus musashinus* (Tsuneki, 1986) and Alyssontini from Kumamoto Prefecture, Japan. (Hymenoptera: Chrysididae, Crabronidae). Tsunekibachi 36:43-46. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mita\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mita_2021.pdf)

#### **Mitai, K.**

- \* 2005. (15 Nov.). Records of *Cerceris kumamotonis* Tsuneki, 1978 and *C. teranishii* Sato, 1927 (Hymenoptera, Philanthidae) from Kyushu, Japan. Tsunekibachi 6:54-55. [in Japanese]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mitai\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mitai_2005.pdf)

#### **Mitchell, P.S., and J.H. Hunt**

- \* 1985. Nutrient and energy assays of larval provisions and feces in the black and yellow mud dauber, *Sceliphron caementarium* (Drury) (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 57:700-704. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mitchell\\_Hunt\\_1985\\_Sceliphron\\_caementarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mitchell_Hunt_1985_Sceliphron_caementarium.pdf)

**Mityaev, I.D., G.Ya. Matesova, K.Z. Kulenova, V.L. Kazenas, and A.B. Zhdanko** [И.Д. Митяев, Г.Я. Матесова, К.З. Куленова, В.Л. Казенас и А.Б. Жданко]

- \* 1980. Список насекомых поймы Алея [= Spisok nasekomykh poymy Aleya [= A list of insect of the Alei River basin, Altai Kray, Siberia, Russia], pp. 96-128 in *Prirodnyie resursy basseyna reki Alei, ikh okhrana i ratsionalnoye ispolzovaniye*. Akademiya Nauk SSSR. Sibirskoye Otdeleniye. Institut Geografii Sibiri i Dalnego Vostoka. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mityaev\\_et\\_al\\_1980\\_Insects\\_of\\_Aley\\_floodplain.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mityaev_et_al_1980_Insects_of_Aley_floodplain.pdf)

**Miyamoto, S.**

- \* 1959. On the flower-visiting of hymenopterous insects except bees. *The Insect Ecology* 8:31-45. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miyamoto\\_1959.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miyamoto_1959.pdf)

**Miyano, S., and T. Yamaguchi**

- \* 2001. (21 June). Ants reduce nest building activities of tube-nesting wasps and bees (Hymenoptera). *Entomological Science* 4:243-246. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Miyano\\_Yamaguchi\\_2001\\_ants\\_vs\\_wasps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Miyano_Yamaguchi_2001_ants_vs_wasps.pdf)

**Miyatake, Y.**

- \* 1996. (31 Mar.). A list of the insect collection by Mr. Hiroshi Aoki. *Special Publications from the Osaka Museum of Natural History* 28:1-132. [Sphecidae on pp. 101-103].

**Mizota, K.**

- \* 2002. A check list of insects in Kinkazan Island, Miyagi Pref., northeastern Japan: a bibliographical survey. *Research Bulletin of Environmental Education Center, Miyagi University of Education* 5:69-78. [*Ammophila infesta* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mizota\\_2002\\_Ammophila\\_infesta.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mizota_2002_Ammophila_infesta.pdf)

**Moan, E.K., and E.J. Tramer**

- \* 2008. (31 Mar.). Ecological observations on *Tachysphex pechumani* (Hymenoptera: Crabronidae), pp. 67-76 in (no editor provided) *Biological studies of Tachysphex pechumani, the antenna-waving wasp*. *Northeastern Naturalist* 15, Monograph 2:1-76. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moan\\_Tramer\\_2008\\_Tachysphex\\_pechumani.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moan_Tramer_2008_Tachysphex_pechumani.pdf)

**Mochi, A. [Alberto]**

- \* 1938. Revisione delle specie egiziane del genere *Cerceris* Latr. (Hymenoptera: Sphegidae-Philanthinae). *Bulletin de la Société Fouad I<sup>er</sup> d'Entomologie* 22:136-229. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_1938.pdf)
- \* 1939a. Revisione delle Specie egiziane dei Generi *Philanthus* F. e *Nectanebus* Spin. (Hymenoptera: Sphegidae-Philanthinae). *Bulletin de la Société Fouad I<sup>er</sup> d'Entomologie* 23:86-139. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_1939a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_1939a.pdf)
- \* 1939b. Revisione delle specie egiziane del genere *Stizus* Latr. (Hymenoptera: Sphegidae). *Bulletin de la Société Fouad I<sup>er</sup> d'Entomologie* 23:183-237. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_1939b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_1939b.pdf)
- \* 1940. *Ammoplanopterus* nov. gen. *sinaiticus* nov. spec. (Hymenoptera: Sphecidae-Pemphredoninae). *Bulletin de la Société Fouad I<sup>er</sup> d'Entomologie* 24:27-30. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_1940.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_1940.pdf)

Collection: A. Mochi. 1987. The "A. Mochi" Aculeata collection. *Sphecos* 14:42-44. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_14.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_14.pdf)

**Mochi, A. [Alessandro]**

- \* 1993. *Dolichurus bicolor* Lep., news. Hy-Men 4:8 [a specimen collected in Morlupo north of Rome, Italy]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_1993.pdf)
- Obituary: P.L. Scaramozzino. 1996 (June). Alessandro Mochi (April 23, 1920–April 6, 1995). Sphecos 30:5-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_30.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_30.pdf)
- W.J. Pulawski. 1966 (June). Alessandro Mochi's last trip to Africa. An obituary. Sphecos 30:6-7. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_30.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_30.pdf)

**Mochi, A., and D. Luchetti**

- \* 1993. Note faunistiche su alcuni Sfecidi italiani. Bollettino. Associazione Romana di Entomologia 47:103-107. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_Luchetti\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_Luchetti_1993.pdf)
- \* 1994. Brevi riflessioni sul genere *Trypoxylon* in Italia. Hy-Men 5:15-16. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_and\\_Luchetti.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_and_Luchetti.pdf)

**Mochi, A., and A. Mochi**

- \* 1938. (1937). *Laphyragopus pictus* Kohl: complemento alla descrizione della femmina e descrizione del maschio (Hymenoptera-Sphecidae). Bulletin de la Société Royale Entomologique d'Egypte 21:223-231. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mochi\\_Mochi\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mochi_Mochi_1938.pdf)

**Mocsáry, A. (also spelled Mocsáry, S.)**

- \* 1874. Zur Hymenopteren-Fauna Siebenbürgens. Verhandlungen und Mittheilungen des Siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt 24:117-122. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1874.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1874.pdf)
- 1878. (1877-1878). Adatok Zolyóm és Liptó megyék faunájához – Data ad Faunam Hungariae Septentrionalis comitatum: Zolyóm et Liptó. Matematikai és Természettudományi Közlemények 15:223-263.
- \* 1879. Hymenoptera nova e fauna Hungarica – Új hártaröpkék a Magyar faunából. Természettudományi Füzetek 3:115-141. Available through: <http://biodiversitylibrary.org/page/31130834> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1879.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1879.pdf)
- \* 1881a. (1 Jan.). Synonymische Bemerkungen. Entomologische Nachrichten 7:18-20. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1881a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1881a.pdf)
- \* 1881b. Drei neue Hymenopteren. Entomologische Nachrichten 7:327-330. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1881b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1881b.pdf)
- \* 1883. Hymenoptera nova Europaea et exotica – Európai és másföldi új hártaröpkék. Értekezések a Természettudományok Köréből 13, No.11:1-72. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1883.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1883.pdf)
- \* 1884. Charakteristische Daten zur Hymenopterenfauna Siebenbürgens. Természettudományi Füzetek 8:218-226. Available through: <http://biodiversitylibrary.org/page/30760541> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1884.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1884.pdf)
- \* 1892. Hymenoptera in expeditione comitis Belae Szechenyi in China et Tibet a dom. G. Kreitner et L. Lóczy anno 1879 collecta. Természettudományi Füzetek 15:126-131. Available through: <http://biodiversitylibrary.org/page/30764485> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mocsary\\_1892.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mocsary_1892.pdf)
- \* 1897. Ordo. Hymenoptera, pp. 1-113 in A Magyar Birodalom Állatvilága. A Magyar birodalomból eddig ismert állatok rendszeres lajstroma. Magyarország ezeréves fennállásának emlékére kiadta a k.m. Természettudományi Társulat – Fauna Regni Hungariae. Animalium Hungariae hucusque cognitorum

enumeratio systematica. III. Arthropoda. In memoriam regni Hungariae mille abhinc annis constituti edidit Regia Societas Scientiarum Naturalium Hungarica. Budapest.

Biography: L. Móczár. 1967. Mocsáry Sándor és Természettudományi Múzeum Hymenoptera gyűjteménye – S. Mocsáry und die Hymenoptera-Sammlung des Naturwissenschaftlichen Museums. Különlenyomat az Állattani Közlemények 54:89-97, pls. I-II.

Haris, 2016:61(available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Haris_2016.pdf)).

#### **Mocsáry, A., and V. Szépligeti**

- \* 1901. Hymenopteren, pp. 121-169 in Dritte asiatische Forschungsreise des Grafen Eugen Zichy. Band II. Zoologische Ergebnisse der dritten asiatischen Forschungsreise des Grafen Eugen Zichy redigiert von Dr. G. Horváth. Budapest–Leipzig. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Mocsary\\_Szepligeti\\_1901.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Mocsary_Szepligeti_1901.pdf)

#### **Móczár, L.**

- \* 1938a. (1 Mar.). Hymenopterologiai jegyzetek. I. Folia Entomologica Hungarica 3:161-163. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1938\\_3a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1938_3a.pdf) and continued through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1938\\_3b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1938_3b.pdf)
- \* 1938b. Hymenopterologiai jegyzetek II – Hymenopterologische Anmerkungen II. Folia Entomologica Hungarica (= Rovartani Közlemények) 4:62-65. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1938b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1938b.pdf)
- \* 1938c. Adatok a Kőszegi-hegység hártáysszárnú faunájához – Beiträge zur Kenntnis der Hymenopteren-Fauna des Kőszeger-Gebirge. A Kőszegi Múzeum Közleményei (= Publicationes Musei Ginsiensis) 1 (5):72-86. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1938c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1938c.pdf)
- \* 1938d. (8 Dec.). Einige interessante mediterrane und steppenbewohnende Hymenopteren von de Pótharaszti-Pusztá. Fragmenta Faunistica Hungarica (= Rovartani Közlemények) 1:79-80. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1938d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1938d.pdf)
- \* 1939. Jászberény környékének hártáysszárnú rovarai. A Jászberényi Áll. Liceum és Tanítóképző-intézet. Évi Évkönyvéből 1938-1939:1-8. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1939.pdf)
- \* 1941. Hymenopterologiai jegyzetek III. Rovartani Közlemények 6:94-96. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1941.pdf)
- \* 1942. Kaparódarazsak ivadékgondozásáról. Különnyomat a Természettudományi Közöny 1942:1-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1942.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1942.pdf)
- \* 1943a. Néhány nevezetesebb Hymenoptera 1942. Évi Gyűjtéseimből – Einige bemerkenswerte Hymenopteren aus meinen Aufsammlungen im Jahre 1943 [sic]. Rovartani Közlemények 8:57-60. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1943a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1943a.pdf)
- \* 1943b. Hymenopterologiai jegyzetek IV – Hymenopterologische Notizen. Rovartani Közlemények 8:84-86. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1943b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1943b.pdf)
- \* 1946. (1 Oct.). Megfigyelések a Tihany félsziget partszakadékein – Beobachtungen bei Uferabstürzen der Halbinsel Tihany (Hymenoptera). Rovartani Közlemények (Series Nova) 1:35-46, 2 pls. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1946.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1946.pdf)
- \* 1947a. Neue Angaben zur Kenntnis der Hymenopteren-Fauna des Komitates Bars. Fragmenta Faunistica Hungarica 10:59-60. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphoridae/copies/Moczar\\_1947a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphoridae/copies/Moczar_1947a.pdf)

- \* 1947b. Beiträge zur Kenntnis der Hymenopteren-fauna Siebenbürgens. Fragmenta Faunistica Hungarica 10:85-92. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1947a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1947a.pdf)
- \* 1952. Contribution à l'éthologie du *Palarus variegatus* F. (Hym.). Annales Historico-Naturales Musei Nationalis Hungarici (= A Természettudományi Múzeum Évkönyve) (Series Nova) 2:119-124. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1952.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1952.pdf)
- 1953. Bátorliget hárttyázzarnyú-faunája. Hymenoptera, pp. 286-316 in V. Székessy, Bátorliget élővilága. Budapest. 486 pp.
- \* 1957. Zwei neue Formen der Unterfamilie Crabroninae aus Ungarn (Hymenoptera). Rovartani Közlemények (Series Nova) 10:423-426. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1957.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1957.pdf)
- \* 1958a. A *Crabro* s. lat. nem revíziója (Hymenoptera, Sphecidae). Állatani Közlemények 46:261-272. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1958a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1958a.pdf)
- \* 1958b. A Crabroninae (Fam.: Sphecidae) alcsalád Faunakatalógusa. (Cat. Hym. XIII.). Rovartani Közlemények (Series Nova) 11:189-216. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1958b\\_Crabroninae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1958b_Crabroninae.pdf)
- \* 1958c. Die ungarischen Vertreter der Tribus Oxybelini (Hymenoptera, Sphecidae) unter Berücksichtigung der westpaläarktischen Arten. Annales Historico-Naturales Musei Nationalis Hungarici (= A Természettudományi Múzeum Évkönyve) (Series Nova 9) 50:281-299. Available through:  
[http://publication.nhmus.hu/pdf/annHNHM/Annals\\_HNHM\\_1958\\_Vol\\_50\\_281.pdf](http://publication.nhmus.hu/pdf/annHNHM/Annals_HNHM_1958_Vol_50_281.pdf)
- 1959. Magyarország Állatvilága – Fauna Hungariae. XIII. Kötet, Hymenoptera III, 8. Füzet, Kaparódarázs alkatúak II. Sphecoidea II. Budapest. 87 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1959.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1959.pdf)
- \* 1961. Gemeinsame Nester verschiedener Hymenopteren (*Trypoxylon*, *Odynerus*, *Anthophora* sp.). Zoologischer Anzeiger 167:448-455. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1961.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1961.pdf)
- \* 1973. Eindringen solitärer Hymenoptera in das Nest fremder Arten (Fam.: Eumenidae, Sphecidae, Megachilidae). Acta Biologica (Szeged) 19:143-146. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_1973.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_1973.pdf)
- Autobiography: 1981. László Móczár. Sphecos 4:23. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_4.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_4.pdf)
- Biography: J. Papp, K. Balázs, and H.H. Dathe. 2011. (10 Nov.). Dem Nestor der ungarischen klassischen Entomologie, Prof. em. Dr. László Móczár zum Geburtstag. Beiträge zur Entomologie 61:239-241; Haris, 2016:86 (available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

#### **Móczár, M., and P. Henter**

- \* 1907. Újabb adatok Magyarország Hymenopterafaunájához. Rovartani Lapok 14:200-210. Available through: <http://biodiversitylibrary.org/page/16338708> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moczar\\_M\\_Henter\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moczar_M_Henter_1907.pdf)

#### **Mokrousov, M.V. [М.В. Мокроусов]**

- \* 2000a. Редкие и интересные находки осообразных (Hymenoptera, Vespomorpha) на территории Нижегородской области [= Redkiye i interesnyie nakhodki osoobraznykh (Hymenoptera, Vespomorpha) na territorii Nizhegorodskoy oblasti, = Rare and interesting Hymenoptera Vespomorpha of the Nizhnii Novgorod Oblast']. Trudy Biologicheskogo Fakulteta Nizhegorodskogo Gosudarstvennogo Universiteta 3:22-25. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2000.pdf)
- \* 2000b. Фауна роющих ос (Hymenoptera, Sphecidae) Нижегородской области [Fauna roýushchikh os (Hymenoptera, Sphecidae) Nizhegorodskoy oblasti = Digger wasps (Hymenoptera, Sphecidae) of the Nizhniy Novgorod Oblast']. Чтения памяти профессора В.В. Станчинского – Professor V.V. Stanchinskiy Memorial Meetings 3:29-32. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2000b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2000b.pdf)
  - \* 2002. Осы (Hymenoptera, Vespomorpha) Керженского заповедника [= Osy (Hymenoptera, Vespomorpha) Kerzhenskogo zapovednika, = Wasps (Hymenoptera, Vespomorpha) of Kerzhenskiy Nature Reserve, Russia]. Trudy Gosudarstvennogo Prirodnogo Zapovednika “Kerzhenskiy” [= Proceedings of “Kerzhenskiy” State Nature Reserve] 2:141-151. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2002\\_Kerzhenskiy\\_reserve.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2002_Kerzhenskiy_reserve.pdf)
  - \* 2003. [Sphecidae], pp. 220-223 in G.A. Anufriev and S.V. Bakka (editors). Красная книга Нижегородской области. Том I. Животные [= Krasnaya kniga Nizhegorodskoy oblasti. Tom I. Zhivotnye, = Red book of Nizhniy Novgorod oblast'. Volume I. Animals]. Mezhdunarodnyi Sotsyalno-Ékologicheskii Soyuz, Nizhniy Novgorod. 380 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2003.pdf)
  - \* 2004. (Mar.). Новые виды роющих ос (Hymenoptera, Crabronidae, Miscophini) из восточной Европы [= Novyye vidy roýushchikh os (Hymenoptera, Crabronidae, Miscophini) iz vostochnoy Evropy] – New species of digger wasps (Hymenoptera, Crabronidae, Miscophini) from Eastern Europe. Zoologicheskii Zhurnal 83:503-507. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2004.pdf)
  - \* 2008a. Предложения по внесению некоторых видов насекомых в Красную книгу Нижегородской области [= Predlozheniya po vneseniyu nekotorykh vidov nasekomykh v Krasnyu knigu Nizhegorodskoy oblasti, = Proposals to include certain insect species into the Red Book of the Nizhniy Novgorod Oblast', Russia], pp. 25-31 in G.A. Anufriev et al. (editors). Redkiye vidy zhivyykh organismov Nizhegorodskoy oblasti. Sbornik rabochikh materialov Komissii po Krasnoy knige Nizhegorodskoy oblasti. Vypusk 1 [= Rare species of Nizhniy Novgorod Oblast'. A collection of working materials of the Commission for the Red Book of the Nizhniy Novgorod Oblast'. Volume 1]. Komitet Okhrany Prirody i Upravleniya Prirodopol'zovaniem Nizhegorodskoy Oblasti and Nizhegorodskoye Otdeleniye Soyuz Okhrany Ptits Rossii, Nizhniy Novgorod. 138 pp. [*Sphex funerarius* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2008abc\\_Rare\\_insects.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2008abc_Rare_insects.pdf)
  - \* 2008b. Предложения по изменению природоохранного статуса некоторых видов насекомых, включенных в Красную книгу Нижегородской области [= Predlozheniya po izmeneniyu prirodookhrannago statusa nekotorykh vidov nasekomykh, vkluchennykh v Krasnyu knigu Nizhegorodskoy oblasti, = Proposals to change the protection status of certain insect species included in the Red Book of the Nizhniy Novgorod Oblast'], pp. 31-32 in G.A. Anufriev et al. (editors). Redkiye vidy zhivyykh organismov Nizhegorodskoy oblasti. Sbornik rabochikh materialov Komissii po Krasnoy knige Nizhegorodskoy oblasti. Vypusk 1 [= Rare species of Nizhniy Novgorod Oblast'. A collection of working materials of the Commission for the Red Book of the Nizhniy Novgorod Oblast'. Volume 1]. Komitet Okhrany Prirody i Upravleniya Prirodopol'zovaniem Nizhegorodskoy Oblasti and Nizhegorodskoye Otdeleniye Soyuz Okhrany Ptits Rossii, Nizhniy Novgorod. 138 pp. [*Sceliphron deforme* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2008abc\\_Rare\\_insects.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2008abc_Rare_insects.pdf)
  - \* 2008c. Номенклатурные уточнения и детализация распространения некоторых видов насекомых, включенных в Красную книгу Нижегородской области [= Nomenklaturnyye utochneniya i

detalizatsiya rasprostraneniya nekotorykh vidov nasekomykh, vkluchennykh v Krasnuyu knigu Nizhegorodskoy oblasti = Corrections to nomenclature and additions to geographic distribution of certain insect species included in the Red Book of the Nizhniy Novgorod Oblast', pp. 33-34 in G.A. Anufriev et al. (editors). Redkiye vidy zhivyykh organizmov Nizhegorodskoy oblasti. Sbornik rabochikh materialov Komissii po Krasnoy knige Nizhegorodskoy oblasti. Vypusk 1 [= Rare species of Nizhniy Novgorod Oblast'. A collection of working materials of the Commission for the Red Book of the Nizhniy Novgorod Oblast'. Volume 1]. Komitet Okhrany Prirody i Upravleniya Prirodopol'zovaniem Nizhegorodskoy Oblasti and Nizhegorodskoye Otdeleniye Soyuzo Okhrany Pits Rossii, Nizhniy Novgorod. 138 pp. [*Stizus perrisii* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2008abc\\_Rare\\_insects.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2008abc_Rare_insects.pdf)

- \* 2009. К фауне ос (Hymenoptera, Vespomorpha) республики Марий Эл [= K faune os (Hymenoptera, Vespomorpha) respubliky Mariy El] – To wasps fauna (Hymenoptera, Vespomorpha) of the Republic of Mary El. Nauchnye Trudy Gosudarstvennogo Prirodnogo Zapovednika “Bolshaya Kokshaga” (Scientific Papers of the State Nature Reserve “Bolshaya Kokshaga”) 4:265-299. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2009\\_Mary\\_El.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2009_Mary_El.pdf)
- \* 2010a. Фауна роющих ос (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) бассейна Верхней и Средней Волги [= Fauna roynushchikh os (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) basseyna Verkhney i Sredney Volgi] – Fauna of digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) of the Upper and Middle Volga basin. Trudy Russkogo Éntomologicheskogo Obshchestva (= Proceedings of the Russian Entomological Society) 81:59-66. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2010a\\_Volga\\_basin.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2010a_Volga_basin.pdf)
- \* 2010b. Роющие осы (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Северного Поволжья и сопредельных территорий [= Royuschiye osy (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Severnogo Povolzhya i sopredelnykh territoriy] – Digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) of the Northern Volga region and adjacent territories, p. 100 in S.A. Belokobyl'skiy and A.I. Khalaim (editors). II Simpozium stran SNG po pereponchatokrylym nasekomym. Rossiya, Sankt-Peterburg, 13-17 sentyabrya 2010. 8-y Kollokviyum Rossiyskoy seksii Mezhdunarodnogo soyuza issledovaniy obshchestvennykh nasekomykh (IUSSI). Rossiya, Sankt-Peterburg, 18-19 sentyabrya 2010 [= II Symposium of Countries of the Commonwealth of Independent States on the Hymenopterous Insects. Russia, Sankt Petersburg, 13-17 September 2010]. 8<sup>th</sup> Colloquium of the Russian Section of the International Union for the Study of Social Insects. Russia, Sankt Petersburg, 18-19 September 2010. Zoological Institute of Russian Academy of Sciences, et al. Sankt Petersburg. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2010a\\_N\\_Volga.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2010a_N_Volga.pdf)
- \* 2010c. Материалы к фауне роющих ос (Hymenoptera, Sphecidae, Crabronidae) ООПТ Чувашский республики [= Materialy k faune roynushchikh os (Hymenoptera, Sphecidae, Crabronidae) OOPT Chuvashskoy respubliky, = Contribution to the digger wasps (Hymenoptera, Sphecidae, Crabronidae) of the Chuvash Republic, Russia]. Научные Труды Государственного природного заповедника «Присурский» [= Nauchnye Trudy Gosudarstvennogo prirodnogo zapovednika “Prisurskiy” = Scientific Papers of the State Nature Reserve “Prisurskiy”] 24:107-108. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2010c\\_Chuvash\\_Republic.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2010c_Chuvash_Republic.pdf)
- \* 2011. Новые и интересные находки ос (Hymenoptera: Tiphidae, Crabronidae) из Восточной Европы [= Novyye i interesnye nakhodki os (Hymenoptera: Tiphidae, Crabronidae) iz Vostochnoy Evropy] – New and interesting records of wasps (Hymenoptera: Tiphidae, Crabronidae) from the East Europe. Evraziyskiy Éntomologicheskij Zhurnal (= Euroasian Entomological Journal) 10:406-408. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2011.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2011.pdf)

- \* 2015a. Новые и малоизвестные виды роющих ос (Hymenoptera, Apoidea: Sphecidae, Crabronidae) в фауне юго-восточной Европы [= Novye i maloizvestnyie vidy royushchikh os (Hymenoptera, Apoidea: Sphecidae, Crabronidae) v faune yugo-vostochnoy Evropy, = New and little known species of digger wasps (Hymenoptera, Apoidea, Sphecidae, Crabronidae) in the fauna of southeastern Europe], pp.537-539 in A.A. Chibilyov (editor). Stepi severnoi Evrazii. Materialy Sed'mogo Mezhdunarodnogo Simpoziuma. Rossiyskaya Akademiya Nauk - Ural'skoye Otdeleniye, Russkoye Geograficheskoye Obshchestvo. Publishing House "Dimur", Orenburg, 966 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2015a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2015a.pdf)
- 2015b. Изменения и дополнения к фауне роющих ос (Hymenoptera: Sphecidae, Crabronidae) Среднего Поволжья и сопредельных территорий – Changes and additions to the fauna of digger wasps (Hymenoptera: Sphecidae, Crabronidae) of the Middle Volga and adjacent territories. Trudy Russkogo Éntomologicheskogo Obshchestva (= Proceedings of the Russian Entomological Society) 86:76-84. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2015b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2015b.pdf)
- \* 2017a. On the synonymy of two digger wasps (Hymenoptera: Sphecidae, Crabronidae) from the Oriental and Palearctic Regions – К синонимии двух роющих ос (Hymenoptera: Sphecidae, Crabronidae) из Ориентальной и Палеарктической областей. Far Eastern Entomologist (= Дальневосточный энтомолог) 328:35-36. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2017a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2017a.pdf)
- \* 2017b. New and little-known crabronid wasps of the subfamily Philanthinae (Hymenoptera: Crabronidae) from Russia – Новые и малоизвестные виды роющих ос подсемейства Philanthinae (Hymenoptera: Crabronidae) в фауне России. Far Eastern Entomologist (= Дальневосточный энтомолог) 335:12-19. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2017b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2017b.pdf)
- \* 2017c. To the knowledge of digger wasps of subfamily Pemphredoninae (Hymenoptera: Crabronidae) of Russia – К познанию роющих ос подсемейства Pemphredoninae (Hymenoptera: Crabronidae) России. Far Eastern Entomologist (= Дальневосточный энтомолог) 337:1-16. [includes description of *Stigmaeus eurasiaticus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2017c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2017c.pdf)
- \* 2017d. Digger wasps (Hymenoptera: Crabronidae) of sandy deserts in the south-east of European Russia, p. 89 in V.A. Zryanin and A.R. Riss (editors). Russian Academy of Sciences – Zoological Institute et al. Abstracts of the 12th International Symposium of the Russian Society of Nematologists "Nematodes and other Ecdysozoa under the growing ecological footprint on ecosystems" July 31 – August 6, 2017, Nizhny Novgorod, Russia. 134 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_2017d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_2017d.pdf)
- \* 2017e. (20 Dec.). Subfamily Eremiasphecinae, pp. 245-246, Subfamily Pemphredoninae, pp. 246-252 in S.A. Belokobyl'skiy and A.S. Lelej (editors). Annotated catalogue of the Hymenoptera of Russia. Volume I. Symphyta and Aprocrita: Aculeata – Аннотированный каталог перепончатокрылых насекомых России. Том I. Сидячебрюхие (Symphyta) и жалоносные (Aprocrita: Aculeata). Proceedings of the Zoological Institute of the Russian Academy of Sciences – Труды Зоологического института Российской Академии наук. Supplement 6:1-475. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/AnnotatedCatalogueoftheHymenopteraofRussia2017\\_Vol\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/AnnotatedCatalogueoftheHymenopteraofRussia2017_Vol_I.pdf)

**Mokrousov, M.V., A.V. Antropov, A.B. Ruchin, and K.E. Bugayev** [M.B. Мокроусов, A.B. Антропов, A.B. Ручин и К.Е. Бугаев]

- \* 2009. Некоторые сведения о фауне ос (Hymenoptera: Chrysididae, Tiphidae, Pompilidae, Vespidae, Sphecidae, Crabronidae) Мордовского заповедника (по материалам коллекции) [= Nekotoryie svedeniya o faune os (Hymenoptera: Chrysididae, Tiphidae, Pompilidae, Vespidae, Sphecidae, Crabronidae) Mordovskogo zapovednika (po materialam kollektzii), = Some information on the wasp fauna (Hymenoptera: Chrysididae, Tiphidae, Pompilidae, Vespidae, Sphecidae, Crabronidae) of the Mordovian Nature Reserve (based on the collection)]. Trudy Stavropol'skogo Otdeleniya Russkogo Éntomologicheskogo Obshchestva (= Works of the Stavropol Department of Russian Entomological Society) 5:77-79. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2009\\_.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2009_.pdf)

**Mokrousov, M.V., A.Yu. Berezin, and L.V. Egorov** [М.В. Мокроусов, А.Ю. Березин и Л.В. Егоров]

- \* 2011. (12 Dec.). Роющие осы (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Чувашии [= Royushchiye osy (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) Chuvashii] – The digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) of the Chuvash Republic. Eversmannia 27-28:62-86. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Beresin\\_Egorov-2011.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Beresin_Egorov-2011.pdf)

**Mokrousov, M.V., and Yu.N. Danilov** [М.В. Мокроусов и Ю.Н. Данилов]

- \* 2017. Additions and corrections to the fauna and distribution of digger wasps (Hymenoptera: Crabronidae) of Russia – Дополнения и исправления к фауне и распространению роющих ос (Hymenoptera: Crabronidae) России [= Dopolneniya i ispravleniya k fauniye i rasprostraneniuyu royushchikh os (Hymenoptera: Crabronidae) Rossii]. Труды Русского энтомологического общества (= Proceedings of the Russian Entomological Society) 88:56-60. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Danilov\\_2017.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Danilov_2017.pdf)

**Mokrousov, M.V., and L.V. Egorov** [М.В. Мокроусов и Л.В. Егоров]

- \* 2015. Материалы по фауне роющих ос (Hymenoptera: Sphecidae, Crabronidae) государственного природного заповедника “Присурский” [= Materialy po faune royushchikh os (Hymenoptera: Sphecidae, Crabronidae) gosudarstvennogo prirodnogo zapovednika “Prisurskiy”, = Digger wasp fauna (Hymenoptera: Sphecidae, Crabronidae) of the Nature State Reserve “Prisurskiy”, Mordovian Republic, Russia]. Trudy Mordovskogo Gosudarstvennogo Zapovednika im. P.G. Smidovicha 14:423-426. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Egorov\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Egorov_2015.pdf)

**Mokrousov, M.V. and V.A. Gromenko** [М.В. Мокроусов и В.А. Громенко]

- \* 2015. К познанию фауны роющих ос (Hymenoptera: Sphecidae, Crabronidae) Республики Узбекистан [= K poznaniyu fauny royushchikh os (Hymenoptera: Sphecidae, Crabronidae) Respubliki Uzbekistan] – To the knowledge of digger wasps fauna (Hymenoptera: Sphecidae, Crabronidae) of Uzbekistan, pp. 125-126 in V.A. Zryanin, A.S. Lelej, S.A. Belokobyl'skiy, A.A. Bragazin, and S.A. Kapralov (editors). Evroaziatskiy simpozium po pereponchatokrylym nasekomym (III simpozium stran SNG) (Nizhniy Novgorod). Izdatel'stvo Nizhegorodskogo Universiteta, Nizhniy Novgorod. 233 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Gromenko\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Gromenko_2015.pdf)

**Mokrousov, M.V., and H.B. Khedher** [second author's name spelled Ben Khedher elsewhere]

- \* 2020. Description of two new species of *Dinetus* Panzer, 1806 (Hymenoptera: Crabronidae: Dinetinae) with key to species. Zootaxa 4853:117-125. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Khedher\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Khedher_2020.pdf)

**Mokrousov, M.V., and I.B. Popov**

- \* 2016. Digger wasps (Hymenoptera, Apoidea: Ampulicidae, Sphecidae, Crabronidae) of the Black Sea coast of Krasnodar Territory, Abkhazia, and adjacent areas. Entomological Review 96:559-599. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Popov\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Popov_2016.pdf)

**Mokrousov, M.V., and M.Yu. Proshchalykin**

- \* 2021a. New and little-known digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) from Russia. Zootaxa 4952:314-330. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2021a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2021a.pdf)
- \* 2021b. (29 July). The new species *Gorytes mikhailovi* sp. nov. from Kazakhstan with a key to the Palaearctic species of *Gorytes* Latreille, 1804 (Hymenoptera: Apoidea: Crabronidae). Zootaxa 5006:169-179. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2021b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2021b.pdf)
- \* 2021c. (24 Aug.). Discovery of the digger wasp genus *Odontosphex* Arnold, 1951 (Hymenoptera, Apoidea, Spheciformes) in Central Asia, with description of a new species. Journal of Hymenoptera Research 84:137-143. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2021\\_Odontosphex\\_leleji.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2021_Odontosphex_leleji.pdf)
- 2023a. *Lestiphorus bilunulatus yamatonis* Tsuneki, 1963 (Hymenoptera, Crabronidae) raised to full species status, with description of the hitherto unknown male. Zootaxa 5375:589-594. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2023a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2023a.pdf)
- 2023b. New records of digger wasps (Hymenoptera: Crabronidae) from Altai, with taxonomical notes on *Crossocerus mongolensis* Tsuneki, 1972, stat. n. – Новые находки роющих ос (Hymenoptera: Crabronidae) с Алтая, включая таксономические замечания для *Crossocerus mongolensis* Tsuneki, 1972, stat. n. Russian Entomological Journal 32:410-415. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_PHIProshchalykin\\_2023b\\_Altai.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_PHIProshchalykin_2023b_Altai.pdf)
- \* 2025a. A new genus and species of the subfamily Laphyrroginae (Hymenoptera, Apoidea, Crabronidae) with analysis of the relationship of Eremiasphecinae and Laphyrroginae, stat. resurr. Zootaxa 5631:521-532. Available through: [https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2025a.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2025a.pdf)
- \* 2025b. The widely distributed Asiatic digger wasp, *Cerceris storozhenkoi* sp. nov., is a distinct species from the Western Palaearctic *C. hortivaga* Kohl, 1880 (Hymenoptera: Crabronidae). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2025b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2025b.pdf)
- 2025c. Corrections and additions to the catalogue of the digger wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) of Russia. Zootaxa 5728:401-450. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_2025c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_2025c.pdf)

**Mokrousov, M.V., M.Yu. Proshchalykin, and U. Aibek [M.B. Мокроусов, М.Ю. Прошчалыкин и У. Айбек]**

- \* 2020. Review of the Palaearctic species of *Lestiphorus* Lepeletier de Saint Fargeau (Hymenoptera: Crabronidae: Bembicinae) – Обзор палеарктических видов *Lestiphorus* Lepeletier de Saint Fargeau (Hymenoptera: Crabronidae: Bembicinae). Far Eastern Entomologist (= Дальневосточный энтомолог) 416:18-28. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2020a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2020a.pdf)

**Mokrousov, M.V., M.Yu. Proshchalykin, Kh.A. Aliyev, and M.M. Maharramov [M.B. Мокроусов, М.Ю. Прошчалыкин, Х.А. Алиев и М.М. Магеррамов]**

- \* 2019. To the knowledge of digger wasps (Hymenoptera: Crabronidae) of Nakhchivan Autonomous Republic of Azerbaijan – К познанию роющих ос (Hymenoptera: Crabronidae) Нахичеванской Автономной

Республики Азербайджана. Far Eastern Entomologist (= Дальневосточный энтомолог) 394:1-24. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2019a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2019a.pdf)

**Mokrousov, M.V., M.Y. Proshchalykin, and M.A. Maharramov**

- \* 2020. Digger wasps of the genus *Hoplisoides* Gribodo (Hymenoptera, Crabronidae, Bembicinae) from the Palaearctic region, with description of two new species. Journal of Hymenoptera Research 79:213-233. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2020\\_Palaearctic\\_Hoplisoides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2020_Palaearctic_Hoplisoides.pdf)

- \* 2024. To the taxonomy of *Harpactus vedicus* Nesterov, 1994 (Hymenoptera, Crabronidae, Bembicinae) – К таксономии *Harpactus vedicus* Nesterov, 1994 (Hymenoptera, Crabronidae, Bembicinae). Far Eastern Entomologist (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 499:19-24. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_Maharramov\\_2024\\_Harpactus\\_vedicus.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_Maharramov_2024_Harpactus_vedicus.pdf)

- \* 2025. Taxonomic notes on two species of *Pseudoscolia* (Hymenoptera, Crabronidae, Philanthinae) described by O. Radoszkowski. Zootaxa 5715:291-299. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Proshchalykin\\_Maharramov\\_2025.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Proshchalykin_Maharramov_2025.pdf)

**Mokrousov, M.V., A.B. Ruchin, and L.V. Egorov [М.В. Мокроусов, А.Б. Ручин и Л.В. Егоров]**

- \* 2013. Материалы по фауне ос (Hymenoptera, Vespomorpha) Мордовского государственного природного заповедника и прилегающих территорий [= Materialy po faune os (Hymenoptera, Vespomorpha) Mordovskogo gosudarstvennogo prirodnogo zapovednika i prilgayushchikh territoriy, = The wasp fauna of Mordovian State Nature Reserve and adjacent territories]. Trudy Mordovskogo Gosudarstvennogo Zapovednika Imeni P.G. Smidovicha (= Proceedings of P.G. Smidovitch Mordovian State Nature Reserve) 11:193-205. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_et\\_al\\_2013\\_.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_et_al_2013_.pdf)

**Mokrousov, M.V., and O.V. Selivanova [М.В. Мокроусов и О.В. Селиванова]**

- \* 2005. Надсемейство Sphecoidea [= Superfamily Sphecoidea], pp. 753-755 in O.V. Selivanova (editor). Кадастр беспозвоночных животных Воронежской области [= Kadastr bespozvonochnykh zhivotnykh Voronezhskoy oblasti, = A list of invertebrates of Voronezh Oblast', Russia]. Voronezhskiy Gosudarstvennyi Universitet, Voronezh. 825 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Selivanova-2005\\_cadastr.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Selivanova-2005_cadastr.pdf)

**Mokrousov, M.V., A.S. Shlyakhtenok, and K.A. Grebennikov [М.В. Мокроусов, А.С. Шляхтенко и К.А. Гребенников]**

- \* 2016. New and little known crabronid wasps (Hymenoptera; Crabronidae) from Russia – Новые и малоизвестные виды роющих ос в фауне России. Far Eastern Entomologist (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 325:18-32. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Shlyakhtenok\\_Grebennikov\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Shlyakhtenok_Grebennikov_2016.pdf)

**Mokrousov, M.V., K.I. Shoreiko, and A.S. Shlyakhtenok [М.В. Мокроусов, К.И. Шоренко и А.С. Шляхтенко]**

- \* 2019. New data on the Palaearctic digger wasps (Hymenoptera: Sphecidae, Crabronidae) – Новые сведения о палеарктических роющих осах. Far Eastern Entomologist (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 396:9-16. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Shoreiko\\_Shlyakhtenok\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Shoreiko_Shlyakhtenok_2019.pdf)

**Mokrousov, M.V., and A.R. Vafin [М.В. Мокроусов и А.Р. Вафин]**

- \* 2014. Роющие осы (Hymenoptera: Sphecidae, Crabronidae) Республики Татарстан [= Royushchiye osy (Hymenoptera: Sphecidae, Crabronidae) Respubliki Tatarstan, = Digger wasps (Hymenoptera: Sphecidae, Crabronidae) of the Republic of Tatarstan, Russia]. Trudy Kazanskogo Otdeleniya Russkogo Éntomologicheskogo Obshchestva 3:52-61. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Vafin\\_2014\\_Sphecidae\\_Crabronidae\\_Tatarstan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Vafin_2014_Sphecidae_Crabronidae_Tatarstan.pdf)

**Mokrousov, M.V., and V.A. Zryanin [М.В. Мокроусов и В.А. Зрянин]**

- \* 2010. Критический обзор видов перепончатокрылых насекомых (Insecta, Hymenoptera), нуждающихся в охране на территории Нижегородской области [= Kriticheskiy obzor vidov pereponchatokrylykh nasekomykh (Insecta, Hymenoptera), nuzhdayushchikhsya v okhrane na territorii Nizhegorodskoy oblasti, = A critical review of hymenopterous insects (Insecta, Hymenoptera) that need to be protected on the territory of Nizhniy Novgorod Oblast']. Redkiye vidy zhivotnykh organizmov Nizhegorodskoy oblasti. Sbornik rabochikh materialov Komissii po Krasnoy knige Nizhegorodskoy oblasti 2:92-105. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Zryanin-2010\\_protection.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Zryanin-2010_protection.pdf)
- \* 2015. Материалы по ранневесенней фауне осообразных Узбекистана (Hymenoptera: Vespomorpha: Chrysidoidea, Scolioidea, Pompiloidea, Vespoidea, Apoidea [Spheciformes], Formicoidea) [= Materialy po rannevesennoy faune osoobraznykh Uzbekistana (Hymenoptera: Vespomorpha: Chrysidoidea, Scolioidea, Pompiloidea, Vespoidea, Apoidea [Spheciformes], Formicoidea) – Materials on the early spring wasps and ants fauna of Uzbekistan (Hymenoptera: Vespomorpha: Chrysidoidea, Scolioidea, Pompiloidea, Vespoidea, Apoidea [Spheciformes], Formicoidea). Eversmannia. Éntomologicheskiye Issledovaniya v Rossii i Sosednikh Regionakh (= Eversmannia. Entomological Research in Russia and Adjacent Regions). Supplement 5:36-48. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mokrousov\\_Zryanin\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mokrousov_Zryanin_2015.pdf)

**Molina, M.A.**

- \* 2012. Redescripción de *Hemidula singularis* (Hymenoptera: Crabronidae): una especie endémica de Argentina. Revista de la Sociedad Entomologica Argentina 71:219-229. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molina\\_MA\\_2012\\_Hemidula\\_singularis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molina_MA_2012_Hemidula_singularis.pdf)  
and <http://www.scielo.org.ar/pdf/rsea/v71n3-4/v71n3-4a06.pdf>

**Molina, M.J.L.**

- \* 1999. (Aug.). Notes sobre los nidos y las presas de dos avispas cavadoras (Sphecidae) de la costa de Lima, Peru. Tacaya 9:2. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molina\\_1999\\_Costa\\_de\\_Lima.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molina_1999_Costa_de_Lima.pdf)

**Molina Casas, Y., and E.E. Reyes**

- \* 2011. Situación actual del conocimiento sobre el género *Liris* Fabricius, 1804 (Hymenoptera: Crabronidae) en Cuba – Present knowledge of the genus *Liris* Fabricius, 1804 (Hymenoptera: Crabronidae) in Cuba. Boletín de la Sociedad Entomológica Aragonesa 48:221-226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molina\\_Casas\\_Reyes\\_2011\\_Liris\\_en\\_Cuba.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molina_Casas_Reyes_2011_Liris_en_Cuba.pdf)

**Molitor, A.**

- \* 1931a. Kleine biologische Beobachtungen an heimischen Hymenopteren (Hautflüglern). Blätter für Naturkunde und Naturschutz 18:86-90. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1931a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1931a.pdf)

- \* 1931b. Neuere Untersuchungen und Versuche mit Grabwespen. Biologisches Zentralblatt 51:412-424.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1931b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1931b.pdf)
  - \* 1932a. Das Erwachen des Insektenlebens im Vorfrühling. Blätter für Naturkunde und Naturschutz 19:55-60.  
[*Podalonia hirsuta* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1932a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1932a.pdf)
  - \* 1932b. (22 Aug.). Neue Beobachtungen und Experimente mit Grabwespen, II. Biologisches Zentralblatt 52:449-468. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1932b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1932b.pdf)
  - \* 1932c. Biologische Beobachtungen am "Bienenwolf", *Philanthus triangulum*. Blätter für Naturkunde und Naturschutz 19:101-106. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1932c\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1932c_Philanthus_triangulum.pdf)
  - \* 1933a. Neue Beobachtungen und Experimente mit Grabwespen, III. Biologisches Zentralblatt 53:160-165.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1933a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1933a.pdf)
  - \* 1933b. Zur Insektenfauna des Neusiedler Seegebietes. Blätter für Naturkunde und Naturschutz 20:100-101.  
[Neusiedler Lake, Austria]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1933b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1933b.pdf)
  - \* 1933c. Neue Beobachtungen und Experimente mit Grabwespen, IV. Biologisches Zentralblatt 53:496-512.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1933c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1933c.pdf)
  - \* 1934a. (6 Feb.). Beiträge zur Ökologie und Ethologie der Hymenopteren. I. Bollettino del Laboratorio di Entomologia del R. Istituto Superiore Agrario di Bologna. 6:151-163. [*Podalonia hirsuta* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1934a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1934a.pdf)
  - \* 1934b. Neue Beobachtungen und Versuche mit Grabwespen, V. Biologisches Zentralblatt 54:169-180.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1934b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1934b.pdf)
  - \* 1934c. Neue Beobachtungen und Versuche mit Grabwespen, VI. Biologisches Zentralblatt 54:450-466.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1934c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1934c.pdf)
  - \* 1935a. Neue Versuche und Beobachtungen an Grabwespen, VII. Biologisches Zentralblatt 55:163-168.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1935a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1935a.pdf)
  - \* 1935b. Neue blütenbiologische Beobachtungen. Blätter für Naturkunde und Naturschutz 22:125-127.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1935b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1935b.pdf)
  - \* 1936a. Neue Versuche und Beobachtungen an Grabwespen, VIII. Biologisches Zentralblatt 56:189-198.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1936a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1936a.pdf)
  - \* 1936b. Experimentelle Beiträge zur Ethologie der Hymenopteren. Biologisches Zentralblatt 56:518-532.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1936b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1936b.pdf)
  - \* 1937. Neue Beobachtungen und Versuche mit Grabwespen, IX. Ergänzungen und Berichtigungen zu I-VIII. Biologisches Zentralblatt 57:35-38. [summary of previous observations and list of publications on sphecid behavior]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1937.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1937.pdf)
  - \* 1938. (28 May). Experimentelle Untersuchungen betreffend den Farbensinn der Sphegiden. Festschrift zum 60. Geburtstag von Professor Dr. Embrik Strand 4:438-452. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1938.pdf)
  - \* 1944. (Apr.). (1943). Neue Beobachtungen und Versuche mit Grabwespen. (Neue Folge). Mitteilungen der Deutschen Entomologischen Gesellschaft 12:35-39. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molitor\\_1944.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molitor_1944.pdf)
- Short biography: Haris, 2016:143 (available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Molmby, A.**

- \* 1995. (May). Dynamics of parasitism in the organ-pipe wasp, *Trypoxylon politum*: effects of spatial scale on parasitoids functional response. *Ecological Entomology* 20:159-168. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molmby\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molmby_1995.pdf)
- \* 1997. Why make daughters larger? Maternal sex-allocation and sex-dependent selection for body size in a mass-provisioning wasp, *Trypoxylon politum*. *Behavioral Ecology* 8:279-287. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Molmby\\_1997\\_Trypoxylon\\_politum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Molmby_1997_Trypoxylon_politum.pdf)

**Monks, J., S. Ross, M. Geiser, J. De Prins, M. Sharaf, N. Wyatt, S. Al Rijeibi, and A. Polaszek**

- 2019. A preliminary survey of the insect fauna of the Hajar Mountain Range, Oman. *Journal of Natural History* 53:938-963. [*Bembix oculata* is the only sphecid]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Monks\\_et\\_al\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Monks_et_al_2019.pdf)

**Montague, P.D.**

- \* 1914. (7 Sept.). A report on the fauna of the Monte Bello Islands. Proceedings of the General Meetings for Scientific Business of the Zoological Society of London 1914:625-652, pls. I-IV. [Monte Bello Islands, Western Australia]. Available through: <http://biodiversitylibrary.org/page/31855943> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Montague\\_1914\\_MonteBello.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Montague_1914_MonteBello.pdf)

**Moore, E.L., R. Arvidson, Ch. Banks, J.P. Urenda, E. Duong, H. Mohammed, and M.E. Adams**

- \* 2018. (12 Mar.). Ampulexins: a new family of peptides in venom of the emerald jewel wasp, *Ampulex compressa*. *Biochemistry* 57:1907-1916. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moore\\_et\\_al\\_2018\\_Ampulex\\_compressa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moore_et_al_2018_Ampulex_compressa.pdf)

**Moore, E.L., G. Haspel, F. Libersat, and M.E. Adams**

- \* 2006. Parasitoid wasp sting: a cocktail of GABA, taurine, and  $\beta$ -alanine opens chloride channels for central synaptic block and transient paralysis of a cockroach host. *Journal of Neurobiology* 66:811-820. [on *Ampulex compressa*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moore\\_et\\_al\\_2006\\_wasp\\_sting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moore_et_al_2006_wasp_sting.pdf)

**Moore, J.**

- \* 2001. Behavioral observations of *Philanthus triangulum* (Fab.) (Hymenoptera). *British Journal of Entomology and Natural History* 13:201. Available through:  
<http://www.biodiversitylibrary.org/page/39462241#page/13/mode/1up> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moore\\_2001\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moore_2001_Philanthus_triangulum.pdf)

**Morato, E.F.**

- \* 1994. (Dec.). *Xystromutilla asperiventris* André, 1905 (Mutillidae) reared from sphecid wasps in trap-nests, Manaus, Amazonas, Brazil. *Sphecos* 28:13-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)
- \* 2001. (30 Sept.). Efeitos da fragmentação florestal sobre vespas e abelhas solitárias na Amazônia Central. II. Estratificação vertical. *Revista Brasileira de Zoologia* 18:737-747. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morato\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morato_2001.pdf)

**Morato, E.F., S.T. Amarante, and O.T. Silveira**

- \* 2008. Avaliação ecológica rápida da fauna de vespas (Hymenoptera: Aculeata) do Parque Nacional da Serra do Divisor, Acre, Brasil – Rapid ecological assessment of wasp fauna (Hymenoptera: Aculeata) of the Serra do Divisor National Park, Acre, Brazil. *Acta Amazonica* 38:789-798. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morato\\_et\\_al\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morato_et_al_2008.pdf)

**Morato, E.F., and L.A. de Oliveira Campos**

- \* 1994. (30 Dec.). Aspectos de biologia de *Pisoxylon xanthosoma* Menke, 1968 na Amazônia Central (Hymenoptera, Sphecidae, Trypoxylonini). Revista Brasileira de Entomologia 38:585-594. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morato\\_Campos\\_1994\\_Pisoxylon\\_xanthosoma.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morato_Campos_1994_Pisoxylon_xanthosoma.pdf)
- \* 2000. (June). Efeitos da fragmentação florestal sobre vespas e abelhas solitárias em uma área de Amazônia Central. Revista Brasileira de Zoologia 17:429-444. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morato\\_Campos\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morato_Campos_2000.pdf)

**Morato, E.F., and R.P. Martins**

- 2006. An overview of proximate factors affecting the nesting behavior of solitary wasps and bees (Hymenoptera: Aculeata) in preexisting cavities in wood. Neotropical Entomology 35:285-298. Available through: <http://www.scielo.br/pdf/nev/35n3/30344.pdf>

**Morawitz, A.**

- \* 1864. (19 Aug). Verzeichniss der um St.-Petersburg aufgefundenen Crabroninen. Bulletin de l'Académie Impériale des Sciences de St.-Petersbourg 7:451-465. [Publication date on p. 469]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_A\\_1864.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_A_1864.pdf)
- \* 1866a. (20 Jan.). Einige Bemerkungen über die *Crabro*-artigen Hymenopteren. Bulletin de l'Académie Impériale des Sciences de St.-Petersbourg 9:243-273. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_A\\_1866a\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_A_1866a_Crabro.pdf)
- \* 1866b. (Sept.). Einige Bemerkungen über die *Crabro*-artigen Hymenopteren. Mélanges Biologiques 5:309-352. [a reprint of A. Morawitz, 1866a]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_A\\_1866b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_A_1866b.pdf)

**Morawitz, F.**

- \* 1887. Ueber transcaspiische *Chlorion*-Arten. Horae Societatis Entomologicae Rossicae 21:347-352. Available through: <http://biodiversitylibrary.org/page/12348870> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1887\\_Chlorion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1887_Chlorion.pdf)
- \* 1888. Hymenoptera aculeata nova. Horae Societatis Entomologicae Rossicae 22:224-302. Available through: <http://biodiversitylibrary.org/page/12349263> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1888.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1888.pdf)
- \* 1889a. Insecta, a Cl. G.N. Potanin in China et in Mongolia novissime lecta. IV. Hymenoptera Aculeata. Horae Societatis Entomologicae Rossicae 23:112-168. Available through: <http://biodiversitylibrary.org/page/12742306> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1889a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1889a.pdf)
- \* 1889b. Hymenopterologische Mittheilungen. Horae Societatis Entomologicae Rossicae 23:540-554. Available through: <http://biodiversitylibrary.org/page/12742734> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1889b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1889b.pdf)
- \* 1890. Hymenoptera Fossoria transcaspiica nova. Horae Societatis Entomologicae Rossicae 24:570-645. Available through: <http://biodiversitylibrary.org/page/27529625> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1890.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1890.pdf)
- \* 1891a. Ueber Astrachan'sche Fossorien. Horae Societatis Entomologicae Rossicae 25:175-233. Available through: <http://biodiversitylibrary.org/page/12834977> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1891a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1891a.pdf)
- \* 1891b. Notiz über einige *Sphex*-Arten. Horae Societatis Entomologicae Rossicae 25:234-235. Available through: <http://biodiversitylibrary.org/page/12835036> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1891b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1891b.pdf)

- \* 1892. (1891-1892). Hymenoptera Aculeata rossica nova. Horae Societatis Entomologicae Rossicae 26:132-181. Available through: <http://biodiversitylibrary.org/page/12835452> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1892.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1892.pdf)
- \* 1893a. Kareliens Fossoria. Horae Societatis Entomologicae Rossicae 27:95-115. Available through: <http://biodiversitylibrary.org/page/25145275> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1893a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1893a.pdf)
- \* 1893b. Catalog der von D. Glasunov in Turkestan gesammelten Hymenoptera Fossoria. Horae Societatis Entomologicae Rossicae 27:391-428. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1893b\\_Catalog.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1893b_Catalog.pdf)
- \* 1893c. Neue Hymenoptera vom Pamir. Horae Societatis Entomologicae Rossicae 27:429-433. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1893\\_Pamir.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1893_Pamir.pdf)
- \* 1894. Beitrag zur Raubwespenfauna Turkmeniens. Horae Societatis Entomologicae Rossicae 28:327-365. Available through: <http://biodiversitylibrary.org/page/25145579> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1894\\_Turkmenia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1894_Turkmenia.pdf)
- \* 1897a. (Feb.). Ueber einige transcaspische Raubwespen. Horae Societatis Entomologicae Rossicae 30:144-160. Available through: <http://biodiversitylibrary.org/page/12743790> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1897a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1897a.pdf)
- \* 1897b. (Feb.). Notiz über *Crabro Jaroschewskii* F. Mor. Horae Societatis Entomologicae Rossicae 30:169-170. Available through: <http://biodiversitylibrary.org/page/12743815> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morawitz\\_F\\_1897b\\_Crabro\\_Jaroschewskii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morawitz_F_1897b_Crabro_Jaroschewskii.pdf)

**Moreira, J.C.S., P. Brito, and J. Lino-Neto**

- \* 2003. Morphology and number of spermatozoa per cyst in *Sceliphron* sp. and *Trypoxylon albitarse* (Hymenoptera: Sphecidae). Acta Microscopica 12, Supplement B:569. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moreira\\_et\\_al\\_2003\\_Trypoxylon\\_albitarse.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moreira_et_al_2003_Trypoxylon_albitarse.pdf)

**Moreira, P.A., V.A. Araújo, U. Zama, and J. Lino-Neto**

- \* 2008. Morphology of male reproductive system in three species of *Trypoxylon* (*Trypargilum*) Richards (Hymenoptera: Crabronidae). Neotropical Entomology 37:429-435. Available through: <http://www.scielo.br/pdf/ne/v37n4/a12v37n4.pdf>

**Morel, A., H. Nouvel, and H. Ribaut**

- \* 1956. Les Hyménoptères Vespiformes de la plaine littorale du département des Pyrénées-Orientales. Bulletin de la Société d'Histoire Naturelle de Toulouse 91:335-344. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morel\\_Nouvel\\_Ribaut\\_1956.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morel_Nouvel_Ribaut_1956.pdf)

**Morgan, I.K.**

- \* 1998. A checklist of bees and wasps in Carmarthenshire. Dyfed Invertebrate Group Newsletter 35:22 unnumbered pp. [Carmarthenshire county is in southern Wales, Great Britain]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morgan\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morgan_1998.pdf)

**Mori, A.**

- \* 2010. (20 Nov.). Behavioral observation of *Cerceris sobo* Yasumathu [sic] & Okabe (Hymenoptera, Sphecidae). Tsunekibachi 18:1-14. [in Japanese]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mori\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mori_2010.pdf)

**Morice, F.D.**

- \* 1896. On the identity of *Ampulex fasciata*, Jur., and *A. europaea* Gir. The Entomologist's Monthly Magazine 32:255-256. Available through: <http://biodiversitylibrary.org/page/9262441> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1896\\_Ampulex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1896_Ampulex.pdf)

- \* 1897a. (1 Sept.). New or little-known Sphegidae from Egypt. The Transactions of the Entomological Society of London 1897:301-316, pl. VI. Available through: <http://biodiversitylibrary.org/page/14683202> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1897a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1897a.pdf)
- \* 1897b. (16 Dec.). New or little-known Sphegidae from Egypt – a correction. The Transactions of the Entomological Society of London 1897:434. Available through: <http://biodiversitylibrary.org/page/14683335> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1897b\\_Tachysphex\\_holognathus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1897b_Tachysphex_holognathus.pdf)
- \* 1900a. (Jan.). Descriptions of new or doubtful species of the genus *Ammophila* Kirby from Algeria. The Annals and Magazine of Natural History (Series 7) 5:64-70. Available through: <http://biodiversitylibrary.org/page/16333481> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1900a\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1900a_Ammophila.pdf)
- \* 1900b. An excursion to Egypt, Asia Minor, &c. in search of Aculeate Hymenoptera. The Entomologist's Monthly Magazine 36:164-172. [The author provides the following comment: "We had a sort of a picnic, organized by Dr. Dinkler, on an island in the Nile. This island is known to the Doctor's friends as Adelen-Insel – having been so named in playful compliment to Mme. A. Dinkler, his wife, and this name is immortalized in some recent German works on Egyptian Hymenoptera. It will not, however, be found in maps or other directories"]. Available through: <http://biodiversitylibrary.org/page/9014687> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1900b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1900b.pdf)
- \* 1900c. Rare Hymenoptera near Cobham (Surrey). The Entomologist's Monthly Magazine 36:210. Available through: <http://biodiversitylibrary.org/page/9014733> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1900c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1900c.pdf)
- \* 1901a. Hymenoptera near Woking in the latter part of 1901. The Entomologist's Monthly Magazine 37:278. Available through: <http://biodiversitylibrary.org/page/9015177> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1901a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1901a.pdf)
- \* 1901b. On *Gorytes niger* Costa, ♂ and ♀ (Hym.). Zeitschrift für Systematische Hymenopterologie und Dipterologie 1:362. Available through: <http://biodiversitylibrary.org/page/13367810> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1901b\\_Gorytes\\_niger.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1901b_Gorytes_niger.pdf)
- \* 1902. Two new Palaearctic species of *Astutus*. The Entomologist's Monthly Magazine 38:104-106. Available through: <http://biodiversitylibrary.org/page/9262620> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1902.pdf)
- \* 1903. (Dec.). New Hymenoptera Aculeata taken by the Swedish zoological expedition to the White Nile in the spring of 1901. The Annals and Magazine of Natural History (Series 7) 12:610-615. [the only included sphecid is *Stizus poecilopterus*, now *Stizoides assimilis*]. Available through: <http://biodiversitylibrary.org/page/29993380> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1903\\_Stizus\\_poecilopterus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1903_Stizus_poecilopterus.pdf)
- \* 1910. Some additions to the British list of *Crabro* species. The Entomologist's Monthly Magazine 21:271-272. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1910.pdf)
- \* 1911. (21 June). Hymenoptera aculeata collected in Algeria. The Sphegidae (Being Part V of the work commenced by the late Edward Saunders, F.R.S., in Trans. Entomol. Soc., 1901, p. 515). The Transactions of the Entomological Society of London 1911:62-135. Available through: <http://biodiversitylibrary.org/page/14765036> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1911\\_Algeria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1911_Algeria.pdf)
- \* 1914. (Dec.). What was *Sphex xanthocephala*, Forster (a British insect, but ignored in British lists)? The Entomologist's Monthly Magazine 50:286-288. [a junior synonym of *Cerceris arenaria*]. Available through: <http://biodiversitylibrary.org/page/9264430> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1914\\_Sphex\\_xanthocephala.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1914_Sphex_xanthocephala.pdf)

- \* 1917. (Oct.). Notes on certain British (or recorded as British) species of *Oxybelus* Latr. The Entomologist's Monthly Magazine 53:238-244, 271-275. Available through:  
<http://biodiversitylibrary.org/page/9264430>, <http://biodiversitylibrary.org/page/9187313> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1917\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1917_Oxybelus.pdf)
- \* 1921. (31 July). Annotated lists of Aculeate Hymenoptera (except Heterogyna) and Chrysids recently collected in Mesopotamia and North-West Persia. The Journal of the Bombay Natural History Society 27:816-828 (also published as reprint with page numbers 71-83). Available through:  
<http://biodiversitylibrary.org/page/90359485> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_1921\\_Annotated\\_list.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_1921_Annotated_list.pdf)

**Morice, F.D., and J.H. Durrant**

- 1915. (27 Feb.). The authorship and first publication of the "Jurinean" Genera of Hymenoptera: being a reprint of a long-lost work by Panzer, with a translation into English, an introduction, and bibliographical and critical notes. The Transactions of the Entomological Society of London 1914:339-436. Available through: <http://biodiversitylibrary.org/page/14779497>, [http://www.antwiki.org/wiki/images/5/5f/Morice\\_1915.pdf](http://www.antwiki.org/wiki/images/5/5f/Morice_1915.pdf), and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_Durrant\\_1915.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_Durrant_1915.pdf)
- \* 1917. (17 June). Further notes on the "Jurinean" Genera of Hymenoptera, correcting errors and omissions in a paper on that subject published in Trans. Entomol. Soc. Lond. 1914, pp. 339-436. The Transactions of the Entomological Society of London. 1916:432-442. Available through:  
<http://biodiversitylibrary.org/page/16331695>, [http://www.antwiki.org/wiki/images/2/25/Morice\\_F\\_1917.pdf](http://www.antwiki.org/wiki/images/2/25/Morice_F_1917.pdf), and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morice\\_Durrant\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morice_Durrant_1917.pdf)

**Morley, C.**

- \* 1908a. (Oct.). Jottings on Aphides taken during 1907 and 1908. Entomologist 41:233-237. [*Stigmus solskyi* preying on *Aphis hieracii* Kalt.]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morley\\_1908a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morley_1908a.pdf)
- \* 1908b. (Dec.). On some Irish Hymenoptera. The Entomologist's Monthly Magazine 44:276-277. Available through: <http://biodiversitylibrary.org/page/9269140> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morley\\_1908b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morley_1908b.pdf)
- \* 1909. Hymenoptera, pp. 302-321 in F. Morey (editor). A guide to the natural history of the Isle of Wight. Isle of Wight The County Press, Newport, and London: William Wesley & Son. xx +560 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morley\\_1909\\_Isle\\_of\\_Wight.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morley_1909_Isle_of_Wight.pdf)
- \* 1911. (Dec.). Clare Island Survey. Part 24. Hymenoptera. Proceedings of the Royal Irish Academy 31, part 24:1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morley\\_1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morley_1911.pdf)
- \* 1919. A few insects in the New Forest. The Entomologist's Monthly Magazine 55:208-209. [New Forest is in Great Britain: Hampshire]. Available through: <http://biodiversitylibrary.org/page/9263942> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morley\\_1919.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morley_1919.pdf)

**Moroz, O.Yu. [О.Ю. Мороз]**

- \* 1998. Нові дані про рідкісні та зникаючі види перетинчастокрилих (Hymenoptera) Запорізької області [= Novī danī pro rīdkisnī ta znikayuchī vīdi peretinchastokrilikh (Hymenoptera) Zaporiz'koī oblasti] – New data on the rare and endangered species of Hymenoptera in the Zaporozhye Region [Ukraine]. Vestnik Zoologii 32:73. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Moroz\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Moroz_1998.pdf)

**Morse, R.A., and S.H. Kerr**

- \* 1957. A new insect-host relationship. The Florida Entomologist 40:77-80. [on *Ectemnius texanus* ais]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Morse\\_Kerr\\_1957.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Morse_Kerr_1957.pdf)

**Morse, S.R.**

- 1910. A report on the insects of New Jersey. Trenton. 888 pp.

**Mortimer, C.H.**

- \* 1905. Some Welsh Hymenoptera, with note on *Oxybelus mucronatus* and its prey; also possible relationship of *Osmia xanthomelana* and *Sapyga*. The Entomologist's Monthly Magazine 41:261. Available through: <http://biodiversitylibrary.org/page/9016000> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mortimer-1905\\_Oxybelus\\_mucronatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mortimer-1905_Oxybelus_mucronatus.pdf)
- \* 1907a. Aculeate Hymenoptera at Holmwood, Surrey. The Entomologist's Monthly Magazine 43:258-259. Available through: <http://biodiversitylibrary.org/page/8953594> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mortimer-1907a\\_Holmwood.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mortimer-1907a_Holmwood.pdf)
- \* 1907b. Aculeate Hymenoptera at Swange, Dorset. The Entomologist's Monthly Magazine 43:259. Available through: <http://biodiversitylibrary.org/page/8953595> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mortimer-1907b\\_Swange.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mortimer-1907b_Swange.pdf)
- \* 1932. A note on *Trypoxylon attenuatum* Sm. The Entomologist's Monthly Magazine 68:108. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mortimer\\_1932.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mortimer_1932.pdf)

**Mosolov, N.A. [Н.А. Мосолов]**

- \* 1905a. Список Нуменоптера, находящихся въ Михайловскомъ Музеѣ Граф. Е.П. Шереметевой, собранныхъ въ 1902 и 1903 гг. въ Подольскомъ у., въ окрестностяхъ с. Михайловскаго [= Spisok Hymenoptera, nakhodyashchikhsya v Mikhailovskom Muzei Graf. E.P. Sheremeteyov, sobrannykh v 1902 i 1903 gg. v Podol'skom u., v okrestonostyakh s. Mikhailovskago, = List of Hymenoptera preserved in the Mikhailovskoe Museum of Countess E.P. Sheremeteva, collected in 1902 and 2003 in the Podolskiy District near village Mikhailovskoye]. Dnevnik Zoologicheskato Otdeleniya Imperatorskago Obshchestva Lyubiteley Estestvoznaniya, Antropologii i Étnografii 6:27-28. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mosolov\\_1905.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mosolov_1905.pdf)
- \* 1905b. Естественнo-историческая коллекція гр. Е.П. Шереметевой въ с. Михайловскомъ, Московской губерніи. V. Перепончатокрылыя (Нуменоптера). Списокъ перепончатокрылыхъ насѣкомыхъ собранныхъ въ Подольскомъ уѣздѣ [= Yestestvenno-istoricheskaya kollektsiya gr. E.P. Sheremeteyov v s. Mikhailovskom, Moskovskoy gubernii. V. Pereponchatokrylyya (Hymenoptera). Spisok pereponchatokrylykh sobrannykh v Podol'skom uyezde, = Natural history collection of countess E.P. Sheremeteva at village Mikhailovskoye, Moscow gouvernement. V. Hymenoptera. List of Hymenoptera collected in Podolskiy district]. Moskva. 23 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mosolov\\_1905b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mosolov_1905b.pdf)

**Motaş, C.**

- \* 1932. Din biologia Himenopterelor predatoare. Revista Ştiinţifică "V. Adamachi" 2:1-14. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Motas\\_1932.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Motas_1932.pdf)
- \* 1935. Cîteva Himenoptere interesante din fauna Romîniei. Revista Ştiinţifică "V. Adamachi" 21:42-43. French translation available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Motas\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Motas_1935.pdf)

**Motschoulsky, V de, see: de Motschoulsky, V.**

**Mudd, A., and S.A. Corbet**

- \* 1975. Use of pine resin in nests of pemphredonine wasps. The Transactions of the Royal Entomological Society of London 127:255-257. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mudd\\_Corbet\\_1975\\_pine\\_resin\\_use.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mudd_Corbet_1975_pine_resin_use.pdf)

**Mueller, U.G., A.F. Warneke, T.U. Grafe, and P.R. Ode**

- \* 1992. Female size and nest defense in the digger wasp *Cerceris fumipennis* (Hymenoptera: Sphecidae: Philanthinae). Journal of the Kansas Entomological Society 65:44-52. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Mueller\\_et\\_al\\_1992\\_Cerceris\\_fumipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Mueller_et_al_1992_Cerceris_fumipennis.pdf)

**Müller, A.**

- \* 1930. Zur Kenntnis der Insektenfauna der Süddobrukscha und Südbessarabiens. Verhandlungen und Mitteilungen des Siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt 79- 80:167-187. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muller\\_1930.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muller_1930.pdf)

**Müller, H.**

- 1872. Anwendung der Darwinischen Lehre auf Bienen. Verhandlungen des Natuhistorischen Vereins der Preussischen Rheinlande und Westphalens 29:1096. [Recognized close relationship of bees and sphecids].
- 1873. Die Befruchtung der Blumen durch Insekten und die gegenseitigen Anpassungen beider. Ein Beitrag zur Erkenntnis des ursächlichen Zusammenhanges in der organischen Natur. Leipzig, I-VIII, 1-478, [1] pp.
- \* 1917. Zwei Hymenopterenzwitter. Mitteilungen aus der Entomologischen Gesellschaft zu Halle a. S. 11:74-76. [intersex of *Crabro peltarius*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muller\\_H\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muller_H_1917.pdf)

**Muller, J.**

- \* 1948. Liste d'Insectes intéressants capturés surtout aux environs de Visé. Bulletin & Annales de la Société Entomologique de Belgique 84:137-140. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muller\\_J\\_1948.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muller_J_1948.pdf)

**Müller, M.**

- \* 1909. *Sphex maxillosus* F. in der Mark. Zeitschrift für Wissenschaftliche Insektenbiologie 5:98. Available through:
- \* 1911. Hymenopteren in *Lipara*-Gallen, mit besonderer Berücksichtigung der Raubwespe *Cemonus*. Entomologische Rundschau 28:105-107 (15 July), 113-114 (1 Aug.). Available through:
- \* 1918. (1 July). Über seltene Bienen und Wespen in ihren Beziehungen zur heimischen Scholle. Deutsche Entomologische Zeitschrift 1918:113-132. Available through:
- \* 1921. Über seltene märkische Bienen und Wespen. Archiv für Naturgeschichte, Abteilung A 87, Heft 2:167-169. Available through:
- \* 1941. (24 Feb.). *Bembix rostrata* und *Parnopes grandior* Pall. (Hym.). Mitteilungen der Deutschen Entomologischen Gesellschaft 10:4-7. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muller\\_M\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muller_M_1941.pdf)

**Müller, O.F.**

- \* 1764. Fauna Insectorum Fridrichsdalina, sive methodica descriptio Insectorum agri Fridrichsdalensis, cum characteribus genericis et specificis, nominibus trivialibus, locis natalibus, iconibus allegatis, novisque pluribus speciebus additis. I.F. Gleditschii, Hafniae et Lipsiae [= Copenhagen and Leipzig]. I-XXIV, 1-96 pp. Available through: <https://www.biodiversitylibrary.org/page/62468869>
- \* 1776. Zoologiae Danicae prodromus, seu animalium Daniae et Norvegiae indigenarum characteres, nomina, et synonyma imprimis popularium. Typis Hallageriis, Havniae [= Copenhagen]. I-XXXII + 1-282 pp. Available through: <https://www.biodiversitylibrary.org/page/13227384>

**Muma, M.H.**

- \* 1952. (Mar.). Insect types in the collections of the University of Nebraska State Museum. Bulletin of the University of Nebraska State Museum 3 (8):1-35. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muma\\_1952\\_Types\\_Nebraska.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muma_1952_Types_Nebraska.pdf)

**Muma, M.H., and W.F. Jeffers**

- \* 1944. (17 Mar.). Note on unusual nests of *Trypoxylon politum* Say. Entomological News 55:50. Available through: <http://biodiversitylibrary.org/page/2586336> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muma\\_Jeffers\\_1944\\_Trypoxylon\\_politum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muma_Jeffers_1944_Trypoxylon_politum.pdf)
- \* 1945. (4 Sept.). Studies on the spider prey of several mud-dauber wasps. Annals of the Entomological Society of America 38:245-255. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muma\\_Jeffers\\_1945.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muma_Jeffers_1945.pdf)

**Munakata, M.**

- \* 1948. (July). Notes on *Crabro* (*Rhopalum*) *kiesenwetteri* A. Morawitz [in Japanese]. Matsumushi 3:56. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Munakata\\_1948.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Munakata_1948.pdf)

**Munasinghe, S.R., and J.P. Edirisinghe**

- \* 2007. Diversity of wasps at Meewathura Agriculture Farm. Proceedings of the Peradeniya University Research Sessions, Sri Lanka 12:77-79. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Munasinghe\\_Edirisinghe\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Munasinghe_Edirisinghe_2007.pdf)

**Muniz, D.B., and G.A.R. Melo**

- \* 2021. (31 Mar.). A new species of the wasp genus *Trypoxylon* from southern Brazil, with notes on the systematics of *Pisoxylon* (Hymenoptera, Crabronidae). Papéis Avulsos de Zoologia 61: e20216136:1-7. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muniz\\_Melo\\_2021\\_Trypoxylon\\_basirufum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muniz_Melo_2021_Trypoxylon_basirufum.pdf)

**Murai, M.N., and Z.S. Amr**

- \* 2011. Sphecidae and Crabronidae of the Al Thawrah Nature Reserve, Northern Syria, with a checklist of the species known from Syria. Zoology in the Middle East 53:107-120. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murai\\_Amr\\_2011\\_Syria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murai_Amr_2011_Syria.pdf)

**Muraki, T., and K. Watanabe**

- \* 2011. (22 Dec.). Records of *Liris deplanatus binghami* Tsuneki, 1967 (Hymenoptera, Crabronidae) from Izu-Peninsula, Shizuoka Prefecture. Tsunekibachi 19:33-34. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Muraki\\_Watanabe\\_2011.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Muraki_Watanabe_2011.pdf)

**Murao, R.**

- \* 2015. Records of Aculeate wasps and bees in the coast of northwestern part of Fukuoka Prefecture, Kyushu, Japan. Tsunekibachi 27:33-50. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murao\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murao_2015.pdf)

**Murota, T.**

- \* 1973a. (25 Dec.). Some Aculeate Hymenoptera Collected in the Amami Group of Ryukyus. The Life Study (Fukui) 17:100-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murota\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murota_1973a.pdf)
- \* 1973b. (25 Dec.). Sphecidae, Mutillidae, Scoliidae and Chrysididae collected in Formosa in 1972. The Life Study (Fukui) 17:115-119. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murota\\_1973b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murota_1973b.pdf)

**Murota, T., and H. Kurokawa**

- \* 2009. (31 May). The Hymenoptera collected from Amami-Oshima, Kagoshima Prefecture in July of 2008. Tsunekibachi 15:4-19. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murota\\_Kurokawa\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murota_Kurokawa_2009.pdf)

**Murray, J.**

- \* 1938a. Some Dumfriesshire Aculeata. The Scottish Naturalist 234:172. [received 11 Nov 1938 at Humboldt Univ.]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_J\\_1938a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_J_1938a.pdf)
- \* 1938b. *Spilomena troglodytes* v. d. Lind. in Dumfriesshire. The Entomologist's Montly Magazine. 74:258. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_1938b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_1938b.pdf)

**Murray, W.D.**

- \* 1938. Some revisions in the genus *Sphex*, with one new species, a new subspecies, and a new name (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 31:17-43. [currently the genus *Ammophila*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_W\\_1938\\_Sphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_W_1938_Sphex.pdf)
  - \* 1940. *Podalonia* (Hymenoptera: Sphecidae) of North and Central America. Entomologica Americana 20:1-77, pls. I-V. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_1940a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_1940a.pdf) and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_1940b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_1940b.pdf)
  - 1945. Taxonomic value of male genitalia in Sphecoid Hymenoptera. Annals of the Entomological Society of America 38:121-124. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Murray\\_W\\_1945.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Murray_W_1945.pdf)
  - \* 1951. (11 July). Subfamily Sphecinae, pp. 971-980 in C.F.W. Muesebeck, K.V. Krombein, and H.K. Townes (editors). Hymenoptera of America north of Mexico. Synoptic Catalog. United States Department of Agriculture, Agriculture Monograph No. 12. Washington, D. C. 1 map, 1420 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Krombein\\_1951b\\_Catalog\\_Sphecoidea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Krombein_1951b_Catalog_Sphecoidea.pdf)
- Publication date: C.W.F. Muesebeck, K.V. Krombein, and H. Townes, 1951. Date of publication, Synoptic Catalog of North American Hymenoptera. Proceedings of the Entomological Society of Washington 53:232.

**Musgrave, A.**

- 1925. The Sand Wasp's Burrow. The Australian Museum Magazine 2:243. [on *Exeirius lateritius*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Musgrave\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Musgrave_1925.pdf)

**Musicante, M.L., and A. Salvo**

- \* 2010. (Dec.). Nesting biology of four species of *Trypoxylon* (*Trypargilum*) (Hymenoptera: Crabronidae) in Chaco Serrano woodland, Central Argentina. Revista de Biología Tropical 58:1177-1188. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Musicante\\_Salvo\\_2010\\_Trypoxylon\\_Crypargillum\).pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Musicante_Salvo_2010_Trypoxylon_Crypargillum).pdf)

**Myartseva, S.N. [С.Н. Мярцева, spelled Mjartzeva in 1971b]**

- \* 1963a. К биологии и гнездовому поведению ос – *Ammophila ebenina* Spin. (Hymenoptera, Sphecidae, Sphecinae) [= K biologii i gnezdomu povedeniyu os – *Ammophila ebenina* Spin. (Hymenoptera, Sphecidae, Sphecinae), = On the biology and nesting behavior of *Ammophila ebenina* Spin. (Hymenoptera, Sphecidae, Sphecinae)]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk No. 2:62-71. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1963a\\_Ammophila\\_ebenina.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1963a_Ammophila_ebenina.pdf)
- \* 1963b. Экологическое распределение роющих ос (Hymenoptera, Sphecidae) в низовьях Мургаба [= Ékologicheskoye raspredeleniye royushchikh os (Hymenoptera, Sphecidae) v nizov'yakh Murgaba, = Ecological distribution of digger wasps in the lower Murgab River, Turkmenistan]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk No. 4:56-63. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1963b\\_lower\\_Murgab.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1963b_lower_Murgab.pdf)
- \* 1964a. К экологии некоторых роющих ос рода *Sphex* L. (Hymenoptera, Sphecidae) низовий Мургаба [= K ékologii nekotorykh royushchikh os roda *Sphex* L. (Hymenoptera, Sphecidae) nizoviy Murgaba, = On the ecology of some digger wasps of the genus *Sphex* L. (Hymenoptera, Sphecidae) of the lower Murgab River, Turkmenistan]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk 2:73-77. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1964a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1964a.pdf)
- \* 1964b. Развитие *Gonodontochoyris chloe* Sem. (Hymenoptera, Chrysididae) в гнездах роющих ос [= Razvitiye *Gonodontochoyris chloe* Sem. (Hymenoptera, Chrysididae) v gnezдах royushchikh os, = Development of *Gonodontochoyris chloe* Sem. (Hymenoptera, Chrysididae) in the nests of digger wasps]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk 2:90-91. [Parasitizes nests of *Podalonia ebenina*, larva devours not only caterpillar prey brought in by mother wasp of host, but also host larva]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1964b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1964b.pdf)
- \* 1965. Роющие осы (Hymenoptera, Sphecidae) низовий Мургаба [= Royushchiye osy (Hymenoptera, Sphecidae) nizoviy Murgaba, = Digger wasps (Hymenoptera, Sphecidae) of the lower course of Murgab River, Turkmenistan], pp. 74-99 in G.S. Medvedev and A.N. Luppova (editors). Nasekomye nizoviy Murgaba (vostochnaya Turkmeniya). Fauna, ékologiya, khozyaistvennoye znacheniyе. Turkmensoy Izdatel'stvo, Ashhabad. 147 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1965.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1965.pdf)
- \* 1966. Возможности использования сфесид для снижения численности вредных насекомых [= Vozmozhnosti ispol'zovaniya sfetsid dlya snizheniya chislennosti vrednykh nasekomykh, = Possible use of sphecid wasps for reducing numbers of insect pests]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk 6:48-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1966\\_Sphecidae\\_vs\\_pests.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1966_Sphecidae_vs_pests.pdf)
- \* 1968. Роющие осы рода *Sceliphron* Klug. [sic] (Hymenoptera, Sphecidae) Туркмении [= Royushchiye osy roda *Sceliphron* Klug. [sic] (Hymenoptera, Sphecidae) Turkmenii, = Digger wasps of the genus *Sceliphron* Klug. [sic] (Hymenoptera, Sphecidae) of Turkmenia]. Izvestiya Akademii Nauk Turkmensoy SSR. Seriya Biologicheskikh Nauk 2:61-66. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1968\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1968_Sceliphron.pdf)
- \* 1969. Особенности биологии и этологии сфесид трибы Ammophilini (Hymenoptera, Sphecidae) в Туркмении [= Osobennosti biologii i étoologii sfecid triby Ammophilini (Hymenoptera, Sphecidae) v Turkmenii, = On the biology and etology of sphechids of the tribe Ammophilini (Hymenoptera,

Sphecidae) in Turkmenia]. Izvestiya Akademii Nauk Turkmenskoy Akademii Nauk. Seriya Biologicheskikh Nauk 3:48-56. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1969\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1969_Ammophila.pdf)

- \* 1971a. Определительные таблицы видов родов *Eremochares* Gribodo и *Ammophila* Kirby (Hymenoptera, Sphecidae) [= Opredelitel'nyie tablitsy vidov rodov *Eremochares* Gribodo i *Ammophila* Kirby (Hymenoptera, Sphecidae)] – Determination tables of the species of the genera *Eremochares* Gribodo and *Ammophila* Kirby]. Izvestiya Akademii Nauk Turkmenskoy SSR. Seriya Biologicheskikh Nauk 5:75-77. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva-1971\\_Eremochares\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva-1971_Eremochares_Ammophila.pdf)
- \* 1971b. Зоогеографическая характеристика фауны сфецид (Hymenoptera, Sphecidae) Туркмении [= Zoogeograficheskaya kharakteristika fauny sfetsid (Hymenoptera, Sphecidae) Turkmenii, = Zoogeographic characteristic of the sphecid fauna (Hymenoptera, Sphecidae) of Turkmeniya]. Международный энтомологический конгресс. Москва, 2-9 августа 1968 г. Труды 1:179-180 [= Mezhdunarodnyi éntomologicheskiiy kongress. Moskva, 2-9 avgusta 1968 . Trudy = International Entomological Congress. Moscow, 2-9 August 1968. Proceedings 1:179-180]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1971b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1971b.pdf)
- \* 1972a. Фауна сфецид южной Тукмении [= Fauna sfetsid yuzhnoy Turkmenii, = The sphecid fauna of southern Turkmenia], pp. 75-100 in T. Tokgayev and S.N. Myartseva (editors). Nasekomyie yuzhnoy Turkmenii. Ylym, Askhabad. 154 [+ 2] pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1972a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1972a.pdf)
- \* 1972b. Паразиты и хищники роющих ос Туркмении [= Parazity i khishchniki royushchikh os Turkmenii, = Parasites and predators of digger wasps of Turkmenia], pp. 101-115 in T. Tokgayev and S.N. Myartseva (editors). Nasekomyie yuzhnoy Turkmenii. Ylym, Askhabad. 154 [+ 2] pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1972b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1972b.pdf)
- \* 1972c. К фауне и экологии сфецид трибы Bembicini (Hymenoptera, Sphecide) равнинной части Туркменистана [= K faune i ékologii sfetsid triby Bembicini (Hymenoptera, Sphecide) ravninnoy chasti Turkmenistana] – About fauna and ecology of Bembicini (Hymenoptera, Sphecide) of Turkmenistan plain part. Проблемы освоения пустынь – Problems of Desert Development. Ylym, Askhabad 3:79-81. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1972c\\_Bembicini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1972c_Bembicini.pdf)
- \* 1976. Заметки по биологии малонизученных сфецид Туркмении (Hymenoptera, Sphecidae) [= Zametki po biologii maloizuchennykh sfetsid Turkmenii (Hymenoptera, Sphecidae), = Remarks on the biology of little known sphecids of Turkmenia], pp. 72-82 in A.O. Tashliev (editor). Ékologiya i khozyaistvennoye znachenye nasekomykh Turkmenii. Ylym, Askhabad. 134 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myartseva\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myartseva_1976.pdf)

#### Myers, J.G.

- \* 1934. (30 June). Two Collembola-collecting crabronids in Trinidad. The Transactions of the Entomological Society of London 82:23-26. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Myers\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Myers_1934.pdf)

## N

#### Nabil, Z.I., S. Zalat, A.H. Abo-Ghalia, and S. Elbanna

- \* 2002. Pharmacology and chemistry of the venoms of solitary wasps. Journal of Natural Toxins 11:15-24. [venom of *Bembix oculata* analyzed], Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nabil\\_et\\_al\\_2002.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nabil_et_al_2002.pdf)

**Nachtigall, W.**

- \* 1983. Zum Einflugverhalten der Sandknotenwespe, *Cerceris quadrifasciata*, bei Schönwetter und Witterungsumschwung – On the landing behaviour of the solitary wasp, *Cerceris quadrifasciata*, under different weather conditions. *Entomologia Generalis* 8:283-285. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nachtigall\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nachtigall_1983.pdf)
- \* 2000. Abbiegungen und Abdknicken von Insektenflügeln beim Flug ohne und mit zusätzlichen Beutelast – Insect wing bending and folding during flight without and with an additional prey load. *Entomologia Generalis* 25:1-16 [*Cerceris quadrifasciata*, *Oxybelus uniglumis*, *Philanthus triangulum*, and *Trypoxylon* sp. are the only sphecids recorded]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nachtigall\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nachtigall_2000.pdf)
- \* 2001. Herrichtung und Abtransport von Lehmkügelchen durch die Töpfer-Grabwespe *Sceliphron spirifex* (Hymenoptera: Sphecidae) – Formation of clay globules and flight departure with the building material by the thread-waisted potter wasp *Sceliphron spirifex* (Hymenoptera: Sphecidae). *Entomologia Generalis* 25:161-170. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nachtigall\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nachtigall_2001.pdf)

**Nadig, A.**

- \* 1933. Beitrag zur Kenntnis der Hymenopterenfauna von Marokko und Westalgerien. Erster Teil: Apidae, Sphecidae, Vespidae. Jahresbericht der Naturforschenden Gesellschaft Graubündens 71:37-107. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nadig\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nadig_1933.pdf)
- \* 1934. Beitrag zur Kenntnis der Orthopteren und Hymenopterenfauna von Sardinien und Korsika. Jahresbericht der Naturforschenden Gesellschaft Graubündens 72:3-39. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nadig\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nadig_1934.pdf)

**Nagase, H.**

- \* 2000. A new species of the genus *Psen* from the Ogasawara Islands, Japan (Hymenoptera, Sphecidae, Pemphredoninae). *Bulletin of the National Science Museum. Series A (Zoology)* 26:51-55. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_2000.pdf)
- \* 2005. (31 Jan.). *Psen boninensis* Nagase; the record of the second specimen and the range of variation (Hymenoptera, Pemphredonidae). *Tsunekebachi* 4:25-26. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_2005.pdf)
- \* 2006a. (30 Jan.). Record of Hymenoptera collected at the windows of cable railway stations in Mt. Komagatake, Hakone, Kanagawa Pref., Japan. *Tsunekebachi* 8:49-57. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_2006a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_2006a.pdf)
- \* 2006b. (30 May). Hymenoptera collection by the First Scientific Expedition to Manchukuo, 1933. *Tsunekebachi* 9:1-3. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_2006b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_2006b.pdf)
- \* 2016. (1 Nov.). Record of nests of *Trypoxylon formosicola amamiense* Tsuneki (Hymenoptera, Crabronidae) in Amami Oshima, Japan. *Tsunekebachi*, 29:13-16. [in Japanese]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_2016.pdf)

**Nagase, H., and Sh. Kishi**

- \* 2014. (31 Mar.). Aculeate Hymenoptera of Miyakejima Is., Izu Islands, Japan. *Tsunekebachi* 24:21-24. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagase\\_Kishi\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagase_Kishi_2014.pdf)

**Nagy, C.G. (later Q. Argaman)**

- \* 1968. (20 Sept.). Observations écologiques sur l'espèce *Smicromyrme septentrionalis* Hffr. (Hym., Mutillidae). Acta Entomologica Bohemoslovaca 65:375-378. [list of sphecids hosts on p. 378, *Smicromyrme septentrionalis* is now *Smicromyrme sicana* (De Stefani Perez, 1887)]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagy\\_1968\\_Smicromyrme.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagy_1968_Smicromyrme.pdf)
- \* 1969. A new taxon of the family Heterogynidae Latreille (Hym., Aculeata). Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut und Zoologischen Museum Hamburg 64:299-303 (7-11). [Genus *Heterogyna* and species *Heterogyna protea* described]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagy\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagy_1969.pdf)
- \* 1971. (25 July). Studies on the Ampulicidae (Hymenoptera). Bollettino della Società Entomologica Italiana 103:103-107. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nagy\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nagy_1971.pdf)

**Najeer-E-Noor, S.K., and R. Begum**

- \* 2020. Stinging apparatus of apoid wasps and bees as never seen before. Entomon 45:87-92. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Najeer-S-Noor\\_Begum\\_2020\\_stinging\\_apparatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Najeer-S-Noor_Begum_2020_stinging_apparatus.pdf)

**Nakajima, T., T. Yasuhara, N. Yoshida, Y. Takemoto, S. Shinonaga, R. Kano, and H. Yoshida**

- \* 1983. The pattern analysis of biologically active amines in some Hymenopteran venoms by high performance liquid chromatography. Japanese Journal of Sanitary Zoology 34:61-71. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakajima\\_et\\_al\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakajima_et_al_1983.pdf)

**Nakamura, K.**

- \* 2012. (15 Mar.). New record of *Polemistus annulicornis* from Okinawa Island. Tsunekibachi 20:60. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakamura\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakamura_2012.pdf)
- \* 2016. (2 Feb.). A distribution records [sic] of *Taeniogonals sauteri* Bischoff, 1913 and *Ectemnius (Metacrabro) iridifrons* (Pérez, 1905) in Yamaguti Prefecture. Tsunekibachi 28:16. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakamura\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakamura_2016.pdf)

**Nakamura, S., Sh. Moriyama, and T. Uebayashi**

- \* 2006. Notes on *Sphex inusitatus fukuianus* Tsuneki (Hymenoptera: Sphecidae) in Hiroshima Prefecture. Hibakagaku 220:31-37 + 2 plates. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakamura\\_et\\_al\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakamura_et_al_2006.pdf)

**Nakao, Sh.-I., and K. Iwata**

- \* 1964. (24 Nov.). Notes on the provisioning habits of some solitary hunting wasps of Southeast Asia (Hymenoptera, Aculeata). Kontyû 32:504-511. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakao\\_Iwata\\_1964.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakao_Iwata_1964.pdf)

**Nakayama, T.**

- \* 2012. Hymenoptera of Houougoya in Yamanashi Prefecture. Tsunekibachi 22:47-50. [Yamanashi Prefecture, Japan; *Ectemnius martjanowii* is the only sphecids]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakayama\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakayama_2012.pdf)
- \* 2013. Nesting activities of *Bembix niponica* F. Smith, 1873 and *Bembecinus hungaricus japonicus* (Sonan, 1934) at Nihama beach, Heda, Numazu city, Shizuoka Prefecture. Tsunekibachi 23:33-38 (in Japanese; Shizuoka Prefecture, Japan). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nakayama\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nakayama_2013.pdf)

**Nalepa, Ch.A.**

- \* 2012. (10 Jan.). Wing wear is a poor estimate of age in *Cerceris fumipennis* (Hymenoptera, Crabronidae). *Journal of Hymenoptera Research* 24:43-46. Available through:  
<http://www.pensoft.net/journals/jhr/article/2091/wing-wear-is-a-poor-estimate-of-age-in-cerceris-fumipennis-hymenoptera-crabronidae>.

**Nalepa, Ch.A., and W.G. Swink**

- \* 2015. Prey carriage varies with prey size in *Cerceris fumipennis* (Hymenoptera, Crabronidae). *Journal of Hymenoptera Research* 44:49-55. Available through:  
[http://jhr.pensoft.net/articles.php?id=5158&articles.php?id=5158&\\_suid=14422220915604642195585329201](http://jhr.pensoft.net/articles.php?id=5158&articles.php?id=5158&_suid=14422220915604642195585329201)
- 2018. Wasp size and prey load in *Cerceris fumipennis* (Hymenoptera, Crabronidae): implications for biosurveillance of pest Buprestidae. *Insects* 9(86):1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nalepa\\_Swink\\_2018\\_Cerceris\\_fumipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nalepa_Swink_2018_Cerceris_fumipennis.pdf)

**Nalepa, Ch.A., W.G. Swink, J.P. Basham, and P. Merten**

- \* 2015. Comparison of Buprestidae collected by *Cerceris fumipennis* (Hymenoptera: Crabronidae) with those collected by purple prism traps. *Agricultural and Forest Entomology* 2015:1-5. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nalepa\\_et\\_al\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nalepa_et_al_2015.pdf)

**Nalepa, Ch.A., W.G. Swink, P. Merten, and J.E. Moan**

- \* 2013. Conservative estimates of hunting distance in *Cerceris fumipennis* Say (Hymenoptera: Crabronidae). *Journal of Entomological Science* 48:299-307. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nalepa\\_et\\_al\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nalepa_et_al_2013.pdf)

**Nalepa, Ch.A., C. Teerling, C.E. Rutledge, W. Swink, and C. Arellano**

- \* 2012. Ball diamonds as habitat for nests of *Cerceris fumipennis* (Hymenoptera: Crabronidae): comparisons among three states. *Journal of the Kansas Entomological Society* 85:219-225. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nalepa\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nalepa_et_al_2012.pdf)

**Nambu, T.**

- \* 1966. (30 Oct.). Studies on the biology of eight species of *Trypoxylon* (Hym., Sphecidae) occurring in Japan, with some notes on their parasites. *The Life Study* (Fukui) 10:25-34. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1966\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1966_Trypoxylon.pdf)
- \* 1967. (27 June). Studies on the biology of eight species of *Trypoxylon* (Hym., Sphecidae) occurring in Japan, with some notes on their parasites. *The Life Study* (Fukui) 11:6-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1967\\_eight\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1967_eight_Trypoxylon.pdf)
- \* 1968a. (25 Mar.). Contribution from my cabinets to the knowledge of the Japanese Hymenoptera. *The Life Study* (Fukui) 12:22. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1968a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1968a.pdf)
- \* 1968b. Some Sphecidae collected in Saitama Prefecture. Saitama-Kenritsu Kodama Koutougakkou Kenkyu Shuroku [= Research Bulletin of Saitama Prefecture Kodama High School] 3:19-29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1968b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1968b.pdf)
- \* 1970. (20 Feb.). On the habits of *Larra amplipennis* (Smith) (Hym., Sphecidae). *The Life Study* (Fukui) 14:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1970.pdf)
- \* 1971a. (25 Apr.). Biology of *Trypoxylon responsum hatogayuum* Tsuneki in Saitama, Japan (Hymenoptera, Sphecidae). *The Life Study* (Fukui) 15:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1971b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1971b.pdf)
- \* 1971b. (30 Sept.). Biological observation on *Trypoxylon pennsylvanicum japonense* Tsuneki (Hym. Sphecidae) in Saitama, Japan. *The Life Study* (Fukui) 15:69-74. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1971b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1971b.pdf)
- \* 1972a. (20 June). Biological observation on *Trypoxylon nambui* Tsuneki (Hym., Sphecidae) in Saitama Prefecture, Japan. The Life Study (Fukui) 16:9-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1972a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1972a.pdf)
  - \* 1972b. (20 June). Saitama ken-no anabati ka tsuika [= Addition to the Sphecidae of the Saitama Prefecture]. The Life Study (Fukui) 16:14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1972b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1972b.pdf)
  - \* 1972c. Tyûdzendzizinguti-o Hokkaido-de saisyû [= Capture of *Crossocerus tyuzendzianus* Tsuneki in Hokkaido]. The Life Study (Fukui) 16:16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1972c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1972c.pdf)
  - \* 1972d. [= The prey of *Trypoxylon*]. Atypus 59:6-8 (in Japanese). Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1972d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1972d.pdf)
  - \* 1972e. [= List of Hymenoptera collected in Saitama Prefecture, Japan]. Saitama-ken Dôbutsushi Kari-no Moku Roku [= Preliminary Reports on the Saitama Prefecture Fauna] 2:86-92. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1972e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1972e.pdf)
  - \* 1973a. Saitama-ken dôbutsushi kiso chôsa. Rikusei kontyû rui chôsa hôkoku. Makushi moku – Hymenoptera [= Studies on the Saitama Prefecture fauna. A report on the terrestrial entomofauna. Order Hymenoptera]. Saitama-ken Dôbutsushi Kari-no Moku Roku [= Preliminary Reports on the Saitama Prefecture Fauna] 3:147-154. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1973a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1973a.pdf)
  - \* 1973b. (25 Dec.). Biology of *Crossocerus (Towada) flavitarsus* Tsuneki, using resin to close the nest entrance (Hym. Sphec. Crabroninae). The Life Study (Fukui) 17:55-60. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1973b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1973b.pdf)
  - 1975a. Amami Okinawa shotô no hati (sitibatika, aribatika, seibôka, anabatika) [= Wasps of Amami and Okinawa islands (Scoliidae, Mutillidae, Chrysididae, and Sphecidae)]. Saitama Seibutsu 15:33-35.
  - \* 1975b. Kontyû-ko makushi moku Saitama-no hati [= Wasps of Saitama (Insecta, Hymenoptera)]. Saitama-ken Dôbutsushi Kari-no Moku Roku [= Preliminary Reports on the Saitama Prefecture Fauna] 4:49-82. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_1975b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_1975b.pdf)
  - \* 2006. Monitoring investigation of aculeate Hymenoptera of the Imperial Palace, Tokio. Memoirs of the National Science Museum 43:241-254. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nambu\\_2006\\_Imperial\\_Palace\\_Tokyo.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nambu_2006_Imperial_Palace_Tokyo.pdf)

#### Nascimento, P.T.R.

- \* 1979. (10 Sept.). Catálogo de tipos entomológicos do Museu Goeldi. Hymenoptera. Boletim do Museu Paraense Emilio Goeldi. Nova Série. Zoologia 98:1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nascimento\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nascimento_1979.pdf)

#### Nascimento, P.T.R., and W.L. Overal

- \* 1979. (16 Apr.). Contribuições entomológicas de Adolpho Ducke: taxonomia e bibliographia. Boletim do Museu Paraense Emilio Goeldi. Nova Série. Zoologia 95:1-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nascimento\\_Overal\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nascimento_Overal_1979.pdf)
- \* 1980. (21 Jan.). Catálogo de coleção entomológica do Museu Goeldi. Hymenoptera: Sphecidae. Boletim do Museu Paraense Emilio Goeldi. Nova Série. Zoologia 99:1-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nascimento\\_Overal\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nascimento_Overal_1980.pdf)

**Nash, R.**

- \* 1972. *Crabro peltarius* Schreb [sic] (Hymenoptera: Crabronidae) in County Down [Ireland]. The Irish Naturalists' Journal 17:281. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nash\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nash_1972.pdf)

**Nash, R., M. Boston, and B. Nelson**

- \* 1990. The Hymenoptera Aculeata in the superfamilies Pompiloidea, Vespoidea, Sphecoidea and Apoidea of Murlough National Nature Reserve, Co Down. The Irish Naturalists' Journal 23 (7):247-255. [Ireland]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nash\\_et\\_al\\_1990.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nash_et_al_1990.pdf)

**Naumann, I.D.**

- \* 1983a. The systematic position of *Dasyproctus verutus* Rayment (Hymenoptera: Sphecidae: Crabroninae). Journal of the Australian Entomological Society 22:349-351. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1983a\\_Dasyproctus\\_verutus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1983a_Dasyproctus_verutus.pdf) and  
<https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1440-6055.1983.tb02116.x>
- \* 1983b. The biology of mud nesting Hymenoptera (and their associates) and Isoptera in rock shelters of the Kakadu Region, Northern Territory, pp. 127-189 in D. Gillespie (editor). The rock art sites of Kakadu National Park—Some preliminary research findings for their conservation and management. Australian National Parks and Wildlife Service, Special Publications 10. 216 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1983b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1983b.pdf)
- \* 1987. A new megalyrid (Hymenoptera: Megalyridae) parasitic on a sphecid wasp in Australia. Journal of the Australian Entomological Society 26:215-222. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1987\\_Arpactophilus\\_parasite.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1987_Arpactophilus_parasite.pdf)
- \* 1990a. The aculeate wasps and bees (Hymenoptera) of Norfolk and Philip Islands. Australian Entomological Magazine 17:17-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1990a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1990a.pdf)
- \* 1990b. Description of the *caliginosum* species group of the genus *Pison* Jurine (Hymenoptera: Sphecidae: Larrinae). Journal of the Australian Entomological Society 29:233-245. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1990b\\_Pison\\_caliginosum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1990b_Pison_caliginosum.pdf)
- 1991. Hymenoptera (wasps, bees, ants, sawflies, pp. 916-1000 in I.D. Nauman (editor). The Insects of Australia. A textbook for students and research workers. Second edition. Melbourne University Press, Melbourne. 1137 pp. In two volumes.
- \* 1993. Results for aculeate wasps, pp. 175-187 in I.D. Naumann, E.D. Edwards, T.A. Weir, and D.C.F. Rentz. Insects of the Heathlands area, Cape York Peninsula, Queensland. Cape York Peninsula scientific expedition. Wet Season 1992. Report. The Royal Geographical Society of Queensland Inc. Vol. 2:173-203. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1993.pdf)
- \* 1998. Vespids and sphecid wasps (Insecta: Hymenoptera) of the Musselbrook area, northwest Queensland, pp. 179-190 in L. Comben, S. Lond, and K. Berg (editors). Musselbrook Reserve Scientific Study Report. The Royal Geographic Society of Queensland Inc., Fortitude Valley, Queensland. 343 pp., 2 color pl. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Naumann\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Naumann_1998.pdf)

**Nazarova, Sh.D. [Ш.Д. Назарова]**

- \* 1998. О роющих осax (Sphecidae) заповедника “Тигровая Балка” [= О royushchikh osakh (Sphecidae) zapovednika “Tigrovaya Balka”, = Sphecid wasps of the Nature Reserve “Tigrovaya Balka”,

Tajikistan]. Izvestiya Akademii Nauk Respubliki Tadjikistan. Otdeleniye Biologicheskikh i Meditsinskikh Nauk 139:38-43. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nazarova\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nazarova_1998.pdf)

- \* 2004. О роющих осах фауны Бадakhшана [= O royushchikh osakh fauny Badakhshana, = On the sphecid wasps of Badakhshan Region, Tajikistan], pp. 103-109 in I.A. Abdusalyamov (editor). Fauna i ékologiya zhivotnykh Tadjikistana. Akademiya Nauk Respubliki Tadjikistan. Institut Zoologii i Parazitologii im. E.N. Pavlovskogo. Dushanbe. 233 pp. Available through:  
[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nazarova\\_2004.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nazarova_2004.pdf)
- \* 2005. Перепончатокрылые – опылители люцерновых полей в юго-западном Таджикистане [= Pereponchatokrylye – opyliteli luternovykh poley v yugo-zapadnom Tadjikistane, = Hymenopterous pollinators of the alfalfa fields in southwestern Tajikistan]. Izvestiya Akademii Nauk Respubliki Tadjikistan. Otdeleniye Biologicheskikh i Meditsinskikh Nauk 152:92-95. Available through: [https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nazarova\\_2005.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nazarova_2005.pdf)

**Nazarova, Sh., and Sh.B. Baratov [Ш. Назарова и Ш.Б. Баратов]**

- \* 1981. О хищных осах (Hymenoptera: Sphecidae, Vespidae) фауны Таджикистана и их роли в регуляции численности слепней [= O khishchnykh osakh (Hymenoptera: Sphecidae, Vespidae) fauny Tadjikistana i ikh roli v regulatsii chislennosti slepney] – On the predatory wasps (Hymenoptera: Sphecidae, Vespidae) of Tajikistan and their role in regulation of the horse-flies. Éntomologicheskoye Obozreniye 60:97-102. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nazarova-Baratov-1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nazarova-Baratov-1981.pdf)

English translation: 1982. The predatory wasps (Hymenoptera: Sphecidae, Vespidae) of Tadjikistan and their role in regulating the number of Tabanidae. Entomological Review 60:95-101. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nazarova-Baratov\\_1981\\_English.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nazarova-Baratov_1981_English.pdf)

**Nazarova, Sh.D., and S. Gafarov [Ш.Д. Назарова и С. Гафаров]**

- \* 1986. Роющие осы (Sphecidae), регулирующие численность мух-сирфид (Syrphidae) в хлопковых агробиоценозах юга Таджикистана [= Royushchiye osy (Sphecidae), reguliruyushchiye chislennost' mukh-sirfid (Syrphidae) v khlopkovykh agrobiotsenozakh yuga Tadjikistana = Digger wasps (Sphecidae) controlling the number of hover flies (Syrphidae) in cotton agrobiocenoses in southern Tajikistan]. Izvestiya Akademii Nauk Tadjikskoy SSR. Otdeleniye Biologicheskikh Nauk 2 (103):70-72. [*Bembix oculata*, *transcaspica*, *kazachstanica*, *Ectemnius continuus*, *confinis*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/NAZAROVA\\_and\\_GAFAROV\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/NAZAROVA_and_GAFAROV_1986.pdf)

**Nazarova, Sh., and Sh. Shomirsaidov [Ш. Назарова и Ш. Шомирсаидов]**

- \* 1997. Роющие осы (Hymenoptera, Sphecidae) фруктовых садов Вахшской долины Таджикистана [= Royushchiye osy (Hymenoptera, Sphecidae) fruktovykh sadov Vakhshskoy doliny Tadjikistana, = Digger wasps (Hymenoptera, Sphecidae) of the fruit tree orchards of Vakhsh River valley in Tajikistan]. Doklady Akademii Nauk Respubliki Tadjikistan 11:21-26. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nazarova-Shomirsaidov\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nazarova-Shomirsaidov_1997.pdf)

**Nechitaylo, T.Y., M. Westermann, and M. Kaltenpoth**

- \* 2014. Cultivation reveals physiological diversity among defensive '*Streptomyces philanthi*' symbionts of beewolf digger wasps (Hymenoptera, Crabronidae). BMC Microbiology 14:202-216. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nechitaylo\\_et\\_al\\_2014\\_Streptomyces\\_philanthi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nechitaylo_et_al_2014_Streptomyces_philanthi.pdf)

**Negoro, H., Y. Haneda, and T. Tano**

- \* 2005. (31 Jan.). Collecting wasps in Toyama Prefecture. Tsunekibachi 4:31-52. [in Japanese]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Negoro\\_et\\_al\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Negoro_et_al_2005.pdf)

**Negrisol, E.**

- \* 1991. (1990). Hymenoptera Sphecidae e Scoliidae raccolti nel Friuli-Venezia Giulia e nel Veneto orientale. Gortania. Atti del Museo Friulano di Storia Naturale 12:313-327. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Negrisol\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Negrisol_1991.pdf)
- \* 1995a. (31 Jan.). The aculeate communities (Hymenoptera Aculeata) of two coastal areas of the Veneto region (northeastern Italy). Lavori. Società Veneziana di Scienze Naturali 20:15-25. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Negrisol\\_1995a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Negrisol_1995a.pdf)
- \* 1995b. (May). Fascicolo 105. Hymenoptera Sphecidae, pp. 1-12 in A. Minelli, S. Ruffo, S. La Posta (editors). Checklist delle specie della fauna italiana. 99. Hymenoptera Chrysidae, by Franco Strumia, 100. Hymenoptera Bethylinidae, Dryinidae, Sclerogibbidae, Embolemidae, by Massimo Olmi, 101. Hymenoptera Scoliidae, by Guido Pagliano, 102. Hymenoptera Formicidae, by Bruno Poldi, Maurizio Mei, and Fabrizio Rigato, 103. Hymenoptera Vespoidea, by Antonio Giordani Soika, and Walter Borsato, 104. Hymenoptera Pompilidae, by Guido Pagliano, 105. Hymenoptera Sphecidae, by Enrico Negrisol, 106. Hymenoptera apoidea, by Guido Pagliano. Edizioni Calderini, Bologna. [each fascicle has a separate pagination, 4 unnumbered introductory pages]

**Negrisol, E., and G. Pagliano**

- \* 1993. Su alcuni Sphecidae catturati in Sardinia (Hymenoptera). Bollettino della Società Sarda di Scienze Naturali 29:89-96. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Negrisol\\_Pagliano\\_1993\\_Sphecidae\\_Sardegna.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Negrisol_Pagliano_1993_Sphecidae_Sardegna.pdf)

**Nel, A.**

- \* 2005. Oldest representatives of the Sphecidae: Trypoxylini in the Early Eocene French amber (Insecta: Hymenoptera). Comptes Rendus Palevol 4:17-24. [described *Eopison menieri* and *Pison eocenicus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nel\\_2005\\_Eopison.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nel_2005_Eopison.pdf)

**Nel, E., J. Kelly, and A. Dippenaar-Schoeman**

- \* 2014. Notes on the biology of the wasp, *Chalybion spinolae* (Hymenoptera: Sphecidae), an obligatory predator of *Latrodectus* (Araneae: Theridiidae) spiders in South Africa. Journal of Natural History 48:1585-1593. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nel\\_et\\_al\\_2014\\_Chalybion\\_spinolae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nel_et_al_2014_Chalybion_spinolae.pdf)

**Nelson, D.M., and Ch.K. Starr**

- \* 2016. Comparative nesting success of the keyhole mud-dauber (Hymenoptera, Crabronidae, *Trypoxylon nitidum*) in different substrates. Journal of Hymenoptera Research 54:163-167. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nelson\\_and\\_Starr\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nelson_and_Starr_2016.pdf)

**Nelson, J.M.**

- \* 1958. (20 Aug.). A preliminary list of Aculeate Hymenoptera (excluding Formicidae) from the Isle of Man. The Entomologist's Monthly Magazine 94:154-155. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nelson\\_1958.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nelson_1958.pdf)
- \* 1981. (31 Dec.). Further observations on Aculeate Hymenoptera from the Isle of Man. The Entomologist's Monthly Magazine 117:145-146. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nelson\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nelson_1981.pdf)

**Nemkov, P.G. [П.Г. Немков]**

- \* 1985. Гнездовое поведение *Oxybelus bipunctatus* Oliver [sic] (Hymenoptera, Sphecidae) в Приморском крае [= Gnezdovoye povedeniye *Oxybelus bipunctatus* Oliver [sic] (Hymenoptera, Sphecidae) v Primorskom krae, = Nesting behavior of *Oxybelus bipunctatus* Olivier (Hymenoptera, Sphecidae) in Primorskiy Kray, Russian Far East], pp. 65-69 in V.S. Arefin (editor). Fauna i ékologiya nasekomykh Primor'ya i Kamchatki: vrediteli i éntomofagi. Vladivostok. 128 pp. [= Trudy Biologo-Pochvennogo Instituta 121 (224)]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1985.pdf)
- \* 1986. К фауне роющих ос (Hymenoptera, Sphecidae) Прибайкалья [= K faune royushchikh os (Hymenoptera, Sphecidae) Pribaikal'ya, = On the digger wasp fauna (Hymenoptera, Sphecidae) of Lake Baikal area], pp. 92-110 in P.A. Lehr, S.A. Belokobyl'skiy, and N.A. Storozheva (editors). Pereponchatokrylyie Vostochnoy Sibiri i Dal'nego Vostoka. Akademiya Nauk SSR, Dal'nevostochnyi Nauchnyi Tsentr, Biologo-Pochvennyi Institut. Vladivostok. 152 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1986.pdf)
- \* 1988a. Обзор голарктических роющих ос рода *Tracheliodes* A. Morawitz (Hymenoptera, Sphecidae, Crabronini) с описанием двух новых видов с Дальнего Востока СССР [= Obzor golarkticheskikh royushchikh os roda *Tracheliodes* A. Morawitz (Hymenoptera, Sphecidae, Crabronini) s opisaniyem dvukh novykh vidov s Dal'nego Vostoka SSSR, = Review of the Holarctic species of the genus *Tracheliodes* A. Morawitz with descriptions of two new species from the Far East of USSR]. Trudy Vsesoyuznogo Éntomologicheskogo Obshchestva (= Horae Societatis Entomologicae Unionis Sovieticae) 70:116-124. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1988.pdf)
- \* 1988b. Новый род роющих ос из Балтийского янтаря [= Novyi rod royushchikh os iz Baltiyskogo yantarya, = A new genus of fossorial wasps from Baltic amber]. Paleontologicheskii Zhurnal 22:119-121. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1988b\\_Protodolichurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1988b_Protodolichurus.pdf)  
 English translation: 1988. A new genus of digger wasps from the Baltic amber. Paleontological Journal 22:115-118. [*Protodolichurus sucinus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1988b\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1988b_English.pdf)
- \* 1989. Роющие осы рода *Gorytes* (Hymenoptera, Sphecidae) Сибири и Дальнего Востока СССР [= Royushchiye osy roda *Gorytes* (Hymenoptera, Sphecidae) Sibiri i Dal'nego Vostoka SSSR, = Digger wasps of the genus *Gorytes* of Siberia and Far East of USSR]. Zoologicheskii Zhurnal 68:66-73. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1989.pdf)
- \* 1990a. Новый род роющих ос трибы Gorytini из олигоценовых отложений Приморского Края [= Novyi rod royushchikh os triby Gorytini iz oligotsenovykh otlozheniy Primorskogo Kraya, = A new genus of the digger wasp tribe Gorytini from the Oligocene deposits of Maritime Province, Russia]. Paleontologicheskii Zhurnal 24:123-125. [*Biamogorytes handlirschii*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1990a\\_Biamogorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1990a_Biamogorytes.pdf)  
 English translation: A new wasp genus of the tribe Gorytini from Oligocene of the Primorskiy Region. Paleontological Journal 24:123-125. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1990a\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1990a_English.pdf)
- \* 1990b. Роющие осы трибы Gorytini (Hymenoptera, Sphecidae) фауны СССР. Роды *Gorytes* Latreille, *Pseudoplus* Ashmead, *Kohlia* Handlirsch [= Royushchiye osy triby Gorytini (Hymenoptera, Sphecidae) fauny SSSR. Rody *Gorytes* Latreille, *Pseudoplus* Ashmead, *Kohlia* Handlirsch] – Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the fauna of the USSR. Genera *Gorytes*

- Latreille, *Pseudoplisus* Ashmead, *Kohlia* Handlirsch. *Éntomologicheskoye Obozreniye* 69:675-690.  
Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1990b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1990b.pdf)  
English translation: 1991. Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the USSR. *Gorytes*, *Pseudoplisus*, and *Kohlia*. *Entomological Review* 70:136-153. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1990b\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1990b_English.pdf)
- \* 1990c. (Apr.). Новые и малоизвестные виды роющих ос (Hymenoptera, Sphecidae) Восточной Сибири и Дальнего Востока СССР [= *Novyye i maloizvestnyie vidy royushchikh os (Hymenoptera, Sphecidae) Vostochnoy Sibiri i Dal'nego Vostoka SSSR*, = New and little known species of Sphecidae of Eastern Siberia and Far East of USSR], pp. 79-85 in A.S. Lelej (editor). *Novosti sistematiki nasekomykh Dal'nego Vostoka* – News of insects systematics of Soviet Far East. Akademiya Nauk SSSR. Dal'nevostochnoe Otdeleniye. Biologo-Pochvennyi Institut, Vladivostok. 136 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov1990c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov1990c.pdf)
- \* 1992a. Роющие осы трибы Gorytini (Hymenoptera, Sphecidae) фауны России и сопредельных стран. Роды *Lestiphorus* Lepeletier, *Oryttus* Spinola и *Olga* Radoszkowski [= *Royuschchiye osy triby Gorytini (Hymenoptera, Sphecidae) fauny Rossii i sopredel'nykh stran. Rody Lestiphorus Lepeletier, Oryttus Spinola i Olga Radoszkowski*] – Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the fauna of Russia and neighbouring countries. The genera *Lestiphorus* Lepeletier, *Oryttus* Spinola and *Olga* Radoszkowski. *Éntomologicheskoye Obozreniye* 71:935-949. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1992a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1992a.pdf)  
English translation: 1993. Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of Russia and neighboring countries. Genera *Lestiphorus*, *Oryttus*, and *Olga*. *Entomological Review* 72 (7):33-49. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1992a\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1992a_English.pdf)
- \* 1992b. (Oct.). Sphecidae, pp. 243-251 in Yu.A. Chistyakov (editor). *Насекомые Хинганского заповедника. Часть II* [= *Nasekomye Khinganskogo zapovednika. Chast' II*, = Insects of Khingan Nature Reserve. Part II]. *Dal'nauka*, Vladivostok, pp. 122-276. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1992b\\_Khingan.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1992b_Khingan.pdf)
- \* 1994. (Nov.). Новые виды роющих ос рода *Harpactus* (Hymenoptera, Sphecidae) из центральной Палеарктики [= *Novyye vidy royushchikh os roda Harpactus (Hymenoptera, Sphecidae) iz tsentral'noy Palearktiki*] – New species of digger wasps of the genus *Harpactus* (Hymenoptera, Sphecidae) from the central Palearctic. *Zoologicheskii Zhurnal* 73 (11):64-71. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1994.pdf)  
English translation: 1995. New species of digger wasps of the genus *Harpactus* (Hymenoptera, Sphecidae) from the Central Palearctic Region. *Entomological Review* 74 (8):115-121. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1994\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1994_English.pdf)
- \* 1995a. То синониму of Palearctic digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) – К синонимии палеарктических роющих ос трибы Gorytini (Hymenoptera, Sphecidae) [= К синонимии палеарктических роющих ос трибы Gorytini (Hymenoptera, Sphecidae)]. *Far Eastern Entomologist* (= *Дальневосточный энтомолог*, = *Dal'nevostochnyi Éntomolog*) 11:1-4. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1995a\\_Synonymy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1995a_Synonymy.pdf)
- \* 1995b. (May). Роющие осы трибы Gorytini (Hymenoptera, Sphecidae) фауны России и сопредельных стран. Роды *Sphecius* Dahlbom и *Ammatomus* A. Costa [= *Royuschchiye osy triby Gorytini (Hymenoptera, Sphecidae) fauny Rossii i sopredel'nykh stran. Rody Sphecius Dahlbom i Ammatomus A. Costa*] – Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the fauna of Russia

and neighbouring countries. Genera *Sphecius* Dahlbom and *Ammatomus* A. Costa. *Entomologicheskoye Obozreniye* 74:177-185. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1995b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1995b.pdf)

English translation: 1996. Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the fauna of Russia and neighboring countries. Genera *Sphecius* and *Ammatomus* A. Costa. *Entomological Review* 75:34-43. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1995b\\_English.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1995b_English.pdf)

- \* 1995c. (1994). Роющие осы трибы Gorytini (Hymenoptera, Sphecidae) фауны СНГ. Роды *Argogorytes* Ashmead, *Hoplisoides* Gribodo, *Psammaecius* Lepeletier [= Royushchiye osy triby Gorytini (Hymenoptera, Sphecidae) fauny SNG. Rody *Argogorytes* Ashmead, *Hoplisoides* Gribodo, *Psammaecius* Lepeletier] – Sphecoid wasps of the tribe Gorytini (Hymenoptera, Sphecidae) of the fauna of the CIS. The genera *Argogorytes* Ashmead, *Hoplisoides* Gribodo, *Psammaecius* Lepeletier. *Trudy Zoologicheskogo Instituta Rossiyskoy Akademii Nauk* 258:128-137. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1995c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1995c.pdf)
- \* 1995d. (Nov.). New species of digger wasps of the genus *Nysson* Latreille (Hymenoptera, Sphecidae) from Tajikistan – Новый вид роющих ос рода *Nysson* Latreille (Hymenoptera, Sphecidae) из Таджикистана [= Novyi vid royushchikh os roda *Nysson* Latreille (Hymenoptera, Sphecidae) iz Tadzhikistana]. *Far Eastern Entomologist* (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 22:1-4. [*Nysson carinifrons*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1995d\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1995d_Nysson.pdf)
- \* 1996. (Aug.). Роющие осы трибы Gorytini (Hymenoptera, Sphecidae) фауны России и сопредельных стран. Род *Harpactus* [= Royushchiye osy triby Gorytini (Hymenoptera, Sphecidae) fauny Rossii i sopredel'nykh stran. Rod *Harpactus*] – Digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae) in the fauna of Russia and neighbouring countries. Genus *Harpactus* Shuckard. *Zoologicheskii Zhurnal* 75:1204-1213. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1996\\_Harpactus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1996_Harpactus.pdf)
- \* 1997. To synonymies of Palaearctic digger wasps of the tribe Gorytini (Hymenoptera, Sphecidae). Part II – К синонимии палеарктических роющих ос трибы Gorytini (Hymenoptera, Sphecidae). Часть II [= K sinonimii palearkticheskikh royushchikh os triby Gorytini (Hymenoptera, Sphecidae). Chast' II]. *Far Eastern Entomologist* (Дальневосточный Энтомолог, = Dal'nevostochnyi Éntomolog) 47:19. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1997\\_Synonymy\\_P\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1997_Synonymy_P_II.pdf)
- \* 1998a. (July). Сем. Sphecidae – Роющие осы [= Sem. Sphecidae – Royushchiye osy], pp. 684-686 in P.A. Lehr (editor). *Определитель насекомых Дальнего Востока России в шести томах. Том IV. Сетчатокрылообразные, скорпионницы, перепончатокрылые. Часть 3* [= *Opredelitel' nasekomykh Dal'nego Vostoka Rossii v shesti tomakh. Tom IV. Setchatokryloobraznyie, skorpionitsy, pereponchatokrylyie. Chast' 3*]. *Dal'nauka*, Vladivostok. 708 pp. [a supplement to Nemkov, Kazenas, Budrys, and Antropov, 1995]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1998a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1998a.pdf)
- \* 1998b. Зоогеографические особенности фауны роющих ос (Hymenoptera, Sphecidae) Восточной Сибири и Дальнего Востока [= Zoogeograficheskiye osobennosti fauny royushchikh os (Hymenoptera, Sphecidae) Vostochnoy Sibiri i Dal'nego Vostoka] – Zoogeographical features of digger wasps (Hymenoptera, Sphecidae) of Eastern Siberia and Russian Far East fauna. *Chteniya Pamyati Aleksey Ivanovicha Kurentsova* (= A.I. Kurentsov's Annual Memorial Meetings) 8:57-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1998b\\_zoogeography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1998b_zoogeography.pdf)

- \* 1999a. (June). New genus and species of the digger wasps of tribe Gorytini (Hymenoptera: Sphecidae, Nissoninae [sic]) from Malay Peninsula – Новый род и вид роющих ос трибы Gorytini (Hymenoptera: Sphecidae, Nissoninae [sic]) с полуострова Малакка [= Novyi rod i vid royushchikh os triby Gorytini (Hymenoptera: Sphecidae, Nissoninae [sic]) с полуострова Малакка]. Far Eastern Entomologist (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 74:1-5. [*Malaygorytes konishii* = *Argogorytes matangensis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1999a\\_Malaygorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1999a_Malaygorytes.pdf)
- \* 1999b. (Dec.). Review of the *Gorytes kohlii* species group (Hymenoptera: Sphecidae, Bembicinae) – Обзор группы видов *Gorytes kohlii* (Hymenoptera: Sphecidae, Bembicinae) [= Obzor gruppy vidov *Gorytes kohlii* (Hymenoptera: Sphecidae, Bembicinae)]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 81:1-5. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_1999b\\_Gorytes\\_kohlii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_1999b_Gorytes_kohlii.pdf)
- 2000. Особенности биологии роющих ос (Hymenoptera, Sphecidae) Восточной Сибири и Дальнего Востока России [= Osobennosti biologii royushchikh os (Hymenoptera, Sphecidae) Vostochnoy Sibiri i Dal'nego Vostoka Rossii] – Biological patterns of digger wasps (Hymenoptera, Sphecidae) of Eastern Siberia and Russian Far East. Chteniya Pamyati Aleksey Ivanovicha Kurentsova (= A.I. Kurentsov's Annual Memorial Meetings) 9:49-64. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2000\\_BIOLOGY.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2000_BIOLOGY.pdf)
- \* 2001. (Mar.). Review of the digger wasps of the genus *Synnevrus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) of Russia and neighboring countries – Обзор роющих ос рода *Synnevrus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) фауны России и сопредельных стран [= Obzor royushchikh os roda *Synnevrus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) fauny Rossii i sopredel'nykh stran]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 98:1-11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2001.pdf)
- \* 2002a. To the knowledge of the digger wasps of the genus *Nippononysson* Yasumatsu et Maidl (Hymenoptera, Crabronidae, Bembicinae) – К познанию роющих ос рода *Nippononysson* Yasumatsu et Maidl (Hymenoptera, Crabronidae, Bembicinae) [= K poznaniyu royushchikh os roda *Nippononysson* Yasumatsu et Maidl (Hymenoptera, Crabronidae, Bembicinae)]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 117:4-6. [includes a key to the three described species]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2002a\\_Nippononysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2002a_Nippononysson.pdf)
- \* 2002b. To the synonymy of *Nysson tridens* Gerstaecker, 1867 (Hymenoptera, Crabronidae, Bembicinae) – К синонимии *Nysson tridens* Gerstaecker, 1867 (Hymenoptera, Crabronidae, Bembicinae) [= K sinonimii *Nysson tridens* Gerstaecker, 1867 (Hymenoptera, Crabronidae, Bembicinae)]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 118:36. [*Nysson fraterculus* Gussakovskij is a junior synonym]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2002b\\_Nysson\\_tridens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2002b_Nysson_tridens.pdf)
- \* 2003a. История изучения сфекоидных ос (Hymenoptera, Sphecidae, Crabronidae) Восточной Сибири и Дальнего Востока России [= Istoria izucheniya sfekoidnykh os (Hymenoptera, Sphecidae, Crabronidae) Vostochnoy Sibiri i Dal'nego Vostoka Rossii] –The history of digger wasps study (Hymenoptera, Sphecidae, Crabronidae) in East Siberia and Russian Far East. Chteniya pamyati Aleksey Ivanovicha Kurentsova (= A.I. Kurentsov's Annual Memorial Meetings) 14:56-67. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2003a\\_history.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2003a_history.pdf)

- \* 2003b. (Oct.). Review of the digger wasps of the genus *Brachystegus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) of Russia and neighbouring countries – Обзор роющих ос рода *Brachystegus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) фауны России и сопредельных стран [= Obzor royushchikh os roda *Brachystegus* A. Costa (Hymenoptera, Crabronidae, Bembicinae) fauny Rossii i sopredel'nykh stran]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 131:1-5. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2003b\\_Brachystegus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2003b_Brachystegus.pdf)
- \* 2004a. A new species of *Brachystegus* A. Costa (Hymenoptera: Crabronidae: Bembicinae) from Nepal. Zootaxa 641:1-4. [*Brachystegus nikitini*]. Available through: <http://www.mapress.com/zootaxa/2004/z00641f.pdf> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2004a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2004a.pdf)
- \* 2004b. Contribution to the knowledge of the species of *Crossocerus* Lepeletier et Brullé (Hymenoptera: Crabronidae, Crabroninae), described by K. Tsuneki] – К познанию видов рода *Crossocerus* Lepeletier et Brullé (Hymenoptera: Crabronidae, Crabroninae), описанных К. Цунеки [= K poznaniyu vidov roda *Crossocerus* (Hymenoptera: Crabronidae, Crabroninae), opisannykh K. Tsuneki]. Trudy Russkogo Éntomologicheskogo Obshchestva 75:263-269. Available through:  
<http://www.zin.ru/labs/insects/hymenopt/projects/tobias-75/pdf/nemkov.pdf>
- \* 2005a. Фауна роющих ос (Hymenoptera, Sphecidae, Crabronidae) острова Сахалин [= Fauna royushchikh os (Hymenoptera, Sphecidae, Crabronidae) ostrova Sakhalin] – Digger wasp fauna (Hymenoptera, Sphecidae, Crabronidae) of Sakhalin Island, pp. 141-167 in Flora and Fauna of Sakhalin Island (Materials of International Sakhalin Project). Part 2. Dal'nauka, Vladivostok. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2005a\\_Sakhalin.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2005a_Sakhalin.pdf)
- \* 2005b. (30 Aug). Review of the digger wasps of the genus *Palarus* Latreille in Russia and neighbouring countries (Hymenoptera, Crabronidae, Larrinae). Entomofauna 26:241-252. Available through:  
[http://www.landesmuseum.at/pdf\\_frei\\_remote/ENT\\_0026\\_0241-0252.pdf](http://www.landesmuseum.at/pdf_frei_remote/ENT_0026_0241-0252.pdf)
- \* 2006a. (Apr.). To the synonymy of *Cerceris pucillii* Radoszkowski, 1869 (Hymenoptera: Crabronidae: Philanthinae). – К синонимии *Cerceris pucillii* Radoszkowski, 1869 (Hymenoptera: Crabronidae: Philanthinae) [= K sinonimii *Cerceris pucillii* Radoszkowski, 1869 (Hymenoptera: Crabronidae: Philanthinae)]. Far Eastern Entomologist (Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 160:12. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2006a\\_Cerceris\\_pucillii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2006a_Cerceris_pucillii.pdf)
- \* 2006b. К фауне роющих ос (Hymenoptera, Sphecidae, Crabronidae) заповедника «Кедровая Падь» [= K faune royushchikh os (Hymenoptera: Sphecidae, Crabronidae) zapovednika «Kedrovaya Pad'»] – Contribution to the fauna of digger wasps (Hymenoptera: Sphecidae, Crabronidae) of Kedrovaya Pad' Nature Reserve, pp. 166-170 in A. Makarchenko (editor). Rastitel'nyi i zhivotnyi mir zapovednika «Kedrovaya Pad'» – Flora and Fauna of Kedrovaya Pad Nature Reserve. Dal'nauka, Vladivostok. 268 pp. [Kedrovaya Pad' is in the south of Russian Far East]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2006b\\_Kedrovaya\\_Pad.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2006b_Kedrovaya_Pad.pdf)
- \* 2006c. Роющие осы (Hymenoptera, Crabronidae) острова Монерон [= Royushchiye osy (Hymenoptera, Crabronidae) ostrova Moneron] – Digger wasps (Hymenoptera, Crabronidae) of Moneron Island, pp. 247-249 in S.Yu. Storozhenko (editor). Rastitel'nyi i zhivotnyi mir ostrova Moneron (Materialy Mezhdunarodnogo sakhalinskogo proyekta) – Flora and Fauna of Moneron Island (Materials of International Sakhalin Island Project). Dal'nauka, Vladivostok. 324 pp. [Moneron Island, close to southern tip of Sakhalin]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2006c\\_Moneron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2006c_Moneron.pdf)
- \* 2007a. (5 Feb.). A new genus of digger wasps (Hymenoptera, Crabronidae, Bembicinae) from North and Central America – Новый род роющих ос (Hymenoptera, Sphecidae, Bembicinae) из Северной и

Центральной Америки [= *Novyi rod royushchikh os (Hymenoptera, Crabronidae, Bembicinae) iz Severnoy i Tsentral'noy Ameriki*]. *Far Eastern Entomologist* (Дальневосточный энтомолог, = *Dal'nevostochnyi Éntomolog*) 167:1-4. [Genus *Saygorytes*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2007a\\_Saygorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2007a_Saygorytes.pdf)

- \* 2007b. Фауна роющих ос (Hymenoptera, Sphecidae, Crabronidae) Курильских островов [= *Fauna royushchikh os (Hymenoptera: Sphecidae, Crabronidae) Kuril'skikh ostrovov*] – The digger wasp fauna (Hymenoptera: Sphecidae, Crabronidae) of Kuril Islands. *Evrasiatskiy Éntomologicheskii Zhurnal* (= *Euroasian Entomological Journal*) 6:67-76. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2007b\\_Kuril\\_Islands.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2007b_Kuril_Islands.pdf)
- \* 2007c. Сем. Sphecidae – Роющие осы. Дополнение [= *Sem. Sphecidae – Royushchiye osy. Dopolneniye* = *Family Sphecidae – Digger wasps. Appendix*], pp. 996-997 in A.S. Lelej (editor). – *Определитель насекомых Дальнего Востока России в шести томах. Том IV. Сетчатокрылообразные, скорпионницы, перепончатокрылые. Часть 5* [= *Opredelitel' nasekomykh Dal'nego Vostoka Rossii v shesti tomakh. Tom IV. Setchatokryloobraznyie, skorpionnitsy, pereponchatokrylyie. Chast' 5*]. *Dal'nauka, Vladivostok*. 1052 pp. [a supplement to Nemkov, Kazenas, Budrys, and Antropov, 1995]. Available through: <http://www.zin.ru/labs/insects/hymenopt/Projects/Key-FE/pdf-4-5/0996-0997.pdf>
- \* 2008a. A key to the digger wasps of the genus *Mellinus* (Hymenoptera, Crabronidae, Mellinae) of the Russia – *Определительная таблица роющих ос рода Mellinus* (Hymenoptera, Crabronidae, Mellinae) России [= *Opredelitel'naya tablitsa royushchikh os roda Mellinus* (Hymenoptera, Crabronidae, Mellinae) Rossii]. *Far Eastern Entomologist* (= *Дальневосточный энтомолог*, = *Dal'nevostochnyi Éntomolog*) 185:19-20. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2008a\\_Mellinus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2008a_Mellinus.pdf)
- \* 2008b. Фауна роющих ос (Hymenoptera: Sphecidae, Crabronidae) азиатской части России [= *Fauna royushchikh os (Hymenoptera: Sphecidae, Crabronidae) aziatskoy chasti Rossii*] – The digger wasp fauna (Hymenoptera: Sphecidae, Crabronidae) of the Asiatic part of Russia. *Chleniya pamyati Aleksey Ivanovicha Kurentsova* (= *A.I. Kurentsov's Annual Memorial Meetings*) 19:15-34. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2008b\\_Asiatic\\_Russia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2008b_Asiatic_Russia.pdf)
- \* 2008c. New records of digger wasps (Hymenoptera: Sphecidae, Crabronidae) from the Asian part of Russia – *Новые находки роющих ос (Hymenoptera: Sphecidae, Crabronidae) из азиатской части России* [= *Novyye nakhodki royushchikh os (Hymenoptera: Sphecidae, Crabronidae) iz aziatskoy chasti Rossii*]. *Far Eastern Entomologist* (= *Дальневосточный энтомолог*, = *Dal'nevostochnyi Éntomolog*) 187:10-11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2008c\\_New\\_records.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2008c_New_records.pdf)
- \* 2008d. Роющие осы рода *Nysson* Latreille (Hymenoptera, Crabronidae) фауны России [= *Royushchiye osy roda Nysson Latreille* (Hymenoptera, Crabronidae) fauny Rossii] – Digger wasps of the genus *Nysson* Latreille (Hymenoptera, Crabronidae) of the Russian fauna. *Evrasiatskiy Éntomologicheskii Zhurnal* (= *Euroasian Entomological Journal*) 7:217-221. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2008d\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2008d_Nysson.pdf)
- \* 2009a. Эндемичные виды роющих ос (Hymenoptera: Sphecidae, Crabronidae) Сибири и Дальнего Востока России [= *Éndemichnyie vidy royushchikh os (Hymenoptera, Crabronidae) Sibiri i Dal'nego Vostoka Rossii*] – The endemic species of digger wasps (Hymenoptera, Crabronidae) from Siberia and Russian Far East. *Chleniya Pamyati Aleksey Ivanovicha Kurentsova – A.I. Kurentsov's Annual Memorial Meetings* 20:63-68. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2009a\\_Endemic\\_species.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2009a_Endemic_species.pdf)

- \* 2009b. Аннотированный каталог роющих ос (Hymenoptera: Sphecidae, Crabronidae) азиатской части России [= Annotirovannyi katalog royushchikh os (Hymenoptera: Sphecidae, Crabronidae) aziatskoy chasti Rossii – Annotated catalogue of digger wasps (Hymenoptera; Sphecidae, Crabronidae) of Asian part of Russia. Dal'nauka, Vladivostok. 193 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2009b\\_Catalogue\\_Asian\\_Russia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2009b_Catalogue_Asian_Russia.pdf)
- \* 2009c. Надсемейство Apoidea. Секция Spheciformes – Роющие осы [= Nadsemeystvo Apoidea. Sektsiya Spheciformes – Royushchiye osy, = Superfamily Apoidea. Section Spheciformes – Digger wasps], pp. 235-238 in S.Yu. Storozhenko (editor). Насекомые Лазовского заповедника [= Nasekomyie Lazovskogo zapovednika] – Insects of Lazovskiy Nature Reserve. Rossiyskaya Akademiya Nauk. Dal'nevostochnoye Otdeleniye. Biologo-Pochvennyi Institut. Dal'nauka, Vladivostok. 430 pp. [Lazovskiy Nature Reserve: east of Vladivostok, Russia]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2009c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2009c.pdf)
- \* 2010a. New record of the digger wasp (Hymenoptera; Sphecidae, Crabronidae) from the Asian part of Russia. Part II. – Новые находки роющих ос (Hymenoptera: Sphecidae, Crabronidae) из азиатской части России. Часть II [= Noveye nakhodki royushchikh os (Hymenoptera: Sphecidae, Crabronidae) iz aziyskoy chasti Rossii. Chast' 2]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochniy Éntomolog) 212:16. [*Crabro ingricus* is the only species included]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2010a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2010a.pdf)
- \* 2010b. A review of the subtribe Gorytina (Hymenoptera, Crabronidae, Bembicini) with a key to the genera – Обзор подтрибы Gorytina (Hymenoptera, Crabronidae, Bembicini) с определительной таблицей родов [= Obzor podtriby Gorytina (Hymenoptera, Crabronidae, Bembicini) s opredelitel'noy tablitsy rodov. Evraziyskiy Éntomologicheskiy Zhurnal (= Euroasian Entomological Journal) 9:501-505. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2010b\\_Gorytina.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2010b_Gorytina.pdf)
- 2011a. Особенности распространения роющих ос (Hymenoptera: Spheciformes) на Дальнем Востоке России [= Osobennosti raspostraneniya royushchikh os (Hymenoptera: Spheciformes) na Dal'nem Vostoke Rossii, = Characteristics of distribution of digger wasps (Hymenoptera: Spheciformes) in the Russian Far East], pp. 93-99 in A.S. Lelej (editor). Opredelitel' nasekomykh Dal'nego Vostoka Rossii. Dopolnitel'nyi tom. Analiz fauny i obshchiy ukazatel' nazvaniy. Dal'nauka, Vladivostok. 552 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2011a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2011a.pdf)
- 2011b. Особенности морфологии роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) [= Osobennosti morfologii royushchikh os podsemeystva Bembicinae (Hymenoptera, Crabronidae)] – Morphological features of the digger wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae). Chteniya Pamyati Aleksey Ivanovicha Kurentsova – A.I. Kurentsov's Annual Memorial Meetings 22:190-198. [Two main evolutionary trends of Bembicinae are: 1. elongation of labiomaxillary complex, and 2. morphological adaptations to rapid flight]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2011b\\_Morphology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2011b_Morphology.pdf)
- \* 2012a. (Apr.). Роющие осы рода *Stizus* Latreille, 1802 (Hymenoptera. Crabronidae, Bembicinae) фауны России и сопредельных стран [= Royushchiye osy roda *Stizus* Latreille, 1802 (Hymenoptera. Crabronidae, Bembicinae) fauny Rossii i sopredel'nykh stran] – Digger wasps of the genus *Stizus* Latreille, 1802 (Hymenoptera. Crabronidae, Bembicinae) of the fauna of Russia and neighbouring countries. Evraziyskiy Éntomologicheskiy Zhurnal (= Euroasian Entomological Journal) 11:55-62. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2012a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2012a.pdf)
- \* 2012b. Особенности биологии роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) [= Osobennosti biologii royushchikh os podsemeystva Bembicinae (Hymenoptera, Crabronidae), = Biological features of the digger wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae)].

Chteniya Pamyati Aleksey Ivanovich Kurentsova – A.I. Kurentsov's Annual Memorial Meetings 23:114-132. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2012b\\_Biology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2012b_Biology.pdf)

- \* 2012c. Секция Spheciformes – Роющие осы [= Sektsiya Spheciformes – Royushchiye osy, = Section Spheciformes – Digger wasps], pp. 433-447 in A. Lelej (editor). Аннотированный каталог насекомых Дальнего Востока России. Том I. Перепончатокрылые [= Annotirovannyi katalog nasekomykh Dal'nego Vostoka Rossii. Tom I. Pereponchatokrylye = Annotated catalog of insects of the Far East of Russia. Volume I. Hymenoptera]. Dal'nauka, Vladivostok. 635+ one unnumbered pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2012c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2012c.pdf)
- \* 2012d. Digger wasps of the genus *Stizoides* Guérin-Méneville (Hymenoptera, Crabronidae, Bembicinae) of the fauna of Russia and neighboring countries – Роющие осы рода *Stizoides* Guérin-Méneville (Hymenoptera, Crabronidae, Bembicinae) фауны России и сопредельных стран [= Royushchiye osy roda *Stizoides* Guérin-Méneville (Hymenoptera, Crabronidae, Bembicinae) fauny Rossii i sopredel'nykh stran]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 247:8-13. Available through: <http://www.biosoil.ru/files/fscpublications/fee/00000373.pdf> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2012d\\_Stizoides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2012d_Stizoides.pdf)
- \* 2012e. (Sept.). Digger wasps of the genus *Bembecinus* A. Costa, 1859 (Hymenoptera, Crabronidae, Bembicinae) of the fauna of Russia and neighbouring countries – Роющие осы рода *Bembecinus* A. Costa, 1859 (Hymenoptera, Crabronidae, Bembicinae) фауны России и сопредельных стран [= Royushchiye osy roda *Bembecinus* A. Costa, 1859 (Hymenoptera, Crabronidae, Bembicinae) fauny Rossii i sopredel'nykh stran]. Far Eastern Entomologist (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 251:1-11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2012e\\_Bembecinus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2012e_Bembecinus.pdf)
- 2013. Особенности географического распространения роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) [= Osobennosti geograficheskogo rasprostraneniya royushchikh os podsemeystva Bembicinae (Hymenoptera, Crabronidae)] – Peculiarities of the geographic distribution of the digger wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae). Chteniya Pamyati Aleksey Ivanovich Kurentsova – A.I. Kurentsov's Annual Memorial Meetings 24:58-70. [number of species in individual zoogeographic regions]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2013\\_Bembicine\\_distribution.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2013_Bembicine_distribution.pdf)
- \* 2014a. The digger wasps of the genus *Alysson* Panzer (Hymenoptera: Crabronidae: Bembicinae) of Russia and adjacent territories, with a key to species and new synonymies. Zootaxa 3838 (3):276-286. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2014\\_Alysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2014_Alysson.pdf)
- 2014b. История изучения роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) [= Istoriya izucheniya royushchikh os podsemeystva Bembicinae (Hymenoptera, Crabronidae)] – The history of study of the digger wasps subfamily Bembicinae (Hymenoptera, Crabronidae). Chteniya Pamyati Aleksey Ivanovich Kurentsova – A.I. Kurentsov's Annual Memorial Meetings 25:34-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2014b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2014b.pdf)
- \* 2014c. Аннотированный каталог роющих ос (Hymenoptera: Sphecidae, Crabronidae) азиатской части России. Дополнение I [= Annotirovannyi katalog royushchikh os (Hymenoptera: Sphecidae, Crabronidae) aziatskoy chasti Rossii. Dopolneniye I] – Annotated catalog of digger wasps (Hymenoptera: Sphecidae, Crabronidae) of Asian part of Russia. Appendix I. Evraziatskiy Éntomologicheskii Zhurnal (= Euroasian Entomological Journal) 13:286-289. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_2014\\_Catalogue\\_AppI.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_2014_Catalogue_AppI.pdf)

- \* 2015a. (1 Apr.). The digger wasps of the genus *Didineis* Wesmael (Hymenoptera: Crabronidae: Bembicinae) of Russia and adjacent territories, with a key to species and new synonymies. *Zootaxa* 3941:391-400. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2015\\_Didineis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2015_Didineis.pdf)
  - \* 2015b. (June). To the synonymy of *Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae, Bembicinae) – К синонимии *Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae, Bembicinae) [= K sinonimii *Stizus histrio* F. Morawitz (Hymenoptera, Crabronidae, Bembicinae)]. *Far Eastern Entomologist* (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 294:25-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2015\\_Stizus\\_histrio.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2015_Stizus_histrio.pdf)
  - \* 2016a. To the synonymy of *Gorytes maculicornis* (F. Morawitz, 1889) (Hymenoptera: Crabronidae, Bembicinae) – К синонимии *Gorytes maculicornis* (F. Morawitz, 1889) (Hymenoptera, Crabronidae, Bembicinae). *Far Eastern Entomologist* (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 307:6-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2016\\_Gorytes\\_maculicornis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2016_Gorytes_maculicornis.pdf)
  - 2016b. История изучения палеарктических роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) [= Istoriya izucheniya palearkticheskikh royushchikh os podsemeystva Bembicinae (Hymenoptera, Crabronidae)] – The history of study of the Palearctic digger wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae). *Chteniya Pamyati Aleksey Ivanovicha Kurentsova* – A.I. Kurentsov's Annual Memorial Meetings 27:59-69. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2016b\\_history.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2016b_history.pdf)
  - \* 2016c. Digger wasps of the genus *Bembix* Fabricius, 1775 (Hymenoptera: Crabronidae, Bembicinae) of Russia and adjacent territories – Роющие осы рода *Bembix* Fabricius, 1775 (Hymenoptera: Crabronidae, Bembicinae) России и сопредельных территорий. *Far Eastern Entomologist* (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 313:1-34. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2016\\_Bembix.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2016_Bembix.pdf)
  - \* 2017a. Зоогеография палеарктических роющих ос подсемейства Bembicinae (Hymenoptera, Crabronidae) - Zoogeography of Palearctic digger wasps of the subfamily Bembicinae (Hymenoptera, Crabronidae). *Chteniya Pamyati Aleksey Ivanovicha Kurentsova* – A.I. Kurentsov's Annual Memorial Meetings 27:54-66 + 12 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/Nemkov\\_2017\\_Zoogeography\\_of\\_Palearctic\\_Bembicinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/Nemkov_2017_Zoogeography_of_Palearctic_Bembicinae.pdf)
  - \* 2017b. (20 Dec.). Subfamily Astatinae, pp. 218-219, Subfamily Bembicinae, pp. 219-225, Subfamily Dinetinae, p. 245, Subfamily Mellininae, p. 246 in S.A. Belokobylskij and A.S. Lelej (editors). Annotated catalogue of the Hymenoptera of Russia. Volume I. Symphyta and Apocrita: Aculeata – Аннотированный каталог перепончатокрылых насекомых России. Том I. Сидячебрюхие (Symphyta) и жалоносные (Apocrita: Aculeata) [= Annotirovannyi katalog pereponchatokrylykh nasekomykh Rossii. Tom I. Sidyachebryukhiye (Symphyta) i zhalonosnyie (Apocrita: Aculeata)]. *Proceedings of the Zoological Institute of the Russian Academy of Sciences* – Труды Зоологического института Российской Академии наук. Supplement 6:1-475. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphacidae/copies/AnnotatedCatalogueoftheHymenopteraofRussia2017\\_Vol\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphacidae/copies/AnnotatedCatalogueoftheHymenopteraofRussia2017_Vol_I.pdf)
- Biography: A.C. Лелей, С.Ю. Стороженко, А.Н. Купянская [A.S. Lelej, S.Yu. Storozhenko, A.N. Kuryanskaya]. 2018. Памяти Павла Геннадьевича Немкова (1962-2017): биография и список работ – To memory of Pavel Gennadievich Nemkov (1962-2017): biography and list of publications. *Чтения памяти Алексея Ивановича Куренцова* – A.I. Kurentsov's Annual Memorial Meetings 29:127-137. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Lelej\\_et\\_al\\_Nemkov\\_biography\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Lelej_et_al_Nemkov_biography_2018.pdf)

**Nemkov, P.G., and S.F. Gayubo**

- \* 2003. (20 Feb.). A new species of *Nysson* Latreille (Hymenoptera: Crabronidae: Bembicinae) from Turkmenistan. *Zootaxa* 144:1-4. [*Nysson kazenasi*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_Gayubo\\_2003\\_Nysson\\_kazenasi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_Gayubo_2003_Nysson_kazenasi.pdf)

**Nemkov, P.G., V.L. Kazenas, E.R. Budrys, and A.V. Antropov** [П.Г. Немков, В.Л. Казенас, Е.Р. Будрис и А.В. Антропов]

- \* 1995. (July). Надсем. Sphecoidea. 67. Сем. Sphecidae – Роющие осы [= Nadsem. Sphecoidea. 67. Sem. Sphecidae – Royushchiye osy, = Superfamily Sphecoidea. 67. Family Sphecidae – Digger wasps], pp. 368-480 in P.A. Lehr (editor). Определитель насекомых Дальнего Востока России в шести томах. Том IV. Сетчатокрылообразные, скорпионницы, перепончатокрылые. Часть 1 [= Opredelitel' nasekomykh Dal'nego Vostoka Rossii v shesti tomakh. Tom IV. Setchatokryloobraznyie, skorpionitsy, pereponchatokrylyie. Chast' 1]. – Key to the Insects of Russian Far East in Six Volumes. Vol. IV. Neuropteroidea, Mecoptera, Hymenoptera. Part 1. Nauka, Sankt-Peterburg. 604 + 2 unnumbered pp. [Supplements: Nemkov, 1998c, 2007c]

**Nemkov, P.G., and A.S. Lelej** [П.Г. Немков и А.С. Лелей]

- 1996. (Dec.). Phylogenetic relationships and classification of the digger wasp tribe Gorytini (Hymenoptera: Sphecidae, Nyssoninae) – Филогенетические отношения и классификация роющих ос трибы Gorytini (Hymenoptera: Sphecidae, Nyssoninae) [= Filogeneticheskiye otnosheniya i klassifikatsiya royushchikh os triby Gorytini (Hymenoptera: Sphecidae, Nyssoninae)]. *Far Eastern Entomologist* (= Дальневосточный энтомолог, = Dal'nevostochnyi Éntomolog) 37:1-14. Available through:
- 2013. (May). A cladistic analysis and classification of the subfamily Bembicinae (Hymenoptera: Crabronidae), with a key to the genera. *Zootaxa* 3652:201-231. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_Lelej\\_1996\\_Gorytini\\_phylogenetics.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_Lelej_1996_Gorytini_phylogenetics.pdf)

**Nemkov, P.G., and M. Ohl**

- \* 2011. A cladistic analysis and reclassification of the tribe Bembicini (Hymenoptera: Crabronidae: Bembicinae). *Zootaxa* 2801:27-47. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_Ohl\\_2011\\_Bembicini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_Ohl_2011_Bembicini.pdf)

**Nemkov, P.G., and W.J. Pulawski**

- \* 2009. (10 Apr.). A cladistic analysis of Gorytina (Hymenoptera: Crabronidae: Bembicini), with a reclassification of the subtribe. *Zootaxa* 2009:1-17. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nemkov\\_and\\_Pulawski\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nemkov_and_Pulawski_2009.pdf)

**Nesterov, M.A.** [М.А. Нестеров]

- \* 1992. Роющие осы (Hymenoptera, Sphecidae) Даурского заповедника [= Royushchiye osy (Hymenoptera, Sphecidae) Daur'skogo zapovednika] – Fossorial wasps (Hymenoptera, Sphecidae) of Daurian Reserve, pp. 83-85 in A.M. Amirkhanov (editor). Насекомые Даурии и сопредельных территорий. Выпуск 1 [= Nasekomye Daurii i sopredel'nykh territoriy. Vypusk 1]. Izdatel'stvo Tsentral'noy Nauchno-issledovatel'skoy Laboratorii Okhotnich'ego Khozaystva i Zapovednikov, Moskva. 143 pp. Available through:
- \* 1993. Два новых вида роющих ос рода *Gorytes* (Hymenoptera, Sphecidae) из Казахстана [= Dva novykh vida royushchikh os roda *Gorytes* (Hymenoptera, Sphecidae) iz Kazakhstana] – Two new wasp species of the genus *Gorytes* (Hymenoptera, Sphecidae) from Kazakhstan. *Zhurnal Ukrains'kogo*

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nesterov\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nesterov_1992.pdf)

- Entomologichnogo Tovarystva (= Journal of the Ukrainian Entomological Society) 1:51-55. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nesterov\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nesterov_1993.pdf)
- \* 1994a. Два новых вида роющих ос рода *Harpactus* (Hymenoptera, Sphecidae) из Армении [= Dva novykh vida royushchikh os roda *Harpactus* (Hymenoptera, Sphecidae) iz Armenii] – Two new wasp species of the genus *Harpactus* (Hymenoptera, Sphecidae) from Armenia. Zhurnal Ukrains'kogo Entomologichnogo Tovarystva (= Journal of the Ukrainian Entomological Society) 1:35-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nesterov\\_1994a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nesterov_1994a.pdf)
  - \* 1994b. Новый вид рода *Gorytes* (Hymenoptera, Sphecidae) [= Novyi vid roda *Gorytes* (Hymenoptera, Sphecidae)], pp. 91-93 in A.G. Kotenko (editor). Перепончатокрылые Сибири и Дальнего Востока [= Pereponchatokrylye Sibiri i Dal'nego Vostoka]. Trudy Zapovednika "Daur'skiy", 3. Institut Zoologii NAN Ukrainy, Kiev. 148 pp. [*Gorytes kostjuki* new species]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nesterov\\_1994b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nesterov_1994b.pdf)
  - \* 1994c. Новый вид рода *Crabro* (Hymenoptera, Sphecidae) из Туркменистана [= Novyi vid roda *Crabro* (Hymenoptera, Sphecidae) from Turkmenistan] – A new species of the genus *Crabro* (Hymenoptera, Sphecidae) from Turkmenistan. Vestnik Zoologii 1994 (1):75-76. [*Crabro carabili*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nesterov\\_1994c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nesterov_1994c.pdf)

**Nether, M.C., J. Dudek, and M.L.T. Buschini**

- 2019. Trophic interaction and diversity of cavity-nesting bees and wasps (Hymenoptera: Aculeata) in Atlantic forest fragments and in adjacent matrices. Apidologie 50:104-115. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nether\\_et\\_al\\_2019\\_cavity\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nether_et_al_2019_cavity_nesting.pdf)

**Neumayer, J.**

- \* 2010. Aculeate Hymenopteren (ohne Ameisen) des Nationalparks Thayatal. Wissenschaftliche Mitteilungen aus dem Niederösterreichischen Landesmuseum 21:325-344. Available through:

[http://www.landesmuseum.at/pdf\\_frei\\_remote/WM\\_21\\_0325-0344.pdf](http://www.landesmuseum.at/pdf_frei_remote/WM_21_0325-0344.pdf)

**Neumayer, J., M. Schwarz, and E. Bregant**

- \* 1999. Vorläufiges Verzeichnis ausgewählter Hautflügler Kärntens (Hymenoptera ohne Formicidae und Apidae). Naturschutz in Kärnten 15:213-231. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Neumayer\\_et\\_al\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Neumayer_et_al_1999.pdf)

**Neumeyer, R.**

- \* 2000. (5 July). Die Stechimmen (Hymenoptera: Aculeata) im Badischen Rangier- und Güterbahnhof in Basel. Mitteilungen der Entomologischen Gesellschaft Basel 50:90-120. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Neumeyer\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Neumeyer_2000.pdf)

- \* 2013. *Oryttus concinnus* (Rossi, 1790) nach 126 Jahren in der Schweiz wieder entdeckt (Hymenoptera: Crabronidae). Entomo Helvetica 6:145-148. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Neumeyer\\_2013\\_Oryttus\\_concinnus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Neumeyer_2013_Oryttus_concinnus.pdf)

**Nevinson, E.B.**

- \* 1900. Aculeate Hymenoptera in North Wales. The Entomologist's Monthly Magazine 36:62-63. Available through: <http://biodiversitylibrary.org/page/9014585> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nevinson\\_1900.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nevinson_1900.pdf)

- \* 1901. Aculeate Hymenoptera in North Wales. The Entomologist's Monthly Magazine 37:72. Available through: <http://biodiversitylibrary.org/page/9014971> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nevinson\\_1901.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nevinson_1901.pdf)

- \* 1902. Hymenoptera Aculeata at Cricieth, Lyndhurst and Newquay. The Entomologist's Monthly Magazine 38:11-12. Available through: <http://biodiversitylibrary.org/page/9014971> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nevinson\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nevinson_1902.pdf)

#### Newcomer, E.J.

- \* 1930. (18 Oct.). Notes on the habits of a digger wasp and its inquiline flies. *Annals of the Entomological Society of America* 23:552-563. [on *Podalonia luctuosa*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Newcomer\\_1930.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Newcomer_1930.pdf)

#### Newton, R.C.

- 1956. Digger wasps, *Tachysphex* spp., as predators of a range grasshopper in Idaho. *Journal of Economic Entomology* 49:615-619. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Newton\\_1956\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Newton_1956_Tachysphex.pdf)
- \* 1960. (21 Oct.). The nesting habits of the wasp, *Solierella* sp., and the location of its egg on the grasshopper, *Ageneotettix deorum*. *Journal of Economic Entomology* 53:958-959. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Newton\\_1960\\_Solierella.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Newton_1960_Solierella.pdf)

#### Nicolai, B.

- \* 2022. Massenvorkommen der Heuschreckensandwespe *Sphex funerarius* Gussakovskij, 1934 (Hymenoptera, Sphecidae) bei Hettstedt (Sachsen-Anhalt). *Entomologische Mitteilungen Sachsen-Anhalt* 30:52-60. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nicolas\\_2022\\_Sphex\\_funerarius.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nicolas_2022_Sphex_funerarius.pdf)

#### Nicolas, B., and J.-L. Vago

- \* 2018. Aperçu du peuplement en Hyménoptères d'une zone de dunes grises sur le Mont Saint-Frieux (Pas-de-Calais, France). Suite au numéro 366. *Bulletin de la Société Entomologique du Nord de la France* 367:7-16. Available through:

[https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nicolas%20et%20Vago.%202018.pdf/](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nicolas%20et%20Vago.%202018.pdf/)

#### Nicolas, H.

- \* 1893. *Sphex splendidulus* (da Costa). *Comptes Rendus Hebdomadaires des Séances et Mémoires de la Société de Biologie (Série 9)* 5:826-828. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nicolas\\_1893.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nicolas_1893.pdf)
- \* 1894. (1. Apr.). Biologie des Insectes. Les Hyménoptères. *Miscellanea Entomologica. Nuntius Entomologicus Internationalis* 2:37-39. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nicolas\\_1894.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nicolas_1894.pdf)

#### Nicoli Aldini, R.

- \* 2002. On the nesting behaviour of *Gorytes laticinctus* (Lepeletier) (Hymenoptera, Sphecidae). *Insect Social Life* 4:163-168. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/NicoliAldini\\_2002\\_Gorytes\\_laticinctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/NicoliAldini_2002_Gorytes_laticinctus.pdf)
- \* 2004. Behavioural observations on three species of *Oxybelus* (Hymenoptera Sphecidae) nesting in syntopy. *Redia* 87:253-256. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nicoli\\_Aldini\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nicoli_Aldini_2004.pdf)

#### Niedl, J., and K. Deneš

- \* 1967. Výsledky dosavadního průzkumu rozšíření kutilek na Třeboňsku – Bisherige Forschungsergebnisse der Verbreitung von Sphecidae im Gebiet von Třeboň in Südböhmen. (Hymenoptera, Sphecidae). *Sborník Jihočeského Muzea v Českých Budějovicích, Přírodní Vědy* 7:68-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Niedl\\_Denes\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Niedl_Denes_1967.pdf)
- \* 1972. Výsledky dosavadního průzkumu rozšíření kutilek (Hymenoptera, Sphecidae) na Třeboňsku – 1. Doplněk. – Bisherige Forschungsergebnisse der Verbreitung von Sphecidae (Hymenoptera) im

Gebiet von Třeboň in Südböhmen – 1. Nachtrag. Sborník Jihočeského Muzea v Českých Budějovicích, Přírodní Vědy 12:150-155. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Niedl\\_Denes\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Niedl_Denes_1972.pdf)

#### Nielsen, E.T.

- \* 1921. Paralyseringen hos *Ammophila*. Entomologiske Meddelelser 13:323-329. [review of prey capture in *Ammophila* and *Podalonia*]. Available through: <http://biodiversitylibrary.org/page/12291838> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_E\\_1921\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_E_1921_Ammophila.pdf)
  - \* 1925. (May). Træk af Insekternes Liv II. Entomologiske Meddelelser 14:441-448. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_E\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_E_1925.pdf)
  - \* 1933. Sur les habitudes des Hyménoptères aculéates solitaires. III. (Sphegidae). Entomologiske Meddelelser 18:259-348. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_E\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_E_1933.pdf)
  - \* 1935. Über den Stoffwechsel der von Grabwespen paralyisierten Tiere. Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening i København 99:149-231.
  - \* 1936. Sur les habitudes des Hyménoptères aculéates solitaires. V. Entomologiske Meddelelser 19:298-384. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_E\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_E_1936.pdf)
  - \* 1945. Mœurs des *Bembex*. Monographie biologique avec quelques considérations sur la variabilité des habitudes. Spolia Zoologica Musei Hauniensis 7:1-174, pls. I-III.
  - \* 1993. Observations of wasps in Florida. Sphecos 25:9-11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_25.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_25.pdf)
- Autobiography: 1984. My first love (Memories about the aculeates). Sphecos 9:19-22. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_9.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_9.pdf)
- Obituary: Dreisig, H. 1993. Erik Tetens Nielsen. 12. februar 1903–19. april 1992. Entomologiske Meddelelser 61:1-10. Available through: [https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Nielsen\\_E\\_T\\_Obituary.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Nielsen_E_T_Obituary.pdf)

#### Nielsen, J.C.

- \* 1901a. Biologiske Studier over Gravehvepse – Recherches biologiques sur les hyménoptères fouisseurs. Videnskabelige Meddelelser fra den Naturhistoriske Forening i København 1900:255-280. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_J\\_1901a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_J_1901a.pdf)
- \* 1901b. Biologische Studien über einige Grabwespen und solitäre Bienen. Allgemeine Zeitschrift für Entomologie 6:307-308. Available through: <http://biodiversitylibrary.org/page/25325128> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_1901b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_1901b.pdf)
- \* 1902. (15 Mar.). Zur Lebensweise und Entwicklung von *Ceratocolus subterraneus* Fabr. Allgemeine Zeitschrift für Entomologie 7:178-180. Available through: <http://biodiversitylibrary.org/page/25327666> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_1902\\_Ceratocolus\\_subterraneus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_1902_Ceratocolus_subterraneus.pdf)
- \* 1903. Iagttagelser over nogle danske Gravehvepse Biologi. Entomologiske Meddelelser 7:110-114. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_J\\_1903.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_J_1903.pdf)
- 1907. Danmarks Fauna. 2. Gravehvepse og Gedehamse. G.E.C. Gad, København. 86 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nielsen\\_J\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nielsen_J_1907.pdf)

#### Niemelä, P.

- \* 1950. (14 Jan.). (1949). [Entomologisches aus den Sitzungen der Zoologischen und Botanischen Gesellschaft in Turku – 18. III. 1949]. Suomen Hyönteistieteellinen Aikakauskirja 15:187. [Third record of *Belomicrus borealis*]. Available through:

Commented [PW1]:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Niemela\\_1950.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Niemela_1950.pdf)

#### Niesiolowski, W.

- \* 1950. (1949). Przyczynek do fauny żądłówek Polski południowej – Contribution à la connaissance des Aculéates de la Pologne méridionale. *Polskie Pismo Entomologiczne* 19:221-228.

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Niesiolowski\\_1950.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Niesiolowski_1950.pdf)

#### Nieves-Aldrey, J.L., F. Fontal-Cazalla, A.M. Garrido-Torres, and C. Rey del Castillo

- \* 2003. (30 Dec.). Inventario de Hymenoptera (Hexapoda) en El Ventorillo: un rico enclave de biodiversidad en la Sierra de Guadarrama (España central) – Inventory of Hymenoptera (Hexapoda) from “El Ventorillo”: a rich biodiversity spot in the Sierra de Guadarrama (central Spain). *Graellsia* 59:25-43 [Sphecidae on p. 42]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/NievesAldrey\\_et\\_al\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/NievesAldrey_et_al_2003.pdf)

#### Nikolaeva, A.M. [А.М. Николаева]

- \* 2019. Список редких и подлежащих мониторингу перепончатокрылых насекомых (Hymenoptera) Рязанской области [= Spisok redkikh i podlezhashchikh monitoringu pereponchatokrylykh nasekomykh (Hymenoptera) Ryazanskoy oblasti] – A list of rare species, and of those subject to monitoring, of Hymenoptera of the Ryazan Region. IV Евроазиатский симпозиум по перепончатокрылым насекомым. Владивосток – IV Euroasian Symposium on Hymenoptera. Vladivostok. Pp. 143-144. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nikolaeva\\_2019\\_Ryazan\\_Region.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nikolaeva_2019_Ryazan_Region.pdf)

#### Nilsson, G.E.

- \* 1984. För Västmanland nya gaddsteklar – Aculeata new to the province of Västmanland (Hymenoptera). *Entomologisk Tidskrift* 105:104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1984.pdf)
- \* 1985. För Västmanland och Uppland nya gaddsteklar – Aculeata new to the provinces of Västmanland and Uppland (Hymenoptera). *Entomologisk Tidskrift* 106:42-43. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1985.pdf)
- \* 1986. Nya landskapsfynds av gaddstaklar, med en översikt av de fennoskandiska arterna i familjen Dryinidae. *Entomologisk Tidskrift* 107:85-90. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1986.pdf)
- \* 1988. Nya landskapsfynds av gaddsteklar med *Evagetes subnudus* ny för Nordeuropa och *albilabris* återfunnen i Sverige. *Entomologisk Tidskrift* 109:97-100. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1988.pdf)
- \* 1989. Nya landskapsfund av gaddsteklar från mellersta och norra Sverige – New records of Hymenoptera Aculeata from central and northern Sweden. *Entomologisk Tidskrift* 110:47-49. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1989.pdf)
- \* 1991. The wasp and bee fauna of the Ridö Archipelago in Lake Mälaren, Sweden (Hymenoptera, Aculeata). *Entomologisk Tidskrift* 112:79-92. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1991.pdf)
- \* 1992. (Dec.). Nya fynd av gaddsteklar i Sverige. *Entomologisk Tidskrift* 113:53-57. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_1992.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_1992.pdf)

Autobiography: 1984. Goran E. Nilsson. *Sphecos* 9:47. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_9.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_9.pdf)

**Nilsson, L.A., L. Jonsson, L. Rason, and E. Randrianjohany**

- \* 1986. The pollination of *Cymbidiella flabellata* (Orchidaceae) in Madagascar: a system operated by sphecids wasps. *Nordic Journal of Botany* 6:411-422. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nilsson\\_Jonsson\\_et\\_al\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nilsson_Jonsson_et_al_1986.pdf)

**Nishino, I.**

- \* 1968. Contribution from my cabinets to the knowledge of the Japanese Hymenoptera. *The Life Study* (Fukui) 12:24-25. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nishino\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nishino_1968.pdf)

**Nix, V., A. Staudt, and T. Trifonov**

- 2021. Erstnachweise von *Prionyx kirbii* (vander Linden, 1827) in Deutschland (Hymenoptera: Sphecidae). *Ampulex* 12:42-45. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nix\\_et\\_al\\_2021\\_Prionyx\\_kirbii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nix_et_al_2021_Prionyx_kirbii.pdf)

**Nixon, G.E.**

- \* 1935. A crabronid (Hymenoptera) new to the British list. *The Entomologist's Monthly Magazine* 71:57-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nixon\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nixon_1935.pdf)

**Nomura, K.**

- \* 1934. (Feb.). A list of insects from Ryūkyū-sho (Lambay Island). *Transactions of the Natural History Society of Formosa* 24:23-31. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nomura\\_1934.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nomura_1934.pdf)

**Noonan, G.R.**

- \* 1984. Type specimens in the insect collections of the Milwaukee Public Museum. *Milwaukee Public Museum Contributions in Biology and Geology* No. 58:titlpagee, 1-14. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noonan\\_1984\\_Type\\_specimens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noonan_1984_Type_specimens.pdf)

**Norden, B.B., and K.V. Krombein**

- \* 1996. (5 Aug.). Nest and prey of *Solierella vierecki* (Rohwer) (Hymenoptera: Sphecidae: Larinae). *Proceedings of the Entomological Society of Washington* 98:607. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Norden\\_Krombein\\_1996\\_Solierella\\_vierecki.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Norden_Krombein_1996_Solierella_vierecki.pdf)

**Nordenström, H.**

- \* 1901. (31 Jan.). (1900). Några bidrag till kännedomen om svenska Hymenopterers geografiska utbredning (Anteckningar från excursioner i sydvästra Småland [dels under 1870-talet dels åren 1896-99] och Östergötland [hufvudsakligen Linköpingstrakten 1896-99]; några få ex. från Skåne- och Kalmartrakten. *Entomologisk Tidskrift* 21:201-208. Available through:

<http://biodiversitylibrary.org/page/11415613> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nordenstrom\\_1901.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nordenstrom_1901.pdf)

**Nördlinger, Prof.**

- \* 1848. Nachtrag zu Ratzeburgs Forstinsecten. [Stettiner] *Entomologische Zeitung* 9:225-271, 2 pls. [*Pemphredon insignis*, now *Passaloecus*, and *Sphex figulus*, now *Trypoxylon figulus* are the only sphecids]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nordlinger\\_1848.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nordlinger_1848.pdf)

**Norén, L.**

- \* 2000. (Jan.). Über *Ceratophorus* (*Pemphredon*?) *clypealis* (Thomson). *BembiX* 13:11-12. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noren\\_2000\\_Ceratophorus\\_chypalis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noren_2000_Ceratophorus_chypalis.pdf)

# **Noskiewicz, J.**

- \* 1918. Żądłowki (Hymenoptera aculeata) nowe dla fauny Galicji [= Aculeate Hymenoptera new to the fauna of Galicia, now western Ukraine]. Polska Akademia Umiejętności w Krakowie. Sprawozdanie Komisji Fizjograficznej obejmujące pogląd na czynności dokonane w ciągu roku 1917 oraz Materiały do fizjografji kraju 52:134-140. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_Zadlowki\\_1918.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_Zadlowki_1918.pdf)
- \* 1920a. Przyczynek do znajomości fauny żądłówek Tatr Polskich (z jednym grafikonem) – Contribution à la connaissance de la faune des Aculéates des Tatra Polonaises. Kosmos (Lwów) 45:145-162. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1920a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1920a.pdf)
- \* 1920b. Przyczynek do poznania owadniczej fauny Polski. Żądłowki (Hymenoptera aculeata) zebrane w Kopankach obok Kałusza dnia 6 i 7 września 1919 [= A contribution to the knowledge of the insect fauna of Poland. Aculeate Hymenoptera collected at Kopanki near Kałusz on 6 and 7 September 1919, now western Ukraine]. Polska Akademia Umiejętności w Krakowie. Sprawozdanie Komisji Fizjograficznej obejmujące pogląd na czynności dokonane w ciągu roku 1918/19 i 1919/20 oraz Materiały do fizjografji kraju 53-54:153-156. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1920b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1920b.pdf)
- \* 1922a. Żądłowki nowe dla Małopolski – Für Kleinpolen neue Aculeatenformen. Polskie Pismo Entomologiczne 1:7-9. Available through: <http://biodiversitylibrary.org/page/10583413> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1922a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1922a.pdf)
- \* 1922b. (1919-1920). Z wycieczek hymenopterologicznych na Podole. II – Les excursions hyménoptérologiques en Podolie. II. Rozprawy i Wiadomości z Muzeum im. Dzieduszyckich (Acta Musei Dzieduszyckiani) 5-6:191-242. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1922b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1922b.pdf)
- \* 1924a. (1923). Przyczynek do fauny żądłówek okolic Krakowa – Beitrag zur Aculeatenfauna der Umgebung von Krakow. Rozprawy i Wiadomości z Muzeum im. Dzieduszyckich (Acta Musei Dzieduszyckiani) 9:112-115. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1924a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1924a.pdf)
- \* 1924b. Nowe dla fauny Polski i rzadkie błonkówki – Neue für Polens Fauna und seltenere Hymenopteren. Polskie Pismo Entomologiczne 2:176-186. Available through: <http://biodiversitylibrary.org/page/10583717> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1924b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1924b.pdf)
- \* 1929. (31 Dec.). Nowy gatunek grzebacza z Polski – Eine neue *Crabro*-Art (Hym. Sphegidae) aus Polen. Polskie Pismo Entomologiczne 8:197-199. [*Crabro dentifer*, now *Entomognathus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1929\\_Crabro\\_dentifer.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1929_Crabro_dentifer.pdf)
- \* 1930. Nowe dla fauny polskiej żądłowki – Neue für Polens-Fauna Akuleaten (Hym.). Polskie Pismo Entomologiczne 9:92-99. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1930.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1930.pdf)
- \* 1936. (1934). Najważniejsze wyniki moich badań na Podolu w zakresie fauny Błonków (Hymenoptera) w latach 1932-1935 – Die wichtigsten Ergebnisse meiner Forschungen über die Hymenopterenfauna Podoliens in den Jahren 1932-1935. Polskie Pismo Entomologiczne 13:132-182, pl. II-IV [correctly: pl. III-IV]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1936.pdf)
- \* 1939. (1937-1938). Przyczynki do znajomości fauny Żądłówek Czechosłowacji – Beiträge zur Kenntnis der Aculeaten Fauna von Tschechoslovakei. Polskie Pismo Entomologiczne 16-17:162-164. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1939.pdf)

- \* 1954. (1952). Kilka uwag o kserotermicznej faunie żądłówek Wyżyny Małopolskiej – Quelques remarques sur la faune xérothermique du Plateau de la Petite Pologne. *Polskie Pismo Entomologiczne* 22:305-322. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1954.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1954.pdf)
  - \* 1958. Notatki faunistyczne z okolic Krynicy – Notes of the fauna of the Krynica region. *Przegląd Zoologiczny* 2:235-238. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1958.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1958.pdf)
  - \* 1959. (June). Nowe dla fauny Polski gatunki błonkówek (Hymenoptera) i muchówek (Diptera) i nowe stanowiska gatunków rzadko obserwowanych – Neue für die Fauna Polens Arten der Hymenopteren und der Dipteren und neue Standorte der selteneren Arten. *Polskie Pismo Entomologiczne* 29:201-214. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_1959.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_1959.pdf)
- Obituary: S. Smreczyński. 1964. Profesor Jan Noskiewicz. *Polskie Pismo Entomologiczne* 34:portrait + pp. 5-18 (list of publications by B. Żak-Ogaza). Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_obituary\\_&\\_biblio.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_obituary_&_biblio.pdf)
- Biography Haris, 2016:81 (available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

#### **Noskiewicz, J., and S. Chudoba**

- \* 1949. (Apr.). (1938-1948). Nowe dla fauny Śląska gatunki grzebaczy (Sphegidae) [sic] i nowe stanowiska gatunków rzadkich – Nouvelles espèces des Hyménoptères Fouisseurs de la Silesie et les nouvelles stations des espèces plus rares. *Polskie Pismo Entomologiczne* 18:406-431. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_Chudoba\\_1949.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_Chudoba_1949.pdf)
- \* 1950. (28 Feb.). (1949). Śląskie gatunki rodzaju *Oxybelus* (Hym., Sphegidae) – Les espèces silésiennes du genre *Oxybelus* Latr. *Polskie Pismo Entomologiczne* 19:299-323. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_Chudoba\\_1950\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_Chudoba_1950_Oxybelus.pdf)

#### **Noskiewicz, J., and W. Puławski**

- \* 1960. Klucze do oznaczania owadów Polski. Część XXIV. Błonkówki – Hymenoptera. Zeszyt 67. Grzebaczowate – Sphecidae. Państwowe Wydawnictwo Naukowe, Warszawa. 185 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Noskiewicz\\_Pulawski\\_1960.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Noskiewicz_Pulawski_1960.pdf)

#### **Notton, D.G.**

- \* 2017. Grass-carrying wasp, *Isodontia mexicana* (de Saussure), genus and species new to Britain (Hymenoptera: Sphecidae). *British Journal of Entomology and Natural History* 29:241-245. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Notton\\_2017\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Notton_2017_Isodontia_mexicana.pdf)

#### **Nouvel, H.**

- \* 1969. Hyménoptères Sphecidae nouveaux pour la faune française. *Bulletin de la Société d'Histoire Naturelle de Toulouse* 105:337-339. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nouvel\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nouvel_1969.pdf)

#### **Nouvel, H., and H. Ribaut**

- \* 1953. Contribution à la connaissance de la faune des Hyménoptères des Pyrénées centrales I. – Sphegidae. *Bulletin de la Société d'Histoire Naturelle de Toulouse* 88:175-185. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nouvel\\_Ribaut\\_1953.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nouvel_Ribaut_1953.pdf)

- \* 1955. Contribution à la connaissance de la faune des Hyménoptères des Pyrénées centrales. III. – Eumenidae, Vespidae, Masaridae, Cleptidae, Chrysidae. Bulletin de la Société d'Histoire Naturelle de Toulouse 90:135-141. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nouvel\\_Ribaut\\_1955.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nouvel_Ribaut_1955.pdf)
- \* 1956. Une espèce française nouvelle du genre *Entomognathus* (Hymenoptera Sphecidae). Bulletin de la Société d'Histoire Naturelle de Toulouse 91:263-265. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nouvel\\_Ribaut\\_1956.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nouvel_Ribaut_1956.pdf)
- \* 1958. Faune terrestre et d'eau douce des Pyrénées-Orientales. Fascicule I. Hyménoptères vespiformes des environs de Banyuls-sur-Mer. Vie et Milieu 9, Fasc. 2 (Supplement):1-32. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nouvel\\_Ribaut\\_1958.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nouvel_Ribaut_1958.pdf)

**Novozhenov, Yu.I., P.V. Rudoiskatel', T.S. Kostromina, O.A. Katana, and P.A. Sibiriyakov**  
[Ю.И. Новоженев, П.В. Рудоискатель, Т.С. Костромина, О.А. Катана и П.А. Сибиряков]

- \* 2011. К познанию фауны перепончатокрылых насекомых (Hymenoptera: Braconidae, Chrysididae [sic], Vespidae, Sphecidae, Crabronidae, Apidae) природного парка «Кондинские Озера» [= K. Poznaniyu fauny pereponchatokrylykh nasekomykh (Hymenoptera: Braconidae, Chrysididae [sic], Vespidae, Sphecidae, Crabronidae, Apidae) prirodnogo parka «Kondinskiye Ozera», = On the fauna of hymenopterous insects (Hymenoptera: Braconidae, Chrysididae [sic], Vespidae, Sphecidae, Crabronidae, Apidae) of the Nature Park «Kondinskiye Oзера» = Lakes], pp. 221-222. Современное состояние и перспективы развития ООПТ Урала. Материалы научно-практической конференции, посвященной 40-летию Висимского государственного природного биосферного заповедника и 10-летию присвоения ему статуса биосферного. Нижний Тагил 2-4 декабря 2011 г. «УНПЦ», Екатеринбург [= Sovremennoye sostoyaniye i perspektivy razvitiya OOPT Urala. Materialy nauchno-prakticheskoy konferentsii, posvyashchennoy 40-letiyu Visimskogo gosudarstvennogo biosfernogo zapovednika i 10-letiyu prisvoyeniya emu statusa biosfernogo. Nizhniy Tagil 2-4 dekabrya 2011 g. «UNPTs», Ekaterinburg, = Current situation and the development prospects of the Ural OOPT. Materials of the scientific-practical conference dedicated to the 40<sup>th</sup> anniversary of the Visim State Biosphere Nature Reserve and to the 10<sup>th</sup> anniversary of its receiving the status of biosphere. Nizhniy Tagil 2-4 December 2011. «UNPTs», Ekaterinburg]. 314 pp. [ООПТ = Особо Охраняемые Природные Территории, = Osobo Okhranyaemye Prirodnyie Territorii; ООПТ = Particularly Protected Natural Areas]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Novozhenov\\_et\\_al\\_2011.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Novozhenov_et_al_2011.pdf)

**Nowicki, M., see: Sila-Nowicki, M.**

**Nozaka, C.**

- \* 1969. *Omalus punctata* (Uchida) (Hym., Chrysididae) parasitic on *Pemphredon diervillae* Iwata (Hym., Sphecidae). The Life Study (Fukui) 13:65-66. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nozaka\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nozaka_1969.pdf)

**Nozaka, Ch., and H. Kurokawa**

- \* 2003. (30 Nov.). The aculeate Hymenoptera additionally recorded from the lake side of Kitagata, Awara town in 2002. Tsunekibachi 1:55-58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nozaka\\_Kurokawa\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nozaka_Kurokawa_2003.pdf)

**Nozaka, Ch., and T. Murota**

- \* 2003. (30 Nov.). The aculeate Hymenopter [sic]. Additionally recorded at Asuwayama, Fukui City, Fukui Prefecture, central Japan. Tsunekibachi 1:43-46. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nozaka\\_Murota\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nozaka_Murota_2003.pdf)

**Nuhn, T., and A. Menke**

- \* 1994. (Dec.). Tsuneki holotypes at the National Museum of Natural History, Smithsonian Institution, Washington, D.C. *Sphecos* 28:24-27. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)

**Nuorteva, M.**

- \* 1945. Havaintoja *Oxybelus uniglumis* L. petopistiäisen (Hym., Sphegidae) elämästä – Observations on the life of *Oxybelus uniglumis* L. (Hym., Sphegidae). *Annales Entomologici Fennici* 11:213-217. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nuorteva\\_1945.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nuorteva_1945.pdf)

**Nurse, C.G.**

- \* 1902. (24 Jan.). (1903). New species of Indian Hymenoptera. *The Journal of the Bombay Natural History Society* 14:79-92, 1 pl. Available through: <http://biodiversitylibrary.org/page/30157700> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1902.pdf)
- \* 1903a. New species of Indian Aculeate Hymenoptera. *The Annals and Magazine of Natural History (Series 7)* 11:511-526. Available through: <http://biodiversitylibrary.org/page/19368062> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1903a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1903a.pdf)
- \* 1903b. New species of Indian Hymenoptera. *The Journal of the Bombay Natural History Society* 15:1-18. Available through: <http://biodiversitylibrary.org/page/2096391> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1903b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1903b.pdf)
- \* 1904. New species of Indian Hymenoptera. *The Journal of the Bombay Natural History Society* 16:19-26. Available through: <http://biodiversitylibrary.org/page/5725715> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1904.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1904.pdf)
- \* 1909. (15 Aug.). New and little known Indian Hymenoptera. *The Journal of the Bombay Natural History Society* 19:510-517. Available through: <http://biodiversitylibrary.org/page/5449967> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1909.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1909.pdf)
- \* 1913. (Apr.). Two species of aculeate Hymenoptera new to Britain. *The Entomologist's Monthly Magazine* 49:83-84. [*Crabro kiesenwetteri*, now *Rhopalum*, is the only sphecids]. Available through: <http://www.biodiversitylibrary.org/item/35900#page/125/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1913.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1913.pdf)
- \* 1914. Zoological results of the Abor expedition 1911-12. Hymenoptera, V: Fossores, Diploptera, Chrysidae. *Records of the Indian Museum* 8:443-447. Available through: <http://biodiversitylibrary.org/page/11128881> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Nurse\\_1914.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Nurse_1914.pdf)

**O****Obin, M.S.**

- \* 1983. Spiders living at wasp nesting sites: what constrains predation by mud-daubers. *Psyche* 89:321-335. Available through: <http://downloads.hindawi.com/journals/psyche/1982/076031.pdf> and

<http://www.deepdyve.com/lp/hindawi-publishing-corporation/spiders-living-at-wasp-nesting-sites-what-constrains-predation-by-mud-ZbTtp0vzKa>

**Obrecht, E., and Ch. Huber**

- \* 1993. Ducke type specimens and other Brazilian insect types in the Emil A. Goeldi collection in the Natural History Museum Bern (Switzerland). An annotated catalogue. *Jahrbuch des Naturhistorischen Museums der Stadt Bern* 11:163-184. [contrary to the title, many non-types are also discussed, including all sphecids]. Available through: [http://www.archive.org/details/ants\\_20434](http://www.archive.org/details/ants_20434)

**O'Brien, M.**

- 1983a. Bibliographic guide to the terrestrial arthropods of Michigan. The Great Lakes Entomologist 16:87-97. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1983a\\_Bibliographic\\_guide.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1983a_Bibliographic_guide.pdf)
- \* 1983b. Observations on the nesting behavior of *Podalonia argentifrons*. The Southwestern Entomologist 8:194-197. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1983b\\_Podalonia\\_argentifrons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1983b_Podalonia_argentifrons.pdf)
- \* 1983c. (30 Dec.). (1982). *Trypargilum tridentatum* (Packard) in trap nests in Oregon (Hymenoptera: Sphecidae: Trypoxylinae). The Pan-Pacific Entomologist 58:288-290. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1983c\\_Trypargilum\\_tridentatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1983c_Trypargilum_tridentatum.pdf)
- \* 1983d. An observation on *Mellinus bimaculatus* (Sphecidae). Sphecos 7:15. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_7.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_7.pdf)
- \* 1984. *Diploplectron peglowi*, a new record for Michigan (Hymenoptera: Sphecidae: Astatinae). The Great Lakes Entomologist 17:119-120. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1984\\_Diploplectron\\_peglowi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1984_Diploplectron_peglowi.pdf)
1986. Odorous ammophilines. Sphecos 13:21. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_13.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_13.pdf)
- \* 1987. Biology and distribution of *Tachysphex aethiops* in Michigan (Hymenoptera: Sphecidae: Larrinae). The Great Lakes Entomologist 20:71-74. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1987\\_Tachysphex\\_aethiops.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1987_Tachysphex_aethiops.pdf)
- 1988a. Bibliographic guide to the terrestrial arthropods of Michigan: supplement 1. The Great Lakes Entomologist 21:25-29. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1988a\\_Bibliographic\\_guide\\_sp11.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1988a_Bibliographic_guide_sp11.pdf)
- \* 1988b. Records of Ampulicidae in Michigan (Hymenoptera: Sphecoidea). The Great Lakes Entomologist 21:81-82. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1988b\\_Ampulicidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1988b_Ampulicidae.pdf)
- \* 1989a. New state records of bembecine sand wasps in Michigan (Hymenoptera: Sphecidae: Bembecinae). The Great Lakes Entomologist 22:103-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1989a\\_Bembecine.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1989a_Bembecine.pdf)
- \* 1989b. Distribution and biology of the sphecine wasps of Michigan (Hymenoptera: Sphecidae: Sphecinae). The Great Lakes Entomologist 22:199-217. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1989b\\_Sphecine.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1989b_Sphecine.pdf)
- \* 1990. A further note on *Glenostictia pictifrons* (Hymenoptera: Sphecidae) in Michigan. The Great Lakes Entomologist 23:227. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_1990\\_Glenostictia\\_pictifrons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_1990_Glenostictia_pictifrons.pdf)

**O'Brien, M.F., and J.A. Craves**

- \* 2007. ("Copyright 2007"). (2006). *Isodontia elegans* now in Michigan (Hymenoptera: Sphecidae: Sphecinae). The Great Lakes Entomologist 39:94-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Craves\\_2006\\_Isodontia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Craves_2006_Isodontia.pdf)

**O'Brien, M.F., and F.E. Kurczewski**

- \* 1979. Observations on the nesting behavior of *Alysson conicus* Provancher (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 81:435-437. Available through:  
<http://biodiversitylibrary.org/page/25209286> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Kurczewski\\_1979\\_Alysson\\_conicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Kurczewski_1979_Alysson_conicus.pdf)

- \* 1980. Further observations on the nesting behavior of *Crabro advena* Smith (Hymenoptera: Crabronidae). Proceedings of the Entomological Society of Washington 82:668-674. Available through: <http://biodiversitylibrary.org/page/16255329> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Kurczewski\\_1980\\_Crabro\\_advena.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Kurczewski_1980_Crabro_advena.pdf)
- \* 1982a. Nesting and overwintering behavior of *Liris argentata* (Hymenoptera: Larridae). Journal of the Georgia Entomological Society 17:60-68. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Kurczewski\\_1982a\\_Liris\\_argentata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Kurczewski_1982a_Liris_argentata.pdf)
- \* 1982b. (30 Apr.). Further observations on the ethology of *Alysson conicus* Provancher (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 84:225-231. Available through: <http://biodiversitylibrary.org/page/16359116> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Kurczewski\\_1982b\\_Alysson\\_conicus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Kurczewski_1982b_Alysson_conicus.pdf)
- \* 1983. (18 Feb.). (1982). Ethology and overwintering of *Podalonia luctuosa* (Hymenoptera: Sphecidae). The Great Lakes Entomologist 15:261-275. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_Kurczewski\\_1983\\_Podalonia\\_luctuosa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_Kurczewski_1983_Podalonia_luctuosa.pdf)

#### **O'Brien, M.F., and A.M. O'Brien**

- \* 1988 (May). Biology of *Ammophila evansi* and *A. mediata* in northern Michigan (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 64:73-79. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Brien\\_O'Brien\\_1988\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Brien_O'Brien_1988_Ammophila.pdf)

#### **Ødegaard, F., A. Sverdrup-Thygeson, L.O. Hansen, O. Hanssen, and S. Öberg**

- \* 2009. Kartlegging av invertebrater i fem hotspot-habitattyper. Nye norske arte og rødlistearter 2004-2008 – Survey of invertebrates in five hot-spot habitat types. Red-listed species and new species for Norway. Norsk Institutt for Naturforskning Rapport 500:1-102. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Odegaard\\_et\\_al\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Odegaard_et_al_2009.pdf)

#### **Oehlke, J.**

- \* 1965. Beitrag zur Systematik und Faunistik des Genus *Psen* Latr. Subgenus *Mimesa* Shuck. (Hym. Sphecidae). Acta Entomologica Musei Nationalis Pragae 36:339-347. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_1965\\_Mimesa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_1965_Mimesa.pdf)
- 1969. Beiträge zur Insektenfauna der DDR: Hymenoptera – Bestimmungstabellen bis zu den Unterfamilien. Beiträge zur Entomologie 19:753-801. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_1969.pdf)
- \* 1970. Beiträge zur Insekten-Fauna der DDR: Hymenoptera – Sphecidae. Beiträge zur Entomologie 20:615-812. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_1970.pdf)
- \* 1972. Zur Grabwespenfauna der Insel Hiddensee. Ein Beitrag zur Fauna von Naturschutzgebieten der DDR (Hymenoptera: Sphecidae). Beiträge zur Entomologie 22:131-142. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_1972\\_Insel\\_Hiddensee.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_1972_Insel_Hiddensee.pdf)
- \* 1982. Zur Unterscheidung der Arten *Mimesa caucasica* Maidl und *tenuis* Oehlke (Hym., Sphecidae, Psenini). Entomologische Nachrichten und Berichte 26:57-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_1982\\_Mimesa\\_caucasica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_1982_Mimesa_caucasica.pdf)

#### **Oehlke, J., and J. Wudowenz**

- \* 1974. (1973). Katalog der in den Sammlungen des ehemaligen Deutschen Entomologischen Institutes aufbewahrten Typen – X. Hymenoptera, Sphecidae. Beiträge zur Entomologie 23:421-426. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oehlke\\_Wudowenz\\_1974\\_Katalog.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oehlke_Wudowenz_1974_Katalog.pdf)

**Oeser, R.**

- \* 1967. (25 Sept.). Zum jahreszeitlich späten Auftreten von Männchen der Spheciden-Art *Mellinus arvensis* L. (Hymenoptera). Mitteilungen aus dem Zoologischen Museum in Berlin 43:333-336. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oeser\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oeser_1967.pdf)
- \* 1971. (15 July). Die Abdominalbasis von *Ammophila sabulosa* (L., 1758) (Hymenoptera: Sphecidae). Mitteilungen aus dem Zoologischen Museum in Berlin 47:33-42. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oeser\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oeser_1971.pdf)

**Ogilvie, L.**

- \* 1928. The insects of Bermuda. Department of Agriculture Bermuda. No publication place given. 52 pp. [includes three species of *Sceliphron* and *Mimesa* sp.]. Partly available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ogilvie\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ogilvie_1928.pdf)

**Ohkusa, S.**

- \* 2006a. (30 May). Hymenoptera collected from Gifu Prefecture. Tsunekibachi 9:16-28. [Gifu Prefecture, central Honshu, Japan]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_2006a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_2006a.pdf)
- \* 2006b. (15 Dec.). *Oxybelus nipponicus* from the northwest of Aichi Prefecture. Tsunekibachi 10:57. [Aichi Prefecture, central Honshu, Japan]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_2006b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_2006b.pdf)
- \* 2007. (30 Nov.). Hymenoptera collected from North-West of Aichi Prefecture. Tsunekibachi 12:26-38. [Aichi Prefecture, central Honshu, Japan]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_2007.pdf)
- \* 2014a. (31 Mar.). The specimen of collected Hymenoptera in the Toyota City Sizen-Kansatsu-no-Mori. Tsunekibachi 24:25-34. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_2014a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_2014a.pdf)
- \* 2014b. (31 Mar.). A list of Hymenoptera collected around Yamato-gawa riverside, Osaka-city. Tsunekibachi 24:35-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_2014b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_2014b.pdf)

**Ohkusa, S., and H. Tajima**

- \* 2008. (1 May). Hymenoptera collected from North-West at Aichi Prefecture. Tsunekibachi 13:63-81. [Aichi Prefecture, central Honshu, Japan]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_Tajima\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_Tajima_2008.pdf)
- \* 2010. (31 May). Hymenoptera of Eastern part Shiga Prefecture. Tsunekibachi 17:1-20. [Shiga Prefecture, Honshu, Japan]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohkusa\\_Tajima\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohkusa_Tajima_2010.pdf)

**Ohl, M.**

- 1995. (Dec.). Die phylogenetische Beziehungen von Grabwespen und Bienen: Stand der Forschung, Probleme, Perspektiven (Hymenoptera: Apoidea). Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 10:629-632. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1995.pdf)
- \* 1996a. (17 July). Die phylogenetische Beziehungen der Sphecinae (Hymenoptera: Apoidea: "Sphecidae") aufgrund morphologischer Merkmale des Exoskeletts. Zoologische Beiträge (Neue Folge) 37:3-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1996a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1996a.pdf)

- \* 1996b. (22 Nov.). The phylogenetic relationships within the Neotropical Podiinae with special reference to *Podium* Fabricius (Hymenoptera: Apoidea: "Sphecidae"). Deutsche Entomologische Zeitschrift 43:189-218. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1996b\\_Podiinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1996b_Podiinae.pdf)
- 1997. (Dec.). Die Evolution von Cleptoparasitismus zwischen nahverwandten Bienen- und Grabwespengruppen (Hymenoptera: Apoidea: "Sphecidae", Apiformes). Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 11:785-788. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1997.pdf)
- 1998. Nomenklatorische Revision höherrangiger Grabwespengruppen. Kommentar zu Menke, A.S. (1997): Family-group names in Sphecidae (Hymenoptera: Apoidea). Bembix 10:50-53. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1998.pdf)
- \* 1999a. (12 Apr.). A revision of *Stizoides* Guérin-Ménéville, 1844: taxonomy, phylogenetic relationships, biogeography, and evolution (Hymenoptera: Apoidea: "Sphecidae"). Mitteilungen aus dem Museum für Naturkunde in Berlin, Zoologische Reihe 75:63-169. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1999a\\_Stizoides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1999a_Stizoides.pdf)
- \* 1999b. (30 Nov.). The type material of Sphecidae described by Massimiliano Spinola in the Hymenoptera collection of the Museum für Naturkunde in Berlin. Mitteilungen aus dem Museum für Naturkunde in Berlin, Deutsche Entomologische Zeitschrift 46:243-247. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_1999b\\_Spinola's\\_types.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_1999b_Spinola's_types.pdf)
- 2000. Das phylogenetische System der aculeaten Hymenopteren sensu stricto – Stand der Forschung, Probleme, Perspektiven. Beiträge der Hymenopterologen-Tagung in Stuttgart (6.-8.10.2000):10-13. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2000\\_phylogenetische\\_System.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2000_phylogenetische_System.pdf)
- \* 2001. (7 Nov.). The southern African wasp genus *Handlirschia* Kohl, 1897 (Hymenoptera: Apoidea, Sphecidae, Bembicinae). Journal of Hymenoptera Research 10:231-244. Available through:  
<http://biodiversitylibrary.org/page/2858864> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2001\\_Handlirschia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2001_Handlirschia.pdf)
- \* 2002a. (Apr.). A revision of the wasp genus *Dolichurus* Latreille, 1809 in Australia (Hymenoptera: Apoidea: Ampulicidae). Insect Systematics & Evolution 33:35-51. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2002a\\_Dolichurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2002a_Dolichurus.pdf)
- \* 2002b. (20 Nov.). A new species of the wasp genus *Clitemnestra* Spinola, 1851 from New Caledonia (Hymenoptera, Apoidea, Crabronidae, Bembicinae). Mitteilungen aus dem Museum für Naturkunde in Berlin, Deutsche Entomologische Zeitschrift 49:275-278. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2002b\\_Clitemnestra.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2002b_Clitemnestra.pdf)
- \* 2004a. Die Heterogynaidae – eine seltsame Wespengruppe und die Phylogenie der aculeaten Hymenopteren. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 14:67-70. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2004a\\_Heterogynaidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2004a_Heterogynaidae.pdf)
- \* 2004b. (10 Dec.). The first fossil representative of the wasp genus *Dolichurus*, with a review of fossil Ampulicidae. Journal of the Kansas Entomological Society 77:332-342. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2004b\\_Fossil\\_Dolichurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2004b_Fossil_Dolichurus.pdf)
- 2004c. Die Fossilgeschichte und frühe Evolution der Grabwespen. Beiträge der Hymenopterologen-Tagung in Stuttgart (1.-3.10.2004):5-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2004\\_Evolution.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2004_Evolution.pdf)

- \* 2005. (18 Apr.). A review of the Nearctic digger-wasp genus *Microstictia* Gillasp, 1963, with description of two new species from Arizona and Florida (Hymenoptera: Apoidea: Crabronidae). Systematics and Biodiversity 2:341-353. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2005\\_Microstictia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2005_Microstictia.pdf)
- 2006. Grabwespen-Systematik drei Jahrzehnte nach dem Big Blue Book – eine Standortbestimmung. Beiträge der Hymenopterologen-Tagung in Stuttgart (6.-8.10.2006):25-26. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2006\\_Grabwespen\\_Systematik.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2006_Grabwespen_Systematik.pdf)
- 2007. Räuber, Parasiten, Kuckucke. Die Evolution von Grabwespen und ihrer vielfältigen Beutefang- und Nestbaustrategien. Humboldt Spektrum 14:44-48. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2007.pdf)
- \* 2008. (20 Jan.). Order Hymenoptera, family Heterogynidae, pp.403-406 in: A. van Harten (editor). Arthropod Fauna of the UAE, Volume 1. Dar el Ummah, Abu Dhabi. 754 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2008\\_Heterogynidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2008_Heterogynidae.pdf)
- \* 2009a. A colorful new species of the digger wasp genus *Pseudoplisus* Ashmead from the Southwestern United States (Hymenoptera: Apoidea, Crabronidae). Zootaxa 2009:27-34. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2009a\\_Pseudoplisus\\_willcoxi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2009a_Pseudoplisus_willcoxi.pdf)
- \* 2009b. (30 June). A new species of the wasp genus *Sericophorus* in New Caledonia (Hymenoptera: Apoidea: Crabronidae). Mitteilungen des Internationalen Entomologischen Vereins E.V. 34:27-32. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2009b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2009b.pdf)
- \* 2011. (31 May). Order Hymenoptera, family Ampulicidae. Arthropod Fauna of the UAE 4:475-487. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_2011\\_UAE\\_Ampulicidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_2011_UAE_Ampulicidae.pdf)

**Ohl, M.,** in cooperation with **W. Arens, C. Bleidorn, M. Blösch, F. Burger, K. Cöllin, W. Dorow, B. Drewes, R. Franke, A. von der Heide, A. Hinrichsen, H.-J. Jacobs, A. Jakubzik, M. Jessat, J.-C. Kornmilch, M. Kuhlmann, K.E. Lauterbach, K. Mandery, H. Riemann, C. Saure, Ch. Schmid-Egger, K. Schmidt, R. Theunert, S. Tischendorf, C. Venne, S. Vidal, J. Voith, F. Wagner, K. Weber, K.-H. Wickl, R. Winter, and H. Woydak**

- \* 2001. (Aug.). Sphecidae, pp. 137-143 in H.H. Dathe, A. Taeger, and S.M. Blank (editors). Entomofauna Germanica. Band 4. Verzeichnis der Hautflügler Deutschlands. Entomologische Nachrichten und Berichte. Beiheft 7:1-178. [Review: Dathe, 2004, review available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Dathe\\_2004\\_FaunaGerm.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Dathe_2004_FaunaGerm.pdf)

Addendum: Dathe and Blank, 2004].

**Ohl, M., and D.J. Bennett**

- \* 2009. A new genus and species of apoid wasps from Saxonian amber (Hymenoptera: Apoidea: Crabronidae). Denisia 86 (Neue Serie) 26:145-150. [*Palarpactophilus saxonicus*, a pemphredonid related to Spilomenini]. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/DENISIA\\_0026\\_0145-0150.pdf](http://www.landesmuseum.at/pdf_frei_remote/DENISIA_0026_0145-0150.pdf) and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Bennett\\_2009\\_Palarpactophilus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Bennett_2009_Palarpactophilus.pdf)

**Ohl, M., and Ch. Bleidorn**

- \* 2006. The phylogenetic position of the enigmatic family Heterogynidae based on molecular data, with description of a new, nocturnal species (Hymenoptera: Apoidea). Systematic Entomology 31:321-337. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Bleidorn-2006\\_Heterogynidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Bleidorn-2006_Heterogynidae.pdf)

**Ohl, M., and M.S. Engel**

- \* 2007. Die Fossilgeschichte der Bienen und ihrer nächsten Verwandten (Hymenoptera: Apoidea). Denisia 20:687-700. [*Melittosphex burmensis* probably is a sphecid wasp and not a bee]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Engel\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Engel_2007.pdf)

**Ohl, M., K. Fritz, and S. Neumann**

- \* 2004. A new Afrotropical species of the wasp genus *Dolichurus* (Hymenoptera: Apoidea: Ampulicidae). *Journal of Hymenoptera Research* 13:262-268. Available through: <http://biodiversitylibrary.org/page/2858864> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_et\\_al\\_2004\\_Dolichurus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_et_al_2004_Dolichurus.pdf)

**Ohl, M., and P. Höhn**

- \* 2011. (23 Sept.). Taxonomy, bionomics, and ecology of a new species of the blue mud-dauber wasp genus *Chalybion* from Sulawesi (Hymenoptera, Apoidea). *Zoosystematics and Evolution* 87:335-348. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Hohn\\_2011\\_Chalybion\\_Sulawesi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Hohn_2011_Chalybion_Sulawesi.pdf)

**Ohl, M., and S. Krause**

- \* 2007. A remarkable new species of the digger wasp genus *Zanysson* Rohwer 1921 from Colombia (Hymenoptera: Apoidea: Crabronidae). *Zootaxa* 1442:43-54. [*Zanysson gemmatus*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Krause\\_2007\\_Zanysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Krause_2007_Zanysson.pdf)

**Ohl, M., and D. Linde**

- \* 2003. (3 Apr.). Ovaries, ovarioles, and oocytes in apoid wasps, with special reference to cleptoparasitic species (Hymenoptera: Apoidea: "Sphecidae"). *Journal of the Kansas Entomological Society* 76:147-159. [The number of ovarioles is 3 per ovary except 2 in most *Oxybelus* and 4 in all cleptoparasites]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Linde\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Linde_2003.pdf)

**Ohl, M., V. Lohrmann, L. Breitzkreuz, L. Kirschey, and S. Krause**

- \* 2014. (Apr.). The soul-sucking wasp by popular acclaim – museum visitor participation in biodiversity discovery and taxonomy. *PLoS ONE* 9(4):1-7. [*Ampulex dementor* sp. n. described by M. Ohl on pp. 5-6]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_et\\_al\\_2014\\_Ampulex\\_dementor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_et_al_2014_Ampulex_dementor.pdf)

**Ohl, M., and Ph. Spahn**

- \* 2010. A cladistic analysis of the cockroach wasps based on morphological data (Hymenoptera: Ampulicidae). *Cladistics* 26:49-61. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Spahn\\_2010\\_Ampulicidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Spahn_2010_Ampulicidae.pdf)

**Ohl, M., and K. Thiele**

- 2007. Estimating body size in apoid wasps: the significance of linear variables in a morphologically diverse taxon (Hymenoptera: Apoidea). *Mitteilungen aus dem Museum für Naturkunde in Berlin, Zoologische Reihe* 83:110-124. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ohl\\_Thiele\\_2007\\_body\\_size.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ohl_Thiele_2007_body_size.pdf)

**Okamoto, H.**

- \* 1924. (Mar.). The insect fauna of Quelpart Island (Saishiu-to). *Bulletin of the Agricultural Experimental Station, Government-General of Chosen* 1:I-IV + 47-233, pls. VII-X, map. [Quelpart Island, now Cheju Island, southernmost tip of Korean Peninsula; CAS has a photocopy of this rare publication, in which *Palarus saishiuensis* is described on p. 202]. Description of *Palarus saishiuensis* available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Okamoto\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Okamoto_1924.pdf)

**Oku, S., and T. Nishida**

- \* 1999. Factors affecting female-biased sex ratio in a trap-nesting wasp, *Trypoxylon malaisei*. *Researches on Population Biology* 41:169-175. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oku\\_Nishida\\_1999\\_Trypoxylon\\_malaisei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oku_Nishida_1999_Trypoxylon_malaisei.pdf)

- \* 2001. Presence of single-sex broods under local mate competition in *Trypoxylon malaisei* (Hymenoptera: Sphecidae): adaptation or maladaptation? *Annals of the Entomological Society of America* 94:550-554. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oku\\_Nishida\\_2001\\_Trypoxylon\\_malaisei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oku_Nishida_2001_Trypoxylon_malaisei.pdf)

#### Okumura, T.

- \* 1971. (25 Apr.). Biology of *Liris* (*Liris*) *aurulenta* Fabr. and *L. (Dociliris) deplanata binghami* Tsun. observed on the island of Amami-Oshima, the Ryukyus (Hym., Sphecidae). *The Life Study* (Fukui) 15:22-26. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Okumura\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Okumura_1971.pdf)

#### Okuno, H.

- \* 1968. Contribution from my cabinets to the knowledge of the Japanese Hymenoptera. *The Life Study* (Fukui) 12:29-32. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Okuno\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Okuno_1968.pdf)

- \* 1969. (30 Oct.). On the biology of *Ammophila clavus* Fabricius. *The Life Study* (Fukui) 13:63-64. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Okuno\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Okuno_1969.pdf)

#### Olberg, G.

- \* 1959. Das Verhalten der solitären Wespen Mitteleuropas (Vespidae, Pompilidae, Sphecidae). VEB Deutscher Verlag für Wissenschaften, Berlin. XIII + 402 pp.

- \* 1966. (1 Jan.). Brutfürsorge und koloniales Verhalten der Heuschreckensandwespe *Sphex maxillosus*. *Natur und Museum* 96:1-8. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olberg\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olberg_1966.pdf)

- \* 1972. Beobachtungen über den Rückgang südlicher Bienen- und Wespenarten in der Umgebung von Niemeck, Kreis Belzig (Fläming). *Beiträge zur Tierwelt der Mark IX. Veröffentlichungen des Bezirksheimatmuseum Potsdam* 25-26:41-67. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olberg\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olberg_1972.pdf)

#### Oldroyd, H.

- \* 1954. The horse-flies (Diptera: Tabanidae) of the Ethiopian Region. 2. *Tabanus* and related genera. *British Museum (Natural History)*. 341 pp., pls. I-IV [contains data on *Bembix*].

#### Oliveira Nascimento, A.L., and C.A. Garófalo

- \* 2014. Trap-nesting solitary wasps (Hymenoptera: Aculeata) in an insular landscape: mortality rates for immature wasps, parasitism, and sex ratios. *Sociobiology* 61:207-217. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/OliveiraNascimento\\_Garofalo\\_2014\\_mortality.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/OliveiraNascimento_Garofalo_2014_mortality.pdf)

#### Olivier, A.G.

- \* 1789. *Bembex*, pp. 286-289 in A.G. Olivier (editor). *Encyclopédie méthodique. Histoire Naturelle. Insectes*. Vol. 4. Panckoucke, Paris. cclxxxviii + ccclxxii + 331 pp. Dating after Sherborn and Woodward, 1906.
- \* 1792a. Frélon, *Crabro*, pp. 506-519 in A.G. Olivier (editor). *Encyclopédie méthodique. Histoire Naturelle. Insectes*. Vol. 6. Panckoucke, Paris. 1-368 (1791), 369-704 (1792). Dating after Sherborn and Woodward, 1906.
- 1792b. Catalogue des insectes envoyés de Cayenne à la Société d'Histoire Naturelle de Paris, par M. Le Blond. *Actes de la Société d'Histoire Naturelle de Paris* 1:120-125. [Five species of *Sphex* were described but not named. They were named by G. Reiche in 1795 (see A. Olivier, 1795)].
- \* 1795. *Insecta*, pp. 130-134. in G.Ch. Reiche. *Kurze Beschreibung verschiedener neuen Thiere, welche Herr Le Blond der naturforschenden Gesellschaft zu Paris aus Cayenne als Geschenck überschickt hat. Magazin des Thierreichs* 1, Abtheilung 3:128-134. [This is a German translation of an article published

by A. Olivier, 1792b, in Actes de la Société d'Histoire Naturelle de Paris, 1:120-125. The specific names of insects have been added by G.Ch. Reiche]. Available through:

[http://www.amwiki.org/wiki/images/f/f/Reich\\_1793.pdf](http://www.amwiki.org/wiki/images/f/f/Reich_1793.pdf)

- \* 1812a. (1811). Nysson, pp. 407-409 in A.G. Olivier [and P.A. Latreille] (editors). Encyclopédie méthodique. Histoire Naturelle. Insectes. Vol. 8. H. Agasse, Paris. 722 pp. Dating after Sherborn and Woodward, 1906.
- \* 1812b. (1811). Oxybèle, pp. 592-597 in A.G. Olivier [and P.A. Latreille] (editors). Encyclopédie méthodique. Histoire Naturelle. Insectes. Vol. 8. H. Agasse, Paris. 722 pp. Dating after Sherborn and Woodward, 1906.

#### **Olivier, E.**

- \* 1910. Contribution à la Faune des Hyménoptères du Nord de l'Afrique. Bulletin de la Société d'Histoire Naturelle de l'Afrique du Nord 2:162-164. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olivier\\_E\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olivier_E_1910.pdf)

#### **Olivieri, N.**

- \* 2010. (30 Nov.). Segnalazioni faunistiche italiane. 501 – *Sceliphron curvatum* Smith, 1870 (Hymenoptera Sphecidae). Bollettino della Società Entomologica Italiana 142:135. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olivieri\\_2010\\_Sceliphron\\_curvatum.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olivieri_2010_Sceliphron_curvatum.pdf)

#### **Olszewski, P., P. Bogusch, G. Hebda, and E. Budrys**

- \* 2022. Nesting behaviour and description of mature larva of *Lindenius albilabris* (Fabricius, 1793) (Hymenoptera: Crabronidae). The European Zoological Journal 89:1040-1048. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2022\\_Lindenius\\_albilabris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2022_Lindenius_albilabris.pdf)

#### **Olszewski, P., P. Bogusch, M. Mięsikowski, L. Baños-Picón, and R. Puchalka**

- \* 2021. (29 Apr.). Behavioural and ecological data on *Dryudella stigma* (Panzer, 1809) (Hymenoptera, Astatidae) with the first description of the mature larva. Journal of Hymenoptera Research 82:305-316. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_Dryudella\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_Dryudella_2021.pdf)

#### **Olszewski, P., P. Bogusch, B. Wiśniowski, and K. Szpila**

- \* 2024. A study of the bionomy and description of the mature larva of *Oxybelus trispinosus* (Fabricius, 1787) (Hymenoptera: Crabronidae). The European Zoological Journal 91:768-777. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Bogusch\\_et\\_al\\_Oxybelus\\_trispinosus\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Bogusch_et_al_Oxybelus_trispinosus_2024.pdf)

#### **Olszewski, P., P. Bogusch, and K. Szpila**

- \* 2021. Life history of *Oxybelus variegatus* Wesmael, 1852 (Hymenoptera: Crabronidae) with a description of the mature larva. Insects 12, 100:1-12. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_Oxybelus.pdf)

#### **Olszewski, P., E. Budrys, S. Orlovskytė, B. Wiśniowski, and T. Ljubomirov**

- 2023. Nesting biology and phylogenetic relationships of the parasitoid-hunting wasp *Lindenius pygmaeus armatus* (Vander Linden, 1829) (Hymenoptera: Crabronidae). Scientific Reports 13:9 unnumbered pp. Available through:

[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2023\\_Lindenius\\_pygmaeus\\_armatus.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2023_Lindenius_pygmaeus_armatus.pdf)

**Olszewski, P., and Y.N. Danilov**

- \* 2020. New species and records of the genus *Ammophila* W. Kirby, 1798 (Hymenoptera: Sphecidae). Zootaxa 4878:189-194. [*Ammophila kowalczyki*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Danilov.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Danilov.pdf)

**Olszewski, P., M.K. Dyderski, L. Dylewski, P. Bogusch, Ch. Schmid-Egger, T. Ljubomirov, D. Zimmermann, R. Le Divelec, B. Wiśniowski, L. Twerd, T. Pawlikowski, M. Mei, A.F. Popa, J. Szczepke, T. Sparks, and R. Puchalka**

- \* 2022. European beewolf (*Philanthus triangulum*) will expand its geographic range as a result of climate warming. Regional Environmental Change 22:129, 12 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_plus\\_15.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_plus_15.pdf)

**Olszewski, P., and A. Grzywacz**

- \* 2025. Nesting of *Oxybelus quatuordecimnotatus* Jurine, 1807 (Hymenoptera: Crabronidae) from Poland. The European Zoological Journal 92:1065-1072. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Grzywacz\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Grzywacz_2025.pdf)

**Olszewski, P., and J.K. Kowalczyk**

- \* 2019. Contribution to the knowledge of digger wasps (Hymenoptera: Crabronidae, Sphecidae) of Gdańsk Pomerania – Materiały do poznania grzebaczowatych (Hymenoptera: Cranronidae, Sphecidae) na Pomorzu Gdańskim. Fragmenta Faunistica 62:87-115. [Gdańsk Pomerania is in northern Poland]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Kowalczyk\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Kowalczyk_2019.pdf)

**Olszewski, P., T. Ljubomirov, T. Pawlikowski, and T. Barczak**

- \* 2014. *Chalybion omissum* (Kohl, 1889) (Hymenoptera: Sphecidae; Sceliphriini): new records from Balkan Peninsula (southern Bulgaria). Polish Journal of Entomology – Polskie Pismo Entomologiczne 83:201-206. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2014\\_Chalybion\\_omissum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2014_Chalybion_omissum.pdf)

**Olszewski, P., T. Ljubomirov, B. Wiśniowski, J.K. Kowalczyk, and M. Krzyżyński**

- \* 2016. New records of the genus *Diodontus* Curtis, 1834 (Hymenoptera: Crabronidae) from Bulgaria, Montenegro and Poland, with a key to Central and Eastern European species. Zootaxa 4061:164-172. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2016.pdf)

**Olszewski, P., D.G. Notton, and I.J. Kitching**

- \* 2020. Review of the genus *Dinetus* Panzer, 1806 (Hymenoptera: Crabronidae: Dinetinae) with descriptions of new subgenera and new species. Arthropod Systematics & Phylogeny 78:361-377. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2020\\_Dinetus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2020_Dinetus.pdf)

**Olszewski, P., and T. Pawlikowski**

- \* 2013. *Passaloecus pictus* Ribaut, 1952 (Hymenoptera: Crabronidae) – pierwsze stwierdzenie w Polsce – *Passaloecus pictus* Ribaut, 1952 (Hymenoptera: Crabronidae) – first record from Poland. Wiadomości Entomologiczne 32:266-269. Available through:  
[http://www.pterup.poznan.pl/we/2013/36\\_Olszewski\\_Pawlikowski.pdf](http://www.pterup.poznan.pl/we/2013/36_Olszewski_Pawlikowski.pdf)
- \* 2014. (30 Sept.). *Trypoxylon kostylevi* Antropov, 1985 (Hymenoptera: Crabronidae) – a new species for Poland – and a key to Polish species of *Trypoxylon* Latreille, 1796. Polish Journal of Entomology (= Polskie Pismo Entomologiczne) 83:189-199. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Pawlikowski\\_2014\\_Trypoxylon\\_kostylevi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Pawlikowski_2014_Trypoxylon_kostylevi.pdf)

**Olszewski, P., T. Pawlikowski, and H. Piekarska-Boniecka**

- \* 2013. *Nysson distinguendus* Chevrier, 1867 (Hymenoptera, Crabronidae), a new species to the fauna of Poland – *Nysson distinguendus* Chevrier, 1867 (Hymenoptera, Crabronidae) – nowy gatunek dla fauny Polski. *Fragmenta Faunistica* 56:43-46. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2013\\_Nysson\\_distinguendus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2013_Nysson_distinguendus.pdf)

**Olszewski, P., T. Sparks, L. Twerd, and B. Wiśniowski**

- 2024. Communities of digger wasps (Hymenoptera: Spheciformes) along a tree cover gradient in the cultural landscape of river valleys in Poland. *Insects* 2024:1-11. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2024.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2024.pdf)

**Olszewski, P., L. Twerd, and J.K. Kowalczyk**

- \* 2017. Notes on new records and rare species of digger wasps in Poland (Hymenoptera, Crabronidae). *Spixiana* 40:193-196. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2017\\_rare\\_digger\\_wasps.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2017_rare_digger_wasps.pdf)

**Olszewski, P., and J. Wendzonka**

- \* 2014. Nowe stanowiska grzebacza wielkiego *Ectemnius fossorius* (Hymenoptera: Crabronidae) w Polsce – New sites of *Ectemnius fossorius* (Hymenoptera: Crabronidae) in Poland. *Chrońmy Przyrodę Ojczyzną* 70:351-354. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Wendzonka\\_2014\\_Ectemnius\\_fossorius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Wendzonka_2014_Ectemnius_fossorius.pdf)

**Olszewski, P., B. Wiśniowski, P.A. Kostro-Ambroziak, T. Pawlikowski, and H. Piekarska-Boniecka**

- \* 2013. *Psenulus meridionalis* Beaumont, 1937, a digger wasp species new to the fauna of Poland (Hymenoptera, Crabronidae) – *Psenulus meridionalis* Beaumont, 1937, nowy dla fauny polskiej gatunek grzebacza (Hymenoptera, Crabronidae). *Fragmenta Faunistica* 56:39-42. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2013\\_Psenulus\\_meridionalis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2013_Psenulus_meridionalis.pdf)

**Olszewski, P., B. Wiśniowski, and T. Ljubomirov**

- 2021. Current list of the Polish digger wasps (Hymenoptera, Spheciformes). *Spixiana* 44:81-107. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2021\\_list\\_Poland.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2021_list_Poland.pdf)

**Olszewski, P., B. Wiśniowski, T. Pawlikowski, and J. Straka**

- \* 2013. *Tachysphex austriacus* Kohl, 1892 (Hymenoptera: Crabronidae) w Polsce – *Tachysphex austriacus* Kohl, 1892 (Hymenoptera: Crabronidae) in Poland. *Wiadomości Entomologiczne* 32:202-206. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2013\\_Tachysphex\\_austriacus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2013_Tachysphex_austriacus.pdf)

**Olszewski, P., B. Wiśniowski, T. Pawlikowski, and K. Szpila**

- \* 2013. Nowe dane o niektórych rzadkich żądłówkach w Polsce (Hymenoptera: Aculeata) – New data about some rare species of aculeates (Hymenoptera: Aculeata) from Poland. *Wiadomości Entomologiczne* 32:127-138. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_Wisniowski\\_Pawlikowski\\_Szpila\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_Wisniowski_Pawlikowski_Szpila_2013.pdf)

**Olszewski, P., B. Wiśniowski, and K. Szczepko**

- \* 2014. Nowe dane o rozmieszczeniu przedstawicieli rodzaju *Miscophus* Jurine, 1807 (Hymenoptera: Crabronidae) w Polsce – New data on the distribution of *Miscophus* Jurine, 1807 species (Hymenoptera: Crabronidae) in Poland. Wiadomości Entomologiczne 33:61-67. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Olszewski\\_et\\_al\\_2014\\_Miscophus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Olszewski_et_al_2014_Miscophus.pdf)

**Omran, N.S.M., M.H. Hussein, M.M. Kodairy, and A.M. Awad**

- \* 2011. Predators of honeybee and its impact on activities on honeybee colonies under conditions of Soluh Valley, Egypt. Research Journal of Agriculture and Biological Sciences 7:79-88. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Omran\\_et\\_al\\_2011\\_honeybee\\_predators.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Omran_et_al_2011_honeybee_predators.pdf)

**O'Neill, K.M.**

- \* 1979. Territorial behavior in males of *Philanthus psyche* (Hymenoptera, Sphecidae). Psyche 86:19-43. Available through: <http://downloads.hindawi.com/journals/psyche/1979/068960.pdf> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1979\\_Philanthus\\_psyche.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1979_Philanthus_psyche.pdf)
- \* 1983a. Territoriality, body size, and spacing in males of the beewolf *Philanthus basilaris* (Hymenoptera: Sphecidae). Behaviour 86:295-321. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1983a\\_Philanthus\\_basilaris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1983a_Philanthus_basilaris.pdf)
- 1983b. The significance of body size in territorial interactions of male beewolves (Hymenoptera: Sphecidae, *Philanthus*). Animal Behaviour 31:404-411. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1983b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1983b.pdf)
- \* 1985. Egg size, prey size, and sexual size dimorphism in digger wasps (Hymenoptera: Sphecidae). Canadian Journal of Zoology 63:2187-2193. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1985\\_dimorphism.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1985_dimorphism.pdf)
- \* 1990. Female nesting behavior and male territoriality in *Aphilanthops subfrigidus* Dunning (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 66:19-23. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1990\\_Aphilanthops\\_subfrigidus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1990_Aphilanthops_subfrigidus.pdf)
- \* 1995. (3 Nov.). Digger wasps (Hymenoptera: Sphecidae) and robber flies (Diptera: Asilidae) as predators of grasshoppers (Orthoptera: Acrididae) on Montana rangeland. The Pan-Pacific Entomologist 71:248-250. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_1995.pdf)
- 2001. Solitary wasps. Behavior and natural history. Comstock Publishing Associates, Ithaca and London. 406 pp. [Review: R.W. Matthews. 2001. Solitary wasps: Behavior and Natural History. By K.M. O'Neill. Ithaca, New York: Cornell University Press (2002). Pp. xiii + 406. Animal Behaviour 62:607-613].

**O'Neill, K.M., and H.E. Evans**

- \* 1981. Predation on conspecific males by females of the beewolf *Philanthus basilaris* Cresson (Hymenoptera: Sphecidae). Journal of the Kansas Entomological Society 54:553-556. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_H\\_Evans\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_H_Evans_1981.pdf)
- \* 1982. Patterns of prey use in four sympatric species of *Philanthus* (Hymenoptera: Sphecidae) with a review of prey selection in the genus. Journal of Natural History 16:791-801. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_Evans\\_1982\\_Philanthus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_Evans_1982_Philanthus.pdf)
- \* 1983a. Alternative male mating tactics in *Bembecinus quinquespinosus* (Hymenoptera: Sphecidae): correlation with size and color variation. Behavioral Ecology and Sociobiology 14:39-46. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Neill\\_Evans\\_1983a\\_Bembecinus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Neill_Evans_1983a_Bembecinus.pdf)

- \* 1983b. (30 Sept.). Body size and alternative mating tactics in the beewolf *Philanthus zebratus* (Hymenoptera: Sphecidae). *Biological Journal of the Linnean Society* 20:175-184. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_H.Evans\\_1983b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_H.Evans_1983b.pdf)
- \* 1999. (30 Apr.). Observations on the prey and nest clusters of *Podalonia valida* (Cresson) (Hymenoptera: Sphecidae). *Proceedings of the Entomological Society of Washington* 101:312-315. Available through: <http://biodiversitylibrary.org/page/16194637> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_Evans\\_1999\\_Podalonia\\_valida.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_Evans_1999_Podalonia_valida.pdf)

**O'Neill, K.M., H.E. Evans, and R.P. O'Neill**

- \* 1989. Phenotypic correlates of mating success in the sand wasp *Bembecinus quinquespinosus* (Hymenoptera: Sphecidae). *Canadian Journal of Zoology* 67:2557-2568. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_et\\_al\\_1989\\_Bembecinus\\_quinquespinosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_et_al_1989_Bembecinus_quinquespinosus.pdf)

**O'Neill, K.M., and J.F. O'Neill**

- \* 2009. (8 June). Prey, nest associates, and sex ratios of *Isodontia mexicana* (Saussure) (Hymenoptera: Sphecidae) from two sites in New York State. *Entomologica Americana* 115:90-94. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_O'Neill-2009\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_O'Neill-2009_Isodontia_mexicana.pdf)
- \* 2010. Cavity-nesting wasps and bees of central New York State: the Montezuma Wetland complex. *Northeastern Naturalist* 17:455-472. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_O'Neill\\_2010\\_Trap\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_O'Neill_2010_Trap_nesting.pdf)
- \* 2013. (8 May). Cavity-nesting wasps and bees (Hymenoptera) of central New York State: the Roy H. Park Preserve and Dorothy McIlroy Bird Sanctuary. *Proceedings of the Entomological Society of Washington* 115:158-166. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_O'Neill\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_O'Neill_2013.pdf)

**O'Neill, K.M., J.F. O'Neill, and R.P. O'Neill**

- \* 2007. Sublethal effect of brood parasitism on the grass-carrying wasp *Isodontia mexicana*. *Ecological Entomology* 32:123-127. Available through: <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2311.2006.00851.x/pdf> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_et\\_al\\_2007\\_Isodontia\\_mexicana\\_sublethal\\_effect.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_et_al_2007_Isodontia_mexicana_sublethal_effect.pdf)

**O'Neill, K.M., and R.P. O'Neill**

- \* 1988. Thermal stress and microhabitat selection in territorial males of the digger wasp *Philanthus psycle* (Hymenoptera: Sphecidae). *Journal of Thermal Biology* 13:15-20. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_O'Neill\\_1988\\_thermal\\_stress.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_O'Neill_1988_thermal_stress.pdf)
- \* 2003. (21 June). Sex allocation, nests, and prey in the grass-carrying wasp *Isodontia mexicana* (Saussure) (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 76:447-454. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_R\\_O'Neill\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_R_O'Neill_2003.pdf)
- \* 2007. Nests and prey of *Isodontia elegans* (F. Smith) (Hymenoptera: Sphecidae) in Montana, U.S.A. *Entomological News* 118:139-142. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_O'Neill\\_2007\\_Isodontia\\_elegans.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_O'Neill_2007_Isodontia_elegans.pdf)

**O'Neill, K.M., and A.M. Pearce**

- \* 2007. (5 Oct.). Ovary structure and oocyte size in relation to female size and age in the brood parasitic wasps *Stizoides renicinctus* (Say) (Hymenoptera: Crabronidae). *Proceedings of the Entomological Society of Washington* 109:836-840. Available through: <http://biodiversitylibrary.org/page/31079357> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ONeill\\_Pearce\\_2007\\_Stizoides\\_renicinctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ONeill_Pearce_2007_Stizoides_renicinctus.pdf)

**Oniki, Y.**

- \* 1970. Brazilian sphecid wasp in occupied hummingbird nests. *Journal of the Kansas Entomological Society* 43:354-356. [*Pison* sp. nesting in active hummingbird nests]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oniki\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oniki_1970.pdf)
- \* 1975. Bird nests occupied by Sphecidae wasps in Brazil. *Acta Amazonica* 5:301-303. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oniki\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oniki_1975.pdf)

**Oostrom, S.J. van, see: van Oostrom, S.J.****Orfila P., R.N., and J. Salellas**

- \* 1929. (31 Oct.). Notas biológicas sobre *Sceliphron figulus* (Dahl) [sic] D.T. *Revista de la Sociedad Entomológica Argentina* 2:247-250. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orfila\\_Salellas\\_1929\\_Sceliphron\\_figulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orfila_Salellas_1929_Sceliphron_figulus.pdf)

**Örgel, S., S. Anlaş, and S. Tezcan**

- \* 2020. New locality records on Sphecidae, Crabronidae and Scolidae (Insecta: Hymenoptera) fauna of Turkey. *Munis Entomology & Zoology*, 15:637-641. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orgel\\_et\\_al\\_2020\\_Turkey.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orgel_et_al_2020_Turkey.pdf)

**Orlopp, E.**

- \* 1998. Betriebsunfall in einem *Trypoxylon*-Nest. *BembiX* 11:33. [an ichneumonid *Polysphincta tuberosa* parasitizing the nest of a *Trypoxylon* sp.]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orlopp\\_1998\\_Trypoxylon\\_parasite.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orlopp_1998_Trypoxylon_parasite.pdf)

**Orlopp, E., and H.-J. Flügel**

- \* 2012. Malaxieren oder Desinfizieren der Beutetiere bei Grabwespen (Hymenoptera: Crabronidae)? *BembiX* 34:19-24. [On *Psenulus fuscipennis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orlopp\\_Fluegel\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orlopp_Fluegel_2012.pdf)

**Orr, H.L.**

- \* 1909a. (Jan.). Hymenoptera from County Antrim and Down. *The Irish Naturalist* 18:25. Available through:  
<http://biodiversitylibrary.org/page/3050822> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orr\\_1909a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orr_1909a.pdf)
- \* 1909b. (Nov.). Hymenoptera in Ulster and Connaught. *The Irish Naturalist* 18:242. Available through:  
<http://biodiversitylibrary.org/page/3051047> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orr\\_1909b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orr_1909b.pdf)
- \* 1911. (Apr.). Hymenoptera from Ulster. *The Irish Naturalist* 20:76. Available through:  
<http://biodiversitylibrary.org/page/5506218> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Orr\\_1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Orr_1911.pdf)

**Osborn, D.J., and K.V. Krombein**

- \* 1969. (27 Aug.). Habitats, flora, mammals, and wasps of Gebel 'Uweinat, Libyan Desert. *Smithsonian Contributions to Zoology* 11:1-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Osborn\\_Krombein\\_1969\\_Lybian\\_desert.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Osborn_Krombein_1969_Lybian_desert.pdf)

**Osborne, T.B.**

- \* 1929. Notes on the nest building habits of the pipe organ wasp. *Bulletin. Connecticut Agricultural Experiment Station* 305:751-753. [on *Trypoxylon albitarse*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Osborne\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Osborne_1929.pdf)

**Osten, T.**

1982. Staatenbildende Insekten und ihre Bauten. Stuttgarter Beiträge zur Naturkunde aus dem Staatlichen Museum für Naturkunde in Stuttgart (Serie C) 16:1-40. [contains brief review of sphecids life histories].
- \* 2003. *Sceliphron curvatum* (Smith, 1870) (Hymenoptera: Sphecidae) in Stuttgart. Mitteilungen des Entomologischen Vereins Stuttgart 38:13-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Osten\\_2003\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Osten_2003_Sceliphron_curvatum.pdf)

**Osten-Sacken, [C.R.]**

1862. Entomologische Notizen. [Stettiner] Entomologische Zeitung 23:408-415. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Osten-Sacken\\_1862.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Osten-Sacken_1862.pdf)

**Ostrovsky, A.M. [А.М. Островский]**

- \* 2021. *Podalonia affinis* (W. Kirby, 1798) (Hymenoptera: Apoidea: Sphecidae), a new host of the strepsipteran *Paraxenos sphecidarum* (Dufour, 1837) in Belarus – *Podalonia affinis* (W. Kirby, 1798) (Hymenoptera: Apoidea: Sphecidae) – новый хозяин всеорылого *Paraxenos sphecidarum* (Dufour, 1837) в условиях Беларуси. Eurasian Entomological Journal (= Эвразийский энтмологический журнал, = Ёвразийский ёнтмологический зхурнал] 20:55-56. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ostrovsky\\_2021\\_Paraxenos\\_sphecidarum\\_vs\\_Podalonia\\_affinis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ostrovsky_2021_Paraxenos_sphecidarum_vs_Podalonia_affinis.pdf)
- \* 2022. Заметки по роду *Sceliphron* Klug, 1801 (Hymenoptera: Sphecidae) фауны Беларуси – Notes on the genus *Sceliphron* Klug, 1801 (Hymenoptera: Sphecidae) of the fauna of Belarus. Кавказский энтмологический бюллетень (Caucasian Entomological Bulletin) 18:305-310. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ostrovsky\\_2022\\_Sceliphron\\_Belarus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ostrovsky_2022_Sceliphron_Belarus.pdf)

**O'Toole, Ch.**

- \* 1969. The larval behaviour of *Trypoxylon figulus* L. (Hym., Sphecidae). The Entomologist 101:173-176. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Toole\\_-1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Toole_-1969.pdf)
1982. Hymenoptera in the Hope Entomological collections. Sphecos 6:11- 13. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_6.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_6.pdf)

**O'Toole, Ch., and A. Raw**

- \* 1978. The nest and pre-pupa of the solitary wasp *Crossocerus (Cuphopterus) dimidiatus* (Fabr.), with biological notes (Hymenoptera: Crabronidae). Entomologica Scandinavica 9:43-46. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/O'Toole\\_Raw\\_1977\\_Crossocerus\\_dimidiatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/O'Toole_Raw_1977_Crossocerus_dimidiatus.pdf)

**Oudemans, J.T.**

- \* 1931. (1 Jan.). Bloemen in Insecten. Entomologische Berichten 8:182-184. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oudemans\\_1931.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oudemans_1931.pdf)
- \* 1933. (1 Nov.). De Bijenwolf, *Philanthus triangulum* F. Entomologische Berichten 8:544-546. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Oudemans\\_1933\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Oudemans_1933_Philanthus_triangulum.pdf)

**Overall, W.L.**

1979. The A. Ducke collection. Sphecos 1:17-18. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_1.pdf)

**Özdikmen, H.**

- \* 2005. (20 June). Five new substitute names for Hymenoptera (Insecta) genera. Journal of Entomological Science 40:237-239. [proposed *Riekefella* for *Austrotoma* Riek, 1955, nec Finlay, 1924]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ozdikmen-2005\\_Riekefella.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ozdikmen-2005_Riekefella.pdf)

**P****Packard, A.S.**

- \* 1866-1867. Revision of the fossorial Hymenoptera of North America. I. Crabronidae and Nyssonidae. Proceedings of the Entomological Society of Philadelphia 6:39-115 (1866), 353-444 (6 June 1867). Publication date after F. Brown, 1964a. Available through: <http://biodiversitylibrary.org/page/3831118> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packard\\_1866-1867.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packard_1866-1867.pdf)
- \* 1869. List of hymenopterous and lepidopterous insects collected by the Smithsonian expedition to South America, under Prof. James Orton. Annual Report of the Trustees of the Peabody Academy of Science 1:56-69. [the new species *Monedula decemmaculata* is the only sphecid recorded]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packard\\_1869.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packard_1869.pdf)

**Packer, L.**

- \* 1981. (21 Dec.). *Crossocerus distinguendus* (Morawitz) (Hym., Sphecidae), a crabronine wasp new to Britain. The Entomologist's Monthly Magazine 117:97-98. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packer\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packer_1981.pdf)
- \* 1985. Two social halictine bees from southern Mexico with a note on two bee hunting philanthine wasps (Hymenoptera: Halictidae and Sphecidae). The Pan-Pacific Entomologist 61:291-298. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packer\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packer_1985.pdf)
- \* 1987. The history of *Alysson lunicornis* (Fabricius) (Hym., Sphecidae) in Great Britain. The Entomologist's Monthly Magazine 123:37-40. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packer\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packer_1987.pdf)
- \* 2004. Morphological variation in the gastral sterna of female Apoidea (Insecta: Hymenoptera). Canadian Journal of Zoology 82:130-152. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packer\\_2004\\_gastral\\_sterna.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packer_2004_gastral_sterna.pdf)
- \* 2021. (31 Aug.). A revision of *Cresson* Pate (Hymenoptera, Apoidea, Bembicidae) with the description of two new species. Journal of Hymenoptera Research 85:81-117. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Packer\\_2021\\_Cresson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Packer_2021_Cresson.pdf)

**Pádr, Z.**

- \* 1989a. Sphecoidea, pp. 165-171 in J. Šedivý (editor). Enumeratio Insectorum Bohemoslovakiae. Checklist of Czechoslovak Insects III (Hymenoptera). Acta Faunistica Entomologica Musei Nationalis Pragae. 19:1-185. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Padr\\_1989a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Padr_1989a.pdf)
  - 1989b. Studia výskytu akuleťálních [sic] hymenopter v českých zemích a na Slovensku. Práce Slovenské Entomologické Společnosti Slovenské Akademie Věd 7:201-208. [includes numbers of species recorded from Czechia, Moravia, and Slovakia]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Padr\\_1989b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Padr_1989b.pdf)
  - \* 1990. Studie výskytu žahavých blanokřídých (Hymenoptera-Akuleata) [sic] na území Prahy. Natura Pragensis. Studie o Přírodě Prahy 7:1-179.
- Biography: Haris, 2016:113 (available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Pádr, Z., and J. Lukáš**

- \* 1994. (30 Dec.). Stachelhautflügler aus dem Gebiet des Hohen Tatra Gebirges in der Slowakischen Republik (Hymenoptera-Aculeata). Linzer Biologische Beiträge 26:887-904. [Sphecidae on pp. 892-894]. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/LBB\\_0026\\_2\\_0887-0904.pdf](http://www.landesmuseum.at/pdf_frei_remote/LBB_0026_2_0887-0904.pdf)

**Pádr, Z., and B. Tkalců**

- \* 1991. Aculeate Hymenoptera collected in the Nam Cat Tien National Park, pp. 22-26 in K. Spitzer, K. Lepš, and M. Zacharda (editors). Nam Cat Tien. Czechoslovak Vietnamese Expedition November 1989. Research Report. Institut of Entomology, Czechoslovak Academy of Sciences. České Budějovice. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Padr\\_Tkalcu\\_1991\\_List\\_of\\_VietNam.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Padr_Tkalcu_1991_List_of_VietNam.pdf)

**Pádua, D.G., D.R.R. Fernandes, A. Somavilla, and M.L. Oliveira**

- \* 2022. New parasitoid associations and geographical range extensions of *Sceliphron* Klug, 1801 (Hymenoptera: Sphecidae) in Brazil – Nuevas asociaciones de parasitoides y extension del rango geográfico de *Sceliphron* Klug, 1801 (Hymenoptera: Sphecidae) en Brasil. Revista Chilena de Entomología 48:393-402. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Padua\\_et\\_al\\_2022\\_Sceliphron\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Padua_et_al_2022_Sceliphron_1.pdf)

**Paetzel, M.M.**

- \* 1973. (18 May). Behavior of the male *Trypoxylon rubrocinctum* (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 49:26-30. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paetzel\\_1973\\_Trypoxylon\\_rubrocinctum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paetzel_1973_Trypoxylon_rubrocinctum.pdf)

**Pagden, H.T.**

- \* 1933. Two new Malayan sphecoids. The Transactions of the Royal Entomological Society of London 81:93-101. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagden\\_1933.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagden_1933.pdf)
- \* 1934a. Biological notes on some Malayan aculeate Hymenoptera I. (Sphecoidea and Vespoidea). Journal of the Federated Malay States Museum 17:458-466. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagden\\_1934a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagden_1934a.pdf)
- \* 1934b. Biological notes on some Malayan aculeate Hymenoptera II. With descriptions of new species. Journal of the Federated Malay States Museum 17:467-486. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagden\\_1934b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagden_1934b.pdf)

**Pagliano, G.**

- \* 1980. Fauna imenotterologica delle Langhe. (Nota faunistica II – Sphecidae). Rivista Piemontese di Storia Naturale 1:105-135. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1980\\_Sphécidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1980_Sphécidae.pdf)
- \* 1984. Sphecinae italiani (Hymenoptera: Sphecidae). Parte I. Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 2:359-370. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1984\\_Sphécinae\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1984_Sphécinae_I.pdf)
- \* 1985. Sphecinae italiani (Hymenoptera: Sphecidae). Parte II. Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 3:5-27. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1985\\_Sphécinae\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1985_Sphécinae_II.pdf)
- \* 1986. Ampulicinae italiani Hymenoptera: Sphecidae). Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 4:251-260. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1986\\_Ampulicinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1986_Ampulicinae.pdf)

- \* 1987. Philanthinae italiani (Hymenoptera: Sphecidae). Parte I. Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 5:157-168. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1987\\_Philanthinae\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1987_Philanthinae_I.pdf)
- \* 1988. Philanthinae italiani (Hymenoptera: Sphecidae). Parte II. Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 6:133-174. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1988\\_Philanthinae\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1988_Philanthinae_II.pdf)
- \* 1989. Astatinae italiani (Hymenoptera: Sphecidae). Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 7 (2):341-366. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1989\\_Astatinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1989_Astatinae.pdf)
- \* 1990. Catalogo degli Imenotteri italiani. II. – Sphecidae. Bollettino del Museo Regionale di Scienze Naturali di Torino 8 (1): 53-141. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1990\\_Catalogo\\_II.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1990_Catalogo_II.pdf)
- \* 1991a. (Sept.). *Dolichurus bicolor* Lepeletier (Hymenoptera: Sphecidae) specie nuova della fauna italiana. Hy-Men 2:5. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1991a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1991a.pdf)
- \* 1991b. (1 Oct.). Crabroninae italiani (Hymenoptera: Sphecidae). Parte I. Bollettino del Museo Regionale di Scienze Naturali di Torino 9:325-359. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1991b\\_Crabroninae\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1991b_Crabroninae_I.pdf)
- \* 1992a. Nyssoninae italiani (Hymenoptera: Sphecidae). Parte I. Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 10:21-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1992a\\_Nyssoninae\\_I.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1992a_Nyssoninae_I.pdf)
- \* 1992b. (Sept.). *Sceliphron caementarium* (Drury) (Hymenoptera: Sphecidae) specie nuova della penisola italiana. Hy-Men 3:5. Available through:  
[https://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1992b.pdf](https://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1992b.pdf)
- \* 1993. (31 Oct.). Una specie nuova di *Oryttus* Spinola dell'Argentina. Bollettino della Società Entomologica Italiana 125:101-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1993\\_Oryttus\\_scarabozzini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1993_Oryttus_scarabozzini.pdf)
- \* 1994. Brevi riflessioni sul genere *Trypoxylon* in Italia. Hy-Men 5:16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1994.pdf)
- \* 1995a. (6 Sept.). Una nuova specie di *Larrius* Menke dell'Australia (Hymenoptera: Sphecidae, Larriinae). Bollettino della Società Veneziana di Storia Naturale e del Museo Civico di Storia Naturale 13:385-388.[actually, a *Clitemnestra*; see Pulawski, 2012:37]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1995a\\_Larrius\\_menkei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1995a_Larrius_menkei.pdf)
- \* 1995b. Ampliamento dell'area di diffusione in Italia di *Sceliphron caementarium* (Drury). Hy-Men 6:11. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_1995b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_1995b.pdf)
- \* 2001. (30 Nov.). *Dryudella esterinae* n. sp., nuovo Sfecide di Sardegna e Corsica (Hymenoptera: Sphecidae). Bollettino della Società Entomologica Italiana 133:257-260. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2001\\_Dryudella\\_esterinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2001_Dryudella_esterinae.pdf)
- \* 2003a. On some Sphecidae (Hymenoptera) from Australia. Monografie. Museo Regionale di Scienze Naturali di Torino 35:503-510. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2003\\_Australian\\_Sphecidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2003_Australian_Sphecidae.pdf)
- \* 2003b. Ricerche imenotterologiche nelle isole di Lampedusa e Pantelleria (Hymenoptera Apocrita). Il Naturalista Siciliano (serie IV) 27:115-149. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2003b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2003b.pdf)

- \* 2008. (31 Dec.). (2007). Gli Sfeciformes (Hymenoptera) della collezione Spinola. Parte I. Bollettino del Museo Regionale di Scienze Naturali di Torino 25:505-552. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2008.pdf)
- \* 2009. Segnalazioni inedite di Sphecidae (Hymenoptera) per il Piemonte e altre regioni italiane – Unpublished data of Sphecidae (Hymenoptera) in Piedmont and other Italian areas. Rivista Piemontese di Storia Naturale 30:173-192. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2009.pdf)
- \* 2011a. (31 Oct.). Gli Sfeciformes (Hymenoptera) della collezione Spinola. Parte II. Bollettino del Museo Regionale di Scienze Naturali di Torino 28:109-160.
- \* 2011b. Ricerche imenotterologiche nell'isola di Lampedusa con descrizione di una nuova specie di mutillide (Hymenoptera: Mutillidae). Fragmenta Entomologica 43:215-224. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2011b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2011b.pdf)
- \* 2014. Gli Spheciformes (Hymenoptera) della collezione Spinola. Parte III. Bollettino del Museo Regionale di Scienze Naturali di Torino 30:73-122. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_2014\\_Spinola\\_Spheciformes\\_III.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_2014_Spinola_Spheciformes_III.pdf)
- \* 2017. (15 June). Ricerche imenotterologiche nell'isola di Lampedusa con segnalazioni di nuove specie. III. – Hymenopterological research on the Lampedusa Island with finding of new species. III. Bollettino del Museo Regionale di Scienze Naturali di Torino 35:179-195. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PAGLIANO\\_2017\\_Lampedusa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PAGLIANO_2017_Lampedusa.pdf)

**Pagliano, G., and A. Alma**

- \* 1997. Ricerche etologiche su Gorytini e Alyssonini (Hymenoptera Sphecidae) parassitoidi di Auchenoryncha (Rhynchocha Homoptera). Rivista Piemontese di Storia Naturale 18:173-181. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_Alma\\_1997\\_Gorytini\\_Alyssonini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_Alma_1997_Gorytini_Alyssonini.pdf)

**Pagliano, G., and E. Negrisolo**

- \* 2005. (Apr.). Fauna d'Italia. Hymenoptera Sphecidae. Edizioni Calderini, Bologna. 559 pp.

**Pagliano, G., and F. Pesarini**

- \* 1995. Nota preliminare sugli imetotteri sfecidi della Provincia di Ferrara (Hymenoptera Sphecidae). Quaderno della Stazione Ecologica del Civico Museo de Storia Naturale di Ferrara 8:81-95. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_Pesarini\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_Pesarini_1995.pdf)

**Pagliano, G., and P. Scaramozzino**

- \* 1990. Elenco dei generi di Hymenoptera del Mondo. Memorie della Società Entomologica Italiana 68:1-210. [Review: Menke, A.S. 1990. Generic names in Hymenoptera. Sphecos 20:29-30]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_20.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_20.pdf)
- \* 1995. Hymenoptera Gasteruptionidae, Ichneumonidae e Aculeata (esclusi Chrysidoidea, Mutillidae e Formicidae), pp. 723-738 in B. Massa (editor). Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Il Naturalista Siciliano 19 (Supplement). Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_Scaramozzino\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_Scaramozzino_1995.pdf)
- \* 1999. Fauna imenotterologica delle Langhe. Oasi xerotermitica di Borgomale (Nota faunistica III). Rivista Piemontese di Storia Naturale 20:139-192. Available through [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_Scaramozzino\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_Scaramozzino_1999.pdf)

- \* 2000. (15 Apr.). *Gasteruptionidae italiani* (Hymenoptera: Evanioidea). Bollettino del Museo Regionale di Scienze Naturali - Torino 17:5-38. [provides information on sphecids hosts of *Gasteruption*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_Scaramozzino\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_Scaramozzino_2000.pdf)

**Pagliano, G., P. Scaramozzino, and F. Strumia**

- \* 2000. Introduction and spread of four aculeate Hymenoptera in Italy, Sardinia and Corsica, pp. 290-295 in A.D. Austin and M. Downton (editors). *Hymenoptera. Evolution, Biodiversity and Biological Control*. CSIRO Publishing, Collingwood, Australia. 468 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pagliano\\_et\\_al\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pagliano_et_al_2000.pdf)

**Pahade, P.M., and P.V. Joshi**

- \* 1993. Anatomy and histology of the larval labial glands (silk glands) of *Eumenes conica* Fabr (Euminidae) [sic] and *Sceliphron coromondelicum* [sic] (Sphecidae) (Hymenoptera). *Biovigyanam* 19:48-54. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pahade\\_Joshi\\_1993.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pahade_Joshi_1993.pdf)

**Paige Carithers, T.**

- \* 1997. (16 Dec.). The effects of seasonality on the demographics of *Microstigmus comes* (Hymenoptera, Sphecidae) in Costa Rica. *Journal of the Kansas Entomological Society* 70:146-148. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paige\\_Carithers\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paige_Carithers_1997.pdf)

**Paik, Woon-Hah**

- \* 1985. Key to the Sphecidae (Hymenoptera) of Korea. Da Han Min Guo (= Republic of Korea). Sue Shu Yuan Lun Wen Ji (= Academic Institute Proceedings). Zi Ran Ke Xue Pian (= Natural Science Papers) 24:189-231. [contains a list of Sphecidae known from Korea and a key to genera; in Korean]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paik\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paik_1985.pdf)

**Painter, R.H.**

- \* 1936. (15 July). The family Apioceratidae (Diptera) in North America. *Bulletin of the University of Kansas. Science Bulletin* 24:187-201. [*Stictiella tenuicornis*, correctly *Glenostictia clypeata*, listed on p. 192 as preying on *Apiocera augur* Osten Sacken]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Painter\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Painter_1936.pdf)

**Paiva, C.A.**

- \* 1907. Records of Hemiptera and Hymenoptera from the Himalayas. *Records of the Indian Museum* 1:13-20. Available through: <http://biodiversitylibrary.org/page/11134453> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paiva\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paiva_1907.pdf)

**Palacios-Vargas, J.G., J. Llompallas, and Ch.L. Hogue**

- \* 1982. Preliminary list of the insects and related terrestrial Arthropoda of Socorro Island, Islas Revillagigedo, Mexico. *Bulletin of the Southern California Academy of Sciences* 81:138-147. [*Bembix* sp. is the only sphecids recorded]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Palacios-Vargas\\_et\\_al\\_1982.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Palacios-Vargas_et_al_1982.pdf)

**Palisot de Beauvois, A.M.F.J.**

- \* 1805-1821. *Insectes recueillis en Afrique et en Amérique, dans les royaumes d'Oware et de Benin, à Saint-Domingue et dans les États-Unis, pendant les années 1786-1797*. Imprimerie de Fain et Compagnie, Paris. XVI + 276 pp., 90 pls. [Published in 15 livraisons, each with 6 plates and text; the index to species is in livraison 15, pp. 269-276, along with corrections to text and plates. Livraison 1, pp. I-XVI, 1-24: Dec 1805; livraison 2, pp. 25-40, Dec. 1805; livraison 3, pp. 41-56: May 1806; livraison 4, pp. 57-72: June 1807; livraison 5, pp. 73-88: Sept 1807; livraison 6, pp. 89-100: 3 Jul 1809;

livraison 7, pp. 101-120: 26 Aug 1811; livraison 8, pp. 121-136: 14 Dec 1811; livraison 9, pp. 137-156: 26 Aug 1817; livraison 10, pp. 157-172: 27 Oct 1817; livraison 11, pp. 173-192: 9 Nov 1818; livraison 12, pp. 193-208: 1818; livraison 13, pp. 209-224: 1819, 17 Jan 1820; livraison 14, pp. 225-240: 1820; livraison 15, pp. 241-276: 1821. A footnote on p. 241 states that J.G. Audinet-Serville authored livraison 15 due to Palisot's death. Dating from Griffin, 1937; Menke, 1963a; and Evenhuis, 1997. Sphecidae are in livraisons 2, 3, and 7. Kingdoms of Owara and Benin are now parts of Nigeria: cities of Warri and Benin], and Saint-Domingue is modern Haiti. Available through: <https://www.biodiversitylibrary.org/page/62600764>

**Palma, G.**

- \* 1869. (Dec.). Notamento d'insetti Imenotteri Scavatori della Sicilia settentrionale. Annali dell'Accademia degli Aspiranti Naturalisti (Serie 4) 1:32-44, pl. 2. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Palma\\_1867.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Palma_1867.pdf)

**Palma, R.L., P.M. Lovis, and C. Tither**

- \* 1989. (Sept.). An annotated list of primary types of the phyla Arthropoda (except Crustacea) and Tardigrada held in the National Museum of New Zealand. National Museum of New Zealand. Miscellaneous Series Number 20:1-49. [*Rhopalum parrotti* is the only sphecid recorded]. Section on Hymenoptera available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Palma\\_et\\_al\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Palma_et_al_1989.pdf)

**Palmer, A.J., and A.W. Stelfox**

- \* 1931. On the habits of *Spheg affinis* (*lutaria*) in Ireland. The Entomologist's Monthly Magazine 67:130-133. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Palmer\\_Stelfox\\_1931.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Palmer_Stelfox_1931.pdf)

**Palmer, J.A.J.**

- \* 1942. On the wasp *Spheg lutaria*. The Irish Naturalists' Journal 8:25-27. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Palmer\\_1942.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Palmer_1942.pdf)

**Pankevich, T.P., V.I. Belavskaya, P.V. Molchanova, A.S. Shlyakhtenok, and V.V. Blinov [Т.П. Панкевич, В.И. Белавская, П.В. Молчанова, А.С. Шляхтенко и В.В. Блинов]**

- \* 1989. Отряд перепончатокрылые – Hymenoptera [= Otryad pereponchatokrylyie – Hymenoptera], pp. 81-101 in: O.L. Kryzhanovskiy (editor). Флора и фауна заповедников СССР. Насекомые Березинского заповедника. Оперативно-информационный материал [= Flora i fauna zapovednikov SSSR. Nasekomye Berezinskogo zapovednika. Operativno-informatsionnyi material, = Flora and fauna of USSR Nature Reserves. Insects of Berezinskiy Nature Reserve, Belorussiya]. Moskva. 110 pp. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pankevich\\_et\\_al\\_1989\\_Hymenoptera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pankevich_et_al_1989_Hymenoptera.pdf)

**Pankov, G.I. [Г.И. Панков]**

- \* 2013. Роющие осы Ивановской области [= Royushchiye osy Ivanovskoy oblasti, = Digger wasps of Ivanovsk Oblast', Russia]. Kraevedcheskiye Zapiski (Ivanovo) 14:226-232. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pankov\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pankov_2013.pdf)

**Panzer, G.W.F.**

- \* [1792-1810]. Faunae Insectorum Germanicae initia oder Deutschlands Insecten, Felseckersche Buchhandlung, Nürnberg, 109 Hefte (= fascicles). [Each Heft contains 24 plates and 1-2 pages of text corresponding to each plate. Heft 1: 1 Sept 1792; Heft 2: Oct 1792; Heft 3: Nov 1792; Heft 4: Dec 1792; Heft 5: Jan 1793; Heft 6: Feb 1793; Heft 7: Mar 1793; Heft 8: Apr 1793; Heft 9: May 1793;

Heft 10: June 1793; Heft 11: July 1793; Heft 12: Aug 1793; Heft 13: Sept 1793; Heft 14: Oct 1793; Heft 15: Nov 1793; Heft 16: Dec 1793; Heft 17: Jan 1794; Heft 18: Feb 1794; Heft 19: Mar 1794; Heft 20: Apr 1794; Heft 21: May 1794; Heft 22: June 1794; Heft 23: July 1794; Heft 24: 21 Aug 1794; Heft 25: 16 Apr 1795; Heft 26: 21 Sept 1795; Heft 27-28: 1795; Heft 29-35: 1796, before 29 Mar; Heft 36: 29 Mar 1796; Heft 37-38: 1796; Heft 39-42: 1797, before 9 Oct; Heft 43-49: 9 Oct 1797; Heft 50-59: 1798, before 1 May; Heft 60: 1 May 1798; Heft 61-70: 1799, before June; Heft 71: June 1799; Heft 72, 1799, after June; Heft 73: 1800 (after June 1799); Heft 74-79: June 1800; Heft 80-83: 1800, after June; Heft 84: 17 June 1801; Heft 85: 26 Dec 1801; Heft 86-94: 17 May 1803; Heft 95-96: 1804, before October; Heft 97-99: 1805; Heft 100-104: 1806; Heft 105-107: 1807-1809; Heft 108: 1809; Heft 109: 1810. Sphecidae are in Hefte 1, 3, 15, 17, 46, 47, 51-53, 62-65, 72, 73, 76-78, 80, 81, 83, 84, 86, 87, 89, 90, 96, 98. Date of publication after Roeschke, 1912, Sherborn, 1923, reproduced by Taeger and Blank, 2006, and Evenhuis, 1997; see E. Saunders, 1888, for index, and Morice and Durrant, 1916, for additional comments].

1801. Nachricht von einem neuen entomologischen Werke, des Hrn. Prof. Jurine in Geneve. Inteligenzblatt der Literaturzeitung, Erlangen 1:160 (23 May), 161-165 (30 May). [suppressed by International Commission on Zoological Nomenclature, 1939 (Opinion 135); see Morice and Durrant, 1915, 1917, for discussion, and Blüthgen, 1931b, for further comments].
- \* 1806. Entomologischer Versuch die Jürineschen Gattungen der Linnéschen Hymenopteren nach dem Fabriciusschen System zu prüfen im Bezug auf die in der deutschen Insektenfauna bekannt gemachten Gattungen und Arten dieser Klasse – Kritische Revision der Insektenfauna Deutschlands nach dem System bearbeitet. I-C. Heft, II. Baendchen. Felsenckersche Buchhandlung, Nürnberg. 14 unnumbered + 270 pp., pls. I-II.

Biography: Weidner, 1983:308; Taeger and Blank, 2006 (available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Taeger\\_Blank\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Taeger_Blank_2006.pdf)); and

Haris, 2016:142 (available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

#### **Papp, J., and Zs. Józán**

- \* 1995. (30 Aug.). The dispersion and phenology of sawflies and aculeate wasps in the Sikfőkút oak forest, Hungary (Hymenoptera). Folia Entomologica Hungarica (= Rovartani Közlemények) 56:133-152. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Papp\\_Jozan\\_1995.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Papp_Jozan_1995.pdf)

#### **Parejo-Pulido, D., and C. Mora-Rubio**

- \* 2019. (30 June). Nuevos datos sobre la expansión de la avispa asiática *Sceliphron curvatum* (Smith, 1870) (Hymenoptera: Sphecidae) en la Península Ibérica. Boletín de la Sociedad Entomológica Aragonesa 64:285-286. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/ParejoPulido\\_MoraRubio\\_2019\\_Sceliphron\\_curvatum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/ParejoPulido_MoraRubio_2019_Sceliphron_curvatum.pdf)

#### **Parker, F.D.**

- \* 1960. A systematic study of North American *Priononyx* (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 36:205-208. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1960\\_Priononyx.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1960_Priononyx.pdf)

- \* 1962a. (29 June). The hosts of *Lomachaeta variegata* Mickel (Hymenoptera: Mutillidae). The Pan-Pacific Entomologist 38:116. [hosts: *Solierella blaisdelli* and *S. similis*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1962a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1962a.pdf)

- \* 1962b. (29 June). A host of *Chrysis* (*Trichrysis*) *mucronata* Brullé and an additional host of *Chrysis* (*Chrysis*) *coerulans* Fabricius (Hymenoptera: Chrysididae). The Pan-Pacific Entomologist 38:140. [host of *Chrysis mucronata*: *Trypoxylon tridentatum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1962b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1962b.pdf)
- \* 1962c. (15 Nov.). On the subfamily Astatinae, with a systematic study of the genus *Astata* of America north of Mexico (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 55:643-659. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1962c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1962c.pdf)
- \* 1963. A new species of *Astata* from southern Arizona (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 39:185-186. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1963\\_Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1963_Astata.pdf)
- \* 1964. On the subfamily Astatinae, Part II. A review of the genus *Astata* from Mexico and Central America (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 57:552-559. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1964.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1964.pdf)
- \* 1966a. (July). On the subfamily Astatinae, Part III. A new genus of Mexican Astatinae, with notes on related genera (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 59:765-767. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1966a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1966a.pdf)
- \* 1966b. (Aug.). A review of the genus *Xenosphex* Williams with biological notes (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 42:190-195. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1966b\\_Xenosphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1966b_Xenosphex.pdf)
- \* 1968a. (Feb.). (1967). On the subfamily Astatinae, Part V. Notes on the Caribbean species in the genus *Astata* Latreille (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 43:328-330. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1968a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1968a.pdf)
- \* 1968b. On the subfamily Astatinae, Part IV. The South American species in the genus *Astata*. Annals of the Entomological Society of America 61:844-852. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1968b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1968b.pdf)
- \* 1969. On the subfamily Astatinae, Part VI. The American species in the genus *Dryudella* Spinola (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 62:963-976. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1969.pdf)
- \* 1972. On the subfamily Astatinae, Part VII. The Genus *Diploplectron* Fox (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 65:1192-1203. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_F\\_1972.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_F_1972.pdf)

**Parker, F.D., and R.M. Bohart**

- \* 1966. Host-parasite associations in some twig-nesting Hymenoptera from western North America. The Pan-Pacific Entomologist 42:91-98. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_and\\_Bohart\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_and_Bohart_1966.pdf)
- \* 1968. Host-parasite associations in some twig-nesting Hymenoptera from western North America. Part II. The Pan-Pacific Entomologist 44:1-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_and\\_Bohart\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_and_Bohart_1968.pdf)

**Parker, F.D., and T.L. Griswold**

- \* 1984. New *Plenoculus* Fox from Utah's San Rafael Desert (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 77:296-300. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_Griswold\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_Griswold_1984.pdf)

**Parker, F.D., V.J. Tepedino, and D.L. Vincent**

- \* 1981. (1980). Observations on the provisioning behavior of *Ammophila aberti* Haldeman (Hymenoptera: Sphecidae). *Psyche* 87:249-258. Available through: <http://downloads.hindawi.com/journals/psyche/1980/015868.pdf>

**Parker, J.B.**

- \* 1910. (May). Notes on the nesting habits of *Bembex nubilipennis*. The Ohio Naturalist 10:163-165. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1910\\_Bembex\\_nubilipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1910_Bembex_nubilipennis.pdf)
- \* 1915. Notes on the nesting habits of some solitary wasps. Proceedings of the Entomological Society of Washington 17:70-77, pl. XI. Available through: <http://biodiversitylibrary.org/page/2562013> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1915\\_nesting\\_habits.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1915_nesting_habits.pdf)
- \* 1917. (10 Feb.). A revision of the bembicine wasps of America north of Mexico. Proceedings of the United States National Museum 52 (2173):1-155. Available through: <http://biodiversitylibrary.org/page/7765281> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1917.pdf)
- \* 1921. Notes on the nesting habits of *Tachytes* (Hym.). Proceedings of the Entomological Society of Washington 23:103-107. Available through: <http://biodiversitylibrary.org/page/2562146> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1921\\_Tachytes\\_nesting.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1921_Tachytes_nesting.pdf)
- \* 1925. (24 Dec.). Notes on the nesting habits of *Bembex comata* Parker. Proceedings of the Entomological Society of Washington 27:189-195. Available through: <http://biodiversitylibrary.org/page/16137349> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1925\\_Bembex\\_comata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1925_Bembex_comata.pdf)
- \* 1929. A generic revision of the fossorial wasps of the tribes Stizini and Bembicini, with notes and descriptions of new species. Proceedings of the United States National Museum 75 (5):1-203, pls. 1-15. Available through: <http://biodiversitylibrary.org/page/7528456> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1929.pdf)
- \* 1937. Results of the Oxford University expedition to Sarawak (Borneo), 1932. Bembicinae (Hymenoptera). The Entomologist's Monthly Magazine 73:129-133. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1937.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1937.pdf)
- \* 1942. Notes on certain species of Bembicids. Proceedings of the Entomological Society of Washington 44:202-209. Available through: <http://biodiversitylibrary.org/page/16130596> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parker\\_J\\_1942.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parker_J_1942.pdf)

**Parks, R.B.**

- \* 1986. Aculeate Hymenoptera collected at Torrey Pines California State Reserve. Y.E.S. Quarterly [= Young Entomologist's Society Quarterly] 3:33-36. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parks\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parks_1986.pdf)
- \* 1988. Wasp prey records from Southern California (Hymenoptera: Pompilidae, Sphecidae). Y.E.S. Quarterly [= Young Entomologist's Society Quarterly] 5:38-39. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parks\\_1988.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parks_1988.pdf)

**Pärn, M., V. Soon, T. Vallisoo, K. Hovi, and J. Luig**

- 2015. Host specificity of the tribe Chrysidini (Hymenoptera: Chrysididae) in Estonia ascertained with trap-nesting. *European Journal of Entomology* 112:91-99. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parn\\_et\\_al\\_2015\\_Chrysis\\_hosts.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parn_et_al_2015_Chrysis_hosts.pdf)

**Parnaudeau, R., and M. Madl**

- \* 2009. (Dec.). Liste des Hyménoptères des îlots coralliens français [sic] et mauricien de l'océan Indien occidental. *Bulletin de la Société Entomologique de France* 114:453-462. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parnaudeau\\_and\\_Madl\\_009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parnaudeau_and_Madl_009.pdf)

**Parré, F.**

- \* 1950. Hymenopteren aus der Umgebung von Łódź und eine für Stassfurt neue Apidenart. Mitteilungen aus dem Museum für Naturkunde und Vorgeschichte und dem Naturwissenschaftlichen Arbeitskreis 2:175-178. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parre\\_1950.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parre_1950.pdf)
- \* 1964. (1 May). Bienen aus Staßfurt und ein neuer Fundort zweier seltener Hymenopteren-Arten aus Sachsen-Anhalt. Entomologische Zeitschrift 74:97-100. [finding of *Chlorion maxillosum*, now *Sphex funerarius*, reported on p. 100]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parre\\_1964.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parre_1964.pdf)
- \* 1968. (1 June). Pompilidae und Sphecidae (Hymenoptera) aus Staßfurt (Sachsen-Anhalt). Entomologische Zeitschrift 78:121-124. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Parre\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Parre_1968.pdf)

**Passerin d'Entrèves, P.**

- 1980. Guide alle mostre temporanee. Torino, maggio-giugno 1880. La collezione Spinola di Tassarolo. Museo Regionale di Scienze Naturali, Torino. 20 unnumbered pages [a guide to an exhibition dedicated to M. Spinola. Includes Spinola's biography, portrait, and history of his entomological collection]
- 1983. «Faunae Ligusticae Fragmenta» e «Insectorum Liguria species novae» di Massimiliano Spinola: note bibliografiche. Bollettino. Museo Regionale di Scienze Naturali. Torino 1:215-226. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Passerin\\_d'Entrev'es\\_1883.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Passerin_d'Entrev'es_1883.pdf)

**Pasteels, J.**

- \* 1951. Un Sphecidae nouveau pour la faune française. Bulletin & Annales de la Société Entomologique de Belgique 87:193. [*Podalonia luffi*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pasteels\\_1951.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pasteels_1951.pdf)
- Biography: Pauly, 2002:71. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002a\\_44\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002a_44_Bibliography.pdf)

**Pate, V.S.L.**

- \* 1929. (9 July). Studies in oxybeline wasps (Sphecidae, Hymen.). I. *Enchemicrum*, an annectant between *Belomicrus* and *Oxybelus*. Entomological News 40:219-222. Available through:  
<http://biodiversitylibrary.org/page/2630823> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1929\\_Enchemicrum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1929_Enchemicrum.pdf)
- \* 1930a. (16 Jan.). A preoccupied name in the oxybeline wasps (Hym.: Sphecidae). Entomological News 41:20. [*Oxybelus taprobanensis*, new name]. Available through: <http://biodiversitylibrary.org/page/2401136> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1930a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1930a.pdf)
- \* 1930b. (8 Mar.). Additions to the New York State list of Insects. The oxybeline wasps (Sphecidae, Hymen.). Bulletin of the Brooklyn Entomological Society 25:40-41. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1930b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1930b.pdf)
- \* 1931a. (Mar.). New or little known oxybeline wasps from Algeria. Bulletin de la Société d'Histoire Naturelle de l'Afrique du Nord 22:111-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1931a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1931a.pdf)
- \* 1931b. (6 Mar.). A new *Belomicrus* from the West (Hymen.: Sphecidae). Entomological News 42:77-78. Available through: <http://biodiversitylibrary.org/page/2648636> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1931b\\_Belomicrus\\_franciscus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1931b_Belomicrus_franciscus.pdf)
- \* 1934. (9 Nov.). The Nearctic species of *Nitela*, with a description of a new species of *Solierella* (Sphecidae: Hymenoptera). Entomological News 45:241- 244. Available through: <http://biodiversitylibrary.org/page/2622177> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1934\\_Nitela\\_Solierella.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1934_Nitela_Solierella.pdf)
- \* 1935. (8 Nov.). Synonymical notes on the fossorial wasps (Hymenoptera: Sphecidae, Pompilidae and Tiphiidae). *Entomological News* 46:244-250 (8 Nov.), 264-267 (27 Dec.). Available through: <http://biodiversitylibrary.org/page/2596638>, <http://biodiversitylibrary.org/page/2596820> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1935.pdf)
  - \* 1936a. (26 Mar.). Studies in the Nyssoninae wasps (Gorytini: Sphecidae: Hymenoptera). I. The species of *Psammaletes*, a new subgenus of *Hoplisoides*. *Transactions of the American Entomological Society* 62:49-56. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1936a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1936a.pdf)
  - \* 1936b. (5 June). *Rhectognathus*, a new group in the *Lindenius* complex (Hymenoptera: Sphecidae: Crabronini). *Entomological News* 47:147-153. Available through: <http://biodiversitylibrary.org/page/2597179> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1936b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1936b.pdf)
  - \* 1936c. (15 July). New Neotropical species of *Bicyrtes* (Hym. Sphecidae, Bembicini). *Revista de Entomología* 6:219-221. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1936c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1936c.pdf)
  - \* 1936d. (30 Dec.). Studies in the Nyssonine wasps. II. The subgenera of *Sphecius* (Hymenoptera: Sphecidae: Gorytini). *Bulletin of the Brooklyn Entomological Society* 31:198-200. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1936d\\_Sphecius.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1936d_Sphecius.pdf)
  - \* 1937a. (27 Apr.). The third Nearctic [*sic*] species of *Nitela*, with remarks on the genera *Tenila* Brèthes and *Rhinonitela* Williams (Hymenoptera: Sphecidae). *Bulletin of the Brooklyn Entomological Society* 32:5-7. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1937a\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1937a_Nitela.pdf)
  - \* 1937b. (29 June). Studies in the pemphredonine wasps (Hymenoptera: Sphecidae). I. New genera and species of the ammoplanoid complex. *Transactions of the American Entomological Society* 63:89-125, pl. 9. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1937b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1937b.pdf)
  - 1937c. (29 July). The generic names of the sphecoid wasps and their type species (Hymenoptera: Aculeata). *Memoirs of the American Entomological Society* 9:1-103. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1937c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1937c.pdf)
  - \* 1938a. (7 Mar.). Studies in the Nyssonine wasps. III. A revision of the genus *Harpactostigma* Ashmead (Hymenoptera: Sphecidae: Gorytini). *Transactions of the American Entomological Society* 64:57-77. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1938a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1938a.pdf)
  - \* 1938b. (8 Mar.). (1937). The oxybeline wasps of the Philippines, with a synonymic catalogue of the Oriental species (Hymenoptera: Sphecidae). *The Philippine Journal of Science* 64:373-395, pl. I. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1938b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1938b.pdf)
  - \* 1938c. (11 June). Studies in the nyssonine wasps. IV. New or redefined genera of the tribe Nyssonini, with descriptions of new species (Hymenoptera: Sphecidae). *Transactions of the American Entomological Society* 64:117-190, pls. VII-VIII. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1938c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1938c.pdf)
  - \* 1939. (3 Jan.). Studies in the pemphredonine wasps (Hymenoptera: Sphecidae). II. Records and descriptions of new forms in the ammoplanoid complex from the southwestern United States. *Transactions of the American Entomological Society* 64:373-420, pls. XV-XVI. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PATE\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PATE_1939.pdf)
  - \* 1940a. (20 Apr.). The taxonomy of the oxybeline wasps (Hymenoptera: Sphecidae). I. A review of the genera *Belomicroides*, *Brimocelus*, and *Belomicrus* with particular reference to the Nearctic species. *Transactions of the American Entomological Society* 66:1-99, pls. I-II. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PATE\\_1940a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PATE_1940a.pdf)

- \* 1940b. (18 Sept.). The taxonomy of the oxybeline wasps (Hymenoptera: Sphecidae). II. The classification of the genera *Belomicrus* and *Enchemicrum*. Transactions of the American Entomological Society 66:209-264. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1940b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1940b.pdf)
- \* 1940c. (19 Sept.). On two new genera of nyssonine wasps from the Neotropical Region (Hymenoptera: Sphecidae). Notulae Naturae of the Academy of Natural Sciences of Philadelphia 55:1-9. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1940c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1940c.pdf)
- \* 1940d. (12 Dec.). Three new nyssonine wasps from the southwestern United States (Hymenoptera: Sphecidae). Notulae Naturae of the Academy of Natural Sciences of Philadelphia 63:1-7. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1940d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1940d.pdf)
- \* 1941a. (23 Jan.). On two species of *Diploplectron* from Texas (Hymenoptera: Sphecidae). Entomological News 52:4-7. Available through: <http://biodiversitylibrary.org/page/2405190> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1941a\\_Diploplectron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1941a_Diploplectron.pdf)
- \* 1941b. (21 Feb.). A synonymical note on *Crabro* (*Blepharipus*) *dauidsoni* Sandhouse (Hymenoptera, Sphecidae: Pemphilidini). Entomological News 52:34. Available through: <http://biodiversitylibrary.org/page/2405150> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1941b\\_Crabro\\_dauidsoni.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1941b_Crabro_dauidsoni.pdf)
- \* 1941c. (9 May). On a new subgenus of pemphilidine wasps from Cuba (Hymenoptera: Sphecidae). Entomological News 52:121-125. Available through: <http://biodiversitylibrary.org/page/2405213> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1941c\\_Ectemnius\\_cyanagues.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1941c_Ectemnius_cyanagues.pdf)
- \* 1941d. (31 July). A review of the genus *Entomocrabro* (Hym. Sphecidae, Pemphilidini). Revista de Entomología 12:45-61. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1941d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1941d.pdf)
- \* 1941e. (11 Sept.). Two new species of Sphecoid wasps from Trinidad (Hymenoptera: Aculeata). Notulae Naturae of the Academy of Natural Sciences of Philadelphia 91:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1941e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1941e.pdf)
- \* 1942a. (14 Aug.). On *Quexua*, a new genus of Pemphilidine wasps from Tropical America (Hymenoptera: Sphecidae). Revista de Entomología 13:54-75. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1942a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1942a.pdf)
- \* 1942b. (29 Sept.). A review of the myrmecotherous genus *Tracheliodes* (Hymenoptera: Sphecidae: Pemphilidini). Lloydia 5:222-244. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1942b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1942b.pdf)
- \* 1942c. (18 Nov.). On *Hoplocrabro*, a subgenus of *Crossocerus* (Hymenoptera: Sphecidae: Pemphilidini). The Canadian Entomologist 74:177-185. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1942c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1942c.pdf)
- \* 1942d. (30 Nov.). The New World genera and species of the *Foxita* complex (Hymenoptera: Sphecidae: Pemphilidini). Revista de Entomología 13:367-421. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1942d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1942d.pdf)
- \* 1943a. (20 Jan.). (1942). The scientific name of the common blue mud-dauber (Hymenoptera: Sphecidae: Sceliphroni). The Canadian Entomologist 74:217-218. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943a.pdf)
- \* 1943b. (31 Jan.). (1942). Nearctic *Ammoplanus* (Hymenoptera: Sphecidae: Pemphredonini). Bulletin of the Southern California Academy of Sciences 41:141-163. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943b.pdf)
- \* 1943c. (18 Feb.). Two unnoticed generic names in the sphecoid wasps, with notes on others (Hymenoptera, Aculeata). The Canadian Entomologist 75:2-3. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943c.pdf)

- \* 1943d. (31 Mar.). On some Holarctic sphecoid wasps (Aculeata, Hymenoptera). Bulletin of the Brooklyn Entomological Society 38:14-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943d.pdf)
- \* 1943e. (3 Apr.). On the taxonomy of the genus *Encopognathus* (Hymenoptera: Sphecidae: Pemphilidini). Lloydia 6:53-76. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943e.pdf)
- \* 1943f. (21 June). Two new Nearctic *Oxybelus* (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 38:91-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943f\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943f_Oxybelus.pdf)
- \* 1943g. (14 Aug.). New South American *Oxybelus* (Hymenoptera: Sphecidae). Revista de Entomología 14:281-287. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943g.pdf)
- \* 1943h. (30 Oct.). Three new *Oxybelus* from southern California (Hymenoptera, Sphecidae). The Pan-Pacific Entomologist 19:121-128. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943h\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943h_Oxybelus.pdf)
- \* 1943i. (15 Dec.). On the Nearctic species of *Motes* (Hymenoptera, Sphecidae). The Canadian Entomologist 75:200-202. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1943i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1943i.pdf)
- \* 1944a. (25 Jan.). (1943). The subgenera of *Crossocerus* with a review of the Nearctic species of the subgenus *Blepharipus* (Hymenoptera: Sphecidae: Pemphilidinae). Lloydia 6:267-317. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1944a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1944a.pdf)
- 1944b. (19 May). Conspectus of the genera of pemphilidine wasps (Hymenoptera: Sphecidae). The American Midland Naturalist 31:329-384. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1944b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1944b.pdf)
- \* 1944c. (2 Aug.). Synonymical notes on the psenine wasps (Hymenoptera, Sphecidae). The Canadian Entomologist 76:133. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1944c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1944c.pdf)
- \* 1945a. (13 June). Synonymical note on *Ammoplanopterus* (Hymenoptera, Sphecidae, Pemphredonini). Bulletin of the Brooklyn Entomological Society 40:37. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1945a\\_Ammoplanopterus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1945a_Ammoplanopterus.pdf)
- \* 1945b. (13 June). On two Holarctic pemphilidine wasps (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 40:38-43. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1945b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1945b.pdf)
- \* 1945c. (30 July). Notes on *Ammoplanus* (Hymenoptera: Sphecidae: Pemphredonini). The Pan-Pacific Entomologist 21:81-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1945c\\_Ammoplanus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1945c_Ammoplanus.pdf)
- \* 1946a. (15 Mar.). (1945). On two species of *Oxybelus* at Washington, D.C. (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 40:165. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946a\\_Oxybelus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946a_Oxybelus.pdf)
- \* 1946b. (27 Mar.). The species of the gorytine genus *Trichogorytes* (Hymenoptera, Sphecidae). Bulletin of the Brooklyn Entomological Society 41:15-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946b\\_Trichogorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946b_Trichogorytes.pdf)
- \* 1946c. (26 Mar.). New pemphilidine wasps, with notes on previously described forms. I. *Ectemnius* (Hymenoptera: Sphecidae). Notulae Naturae of the Academy of Natural Sciences of Philadelphia 171:1-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946c.pdf)

- \* 1946d. (30 Mar.). On the psenine wasps of Cuba. *Memorias de la Sociedad Cubana de Historia Natural "Félice Poey"* 18:3-10. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946d.pdf)
- \* 1946e. (18 Apr.). (1945). North American species of the genus *Lestiphorus* (Hymenoptera: Sphecidae: Gorytini). *The Canadian Entomologist* 77:210-213. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946e.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946e.pdf)
- \* 1946f. (18 Apr.). On *Euplioides*, an Oriental subgenus of *Crossocerus* (Hymenoptera: Sphecidae: Pemphilidini). *Proceedings of the Entomological Society of Washington* 48:53-60. Available through:  
<http://biodiversitylibrary.org/page/16129857> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946f\\_Euplioides.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946f_Euplioides.pdf)
- \* 1946g. (29 July). New records of Sphecoide wasps from the northeastern United States. *Bulletin of the Brooklyn Entomological Society* 41:91. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946g.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946g.pdf)
- \* 1946h. (29 July). Prey records of gorytine wasps (Hymenoptera: Sphecidae). *Bulletin of the Brooklyn Entomological Society* 41:99. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946h.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946h.pdf)
- \* 1946i. (29 July). A minute on *Ampulex* Jurine, 1807 (Hymenoptera, Sphecidae). *Bulletin of the Brooklyn Entomological Society* 41:101. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946i\\_Ampulex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946i_Ampulex.pdf)
- \* 1946j. (28 Sept.). A new wasp from the Galapagos Islands (Hymenoptera: Sphecidae: Pemphilidini). *The Pan-Pacific Entomologist* 22:118-120. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1946j\\_Ectemnius\\_telegeris.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1946j_Ectemnius_telegeris.pdf)
- \* 1947a. (15 Jan.). New pemphilidine wasps, with notes on previously described forms: II. (Hymenoptera: Sphecidae). *Notulae Naturae of the Academy of Natural Sciences of Philadelphia* 185:1-14. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947a.pdf)
- \* 1947b. (7 Feb.). New North American *Belomicrus* (Hymenoptera, Sphecidae). *Proceedings of the Entomological Society of Washington* 49:54-58. Available through: <http://biodiversitylibrary.org/page/25142834> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947b\\_Belomicrus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947b_Belomicrus.pdf)
- \* 1947c. (17 Mar.). (1946). Two new wasps from southern Arizona (Hymenoptera: Sphecidae). *Entomological News* 57:237-241. Available through: <http://biodiversitylibrary.org/page/2582290> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947c.pdf)
- \* 1947d. (25 Mar.). New pemphilidine wasps, with notes on previously described forms: III. (Hymenoptera: Sphecidae). *Notulae Naturae of the Academy of Natural Sciences of Philadelphia* 190:1-6. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947d.pdf)
- \* 1947e. (15 Apr.). On *Williamsita*, a new genus of wasps from New Caledonia (Hymenoptera, Sphecidae, Pemphilidini). *Proceedings of the Entomological Society of Washington* 49:107-112. Available through: <http://biodiversitylibrary.org/page/25142891> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947e\\_Williamsita.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947e_Williamsita.pdf)
- \* 1947f. (18 Apr.). The pemphilidine wasps of the Caribbees (Hymenoptera: Sphecidae). *Transactions of the American Entomological Society* 73:1-33, pl. I. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947f\\_Caribbees.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947f_Caribbees.pdf)
- \* 1947g. (31 July). On the genera of philanthine wasps, with the description of a new species from Arizona (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 23:63-67. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947g\\_Philanthinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947g_Philanthinae.pdf)
- \* 1947h. (4 Aug.). On the gorytine wasps of the West Indies (Hymenoptera: Sphecidae). *Entomological News* 58:93-98. Available through: <http://biodiversitylibrary.org/page/2559541> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947h\\_Gorytinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947h_Gorytinae.pdf)
- \* 1947i. (25 Aug.). A revision of the genus *Arigorytes* (Hymenoptera: Sphecidae: Gorytini). The Canadian Entomologist 79:51-56. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947i.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947i.pdf)
  - \* 1947j. (25 Aug.). On the genus *Ochloptera* Holmberg (Hymenoptera, Sphecidae, Gorytini). Bulletin of the Brooklyn Entomological Society 42:65-71. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1947j\\_Ochloptera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1947j_Ochloptera.pdf)
  - \* 1948a. (5 Jan.). (1947). *Astata* in the Caribbees (Hymenoptera: Sphecidae). Entomological News 58:230-232. [description of *Astata dominica*]. Available through: <http://biodiversitylibrary.org/page/2559798> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1948a\\_Astata\\_dominica.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1948a_Astata_dominica.pdf)
  - \* 1948b. (22 Mar.). A review of the genus *Moniaecera* (Hymenoptera: Sphecidae: Pemphilidini). Transactions of the American Entomological Society 74:41-60. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PATE\\_1948b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PATE_1948b.pdf)
  - \* 1948c. (26 Oct.). New Pemphilidine wasps from southern Nigeria. Proceedings of the United States National Museum 98:149-162. Available through: <http://biodiversitylibrary.org/page/15695009> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1948c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1948c.pdf)
  - \* 1948d. (1 Nov.). A new *Isodontia* from Cuba (Hymenoptera: Sphecidae: Chlorionini). Entomological News 59:185-187. Available through: <http://biodiversitylibrary.org/page/2560078> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1948d\\_Isodontia\\_poevi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1948d_Isodontia_poevi.pdf)
  - \* 1949. (24 Oct.). A minute on *Podium Luctuosum* (Hymenoptera: Sphecidae). Entomological News 60:174. Available through: <http://biodiversitylibrary.org/page/2583447> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pate\\_1949\\_Podium\\_luctuosum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pate_1949_Podium_luctuosum.pdf)
- Obituary: K.V. Krombein. 1961 (12 Jan.). V.S.L. Pate, 1903-1958. Entomological News 72:1-5, portrait. Available through: <http://biodiversitylibrary.org/page/2666369>
- Type depository: H. Allen, 1995.

#### **Patil, V.K., and S.C. Arade**

- \* 2011. Observations on the spider cache of mud-dauber *Sceliphron* sp. nest. Current Science 101:1517-1518. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patil\\_Arade\\_2011\\_Sceliphron\\_nest.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patil_Arade_2011_Sceliphron_nest.pdf)

#### **Patton, W.H.**

- \* 1879a. (June). Description of a new fosorial wasp. The Canadian Entomologist 11:133-134. [*Chlorion aerarium*]. Available through: <http://biodiversitylibrary.org/page/3095264> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1879a\\_Chlorion\\_aerarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1879a_Chlorion_aerarium.pdf)
- \* 1879b. (Nov.). Descriptions of several Crabronidae. The Canadian Entomologist 11:210-215. Available through: <http://biodiversitylibrary.org/page/3095047> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1879b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1879b.pdf)
- \* 1879c. (30 Nov.). The American Bembecidae: tribe Stizini. Bulletin of the United States Geological and Geographical Survey of the Territories 5:341-347. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1879c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1879c.pdf)
- \* 1879d. (Nov.). List of a collection of aculeate Hymenoptera made by Mr. S. W. Williston in northwestern Kansas. Bulletin of the United States Geological and Geographical Survey of the Territories 5:349-370. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1879d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1879d.pdf)

- \* 1880a. (20 Oct.–3 Nov.). (1878-1880). Some characters useful in the study of the Sphecidae. Proceedings of the Boston Society of Natural History 20:378-385 (378-384: 20 Oct; 385: 3 Nov.). [part of signature 24 (incorrectly numbered 25) for August 1880; dating after Mann, 1883]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1880a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1880a.pdf)
  - \* 1880b. (3 Nov.). (1878-1880). List of North American Larridae. Proceedings of the Boston Society of Natural History 20:385-397. [part of signature 25 for October 1880]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1880b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1880b.pdf)
  - \* 1880c-1881. Notes on the Philanthinae. Proceedings of the Boston Society of Natural History 20:397-405 (397-400: 3 Nov. 1880, 401-405: 5 Jan 1881, parts of signatures 25 and 26). Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1880c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1880c.pdf)
  - \* 1892. Notes upon Larradae [sic]. Entomological News 3:89-90. (see W.J. Fox, 1892). Available through:  
<http://biodiversitylibrary.org/page/24677207> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1892.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1892.pdf)
  - \* 1893. (June). The preservation of the larval food by digger wasps. Entomological News 4:202-203. [*Nemobius* prey of *Lyroda subita* is killed and not paralyzed]. Available through:  
<http://biodiversitylibrary.org/page/24655770> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1893\\_Lyroda\\_subita\\_preys.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1893_Lyroda_subita_preys.pdf)
  - \* 1894. (8 Mar.). Notes upon wasps. I. Proceedings of the Entomological Society of Washington 3:45-47. Available through: <http://biodiversitylibrary.org/page/2360324> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1894\\_1.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1894_1.pdf)
  - \* 1897a. (Jan.). *Clypeadon*, new genus (*C. 4-notatus*). Entomological News 8:13. Available through:  
<http://biodiversitylibrary.org/page/24625367> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1897a\\_Clypeadon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1897a_Clypeadon.pdf)
  - \* 1897b. (4 Oct.). *Thyreopus advenus* (Sm.), Pack., a protector of the army worm. The Canadian Entomologist 29:248. Available through: <http://biodiversitylibrary.org/page/27875853> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1897b\\_Thyreopus\\_advenus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1897b_Thyreopus_advenus.pdf)
  - \* 1909. (Feb.). A synonymical definition of *Nysson* and of *N. aurinotatus*. The Ohio Naturalist 9:442-445. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patton\\_1909\\_Nysson.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patton_1909_Nysson.pdf)
- Publication dates of papers that appeared in Vol. 20 of the Proceedings of the Boston Society of Natural History are as given on p. VI of the volume Index for respective signatures (not 1881 accepted by Britton and Howard, 1921, and Bohart and Menke, 1976, the year of completion of the volume printed on the title page).
- Biography: W.E. Britton, and L.O. Howard. 1921. (3 Feb.). William Hampton Patton. Entomological News 32:33-40, pl. I. [his collection was completely destroyed, including types]. Available through:  
<http://biodiversitylibrary.org/page/2589182> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Britton\\_Howard\\_1921\\_Patton\\_Biography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Britton_Howard_1921_Patton_Biography.pdf)

#### **Pattri, H.O.E.**

- \* 1936. Sind Hymenopteren und Orthopteren an bestimmte geologische Formationen gebunden. Bericht der Oberhessischen Gesellschaft für Natur- und Heilkunde zu Giessen (Neue Folge). 17:109-113. [specimens collected on sandy areas in Germany: Hessen: vicinity of Darmstadt]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pattri\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pattri_1936.pdf)

#### **Patzold, S., and A. Welsch**

- \* 1997. Erfolgskontrolle einer Landschaftspflegemaßnahme auf dem Sandmagerrasen "Riviera" in Erlangen anhand von *Bembix rostrata* (Hymenoptera, Sphecidae). Galathea 13:129-138. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Patzold\\_Welsch\\_1997\\_Bembix\\_rostrata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Patzold_Welsch_1997_Bembix_rostrata.pdf)

#### **Paukkunen, J.**

- \* 2014. *Oxybelus quatuordecimnotatus* Jurine (Hymenoptera: Crabronidae), Fennoskandialle uusi petopistiäislaji – *Oxybelus quatuordecimnotatus* Jurine (Hymenoptera: Crabronidae), a digger wasp new to Fennoscandia. *Sahlbergia* 20:42-45. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paukkunen\\_2014\\_Oxybelus\\_quatuordecimnotatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paukkunen_2014_Oxybelus_quatuordecimnotatus.pdf)

#### **Paukkunen, J., and M.V. Kozlov**

- \* 2015. Stinging wasps, ants and bees (Hymenoptera: Aculeata) of the Murmansk region, Northwest Russia. *Entomologica Fennica* 23:53-73. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paukkunen\\_Kozlov\\_2015\\_Aculeata\\_Murmansk.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paukkunen_Kozlov_2015_Aculeata_Murmansk.pdf)

#### **Paul, A.R.**

- \* 1941. Beiträge zur Kenntnis der Fauna der Sphegiden, Psammochariden, Vespiden und Chrysididen (Hym.) Pommerns. *Stettiner Entomologische Zeitung* 102:29-50. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paul\\_1941.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paul_1941.pdf)

#### **Paulian, R.**

- \* 1953. Recherches sur les insectes d'importance biologique à Madagascar. XII à XX. Mémoires de l'Institut Scientifique de Madagascar. Série E. *Entomologie* 3:1-127, pl. I-IV. [*Bembex hova* on p. 8].

#### **Paulovics, P., and Z. Vas**

- 2021. First record of *Sceliphron madraspatanum* (Fabricius, 1781) from Hungary (Hymenoptera: Sphecidae). *Folia Entomologica Hungarica* (= *Rovartani Közlemények*) 82:55-58. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Paulovics\\_Vas\\_2021\\_Sceliphron\\_madraspatanum\\_Hungary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Paulovics_Vas_2021_Sceliphron_madraspatanum_Hungary.pdf)

#### **Pauly, A.**

- \* 1999. Catalogue des Hyménoptères Aculéates de Belgique. *Bulletin de la Société Royale Belge d'Entomologie* 135:98-124. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_1999\\_Catalogue\\_Aculeates\\_Belgique.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_1999_Catalogue_Aculeates_Belgique.pdf)

- 2002a. (18 Jan.). (2001). Bibliographie des Hyménoptères de Belgique précédé de notices biographiques (1827-2000). Première partie. *Notes Fauniques de Gembloux* 44:37-84. [includes biographies of Bequaert, Bondroit, Crèvecoeur, Descy, Lameere, Maréchal, Meunier, Pasteels, Vander Linden, Verlaine, and Wesmael]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002a\\_44\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002a_44_Bibliography.pdf)

- 2002b. Bibliographie des Hyménoptères de Belgique précédé de notices biographiques (1827-2000). Seconde et troisième parties. *Notes Fauniques de Gembloux* 45:3-111. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pauly\\_2002b\\_45\\_Bibliography.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pauly_2002b_45_Bibliography.pdf)

#### **Pawlikowski, T., and T. Kruszyński**

- \* 1996. Materiały do studiów nad strukturą zespołów żądliówek (Hymenoptera, Aculeata) Polski. 7. Grzebaczowate (Hymenoptera, Sphecidae) obszarów leśnych Kotliny Toruńskiej – The materials to studies on the community structure of Hymenoptera Aculeata in Poland. 7. Sphecids wasps (Hymenoptera, Sphecidae) in forest environments of the Toruń Basin. *Acta Universitatis Nicolai Copernici. Biologia LI - Nauki Matematyczno-Przyrodnicze* 96:83-92. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pawlikowski\\_Kruszynski-1996\\_Toruń\\_Basin.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pawlikowski_Kruszynski-1996_Toruń_Basin.pdf)

**Pechuman, L.L.**

- \* 1963. (23 Dec.). Another record of Tabanidae as prey of *Crabro monticola* (Packard) (Hymenoptera: Sphecidae). Journal of the New York Entomological Society 71:218-219. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pechuman\\_1963\\_Crabro\\_monticola.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pechuman_1963_Crabro_monticola.pdf)

**Peckham, D.J.**

- \* 1977. (15 Nov.). Reduction of miltogrammine cleptoparasitism by male *Oxybelus subulatus* (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 70:823-828. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_D\\_1977.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_D_1977.pdf)
- \* 1985. Ethological observations on *Oxybelus* (Hymenoptera: Sphecidae) in southwestern New Mexico. Annals of the Entomological Society of America 78:865-872. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_D\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_D_1985.pdf)
- \* 1991. Consequences relating to the inclusion of female sarcophagids (Diptera) as prey by *Oxybelus sparideus* (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 84:170-173. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_D\\_1991.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_D_1991.pdf)

**Peckham, D.J., and A.W. Hook**

- \* 1980. Behavioral observations on *Oxybelus* in southeastern North America. Annals of the Entomological Society of America 73:557-567. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_D\\_Hook\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_D_Hook_1980.pdf)
- \* 1994. (Nov.). Nesting behavior of *Enchemicrum australe* (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 87:972-977. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_D\\_Hook\\_1994.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_D_Hook_1994.pdf)

**Peckham, D.J., and F.E. Kurczewski**

- \* 1978. Nesting behavior of *Chlorion aerarium*. Annals of the Entomological Society of America 71:758-761. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_Kurczewski\\_1978\\_Chlorion\\_aerarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_Kurczewski_1978_Chlorion_aerarium.pdf)

**Peckham, D.J., F.E. Kurczewski, and D.B. Peckham**

- \* 1973. Nesting behavior of Nearctic species of *Oxybelus* (Hymenoptera: Sphecidae). Annals of the Entomological Society of America 66:647-661. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_et\\_al\\_1973\\_Oxybelus\\_behavior.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_et_al_1973_Oxybelus_behavior.pdf)

**Peckham, G.W., and E.G. Peckham**

- \* 1895. Notes on the habits of *Trypoxylon* [sic] *rubrocinctum* and *Trypoxylon* [sic] *albopilosum*. Psyche 7:303-306. Available through: <http://biodiversitylibrary.org/page/11640147> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_G\\_Peckham\\_E\\_1895\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_G_Peckham_E_1895_Trypoxylon.pdf)
- \* 1898. On the instincts and habits of the solitary wasps. Wisconsin Geological and Natural History Survey, Bulletin No. 2, Scientific Series 1:I-IV, 1-245, 1 pl. Available through:  
<http://www.peckhamia.com/library/Peckham%201898%20On%20the%20instincts%20and%20habits%20of%20the%20Solitary%20Wasps.pdf>
- \* 1900. Additional observations on the instincts and habits of the solitary wasps. Bulletin of Wisconsin Natural History Society ( New Series) 1:85-93. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_G\\_Peckham\\_E\\_1900\\_instincts\\_and\\_habits.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_G_Peckham_E_1900_instincts_and_habits.pdf)
- \* 1905. Wasps, social and solitary. The University Press, Cambridge. i-xv, 311 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peckham\\_G\\_Peckham\\_E\\_1905\\_Wasps\\_social\\_and\\_solitary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peckham_G_Peckham_E_1905_Wasps_social_and_solitary.pdf)

**Peeters, T., W. Klein, J. van Kemenade, and H. Spijkers**

- \* 2015. Vijf jaar bijenhôtels in De Kaaistoep. Het gezelschap van angeldragers. Natuurstudie in De Kaaistoep en aangrenzende terreinen in Tilburg. Verslag 2014. 20e onderzoeksjaar. pp. 53-59 Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peeters\\_et\\_al\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peeters_et_al_2015.pdf)

**Peeters, T., R. Krekels, and P. Megens**

- \* 2006. Bijen en wespen op de grens; bosrandproject Reichswald, voortgangsrapportage 2005. Natuurbalans - Limes Divergens BV, Nijmegen en Stichting Bargerveen, Nijmegen. 24 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peeters\\_et\\_al\\_2006\\_Reichswald.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peeters_et_al_2006_Reichswald.pdf)

**Peets, W.**

- 1909-1911. Systematisches Verzeichnis der von Panzer beschriebenen Arten und die Panzer'schen Bezeichnungen. Jahresbericht der Naturhistorischen Gesellschaft zu Hannover 60-61:66-77. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peets\\_1910-1911.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peets_1910-1911.pdf)

**Pekkarinen, A.**

- \* 1967. Suomen Hyönteistieteellinen Seuran kesäretki Hailuotoon 8.-13.VII.1966. Annales Entomologici Fennici 33:133-135. [*Diodontus insidiosus* Spooner recorded from Siikajoki, Finland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pekkarinen\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pekkarinen_1967.pdf)

**Peltzer, J.**

- \* 1935. Der Bienenwolf auch in Kreise Dinslaken. Rheinische Bienenzeitung 86:310-311. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peltzer\\_1935.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peltzer_1935.pdf)

- \* 1936. Der Bienenwolf *Philanthus triangulum*. Die Natur am Niederrhein 12:41-49. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peltzer\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peltzer_1936.pdf)

**Peñalver, E., and X. Martínez-Delclòs**

- \* 2000. Insectos del Mioceno Inferior de Ribesalbes (Castellón, España). Hymenoptera. Treballs del Museo de Geologia de Barcelona 9:97-153. [*Ammophila* aff. *sabulosa* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peñalver\\_MartinezDelclos\\_2000\\_Miocen\\_Ammophila.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peñalver_MartinezDelclos_2000_Miocen_Ammophila.pdf)

**Penati, F., and A. Mariotti**

- \* 2015. Catalog of Hymenoptera described by Giovanni Gribodo (1846–1924) (Insecta). Zootaxa 3929:1-183. [includes Gribodo's biography and list of publications]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PENATI\\_&\\_MARIOTTI\\_2015\\_-\\_Hymenoptera\\_Gribodo.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PENATI_&_MARIOTTI_2015_-_Hymenoptera_Gribodo.pdf)

**Pendlebury, H.M.**

- \* 1927. (1926). Notes on some mimetic insects from the Malay Peninsula. The Proceedings of the Entomological Society of London 1:37-41. [*Cerceris polybioides* described]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pendlebury\\_1927.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pendlebury_1927.pdf)

**Percival, M.**

- \* 1974. Floral ecology of coastal shrub in southeast Jamaica. Biotropica 6:104-129. [*Microbembex monodonta* on flowers of *Cordia globosa*, *Eupatorium odoratum* L. and *Walteria indica* L.]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Percival\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Percival_1974.pdf)

**Pereira, F.W., and R.B. Gonçalves**

- \* 2021. Behavior notes and prey spectrum of three species of the bee-hunting wasp *Trachypus* Klug (Hymenoptera: Apoidea). Papéis Avulsos de Zoologia 61:e20216137:1-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pereira\\_Goncalves\\_2021\\_Trachypus\\_prev.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pereira_Goncalves_2021_Trachypus_prev.pdf)

**Pereira Sabadini, C., C. Barros Machado, P. dos Santos Vilhena, C.A. Garófalo, and M.A. del Lama**

- 2020. (14 May). Species delimitation and phylogenetic relationships in the genus *Trypoxylon* (Hymenoptera: Crabronidae) using molecular markers: an alternative to taxonomic impediment. Systematics and Biodiversity 2020:1-13. [molecular characters are useful in recognizing species in *Trypoxylon*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pereira\\_Sabadini\\_et\\_al\\_2020\\_Trypoxylon\\_molecular\\_markers.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pereira_Sabadini_et_al_2020_Trypoxylon_molecular_markers.pdf)

**Pérez, J.**

- \* 1881. (1880). [Sur les mœurs de *Philanthus apivorus*]. Actes de la Société Linnéenne de Bordeaux 34:V. Available through: <http://biodiversitylibrary.org/page/32858882> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1881\\_Philanthus\\_apivorus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1881_Philanthus_apivorus.pdf)
- \* 1891. Diagnose d'un Hyménoptère du Gran Chaco. Mémoires de la Société Zoologique de France 4:499. [*Ammophila auromaculata*, now in *Eremnophila*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1891.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1891.pdf)
- \* 1894. Notes zoologiques. Actes de la Société Linnéenne de Bordeaux 47:231-331 [parasite of *Pemphredon unicolor* on p. 232, hindtibial spur of *Sphex flavipennis* on p. 245]. Available through:  
<http://biodiversitylibrary.org/page/27443072> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1894.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1894.pdf)
- \* 1895a. (16 Aug.). Voyage de M. Ch. Alluaud aux îles Canaries (Novembre 1889–Juin 1890), 4<sup>e</sup> mémoire. Hyménoptères. Annales de la Société Entomologique de France 64:191-204. Available through:  
<http://biodiversitylibrary.org/page/8292569> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1895a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1895a.pdf)
- \* 1895b. (16 Aug.). Mission scientifique de M. Ch. Alluaud aux îles Séchelles (Mars-Avril-Mai 1892). 2<sup>e</sup> Mémoire. Hyménoptères. Annales de la Société Entomologique de France 64:205-212. Available through:  
<http://biodiversitylibrary.org/page/8292583> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1895b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1895b.pdf)
- \* 1895c. Notes hyménoptérologiques: I. *Coloptera barbara*; – II. *Ancyla oraniensis*; – III. Signes représentatifs des sexes. Annales de la Société Entomologique de France 64, Bulletin: CLXXII-CLXXIV. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1895c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1895c.pdf)
- \* 1895d. Excursion entomologique dans la Province d'Oran (Algérie). (Suite). Description des Hyménoptères nouveaux. Revue Scientifique du Bourbonnais et de Centre de la France 8:173-180. [described *Nysson uniformis* and *Cerceris canaliculata*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1890d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1890d.pdf)
- \* 1905a. Hyménoptères recueillis dans le Japon central, par M. Harmand, ministre plénipotentiaire de France à Tokio. Bulletin du Muséum d'Histoire Naturelle 1905:23-39, 79-87, 148-158. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1905a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1905a.pdf)
- \* 1905b. (June). Espèces nouvelles d'Hyménoptères de Catalogne. Butlletí de la Institució Catalana d'Historia Natural 2:81-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1905b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1905b.pdf)
- \* 1907. (31 Dec.). Mission J. Bonnier et Ch. Pérez. (Golfe Persique, 1901). II. Hyménoptères. Bulletin Scientifique de la France et de la Belgique (6) 41:485-505. Available through:

- \* 1913. (1912). Un *Nectanebus* nouveau (*N. Boeticus*). Actes de la Société Linnéenne de Bordeaux. Extraits des Procès-Verbaux 66:72-75. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1907.pdf) and <http://biodiversitylibrary.org/page/32183592> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez\\_1913\\_Nectanebus\\_Boeticus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez_1913_Nectanebus_Boeticus.pdf)

**Pérez d'Angello, V.** (also spelled Pérez d'A., and Perez in the paper coauthored with Toro)

1967. Análisis de las fechas de aparición de la “Revista Chilena de Historia Natural”. Boletín del Museo Nacional de Historia Natural 29:117-120. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_1967.pdf)
- \* 1968. Insectos asociados a los nidos de *Sceliphron asiaticum chilense* Spinola (Hymenoptera, Sphecidae). Noticiario Mensuel del Museo Nacional de Historia Natural 13:7-8. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_1968.pdf)
- \* 1972. El género *Astata* Latreille 1796 en Chile (Hymenoptera, Sphecidae). Noticiario Mensuel del Museo Nacional de Historia Natural 16:9-11. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_1972\\_Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_1972_Astata.pdf)
- \* 1974. Notas sobre Esfécidos de Chile (Hymenoptera, Sphecidae). Revista Chilena de Entomología 8:145. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_1974\\_Chile.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_1974_Chile.pdf)
- \* 1980. El género *Ochleroptera* Holmberg en Chile (Hymenoptera: Sphecidae: Nyssoninae). Revista Chilena de Entomología 10:35-36. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_1981\\_Ochleroptera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_1981_Ochleroptera.pdf)
- \* 1989. Las especies de *Prionyx* van der Linden, 1827 (Hymenoptera: Sphecidae) en la Región Magellanica, Chile. Acta Entomologica Chilena 15:263-264.

**Pérez D'Angello, V., F. Rojas A., and C. Gaultier A.**

- \* 1971. Venación y células alares en Sphecidae. Boletín del Museo Nacional de Historia Natural 32:105-121. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_et\\_al\\_1971\\_venacion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_et_al_1971_venacion.pdf)

**Pérez d'Angello, V., and H. Toro**

- \* 1972. *Cerceris cordillera*, nueva especie de *Cercerini* (Hymenoptera–Sphecidae). Anales del Museo de Historia Natural de Valparaíso 5:189-193. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello\\_Toro\\_1972\\_Cerceris\\_cordillera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perez-d'Angello_Toro_1972_Cerceris_cordillera.pdf)

**Pérez-De La Cruz, M., and A. De La Cruz-Pérez**

- \* 2010. Composición de arañas en nidos de *Sceliphron caementarium* (Drury) (Hymenoptera: Sphecidae) en Tabasco, México. Boletín del Museo de Entomología de la Universidad del Valle 11:10-15. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PerezDeLaCruz\\_CruzPerez\\_2010\\_Sceliphron\\_caementarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PerezDeLaCruz_CruzPerez_2010_Sceliphron_caementarium.pdf)

**Perez-Gelabert, D.E.**

- \* 2008. Arthropods of Hispaniola (Dominican Republic and Haiti): a checklist and bibliography. Zootaxa 1831:1-530. [Sphecidae s.l. are on pp. 240-242]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/PerezGelabert\\_2008\\_Arthropods\\_Hispaniola.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/PerezGelabert_2008_Arthropods_Hispaniola.pdf)

**Pergande, T.**

- \* 1892. (30 June). Peculiar habits of *Ammophila gryphus* Sm. Proceedings of the Entomological Society of Washington 2:256-259. Available through: <http://biodiversitylibrary.org/page/2337824> and

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pergande\\_1892\\_Ammophila\\_gryphus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pergande_1892_Ammophila_gryphus.pdf)
- \* 1895. (28 Mar.). Additional observations on the habits of *Ammophila gryphus* Sm. Proceedings of the Entomological Society of Washington 3:168-169. Available through: <http://biodiversitylibrary.org/page/2360455> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pergande\\_1895\\_Ammophila\\_gryphus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pergande_1895_Ammophila_gryphus.pdf)

**Perioto, N.W., and R.I.R. Lara**

2018. Nest description, new parasitoid associations and geographical range of *Trypoxylon* (*Trypoxylon*) *florale* Richards (Hymenoptera: Crabronidae). – Descripción de nido, nuevas asociaciones con parasitoides y rango geográfico de *Trypoxylon* (*Trypoxylon*) *florale* Richards (Hymenoptera: Crabronidae). Revista Chilena de Entomología 44:297-302. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perioto\\_RosaLara\\_2018\\_Trypoxylon\\_florale.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perioto_RosaLara_2018_Trypoxylon_florale.pdf)

**Perkins, J.F.**

- \* 1939. Collecting Hymenoptera in southern Skåne. Opuscula Entomologica 4:120-123. [*Bembix rostrata* is the only sphecid]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_J\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_J_1939.pdf)
- \* 1942. Hymenoptera Aculeata captured in southern Skåne, Sweden, in 1938. The Annals and Magazine of Natural History (Series 11) 9:192-202. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_J\\_1942.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_J_1942.pdf)

**Perkins, R.C.L.**

- \* 1899a. *Crabro planifrons*, Thoms.: a species new to Britain. The Entomologist's Monthly Magazine 35:110-112. Available through: <http://biodiversitylibrary.org/page/9014259> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1899a\\_Crabro\\_planifrons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1899a_Crabro_planifrons.pdf)
- \* 1899b. *Crabro cavifrons*, Thoms., *C. planifrons*, Thoms., *C. chrysostomus*, St. Farg., and *C. saundersi*, m. The Entomologist's Monthly Magazine 35:260-261. Available through: <http://biodiversitylibrary.org/page/9014409> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1899b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1899b.pdf)
- \* 1901. Notes on the Hawaiian aculeate Hymenoptera. The Entomologist's Monthly Magazine 37:264-268. Available through: <http://biodiversitylibrary.org/page/9015163> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1901.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1901.pdf)
- \* 1902. On the generic characters of Hawaiian Crabronidae; four new genera characterized. The Transactions of the Entomological Society of London 1902:145-148. Available through: <http://biodiversitylibrary.org/page/13516659> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1902.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1902.pdf)
- \* 1906. (1 Dec.). The insect of Tantalus. Proceedings of the Hawaiian Entomological Society 1:38-51. [Tantalus is a mountain in Honolulu, Hawaii]. Available through: <http://biodiversitylibrary.org/page/10560279> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1906.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1906.pdf)
- \* 1907. (1 July). Insects at Kilauea, Hawaii. Proceedings of the Hawaiian Entomological Society 1:89-99. Available through: <http://biodiversitylibrary.org/page/10560332> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1907.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1907.pdf)
- \* 1910. (17 Dec.). Supplement to Hymenoptera, pp. 600-686 in D. Sharp (editor). Fauna Hawaiensis or the zoology of the Sandwich (Hawaiian) Isles: being results of the exploration instituted by the Joint Committee appointed by the Royal Society of London for Promoting Natural Knowledge and the British Association for the Advancement of Science and carried on with the assistance of those bodies and of the trustees of the Bernice Pauahi Bishop Museum at Honolulu. Edited by David Sharp, M.B., M.A., F.R.S. Secretary of the Committee, Volume 2. Part 6. Supplement to Hemiptera. By G.W. Kirkaldy. To Hymenoptera. By R.C.L. Perkins. To Orthoptera, Neuroptera and Diptera. By R.C.L. Perkins. University Press, Cambridge: 531-700. Sphecid section available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1910.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1910.pdf)

- \* 1912. (10 Feb.). New species of Hawaiian Hymenoptera, with notes on some previously described. The Transactions of the Entomological Society of London 1911:719-727. Available through: <http://biodiversitylibrary.org/page/13516659> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1912.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1912.pdf)
- \* 1913a. (31 Mar.). The colour-groups of the Hawaiian wasps, etc. The Transactions of the Entomological Society of London 1912:677-711. Available through: <http://www.biodiversitylibrary.org/item/51237?page/967/mode/1up> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1913a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1913a.pdf)
- \* 1913b. (26 Sept.). On the classification of British Crabronidae (Hymenoptera). The Transactions of the Entomological Society of London 1913:383-398, pl. XIX. Available through: <http://biodiversitylibrary.org/page/14687580> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1913b\\_British\\_Crabronidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1913b_British_Crabronidae.pdf)
- \* 1916. *Crabro pubescens*, Shuck., and *inermis*, Thoms., with notes on other British Crabronidae. The Entomologist 49:13-16. Available through: <http://biodiversitylibrary.org/page/11415055> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1916.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1916.pdf)
- \* 1917. Notes on the collection of British Hymenoptera (Aculeata) formed by F. Smith. The Entomologist's Monthly Magazine 53:71-76, 159-162, 229-231. Available through: <http://biodiversitylibrary.org/page/9187063>, <http://biodiversitylibrary.org/page/9187169>, <http://biodiversitylibrary.org/page/9187259>, and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1917.pdf)
- \* 1919a. (Jan.). Additions to E. Saunders's catalogue of British Hymenoptera (Aculeata), 1902, and changes in nomenclature. The Entomologist's Monthly Magazine 55:8-12. Available through: <http://biodiversitylibrary.org/page/9263665> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1919a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1919a.pdf)
- 1919b. (Apr.). Note on some genera of Nyssonidae. The Entomologist 52:76-77. Available through: <http://biodiversitylibrary.org/page/11934898> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1919b\\_Nyssonidae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1919b_Nyssonidae.pdf)
- \* 1924. (1923). The Aculeate Hymenoptera of Devon. Transactions of the Devonshire Association for the Advancement of Science, Literature, and Art 55:188-241. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1924.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1924.pdf)
- \* 1925. (1924). The aculeate Hymenoptera of Gloucestershire and Somersetshire. Proceedings of the Bristol Naturalists' Society (Series 4) 6:133-160. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_1925.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_1925.pdf)
- \* 1927. (1926). Notes on the resemblance of *Cerceris* (Fossores) to a true wasp (Vespidae). The Proceedings of the Entomological Society of London 1:41-42. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1927.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1927.pdf)
- \* 1929. Notes on some British aculeate Hymenoptera, including five species new to Britain. The Entomologist's Monthly Magazine 65:54-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1929.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1929.pdf)
- \* 1945. (9 July). The aculeate Hymenoptera of a small area at Dartmoor near Lydford, Devon. The Entomologist's Monthly Magazine 81:145-153. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1945.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1945.pdf)
- \* 1946. Additions to the list of species of aculeate Hymenoptera occurring near Lydford, Devon. The Entomologist's Monthly Magazine 82:241. [*Lindenius albilabris*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_1946.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_1946.pdf)
- Obituary: H. Scott and R.B. Benson. 1955. R.C.L. Perkins, D.Sc., F.R.S. (1866-1955). The Entomologist's Monthly Magazine 91:289-291. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_1955\\_Obituary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_1955_Obituary.pdf)

**Perkins, R.C.L., and L.E. Cheesman**

- \* 1928. (25 Feb.). Apoidea, Sphecoidea, and Vespoidea, pp. 1-32 in [no editor given] *Insects of Samoa and other Samoan terrestrial Arthropoda. Part V. Hymenoptera. Fasc. 1.* British Museum, Natural History, London. 58 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_R\\_Cheesman\\_1928.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_R_Cheesman_1928.pdf)

**Perkins, R.C.L., and A. Forel**

- \* 1899. (20 Mar.). *Fauna Hawaiiensis or the zoology of the Sandwich (Hawaiian) Isles: being results of the exploration instituted by the joint committee appointed by the Royal Society of London for Promoting Natural Knowledge and the British Association for the Advancement of Science and carried on with the assistance of those bodies and of the trustees of the Bernice Pauahi Bishop Museum at Honolulu.* Edited by David Sharp, M.B., M.A., F.R.S. Secretary of the Committee, Volume I, Part I. Cambridge. 122 pp., one map, pls. I-II. [Hymenoptera Aculeata are by R.C.L. Perkins, and ants by A. Forel; see also R. Perkins, 1910, for Supplement]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perkins\\_1899\\_Hymenoptera\\_Aculeata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perkins_1899_Hymenoptera_Aculeata.pdf)

**Perkins, V.R.**

- \* 1892. A list of the Hymenoptera Aculeata collected in the neighbourhood of Wotton-under-Edge, Gloucestershire, pp. 196-243 in Charles. A. Witchell and W. Bishop Strugnell (editors). *The Fauna and Flora of Gloucestershire.* Geo. H. James, Stroud. 302 pp.

**Pernat, N., T. August, Q. Groom, D. Memedemin, and L. Reyserhove**

- \* 2022. An iNaturalist-Pl@ntNet-workflow to identify plant-pollinator interactions – a case study of *Isodontia mexicana*. BioHackrXiv:1-10. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pernat\\_et\\_al\\_2022\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pernat_et_al_2022_Isodontia_mexicana.pdf)

**Perris, E.**

- \* 1840. Notes pour servir à l'histoire des Crabronites. *Annales de la Société Entomologique de France* 9:407-412. [nesting habits of *Ectemnius continuus* and *lapidarius*]. Available through:

<http://biodiversitylibrary.org/page/14220316> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perris\\_1840\\_Crabronites.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perris_1840_Crabronites.pdf)

- \* 1877. Rectifications et additions à mes promenades entomologiques. *Annales de la Société Entomologique de France (Série 5)* 7:379-386. [*Pison ater*: nesting]. Available through: <http://biodiversitylibrary.org/page/8244707> and [http://www.antwiki.org/wiki/images/3/3f/Perris\\_1878.pdf](http://www.antwiki.org/wiki/images/3/3f/Perris_1878.pdf)

**Perty, M.**

- \* 1830-1834. *Delectus animalium articulorum, quae in itinere per Brasiliam annis MDCCCXVII-MDCCCXX jussu et auspiciis Maximiliani Josephi I. Bavariae Regis Augustissimi peracto collegerunt Dr. J.B. de Spix et Dr. C.F.Ph. de Martius.* Published by the author, Monachii [= München]. Fasc. 1 (1830), pp. [viii] + iii + 1-44 + 1-60, pls. 1-12; Fasc. 2 (1832), pp. 61-124, pls. 13-24; Fasc. 3 (1834), pp. 125-224, pls. 25-40. [Fasc. 3 dated 1833 by Horn and Schenkling, 1928:932, 1834 by Diller, 1990:81, and by Evenhuis, 1997:607. See Diller (1990) for current status of type material]. Available through:

<https://www.biodiversitylibrary.org/page/57932815>

**Peruquetti, R.C.**

- \* 2005. (20 Jan.). Use of trap nests with a Neotropical mud-dauber, *Trypoxylon (Trypargilum) albitarse* Fabricius, 1804 (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 78:84-87. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peruquetti\\_2005\\_Trypoxylon\\_albitarse.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peruquetti_2005_Trypoxylon_albitarse.pdf)

**Peruquetti, R.C., and M.A. Del Lama**

- \* 2003a. (June). Notas sobre a socialidade e a biologia de nidificação de *Trypoxylon* (*Trypoxylon*) *asuncicola* Strand, 1910 (Hymenoptera, Sphecidae) – Notes on the sociality and nesting biology of *Trypoxylon* (*Trypoxylon*) *asuncicola* Strand, 1910 (Hymenoptera, Sphecidae). Revista Brasileira de Entomologia 47:297-301. Available through: <http://www.scielo.br/pdf/rbent/v47n2/16959.pdf>
- \* 2003b. (31 Dec.). Alocação sexual e seleção sexo-dependente para tamanho de corpo em *Trypoxylon rogenhoferi* Kohl (Hymenoptera, Sphecidae) – Sex allocation and sex-dependent selection for body size in *Trypoxylon rogenhoferi* Kohl (Hymenoptera, Sphecidae). Revista Brasileira de Entomologia 47:581-588. Available through: <http://www.scielo.br/pdf/rbent/v47n4/08v47n4.pdf>

**Perveen, F., and M. Shah**

- \* 2013. Nest architectural patterns by three wasp species (*Vespa velutina*, *Polistes flavus* and *Sceliphron formosum*) with reference to their behavior. International Journal of Insect Science 5:1-8. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Perveen\\_Shah\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Perveen_Shah_2013.pdf)

**Petagna, V.**

- 1792. Institutiones Entomologicae. Tomus I. Typis Cajetani Raymundi, Napoli [= Naples]. 718 + 10 unnumbered pp., 10 pl. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petagna\\_1792.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petagna_1792.pdf)

**Peters, D.S.**

- \* 1971. Die Grabwespe *Ectemnius sexcinctus* als Bewohner von Kunststoff Blumenkästen. Natur und Museum 101:26-31. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_D\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_D_1971.pdf)
- \* 1973a. *Crossocerus dimidiatus* (Fabricius, 1781), eine weitere soziale Crabroninen-Art. Insectes Sociaux 20:103-107. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_1973a\\_Crossocerus\\_dimidiatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_1973a_Crossocerus_dimidiatus.pdf)
- \* 1973b. "Nistkästen" für Insekten. Natur und Museum 103:162-165. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_D\\_1973b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_D_1973b.pdf)
- \* 1975. Vespoidea, Sphecoidea und Apoidea (Hymenoptera) von Messaure. Faunistic Report from the Messaure Ecological Station No. 4. Entomologisk Tidskrift 96:116-120. [Messaure, Swedish Lapland]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_1975.pdf)
- \* 1976. Beobachtungen an Grabwespen der Gattung *Passaloecus*, 1976. Natur und Museum 106:6-12. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_D\\_1976.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_D_1976.pdf)

**Peters, U., W. Sohmen, J.-H. Stuke, and J. Prüter**

- \* 1994. Untersuchungen zur Fauna des Bauerngartens von Hof Mohr. Mitteilungen aus der NNA (NNA = Alfred Toepfer Akademie für Naturschutz) 4:56-73. [Hof Mohr is in northwestern Germany]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Peters\\_et\\_al\\_1994\\_Fauna\\_Bauerngartens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Peters_et_al_1994_Fauna_Bauerngartens.pdf)

**Peters, W.C.H.**

- \* 1858. (1857). Übersicht der von ihm in Mossambique aufgefundenen und von Hrn. Dr. Gerstäcker bearbeiteten Hymenopteren aus der Familien der Crabronites, Sphegidae, Pompilidae und Heterogyna. Monatsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin 1857:509-512. Available through: <https://www.biodiversitylibrary.org/page/11071535>

**Petit, J.**

- \* 1969. Notes sur quelques Hyménoptères rares récoltés en Haute Belgique. *Lambillionea* 67:54-58, 69-74, 85-87, 104-109; 68:10-19. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1969.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1969.pdf)
- \* 1971-1974. Notes sur la faune entomologique du Grand-Duché de Luxembourg. Hyménoptères Aculéates. *Lambillionea* 71 (1971):15-29; 71 (1972):47-52, 55-59, 76-78; 72-73 (1973):43-48, 54-57; 74 (1974):57-64. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1971-1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1971-1974.pdf)
- \* 1975. Hyménoptères Aculéates intéressants pour la faune de la Belgique et des régions limitrophes. *Lambillionea* 75:5-10, 34-42. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1975.pdf)
- \* 1978. (28 Feb.). Hyménoptères Aculéates intéressants pour la faune de la Belgique et des régions limitrophes. *Lambillionea* 77:83-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1978.pdf)
- \* 1979. Note sur *Mimumesa sibiricana* R. Bohart (Hym. Sphecidae). *Lambillionea* 79:9-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1979.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1979.pdf)
- \* 1980. Hyménoptères Aculéates intéressants pour la faune de la Belgique et des régions limitrophes. *Lambillionea* 80:39-44. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1980.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1980.pdf)
- \* 1981. Note sur *Oxybelus argentatus* Curtis (Hymenoptera Sphecidae). *Lambillionea* 81:11-17. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1981.pdf)
- \* 1997. La frayère de Lanaye (Province de Liège, Belgique). Colonisation d'un milieu neuf par les Hyménoptères aculéates (Hymenoptera: Aculeata). *Lambillionea* 97:343-354. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1997.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1997.pdf)
- \* 1998a. Fleurs et insectes. Les visiteurs de la Renouée du Japon: *Polygonum cuspidatum*. *Lambillionea* 98:106-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1998a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1998a.pdf)
- \* 1998b. Sur quelques Hyménoptères Aculéates nouveaux ou intéressants pour la Montagne Saint-Pierre et la région voisine (Province de Liège, Belgique). *Lambillionea* 98:255-266. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1998b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1998b.pdf)
- \* 1999. Sur les Hyménoptères Vespiformes de quelques localités de la Flandre Zélandaise (Pays-Bas) (Hymenoptera Aculeata). *Lambillionea* 99:109-116. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_1999.pdf)
- \* 2006. Sur quelques Hyménoptères Aculéates nouveaux ou intéressants pour la Montagne Saint-Pierre et la région voisine (Province de Liège, Belgique). *Lambillionea* 106:473-486. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petit\\_2006.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petit_2006.pdf)

**Pétremand, G., I. Salzmänn-Wandeler, and E. Castella**

- 2021. Hyménoptères Crabronidae remarquables des milieux agricoles genevois et nouvelle espèce pour la Suisse. *Entomo Helvetica* 14:85-92. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Petremand\\_et\\_al\\_2021\\_Crabronidae\\_Suisse.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Petremand_et_al_2021_Crabronidae_Suisse.pdf)

**Pettersson, R.B., S. Hellqvist, and F. Gabrielsson**

- \* 2007. Insekter från Ammamästrakten i Lycksele lappmark. *Natur i Norr* 26:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pettersson\\_et\\_al\\_2007\\_Insekter\\_fran\\_Ammamstrakten.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pettersson_et_al_2007_Insekter_fran_Ammamstrakten.pdf)

**Pezzi, G.**

1998. (Dec.). Osservazioni sul ciclo biologico dell'imenottero sfecide *Sceliphron spirifex* (Linnaeus, 1758) in Romagna (Insecta Hymenoptera Sphecidae). Quaderno di Studi e Notizie di Storia Naturale della Romagna 10:71-75. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pezzi\\_1998.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pezzi_1998.pdf)

**Pezzi, G., and I. Bendazzi**

- \* 2010. Interessanti ritrovamenti entomologici in Romagna (Insecta Orthoptera, Coleoptera, Lepidoptera, Hymenoptera). Quaderno di Studi e Notizie di Storia Naturale della Romagna 31:31-36. [*Crossocerus cetratus* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pezzi\\_Bendazzi\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pezzi_Bendazzi_2010.pdf)

**Pfennig, D.W., and H.K. Reeve**

- \* 1989. Neighbor recognition and context-dependent aggression in a solitary wasp, *Sphecius speciosus* (Hymenoptera: Sphecidae). Ethology 80:1-18. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pfennig\\_Reeve\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pfennig_Reeve_1989.pdf)

- \* 1993. Nepotism in a solitary wasp as revealed by DNA fingerprinting. Evolution 47:700-704. [on *Sphecius speciosus*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pfennig\\_Reeve\\_1993\\_nepotism.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pfennig_Reeve_1993_nepotism.pdf)

**Pham, Ph.H. (as Pham H.Ph. in Pham et al., 2019, in Pham and Antropov, 2021, and in 2020)**

- \* 2016a. A new species of the genus *Isodontia* Patton (Hymenoptera: Sphecidae) from Vietnam. Acta Musei Moraviae. Scientiae Biologicae 101:63-68. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2016a\\_Isodontia\\_vanlinhi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2016a_Isodontia_vanlinhi.pdf)

- \* 2016b. Taxonomic notes on the genus *Sceliphron* Klug (Hymenoptera: Sphecidae) from northern Vietnam, with description of a new species. Turkish Journal of Zoology 40:686-690. [*Sceliphron clypeatum*, synonymized with *Chalybion sumatranum* by Mokrousov, 1917a:35]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2016b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2016b.pdf)

- \* 2018. *Chalybion bengalense* (Dahlbom, 1845) (Hymenoptera, Sphecidae) first reported in north Vietnam. Linzer Biologische Beiträge 50:681-685. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2018\\_Chalybion\\_bengalense.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2018_Chalybion_bengalense.pdf)

- \* 2019a. (24 Jan.). The nesting biology of *Tachysphex puncticeps* Cameron, 1903 (Hymenoptera: Crabronidae). Entomological News 128(2):211-216. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2019.pdf)

- \* 2019b. (published online 27 May). The nesting habits of *Chalybion bengalense* (Dahlbom) (Hymenoptera: Sphecidae). Oriental Insects DOI:10.1080/00305316.2019.1624220. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2019\\_Chalybion.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2019_Chalybion.pdf)

- \* 2019c. Notes on nesting and gregarious behavior of a blue nest-renting wasp, *Chalybion japonicum* (Gribodo) with comments on commonly used name for *Chalybion* species (Hymenoptera: Sphecidae). Entomologica Americana 124:35-38. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham-Huy-Phong\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham-Huy-Phong_2019.pdf)

- \* 2020. The sleeping aggregative habits of two blue nest renting wasps of the genus *Chalybion* (Hymenoptera: Sphecidae). Oriental Insects 55:346-354. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2020.pdf)

- \* 2022. Taxonomic studies on *Dasyproctus* Lepeletier & Brullé (Hymenoptera: Crabronidae) from North Vietnam with description of two new species. Zootaxa 5188:43-54. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2022\\_Dasyproctus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2022_Dasyproctus.pdf)

- \* 2023. New record of the rare genus *Analysson* Krombein, 1985 (Hymenoptera: Crabronidae) from Vietnam, with description of a new species. Zootaxa 5271:180-184. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_2023\\_Analysson\\_vietnamensis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_2023_Analysson_vietnamensis.pdf)

**Pham, Ph.H., and A.V. Antropov [Фонг Хай Пам и А.В. Антропов]**

- \* 2021. Contributions to the knowledge of the spheciformes fauna (Hymenoptera: Ampulicidae, Crabronidae, Sphecidae) from Vietnam – Вклад в изучение сфекоидных ос (Hymenoptera: Ampulicidae, Crabronidae, Sphecidae) Вьетнама. Russian Entomological Journal 30:314-322. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_and\\_Antropov\\_2021.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_and_Antropov_2021.pdf)

**Pham, Ph.H., A.V. Antropov, and H.V. Nguyen**

- \* 2024. (21 May). Description of *Trypoxylon sicklum* sp. nov. from Vietnam and a key to species in the *Trypoxylon fulvocollare* group (Hymenoptera, Crabronidae). Biodiversity Data Journal 12:1-11. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_Antropov\\_Nguyen\\_2024\\_Trypoxylon\\_sicklum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_Antropov_Nguyen_2024_Trypoxylon_sicklum.pdf)

**Pham, Ph.H., and H.T. Dang**

- \* 2017. New record of the mud dauber wasp *Chalybion malignum* (Kohl, 1906) (Hymenoptera: Sphecidae) from Vietnam with the first information on its nesting biology. Punjab University Journal of Zoology 32:155-158. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_Dang\\_2017\\_Chalybion\\_malignum.PDF](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_Dang_2017_Chalybion_malignum.PDF)

- \* 2021. (20 Dec.). New record of the genus *Larra* Fabricius, 1793 (Hymenoptera, Crabronidae) from Vietnam. Bulletin of the Iraq Natural History Museum 16:535-545. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_Dang\\_2021\\_Larra\\_Vietnam.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_Dang_2021_Larra_Vietnam.pdf)

**Pham, Ph.H., P.G. Kumar, and Y.N. Danilov**

- \* 2015. (30 Dec.). Distributional checklist of sphecid wasps (Hymenoptera: Ampulicidae, Sphecidae, Crabronidae) from Vietnam. Linzer Biologische Beiträge 47:1581-1599. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2015\\_checklist\\_Vietnam.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2015_checklist_Vietnam.pdf)

**Pham, Ph.H., A.T.T. Nguyen, and A.V. Antropov [Ф.Х. Фам, А.Т.Т. Нгуен, А.В. Антропов]**

- \* 2023. New records of species of the genus *Trypoxylon* Latreille, 1796 (Hymenoptera: Crabronidae) from northern Vietnam – Новые находки видов рода *Trypoxylon* Latreille, 1796 (Hymenoptera: Crabronidae) из северного Вьетнама. Russian Entomological Journal 32:58-67. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2023\\_Trypoxylon\\_Vietnam.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2023_Trypoxylon_Vietnam.pdf)

**Pham, Ph.H., T.D. Nguyen, and P. Girish Kumar**

- \* 2024. Notes on the nesting behavior of four solitary wasps (Insecta: Hymenoptera) in India. VNU Journal of Science: Natural Sciences and Technology 40:106-114. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_Nguyen\\_Girish\\_Kumar\\_2024\\_wasps\\_in\\_India.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_Nguyen_Girish_Kumar_2024_wasps_in_India.pdf)

**Pham, Ph.H., M. Ohl, and L.X. Truong ,**

- \* 2019. The genus *Chalybion* Dahlbom, 1843 (Hymenoptera: Sphecidae) from Northwest Vietnam, with description of a new species. Zootaxa 4712:202-210. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2019.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2019.pdf)

**Pham, H.Ph., M. Ohl, and C.Qu. Vu**

- \* 2021. (published online 15 Nov. 2021). Hymenopterous species using nests of the mud dauber wasp *Sceliphron madraspatanum* (Fabricius, 1781) (Hymenoptera: Sphecidae) in Vietnam. *Annales de la Société Entomologique de France (Nouvelle Série)* 2021:1-9. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2021\\_Sceliphron\\_madraspatanum\\_nests.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2021_Sceliphron_madraspatanum_nests.pdf)

**Pham, H.Ph., X.L. Truong, and A.Th.T. Nguyen**

- \* 2019. First report of the genus *Melittobia* Westwood, 1848 (Hymenoptera: Eulophidae) from Vietnam, with notes on the biology of *M. clavicornis* (Cameron, 1908). *Russian Entomological Journal* 28(4):421-424. [*Chalybion bengalense* (Dahlbom, 1845) and *Sceliphron madraspatanum* (Fabricius, 1781) are hosts of *Melittobia clavicornis*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2019\\_Melittobia\\_Vietnam.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2019_Melittobia_Vietnam.pdf)

**Pham, H.Ph., X.L. Truong, Th.T.A. Nguyen, Th.H. Nguyen, Q.C. Nguen, and Th.M. Nguyen**

- \* 2019. Species composition and distribution of sphecids wasps (Hymenoptera: Sphecidae) in Ha Noi and its vicinity. *Tap Chi Sinh Hoc* 41:71-77. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pham\\_et\\_al\\_2019\\_Sphecidae\\_HaNoi.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pham_et_al_2019_Sphecidae_HaNoi.pdf)

**Philippi, T., and W.G. Eberhard**

- \* 1986. Foraging behavior of *Stictia signata* (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 59:604-608. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Philippi\\_Eberhard\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Philippi_Eberhard_1986.pdf)

**Pic, M.**

- \* 1917. Notes hyménoptérologiques. L'Echange, Revue Linnéenne No 381:1-4 [each article in this volume has a separate pagination]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pic\\_1917.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pic_1917.pdf)

**Picard, F.**

- \* 1903a. (1 Nov.). Moeurs de l'*Ammophila tydei* Guill. Feuille des Jeunes Naturalistes 34:15-17. Available through: <http://biodiversitylibrary.org/page/5911310> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1903a\\_Ammophila\\_tydei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1903a_Ammophila_tydei.pdf)
- \* 1903b. (1 Nov.). Note sur l'instinct de *Philanthe apivore*. Feuille des Jeunes Naturalistes 34:17. Available through: <http://biodiversitylibrary.org/page/5911312> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1903b\\_Philanthe\\_apivore.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1903b_Philanthe_apivore.pdf)
- \* 1903c. Recherches sur l'éthologie du «*Sphex maxillosus*» F. Mémoires de la Société Nationale des Sciences Naturelles et Mathématiques de Cherbourg 33:97-130. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1903c\\_Sphex\\_maxillosus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1903c_Sphex_maxillosus.pdf)
- \* 1911. (8 Apr.). Sur les moeurs et le genre de proie de l'*Ampulex fasciatus* [sic] Jurine (Hym. Sphegidae). Bulletin de la Société Entomologique de France 1911:113-116. Available through: <http://biodiversitylibrary.org/page/8242311> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1911\\_Ampulex\\_fasciatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1911_Ampulex_fasciatus.pdf)
- \* 1922. (22 Feb.). Notes biologiques sur quelques Hyménoptères. Bulletin de la Société Entomologique de France 1922:27-30. Available through: <http://biodiversitylibrary.org/page/10080453> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1922.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1922.pdf)
- \* 1925a. (10 Mar.). Note sur la biologie de *Sphex maxillosus* F. et *flavipennis* F. (Hym. Sphegidae). Bulletin de la Société Entomologique de France 1925:24-26. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1925a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1925a.pdf)

- \* 1925b. Etude critique de l'instinct des Ammophiles. La Feuille des Naturalistes 46:161-165. [a review of stinging sequences, preying preceding nest construction, and nesting sites]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1925b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1925b.pdf)
- \* 1926. *Solenius rubicola* et *Solenius larvatus*. La Feuille des Naturalistes 47:57-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1926.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1926.pdf)
- \* 1928. (27 Jan.). Les proies du *Cerceris bupresticida* Duf. Bulletin de la Société Entomologique de France 1927:310. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1928\\_Cerceris\\_bupresticida.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1928_Cerceris_bupresticida.pdf)
- \* 1930. (4 Mar.). Note sur les *Stizus* et les *Bembex* [Hym. Sphegidae] de l'Hérault. Bulletin de la Société Entomologique de France 1930:41-43. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Picard\\_1930\\_Stizus\\_Bembex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Picard_1930_Stizus_Bembex.pdf)

#### Piccioli, F.

- \* 1869a. Descrizione di una nuova specie d'imenottero della famiglia degli Sfecidei, e appartenente alla fauna della Toscana. Bulletino della Società Entomologica Italiana 1:38-40 + Spiegazione della Tavola I + Tavola I. [description and a color figure of *Astata Costae* [sic]; wing of *Sylaon compeditus* illustrated on p. 40, with no accompanying description]. Available through: <http://biodiversitylibrary.org/page/10377914> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piccioli\\_1869b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piccioli_1869b.pdf)
- \* 1869b. (Dec.). Descrizione di un nuovo genere d'Imenotteri della famiglia degli Sfecidei spettante alla fauna toscana. Bulletino della Società Entomologica Italiana 1:282-285. [description of *Silaon compeditus*, now in *Solierella*]. Available through: <http://biodiversitylibrary.org/page/10364598> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piccioli\\_1869a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piccioli_1869a.pdf)

#### Pickard, R.S.

- \* 1975. Relative abundance of syrphid species in a nest of the wasp *Ectemnius cavifrons* compared with that in the surrounding habitat. Entomophaga 20:143-151. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pickard\\_1975\\_Ectemnius\\_cavifrons.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pickard_1975_Ectemnius_cavifrons.pdf)

#### Piek, T.

- \* 1966a. The effect of the venom of the digger wasp *Philanthus* on the fast and slow excitatory and the inhibitory system in the locust muscle. Experientia 22, No. 462:1-5. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1966a\\_Philanthus\\_triangulum\\_venom.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1966a_Philanthus_triangulum_venom.pdf)
- \* 1966b. Site of action of the venom of the digger wasp *Philanthus triangulum* F. on the fast neuromuscular system of the locust. Toxicon 4:191-198. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1966b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1966b.pdf)
- \* 1982.  $\delta$ -philanthotoxin, a semi-irreversible blocker of ion-channels. Comparative Biochemistry and Physiology 71C:311-315. [Effects and components of venom of *Philanthus trianagulum*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1982.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1982.pdf)
- \* 1985. Expansion of the *Sceliphron caementarium* (Drury) population east of Toulon (Hymenoptera: Sphecidae). Entomologische Berichten 45:33-37. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1985\\_Sceliphron\\_caementarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1985_Sceliphron_caementarium.pdf)
- \* 1986a. *Sceliphron caementarium* (Drury) supersedes *S. spirifex* Linnaeus in the Provence, France (Hymenoptera, Sphecidae). Entomologische Berichten 46:77-79. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1986a\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1986a_Sceliphron.pdf)
- \* 1986b. Morphological and physiological differences between *Philanthus triangulum* (Fabricius, 1775) and its African subspecies *abdelcader* (Lepeletier de Saint Fargeau, 1845 (Hymenoptera: Sphecidae). Entomologische Berichten 46:190-192. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1986b\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1986b_Philanthus_triangulum.pdf)

- \* 1989. (Apr.). *Ancistrocerus renimacula* renting a *Sceliphron* mud-nest (Hymenoptera: Eumenidae). Entomologische Berichten 49:54-55. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1989.pdf)
- \* 1993. New neurotoxins from venoms of aculeate Hymenoptera: a contribution to the knowledge of stinging behavior. Journal of Hymenoptera Research 2:101-105. Available through: <http://biodiversitylibrary.org/page/4490241> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_1993\\_venom\\_neurotoxins.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_1993_venom_neurotoxins.pdf)

**Piek, T., A. Buitenhuis, R.D. Veldsema-Currie, and P. Mantel**

- \* 1983. Smooth muscle contracting compounds in venoms of sphecids wasps (Hym: Sphecidae). Comparative Biochemistry and Physiology 75C:153-159. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_et\\_al\\_1983.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_et_al_1983.pdf)

**Piek, T., B. Hue, M. Pelhate, J.A. David, W. Spanjer, and R.D. Veldsema-Currie**

- \* 1984. Effects of the venom of *Philanthus triangulum* F. (Hym. Sphecidae) and  $\beta$ - and  $\delta$ -philanthotoxin on axonal excitability and synaptic transmission in the cockroach CNS. Archives of Insect Biochemistry and Physiology 1:297-306. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_et\\_al\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_et_al_1984.pdf)

**Piek, T., and P. Mantel**

- \* 1986. Cholinergic antagonists in a solitary wasp venom. Comparative Biochemistry and Physiology 85C:433-436. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_Mantel\\_1986\\_cholinergic\\_antagonists.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_Mantel_1986_cholinergic_antagonists.pdf)

**Piek, T., P. Mantel, and E. Engels**

- \* 1971. Neuromuscular block in insects caused by the venom of the digger wasp *Philanthus triangulum* F. Comparative and General Pharmacology 2:317-331. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_et\\_al\\_1971.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_et_al_1971.pdf)

**Piek, T., P. Mantel, and H. Jas**

- \* 1980. Ion-channel block in insect muscle fibre membrane by the venom of the digger wasp, *Philanthus triangulum* F. Journal of Insect Physiology 26:345-349. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_et\\_al\\_1980\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_et_al_1980_Philanthus_triangulum.pdf)

**Piek, T., and K.D. Nijjo**

- \* 1975. Neuromuscular block in honeybees by the venom of the bee wolf wasp (*Philanthus triangulum* F.). Toxicon 13:199-201. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_Nijjo\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_Nijjo_1975.pdf)

**Piek, T., and W. Spanjer**

- \* 1986. Chapter 5. Chemistry and pharmacology of solitary wasp venoms, pp. 161-307 in T. Piek (editor). Venoms of the Hymenoptera. Biochemical, pharmacological and behavioural aspects. Academic Press, London. 570 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_Spanjer\\_1986\\_Venoms.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_Spanjer_1986_Venoms.pdf)

**Piek, T., W. Spanjer, R.D. Veldsema-Currie, T. van Groen, N. de Haan, and P. Mantel**

- \* 1982. Effect of venom of the digger wasp *Philanthus triangulum* F. on the sixth abdominal ganglion of the cockroach. Comparative Biochemistry and Physiology 71C:159-164. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_et\\_al\\_1982\\_Philanthus\\_triangulum\\_venom.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_et_al_1982_Philanthus_triangulum_venom.pdf)

**Piek, T., J.H. Visser, and R.L. Veenendaal**

- \* 1984. Change in behaviour of the cockroach, *Periplaneta americana*, after being stung by the sphecoid wasp *Ampulex compressa*. *Entomologia Experimentalis et Applicata* 35:195-203. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piek\\_Visser\\_Veenendaal\\_1984.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piek_Visser_Veenendaal_1984.pdf)

**Piel, O.**

- \* 1933. Recherches biologiques sur les Hyménoptères du bas Yang-Tse (Chine). *Sphex Isodontia nigellus* F. Smith. *Annales de la Société Entomologique de France* 102:109-154, pl. VI. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piel\\_1933\\_Sphex\\_nigellus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piel_1933_Sphex_nigellus.pdf)
- \* 1935a. (1934-1935). Nidification de *Notogonidea japonica* Kohl (Hyménoptère: Sphegidae, Groupe *Larra*). *Notes d'Entomologie Chinoise* 2:165-173. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piel\\_1935a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piel_1935a.pdf)
- \* 1935b. (31 Dec.). Recherches biologiques sur les Hyménoptères du Yang-Tse (Chine). Étude sur les Sphegides. *Annales de la Société Entomologique de France* 104:273-306. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piel\\_1935b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piel_1935b.pdf)
- 1936. (19 May). Nidification aérienne d'*Astatus boops* Schrank en Chine. *Notes d'Entomologie Chinoise* 3:19-35. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piel\\_1936.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piel_1936.pdf)

**Pierce, J.**

- 1986. A review of tool use in insects. *The Florida Entomologist* 69:95-104. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pierce\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pierce_1986.pdf)

**Piet, D.**

- \* 1947. (1945). Iets over den invloed van de inundatie op de insectenfauna van de Ankeveensche Plassen. *Tijdschrift voor Entomologie* 88:507-510. [sphecoid nesting in galls surviving inundation]. Available through: <http://biodiversitylibrary.org/page/28063226> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piet\\_1947.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piet_1947.pdf)

**Pigeot, P.**

- \* 1902. Note sur le genre *Trypoxylon* Ltr. *Bulletin de la Société d'Histoire Naturelle des Ardennes* 9:62-65. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pigeot\\_1902\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pigeot_1902_Trypoxylon.pdf)

**Piguet, H., and Ch. Dodelin**

- \* 2012. Compte-rendu faunistique de la sortie de la Société Entomologique de France en Normandie (11 au 13 juin 2011). *L'Entomologiste* 68:277-291. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piguet\\_Dodelin\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piguet_Dodelin_2012.pdf)

**Pijfers, H. (spelled J.H.N. Pijfers in 2000, and Harry Pijfers in 2005)**

- \* 2000. Solitaire bijen, wespen en mieren in enkele-SBB-reservaten in N.O-Twente. Seizoen 1999. *Veelpoot* 11:2-6. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pijfers\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pijfers_2000.pdf)
- \* 2005. De aculeaten van een aantal gebieden in N.-O. Twente 4. De Noordelijke Manderheide. *Nieuwsbrief sectie Hymenoptera van de Nederlandse Entomologische Vereniging* 22:48-50. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pijfers\\_2005\\_Aculeata\\_Noordelijke\\_Manderheide.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pijfers_2005_Aculeata_Noordelijke_Manderheide.pdf)

**Pilon, J.G., and A.L. Steiner**

- \* 1966. Les Sceliphronini et Sphecini (Hymenoptera: Sphecinae) de la collection de l'Université de Montréal. Le Naturaliste Canadien 93:479-488. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pilon\\_Steiner\\_1966.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pilon_Steiner_1966.pdf)

**Pimenta, H.R., and R.P. Martins**

- \* 1999. The natural history of the Neotropical sand wasp *Rubrica nasuta* (Christ 1791) (Hymenoptera Sphecidae) in Brazil. Tropical Zoology 12:273-288. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pimenta\\_Martins\\_1999\\_Rubrica\\_nasuta.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pimenta_Martins_1999_Rubrica_nasuta.pdf)

**Pinchen, B.J.**

- \* 2005. A prey item of the wasp *Cerceris rybyensis*. BWARS (= Bees, Wasps, and Ants Recording Society) Newsletter Spring 2005:25-56. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pinchen\\_2005\\_Cerceris\\_pre.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pinchen_2005_Cerceris_pre.pdf)

**Pinto, N.P.O., H.G. Fowler, E.A. Digiampietri Filho, and N. Gobbi**

- \* 2002. Notes on three species of *Pison* Jurine, 1808 (Hymenoptera: Crabronidae) collected in Rio Claro (SP), Brazil. Arquivos do Instituto Biológico, São Paulo 69:89-91. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pinto\\_et\\_al\\_2002\\_Pison.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pinto_et_al_2002_Pison.pdf)

**Pinto, N.P.O., M. Scaglia, N. Gobbi, G.G. Zacarin, and A. Zanardo**

- \* 2001. Observações sobre os ninhos, células, casulos e a ação de inimigos naturais de *Pison aureofaciale* Strand, 1910 (grupo *pilosum*) (Hymenoptera: Sphecidae, Crabroninae, Trypoxylini) – Observations about the nests, cells, cocoons and the action of the natural enemies of *Pison aureofaciale* Strand, 1910 (*pilosum* group) (Hymenoptera: Sphecidae, Crabroninae, Trypoxylini). Arquivos do Instituto Biológico, São Paulo, 68:49-55. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pinto\\_et\\_al\\_2001\\_Pison.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pinto_et_al_2001_Pison.pdf)

**Pinzón, J., and V.H. González**

- \* 2000. (May). Un posible caso de selectividad de *Sceliphron asiaticum* (Hymenoptera: Sphecidae) sobre *Alpaida veniliae* (Araneae: Araneidae), en Caquetá (Colombia) – A possible case of prey specificity of *Sceliphron asiaticum* (Hymenoptera: Sphecidae) on *Alpaida veniliae* (Araneae: Araneidae), in Caquetá (Colombia). Actualidades Biológicas 22 (72):91-93. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pinzon\\_Gonzalez\\_2000\\_Sceliphron\\_asiatikum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pinzon_Gonzalez_2000_Sceliphron_asiatikum.pdf)

**Piper, R.**

- \* 2007. (25 Mar.). Nest building and prey stocking in *Crossocerus megacephalus* (Rossius) (Hym.: Sphecidae). The Entomologist's Record and Journal of Variation 119:58. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Piper\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Piper_2007.pdf)

**Pires, E.M., A.K. Campos, M.R. Pereira, R.M. Nogueira, L.A.O. Campos, P.S.A. Moreira, and M.A. Soares**

- \* 2014. First report of “jewel wasp” *Ampulex compressa* (Fabricius, 1781) (Hymenoptera: Ampulicidae) in the Amazon biome of Brazil. Brazilian Journal of Biology 74, No. 3 (supplement):232-234. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pires\\_et\\_al\\_2014\\_Ampulex\\_compressa.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pires_et_al_2014_Ampulex_compressa.pdf)

**Pires, E.P., D.C. Pompeu, F.J. Soares Jr., and M. S.Silva**

- \* 2013. Use of *Gochnatia barrosii* Cabrera (Asteraceae) by *Isodontia costipennis* Spinola 1851 (Hymenoptera; Sphecidae) for nest construction in the Boqueirão Reserve, MG. Natureza on line 11:125-127. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pires\\_et\\_al\\_2013\\_Isodontia\\_coatipennis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pires_et_al_2013_Isodontia_coatipennis.pdf)

**Pires, E.P., D.C. Pompeu, and M. Souza-Silva**

- \* 2012. Nidificação de vespas e abelhas solitárias (Hymenoptera: Aculeata) na reserva biológica Boqueirão, Ingaí, Minas Gerais – Nesting of solitary wasps and bees (Hymenoptera: Aculeata) in the biological reserve Boqueirão, Ingaí, Minas Gerais. Bioscience Journal 28:302-311. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pires\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pires_et_al_2012.pdf)

**Pires, E.P., M. Souza-Silva, and D.C. Pompeu**

- \* 2009. Aspectos da biologia de nidificação de *Isodontia* sp [sic] (Hymenoptera: Sphecidae) na Reserva Biológica Unilavras - Boqueirão, Ingaí – Mg. Anais do IX Congresso de Ecologia do Brasil, 13 a 17 de Setembro de 2009, São Lourenço – MG. 2 pp. [nesting habits of an unidentified *Isodontia*]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pires\\_et\\_al\\_2009\\_Isodontia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pires_et_al_2009_Isodontia.pdf)

**Pirion, A.**

- \* 1939. La mascarilla y los insectos que la frecuentan. Revista Chilena de Historia Natural Pura y Aplicada 42:52-57. [*Zyzyx chilensis* visiting flowers of the papilionacea *Adesmia pirioni*]. . Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pirion\\_1939.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pirion_1939.pdf)

**Pitilin, R.B., M.S. Araújo, and M.L.T. Buschini**

- \* 2012. Individual specialization in the hunting-wasp *Trypoxylon* (*Trypargilum*) *agamemnon* Richards (Hymenoptera: Crabronidae). Zoological Studies 51:655-662. Available through: <http://zoostud.sinica.edu.tw/Journals/51.5/655.pdf> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pitilin\\_et\\_al\\_2012\\_Trypoxylon\\_agamemnon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pitilin_et_al_2012_Trypoxylon_agamemnon.pdf)

**Pittioni, B.**

- \* 1950. On the insect fauna of Cyprus. Results of the expedition of 1938 by Harald, Håkan, and P.H. Lindberg. V. Hymenoptera aculeata. I. Diptera, Fossores und Apoidea der Insel Cypem. Commentationes Biologicae 10, No. 12:1-94. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pittioni\\_1950.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pittioni_1950.pdf)
- Obituary: M. Beier. 1953. Kustos Dr. Bruno Pittioni†. Annalen des Naturhistorischen Museum in Wien 59, portrait + pp. 17-22. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Beier\\_1952-1953\\_Pittioni.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Beier_1952-1953_Pittioni.pdf)
- Biography: Haris, 2016:144 (available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Pitts, J.P.**

- \* 2003. (28 July). Host record for *Dilophotopsis concolor crassa* (Viereck) (Hymenoptera: Mutillidae). Journal of Entomological Science 38:585-486. [reared from cocoons of *Tachysphex* sp.]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pitts\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pitts_2003.pdf)

**Pitts, J.P., and D.G. Manley**

- \* 2004. A revision of *Lomachaeta* Mickel, with a new species of *Smicromutilla* Mickel (Hymenoptera: Mutillidae). Zootaxa 474:1-27. [opportunistic nest parasites of cavity nesting hosts, including *Solierella*, *Pisonopsis*, and *Trypoxylon*]. . Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pitts\\_Manley\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pitts_Manley_2004.pdf)

**Pitts, J.P., and F.D. Parker**

- \* 2003. Description of the female and larval stage of *Odontophotopsis succinea* Viereck (Hymenoptera: Mutillidae), with new synonymy and notes. Zootaxa 137:1-10. [reared from nest of *Oxybelus uniglumis*]. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pitts\\_Parker\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pitts_Parker_2003.pdf)
- \* 2005. Description of the female, redescription of the male, and host associations of the Nearctic species *Sphaerophthalma jacala* Schuster (Hymenoptera: Mutillidae). Zootaxa 1011:55-64. [reared from nests of five species of *Trypoxylon*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pitts\\_Parker\\_2003.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pitts_Parker_2003.pdf)

#### Plachter, H.

- \* 1985. Faunistisch-ökologische Untersuchungen auf Sandstandorten des unteren Brombachtales (Bayern) und ihre Bewertung aus der Sicht des Naturschutzes. Berichte der Bayerischen Akademie für Naturschutz und Landschaftspflege 9:42-92. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Plachter\\_1985.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Plachter_1985.pdf)

#### Planet, L.

- \* 1906. (15 Aug.). Note sur la nymphe de *Solenius vagus* L. (Hym.). Le Naturaliste 28:187-188. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Planet\\_1906\\_Solenius\\_vagus\\_nymphe.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Planet_1906_Solenius_vagus_nymphe.pdf)

#### Plavil'shchikov, N.N. [Н.Н. Плавильщиков]

- \* 1964. Список видов насекомых, найденных на территории Мордовского государственного заповедника [= Spisok vidov nasekomykh, naydennykh na territorii Mordovskogo gosudarstvennogo zapovednika, = List of insects found in Mordovian State Nature Reserve]. Trudy Mordovskogo Gosudarstvennogo Zapovednika imeni P.G. Smidovicha 2:105-134. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Plavilshchikov\\_1964\\_List.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Plavilshchikov_1964_List.pdf)

#### Poda, N. [= Nicolaus Poda von Neuhaus]

- 1761. Insecta Musei Græcensi quæ in ordines, genera et species juxta Systema Naturæ Caroli Linnæi digessit Nicolaus Poda e Societate Iesu, Philosophiæ Doctor, et Matheseos Professor. Honoribus revendissimorum, illustrissimorum, perillustrium, reverendorum, prænobilium, nobilium, ac eruditorum d.d. cum in alma ac celeberrima Universitate Græcensi prima ac supra Philosophiæ Laurea insignirentur, oblata anno 1761. die 3. septembris. Typis Hæredum Widmanstadii, Græcii [= Graz]. xviii + 127 + 8 pp., 2 pl. [this is the first work after Linnaeus, 1758 dedicated entirely to entomology]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poda\\_von\\_Neuhaus\\_1761.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poda_von_Neuhaus_1761.pdf)

#### Podgorbunskikh, D.A., and P.V. Rudoiskatel' [Д. А. Подгорбунских и П.В. Рудоискатель]

- \* 1999. К фауне жалиющих перепончатокрылых насекомых (Hymenoptera, Aculeata) Ильменского заповедника [= K faune zhalyashchikh pereponchatokrylykh nasekomykh (Hymenoptera, Aculeata) Il'menskogo zapovednika, = Contribution to the knowledge of aculeate insects (Hymenoptera, Aculeata) of Il'men Nature Reserve], pp. 142-143. Развитие идей академика С.С. Шварца в современной экологии. Сборник трудов конференции молодых ученых-экологов Уральского региона (2-3 апреля 1999 года). Издательство "Екатеринбург", Екатеринбург. [Razvitiye idey akademika S.S. Shvartsa v sovremennoy ékologii. Sbornik trudov konferentsii molodykh uchonykh-ékologov Ural'skogo regiona (2-3 aprelya 1999 goda). Izdatel'stvo "Ekaterinburg", Ekaterinburg, = Development of the academician S.S. Shvarts ideas in the modern ecology. A collection of papers by young scientists-ecologists of the Ural Region (2-3 April 1999). Publishing House "Ekaterinburg", Ekaterinburg]. 232 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Podgorbunskikh\\_Rudoiskatel\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Podgorbunskikh_Rudoiskatel_1999.pdf)

**Pohl, E.**

- \* 1963. Spinnen und Grabwespe als Bienenräuber. Rheinische Bienenzeitung 114:13-15. [includes *Philanthus triangulum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pohl\\_1963.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pohl_1963.pdf)

**Poinar, G., Jr.**

- \* 2009. *Melittosphecx* (Hymenoptera: Melittosphecidae), a primitive bee and not a wasp. Palaeontology 52:483-484. Available through: <http://onlinelibrary.wiley.com/doi/10.1111/j.1475-4983.2008.00840.x/pdf>
- 2020. (29 Jan.). Discoscapiidae fam. nov. (Hymenoptera: Apoidea, a new family of stem lineage bees with associated beetle triungulins in mid-Cretaceous Burmese amber. Paleodiversity 13:1-9. [downgraded to tribe within Crabroninae by B. Rosa and Melo, 2021:3]. Available through: <https://doi.org/10.18476/pale.v13.a1> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poinar\\_2020\\_Discoscapa\\_apicula.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poinar_2020_Discoscapa_apicula.pdf)

**Poinar, G.O., Jr., and B.N. Danforth**

- \* 2006. A fossil bee from early Cretaceous Burmese amber. Science 314:614. [*Melittosphecx burmensis*, a member of Melittosphecidae may be a sphecid wasp according to Ohl and Engel, 2007, but is a bee according to Poinar, 2009]. Available through: <http://www.sciencemag.org/content/314/5799/614.full.pdf>

**Poiret [J.L.M.]**

- \* 1787. (Apr.). Mémoire sur quelques insectes de Barbarie. Journal de Physique 30:241-245, 31:111-116. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poiret.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poiret.pdf)

**Poláček, R.**

- \* 2020. The occurrence of Hymenoptera: Aculeata on mine spoil heaps after shale extraction (Jakartovice, Nížký Jeseník Mts). Acta Musei Silesiae, Scientiae Naturales 69:55-63. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polacek\\_2020.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polacek_2020.pdf)

**Polidori, C.**

- \* 2011. The role of increased prey spectrum and reduced size in the evolution of sociality in *Cerceris* wasps, pp. 199-216 in C. Polidori (editor). Predation in the Hymenoptera: an evolutionary perspective. Transworld Research Network, Trivandrum. 245 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_2011\\_Cerceris\\_prev.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_2011_Cerceris_prev.pdf)
- \* 2017. Interactions between the social digger wasp, *Cerceris rubida*, and its brood parasitic flies at a Mediterranean nest aggregation. Journal of Insect Behavior 30:86-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_2017\\_Cerceris\\_rubida\\_vs\\_flies.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_2017_Cerceris_rubida_vs_flies.pdf)

**Polidori, C., and F. Andrietti**

- \* 2006. Nest abandonment in the solitary wasp *Cerceris arenaria* (Hymenoptera: Crabronidae): escape, leave open or destroy the door? Sociobiology 47:455-469. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_Andrietti\\_2006\\_Cerceris\\_arenaria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_Andrietti_2006_Cerceris_arenaria.pdf)

**Polidori, C., Y. Ballesteros, D. Santoro, J. Tormos, and J.D. Asís**

- \* 2012. Morphological distance and inter-nest distance account for intra-specific prey overlap in digger wasps (Hymenoptera: Crabronidae). Population Ecology 5:443-454. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2012\\_prev\\_overlap\\_bembix\\_stizus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2012_prev_overlap_bembix_stizus.pdf)

**Polidori, C., A. Beneitez, J.D. Asís, S.F. Gayubo, and J. Tormos**

- 2012. Predicting activity patterns from resource exploitation in guilds of digger wasps' natural enemies. Advanced Science Letters 5:1-8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2012\\_Bembix\\_parasitoids.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2012_Bembix_parasitoids.pdf)

**Polidori, C., S. Bevacqua, and F. Andrietti**

- \* 2010. Do digger wasps time their provisioning activity to avoid cuckoo wasps (Hymenoptera: Crabronidae and Chrysididae)? *Acta Ethologica* 13:11–21. [On *Philanthus triangulum* and *Cerceris arenaria*]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2010\\_Provisioning\\_activity.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2010_Provisioning_activity.pdf)

**Polidori, C., R. Boesi, F. Isola, and F. Andrietti**

- \* 2005. (3 Nov.). Provisioning patterns and choice of prey in the digger wasp *Cerceris arenaria* (Hymenoptera: Crabronidae): the role of prey size. *European Journal of Entomology* 102:801–804. Available through:

[http://www.eje.cz/pdf/articles/1067/eje\\_102\\_4\\_801\\_Polidori.pdf](http://www.eje.cz/pdf/articles/1067/eje_102_4_801_Polidori.pdf)

**Polidori, C., R. Boesi, C. Pesarini, C. Papadia, S. Bevacqua, M. Federici, and F. Andrietti**

- \* 2007. Temporal relationship between the prey spectrum and population structure of the weevil-hunting wasp *Cerceris arenaria* (Hymenoptera, Crabronidae). *Zoological Studies* 46:83–91. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2007.pdf)

**Polidori, C., R. Boesi, L. Ruz, J. Montalva, and F. Andrietti**

- \* 2009. (Apr.). Prey spectrum and predator-prey size relationships of the solitary wasps, *Trachypus denticollis*, in central Chile (Hymenoptera: Crabronidae). *Studies on Neotropical Fauna and Environment* 44:55–60. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2009\\_Trachypus\\_denticollis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2009_Trachypus_denticollis.pdf)

**Polidori, C., M. Casiraghi, M. di Lorenzo, B. Valarani, and F. Andrietti**

- \* 2006. Philopatry, nest choice, and aggregation temporal-spatial change in digger wasp *Cerceris arenaria* (Hymenoptera: Crabronidae). *Journal of Ethology* 24:155–163. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2006\\_Cerceris\\_arenaria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2006_Cerceris_arenaria.pdf)

**Polidori, C., A. Crottini, L. Della Venezia, J. Selfa, N. Saino, and D. Rubolini**

- \* 2013. Food load manipulation ability shapes flight morphology in females of central-place foraging Hymenoptera. *Frontiers in Zoology* 10:36–47. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2013\\_flight\\_morphology\\_and\\_food\\_manipulation.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2013_flight_morphology_and_food_manipulation.pdf)

**Polidori, C., R.H.L. Disney, and F. Andrietti**

- \* 2001. Some behavioral observations on *Megaselia oxybelorum* Schmitz (Diptera: Phoridae), a new kleptoparasite of *Cerceris arenaria* (L.) Hymenoptera: Sphecoidea: Philanthidae). *British Journal of Entomology and Natural History* 14:93–95. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2001\\_Megaselia\\_oxybelorum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2001_Megaselia_oxybelorum.pdf)

**Polidori, C., M. Federici, P. Mendiola, J. Selfa, and F. Andrietti**

- \* 2011. Host detection and rate of parasitism by *Acroricnus seductor* (Hymenoptera: Ichneumonidae), a natural enemy of mud-dauber wasps (Hymenoptera: Sphecidae). *Animal Biology* 61:57–73. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2011\\_host\\_detection.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2011_host_detection.pdf)

**Polidori, C., M. Federici, C. Papadia, and F. Andrietti**

- \* 2006. Nest sharing and provisioning activity of females of the digger wasp, *Cerceris rubida* (Hymenoptera: Crabronidae). *Italian Journal of Zoology* 73:55–65. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2006\\_Cerceris\\_rubida.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2006_Cerceris_rubida.pdf)

**Polidori, C., M. Federici, C. Pesarini, and F. Andrietti**

- \* 2007. Factors affecting spider prey selection by *Sceliphron* mud-dauber wasps (Hymenoptera: Sphecidae) in northern Italy. *Animal Biology* 57:11-28. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2007\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2007_Sceliphron.pdf)

**Polidori, C., M. Federici, L. Trombino, V. Barberini, V. Barbieri, and F. Andrietti**

- \* 2009. Weight, volume and unbalancing: loading constraints of mud dauber wasps carrying mud balls. *Journal of Zoology* 2009:1-8 [on *Sceliphron destillatorium* and *S. spirifex*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2009\\_mud\\_balls.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2009_mud_balls.pdf)

**Polidori, C., A.J. García, and J.L. Nieves-Aldrey**

- \* 2012. Antennal sensillar equipment in closely related predatory wasp species (Hymenoptera: Philanthinae) hunting for different prey types – Équipement sensoriel des antennes dans des espèces proches de guêpes prédateurs (Hymenoptera: Philanthinae), qui chassent des proies différentes. *Comptes Rendus Biologies* 335:279-291. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2012\\_antennal\\_sensillae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2012_antennal_sensillae.pdf)

**Polidori, C., I. Giordani, P. Mendiola, J.D. Asís, J. Tormos, and J. Selfa**

- \* 2010. Emergence and dispersal relative to natal nest in the digger wasp *Stizus continuus* (Hymenoptera: Crabronidae). *Comptes Rendus de l'Académie des Sciences. Biologies* 333:255-264. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2010\\_stizus\\_continuus\\_CR\\_BIOI.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2010_stizus_continuus_CR_BIOI.pdf)

**Polidori, C., I. Giordani, M. Wurdack, J. Tormos, J. D. Asís, and T. Schmitt**

- \* 2017. Post-mating shift towards longer-chain cuticular hydrocarbons drastically reduces female attractiveness to males in a digger wasp. *Journal of Insect Physiology* 100:119-127. [on *Stizus continuus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2017\\_post-mating\\_shift.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2017_post-mating_shift.pdf)

**Polidori, C., M. Gobbi, L. Chatenoud, D. Santoro, O. Montani, and F. Andrietti**

- \* 2010. Taxon-biased diet preference in the 'generalist' beetle-hunting wasp *Cerceris rubida* provides insights on the evolution of prey specialization in apoid wasps. *Biological Journal of the Linnean Society* 99:544-558. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2010\\_cerceris\\_rubida.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2010_cerceris_rubida.pdf)

**Polidori, C., P. Mendiola, J.D. Asís, J. Tormos, M.D. García, and J. Selfa**

- \* 2009. Predatory habits of the grasshopper-hunting wasp *Stizus continuus* (Hymenoptera: Crabronidae): diet preference, predator-prey size relationships and foraging capacity. *Journal of Natural History* 43:2985-3000. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2009\\_Stizus\\_continuus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2009_Stizus_continuus.pdf)

**Polidori, C., P. Mendiola, J.D. Asís, J. Tormos, and J. Selfa**

- \* 2010. Temporal asynchrony and spatial co-occurrence with the host: the foraging patterns of *Nemka viduata*, a parasitoid of digger wasps (Hymenoptera: Mutillidae and Crabronidae). *Journal of Ethology* 28:53-361. [*Nemka viduata* (Pallas), a nest parasite of *Stizus continuus*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2010\\_temporal\\_asynchrony.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2010_temporal_asynchrony.pdf)

**Polidori, C., P. Mendiola, J.D. Asís, J. Tormos, J. Selfa, and F. Andrietti**

- \* 2008. Female-female attraction influences nest establishment in the digger wasp *Stizus continuus* (Hymenoptera: Crabronidae). *Animal Behaviour* 75:1651-1661. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2008\\_fm\\_fm\\_attraction.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2008_fm_fm_attraction.pdf)

**Polidori, C., M. Nucifora, and D. Sánchez-Fernández**

- \* 2018. Environmental niche unfilling but limited options for range expansion by active dispersion in an alien cavity-nesting wasp. *BMC Ecology* 18(36):1-12. [on *Isodontia mexicana*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2018\\_Isodontia\\_mexicana.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2018_Isodontia_mexicana.pdf)

**Polidori, C., M. Ouadragou, N.S. Gadallah, and F. Andrietti**

- \* 2009. Potential role of evasive flights and nest closures in an African sand wasp, *Bembix* sp. near *capensis* Lepelletier 1845 (Hymenoptera Crabronidae), against a parasitic satellite fly. *Tropical Zoology* 22:1-14. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_Ouadragou\\_et\\_al\\_2009.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_Ouadragou_et_al_2009.pdf)

**Polidori, C., C. Papadia, R.H.L. Disney, and F. Andrietti**

- \* 2006. Behaviour and activity patterns of the scuttle fly *Megaselia oxybelorum* Schmitz (Diptera: Phoridae) at nest aggregations of two host digger wasps (Hymenoptera: Crabronidae). *Journal of Natural History* 40:1969-1982. [nest parasite of *Cerceris arenaria* and *Philanthus triangulum*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2006\\_Megaselia\\_oxybelorum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2006_Megaselia_oxybelorum.pdf)

**Polidori, C., D. Santoro, J.D. Asís, and J. Tormos**

- \* 2011. Individual prey specialization in wasps: predator size is a weak predict of taxonomic niche width and nich overlap, pp. 100-121 in C. Polidori (editor). *Predation in the Hymenoptera: an evolutionary perspective*. Transworld Research Network, Trivandrum. 245 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2011\\_prex\\_specialization.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2011_prex_specialization.pdf)

**Polidori, C., J. Tormos, J.D. Asís, P. Mendiola, and F. Andrietti**

- \* 2006. (8 Dec.). A note on facultative kleptoparasitism in *Prionyx kirbii* (Hymenoptera: Sphecidae) as a consequence of multi-specific shared nesting site, with description of its prepupae. *Entomologica Fennica* 17:405-413. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2006\\_Prionyx\\_kirbii.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2006_Prionyx_kirbii.pdf)

**Polidori, C., L. Trombino, C. Fumagalli, and F. Andrietti**

- \* 2005. The nest of the mud-dauber wasp, *Sceliphron spirifex* (Hymenoptera, Sphecidae): application of geological methods to structure and brood cell content analysis. *Italian Journal of Zoology* 72:153-159. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2005\\_Sceliphron\\_spirifex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2005_Sceliphron_spirifex.pdf)

**Polidori, C., V. Zangheratti, A. Martinoli, and F. Andrietti**

- \* 2007. (Sept.). Temporal transition of nesting activities in the digger wasp *Bembecinus tridens* (Hymenoptera, Crabronidae). *Italian Journal of Zoology* 74:265-275. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polidori\\_et\\_al\\_2007\\_Bembecinus\\_tridens.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polidori_et_al_2007_Bembecinus_tridens.pdf)

**Poll, [M.]**

- \* 1938. [Une collection de Sphégides de Calmpthout, Belgium]. *Bulletin & Annales de la Société Entomologique de Belgique* 78:66. [includes first Belgian record of *Oxybelus mandibularis*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poll\\_1938.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poll_1938.pdf)

**Polumordvinov, O.A. [О.А. Полумордвинов]**

- \* 2017. Первые находки *Sceliphron deforme* (Hymenoptera: Sphecidae) на территории Пензенской области [= Pervyye nakhodki *Sceliphron deforme* (Hymenoptera: Sphecidae) na territorii Penzenskoy

oblasti] – The first records in the fauna of Penza Province – *Sceliphron deforme* (Hymenoptera: Sphecidae), pp. 25-30 in B.B. Аникин (= V.V. Anikin) (editor). Этомологические и паразитологические исследования в Поволжье. Сборник научных трудов [= Éntomologicheskije i Parazitologicheskije Issledovaniya v Povolzh'e. Sbornik Nauchnykh Trudov, = Entomological and Parasitological Investigationss in Volga Region, Russia. A collection of Scientific Papers] 14. Saratov. 100 pp. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Polumordvinov\\_2017\\_Sceliphron\\_deforme.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Polumordvinov_2017_Sceliphron_deforme.pdf)

#### **Pongrácz, A.**

1928. Die fossilen Insekten von Ungarn, mit besonderer Berücksichtigung der Entwicklung der europäischen Insekten-Fauna. Annales Musei Nationalis Hungarici 25:153-194. [*Sphex giganteus* is the only sphecid]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pongracz\\_1928\\_fossil\\_Sphex\\_gigantea.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pongracz_1928_fossil_Sphex_gigantea.pdf)

#### **Popelka, T.**

2015. Nový náález kutilky *Sceliphron caementarium* (Drury, 1773) (Hymenoptera: Sphecidae) v České republice – New record of *Sceliphron caementarium* (Drury, 1773) (Hymenoptera: Sphecidae) in the Czech Republic. Thayensia (Znojmo) 12:173-175. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Popelka\\_Thaya12\\_173-175.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Popelka_Thaya12_173-175.pdf)

#### **Popovici-Bazosanu, A.**

- \* 1911. Contribution à l'étude biologique des sphégiens (*Trypoxylon* et *Psenulus*). Archives de Zoologie Expérimentale et Générale (5<sup>e</sup> Série) 6:XCIII-CIII. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Popovici-](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Popovici-Bazosanu_1911_Trypoxylon_Psenulus.pdf)

[Bazosanu\\_1911\\_Trypoxylon\\_Psenulus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Popovici-Bazosanu_1911_Trypoxylon_Psenulus.pdf)

#### **Porter, B.A.**

- \* 1926. American wasps of the genus *Sceliphron* Klug. Proceedings of the United States National Museum 70, No. 1:1-22, pls. 1-4. Available through: <http://biodiversitylibrary.org/page/15669880> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_1926\\_Sceliphron.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_1926_Sceliphron.pdf)

#### **Porter, C.E.**

- \* 1898. Contribución a la fauna de la Provincia de Valparaiso. Revista Chilena de Historia Natural 2:31-33. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_CE\\_1898.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_CE_1898.pdf)

- \* 1899. Datos para el conocimiento de los insectos del Departamento de Quillota. Revista Chilena de Historia Natural 3:35-36. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_1899.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_1899.pdf)

#### **Porter, Ch.C.**

- \* 1978. Ecological notes on lower Rio Grande Valley Sphecini. The Florida Entomologist 61:169-178. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_1978\\_Sphecini.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_1978_Sphecini.pdf)

- \* 1980. *Bicyrtes* Lepeletier (Hymenoptera: Sphecidae) in the lower Rio Grande Valley of Texas and in northeast Mexico. The Florida Entomologist 63:281-285. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_1980\\_Bicyrtes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_1980_Bicyrtes.pdf)

- \* 1987. Contribución al estudio de los Sphecidae (Hymenoptera) en la I region de Tarapacá, Chile – Contribution to the study of the Sphecidae (Hymenoptera) from the Tarapaca region I, Chile. Acta Entomologica Chilena 14:41-48. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_Ch\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_Ch_1987.pdf)

**Porter, Ch.C., L.A. Stange, and H.-Y. Wang**

- \* 1999. (Dec.). Checklist of the Sphecidae of Taiwan with a key to genera (Hymenoptera: Sphecidae). Journal of the National Taiwan Museum 52:1-26. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Porter\\_Stange\\_Wang\\_1999.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Porter_Stange_Wang_1999.pdf)

**Portman, S.L., J.H. Frank, R. McSorley, and N.C. Leppla**

- \* 2009. Fecundity of *Larra bicolor* (Hymenoptera: Crabronidae) and its implications in parasitoid: host interaction with mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). The Florida Entomologist 92:58-63. Available through:  
[http://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/portman\\_et\\_al\\_2009\\_larra\\_bicolor.pdf](http://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/portman_et_al_2009_larra_bicolor.pdf)
- \* 2010. (June). Nectar-seeking and host-seeking by *Larra bicolor* (Hymenoptera: Crabronidae), a parasitoid of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae). Environmental Entomology 39:939-943. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Portman\\_et\\_al\\_2010\\_Larra\\_bicolor.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Portman_et_al_2010_Larra_bicolor.pdf)

**Portuondo Ferrer, E., and J.L. Fernández Triana**

- \* 2004. (31 Oct.). Biodiversidad del orden Hymenoptera en los macizos montañosos de Cuba oriental. Boletín de la Sociedad Entomológica Aragonesa 35:121-136. Available through:  
<http://www.sea-entomologia.org/araenet/12/03Cuba3.pdf> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Ferrer\\_Triana-2004\\_Cuba\\_oriental.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Ferrer_Triana-2004_Cuba_oriental.pdf)

**Posey, D.A.**

- \* 1987. Ethnoentomological survey of Brazilian Indians. Entomologia Generalis 12: 191-202. [pp. 192, 197: *Stictia signata* in Kalapalo Indian myths including preying on tabanids]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Posey\\_1987.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Posey_1987.pdf)

**Post, D.C.**

- \* 1981. Observations on female nesting and male behavior of *Stictia signata* (Hymenoptera: Sphecidae) in Brazil. Revista de Biología Tropical 29:105-113. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Post\\_1981\\_Stictia\\_signata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Post_1981_Stictia_signata.pdf)

**Poulsen, M., D.-Ch. Oh, J. Clardy, and C.R. Currie**

- \* 2011. Chemical analyses of wasp-associated *Streptomyces* bacteria reveal a prolific potential for natural products discovery. Plos One 6, issue 2, e16763:1-8. Available through: Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poulsen\\_et\\_al\\_2011\\_Mud\\_dauber\\_Streptomyces.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poulsen_et_al_2011_Mud_dauber_Streptomyces.pdf)

**Poulton, E.B.**

- \* 1918. (16 May). (1917). Predaceous reduviid bugs and fossors, with their prey, from the S. Paulo district of south-east Brazil. The Transactions of the Entomological Society of London 1917:xxxiv-xli. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Poulton\\_1918.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Poulton_1918.pdf)

**Pouvreau, L., R. Coutin, and C. Descoins**

- \* 1988. La pollinisation des *Ophrys* (Orchidaceae) et le pseudo-accouplement des Hyménoptères mâles. Bollettino di Zoologia Agraria e di Bachicoltura (Serie 2) 20:37-60.

**Powell, E.C., and L.A. Taylor**

- \* 2017. Specialists and generalists coexist within a population of spider-hunting mud dauber wasps. Behavioral Ecology 28:890-898. [on *Sceliphron caementarium*]. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_Taylor\\_2017\\_Sceliphron\\_caementarium.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_Taylor_2017_Sceliphron_caementarium.pdf)

**Powell, J.A.**

- \* 1964a. (1 Apr.). (1963). Biology and behavior of Nearctic wasps of the genus *Xylocelia*, with special reference to *X. occidentalis* (Fox) (Hymenoptera: Sphecidae). *The Wasmann Journal of Biology* 21:155-176. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_1964a\\_Xylocelia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_1964a_Xylocelia.pdf)
- \* 1964b. (6 Aug.). Additions to the knowledge of the nesting behavior of North American *Ammophila* (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 37:240-258. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_1964b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_1964b.pdf)
- \* 1967. Behavior of ground nesting wasps of the genus *Nitelopterus*, particularly *N. californicus* (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 40:331-346. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_1967.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_1967.pdf)
- \* 1974. (29 Jan.). On the nesting behavior and larval development of the sand-wasp *Gorytes canaliculatus* (Packard) in California (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 47:1-7. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_1974.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_1974.pdf)
- \* 1981. Endangered habitats for insects: California coastal sand dunes. *Atala* 6:41-55. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_1981.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_1981.pdf)

**Powell, J.A., and D.J. Burdick**

- \* 1960. Observations on the nesting behavior of *Astata occidentalis* Cresson in central California (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 36:25-30. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_Burdick\\_1960\\_Astata\\_occidentalis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_Burdick_1960_Astata_occidentalis.pdf)

**Powell, J.A., and J.A. Chemsak**

- \* 1959a. (1 July). Some biological observations on *Philanthus politus pacificus* Cresson (Hymenoptera: Sphecidae). *Journal of the Kansas Entomological Society* 32:115-120. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_Chemsak\\_1959a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_Chemsak_1959a.pdf)
- \* 1959b. (8 Dec.). Biological observations on *Psammaecius adornatus* (Bradley) (Hymenoptera: Sphecidae). *The Pan-Pacific Entomologist* 35:195-201. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Powell\\_Chemsak\\_1959\\_Psammaecius\\_adornatus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Powell_Chemsak_1959_Psammaecius_adornatus.pdf)

**Prentice, M.**

- \* 1991. An interesting interaction between *Steniolia obliqua* and a large Bombyliidae. *Sphecos* 22:8. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_22.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_22.pdf)
- \* 1993. The possible prey of *Laphyragopus ajjer* de Beaumont. *Sphecos* 26:7-8.  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_26.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_26.pdf)

**Prentice, M.A., and G.O. Poinar, Jr.**

- \* 1993. (7 Dec.). Three species of *Trypoxylon* from Dominican amber. *Journal of the Kansas Entomological Society* 66:280-291. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prentice\\_Poinar-1993\\_Trypoxylon.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prentice_Poinar-1993_Trypoxylon.pdf)

**Prentice, M.A., and W.J. Pulawski**

- \* 2004. (10 Dec.). *Pseudoscolia aequatoria* new species, the first sub-Saharan member of the genus (Hymenoptera: Apoidea: Crabronidae). *Journal of the Kansas Entomological Society* 77:377-382. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prentice\\_Pulawski\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prentice_Pulawski_2004.pdf)

**Prentice, T.R., and G.P. Walker**

- \* 1991. Nocturnal clustering of the solitary wasp, *Chalybion californicum* (Saussure) (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 67:222-224. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prentice\\_Walker\\_1991\\_Chalybion\\_californicum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prentice_Walker_1991_Chalybion_californicum.pdf)

**Pretorius, E.**

- \* 2005. (13 May). Using geometric morphometrics to investigate wing dimorphism in males and females of Hymenoptera – a case study based on the genus *Tachysphex* Kohl (Hymenoptera: Sphecidae: Larrinae). Australian Journal of Entomology 44:113-121. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pretorius\\_2005.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pretorius_2005.pdf)

**Preuss, G.**

- \* 1956. Die *Crabro*-Arten von Mölln in Lauenburg (Hym., Sphec.). Faunistische Mitteilungen aus Norddeutschland 1:13-15. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1956\\_Crabro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1956_Crabro.pdf)

- \* 1979a. (Hymenoptera: Sphecidae) – *Crossocerus congener* Dahlbom. – Neu für die Rheinpfalz. Pfälzer Heimat 30:12. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1979a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1979a.pdf)

- \* 1979b. (Hymenoptera: Sphecidae) – *Rhopalum nigrinum* Kiesenetter [sic] – Neu für Rheinland-Pfalz. Pfälzer Heimat 30:41. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1979b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1979b.pdf)

- \* 1979c. (Hymenoptera: Sphecidae) – *Crossocerus podagricus* (V. D. Linden). – Wiedermachweise für die Rheinpfalz. Pfälzer Heimat. 30:86. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1979c\\_d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1979c_d.pdf)

- \* 1979d. (Hymenoptera: Sphecidae) – *Lindenius subaeneus* Lep. – Neu für Rheinland-Pfalz. Pfälzer Heimat 30:86-87. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1979d\\_d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1979d_d.pdf)

- \* 1980a. Voraussetzungen und Möglichkeiten für Hilfsmassnahmen zur Erhaltung und Förderung von Stechimmen in der Bundesrepublik Deutschland. Natur und Landschaft 55:20-26. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1980a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1980a.pdf)

- \* 1980b. (Hymenoptera: Sphecidae: Pemphredoninae) – *Mimesa littoralis* (Bondroit, 1933) – Neu für Rheinland-Pfalz und Südwestdeutschland. Pfälzer Heimat 31:113. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Preuss\\_1980b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Preuss_1980b.pdf)

**Price, A.**

- \* 2001. The digger-wasp *Crabro peltarius* at Locko Park, Derbys. The Derbyshire & Nottinghamshire Entomological Society Journal 145:9. [Locko Park, Derbyshire, Great Britain]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Price-2001.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Price-2001.pdf)

**Priemel, G.**

- \* 1940. Zur Psychologie der Grabwespen. Natur und Volk 70:525-531. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Priemel\\_1940.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Priemel_1940.pdf)

**Priesner, H.**

- \* 1958. The Egyptian species of the genus *Bembyx* F. (Hymenoptera: Sphecidae). Bulletin de la Société Entomologique d'Egypte 42:1-36. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Priesner\\_1958.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Priesner_1958.pdf)

Obituary: R. zur Strassen. 1975. Hermann Priesner (1891-1974). Ein vielseitiges Forscherleben für die entomologischen Wissenschaft. Senckenbergiana Biologica 56:89-102. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Priesner\\_Obituary\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Priesner_Obituary_1975.pdf)

G. Theischniger. 1976 (1975). Hermann Priesner zum Gedenken. Naturkundliches Jahrbuch der Stadt Linz 21:149-158. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Priesner\\_Obituary\\_1975.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Priesner_Obituary_1975.pdf)

Biography: Nonveiller, 1999:236; Haris, 2016:144 (available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Haris\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Haris_2016.pdf)).

**Prisniy, A.V. [А.В. Присный]**

- \* 2012. (Apr.). Роющие осы (Hymenoptera: Sphecidae, Crabronidae) Белгородской области [= Royushchiye osy (Hymenoptera: Sphecidae, Crabronidae) Belgorodskoy oblasti] – Digger wasps (Hymenoptera: Sphecidae, Crabronidae) of the Belgorod Oblast'. Evraziyskiy Éntomologicheskii Zhurnal (= Euroasian Entomological Journal) 11:44-54. [Belgorodskaya Oblast', Russia]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prisniy-2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prisniy-2012.pdf)

**Prisniy, Yu.A., and T.S. Cherkasova [Ю.А. Присный и Т.С. Черкасова]**

- \* 2021. The first record of *Sceliphron* (Smith, 1870) (Hymenoptera: Sphecidae) in Belgorod region, Russia – Первая находка *Sceliphron curvatum* (Smith, 1870) (Hymenoptera:Sphecidae) на территории Белгородской области (Россия). Полевой журнал биолога (= Field Biologist Journal) 3:159-166. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prisniy\\_Cherkasova\\_2021\\_Sceliphron\\_curvatum\\_Belgorod.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prisniy_Cherkasova_2021_Sceliphron_curvatum_Belgorod.pdf)

**Prokofiev, A.M., and M.O. Skomorokhov [А.М. Прокофьев и М.О. Скоморохов]**

- \* 2010. *Sceliphron curvatum* (F. Smith, 1870) – новый для фауны России инвазийный вид роющих ос (Hymenoptera: Sphecidae) [= *Sceliphron curvatum* (F. Smith, 1870) – novyi dlya fauny Rossii invaziyniy vid royushchikh os (Hymenoptera: Sphecidae)] – *Sceliphron curvatum* (F. Smith, 1870), a new in the fauna of Russia and invasive species of digger wasps (Hymenoptera: Sphecidae). Russian Entomological Journal 19:67-70. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Prokofiev\\_and\\_Skomorokhov\\_2010.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Prokofiev_and_Skomorokhov_2010.pdf)

**Protsenko, Yu.V. [Ю.В. Проценко]**

- \* 2003. Роющие осы (Hymenoptera, Sphecidae) острова Малый Татару и их трофические связи с цветковыми растениями [= Royushchiye osy (Hymenoptera, Sphecidae) ostrova Malyy Tataru i ikh troficheskiye svyazi s tsvetkovymi rasteniyami, = Sphecidae of Malyy Tataru island and their relationships to flowering plants]. Zapovidna Sprava v Ukraïni [= Nature Reserves in Ukraine] 9:67-70. [Malyy Tataru island is located at 45.21°N 29.00°E in Danube delta, Odessa Oblast', Ukraine]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_2003\\_Sphecidae\\_of\\_Maly\\_Tataru.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_2003_Sphecidae_of_Maly_Tataru.pdf)

**Protsenko, Yu.V., and A.V. Drozdovskaya [Ю.В. Проценко и А.В. Дроздовская]**

- \* 2008. Wasps (Hymenoptera: Sphecidae, Crabronidae, Chrysididae) of Vakalivshina [sic] village and adjacent territory, pp. 125-129 in S.O. Lebid' (head editor). Vakalivshchina. Do 40-richchya biologichnogo statsionaru Sums'kogo derzhavnogo pedagogichnogo universitetu im. A.S. Makarenka. Sumi. 160 pp. [Vakalivshchina, a village in Sumy Oblast', Ukraine, at 51°01'N, 34°55'E]. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_Drozdovskaya\\_2008.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_Drozdovskaya_2008.pdf)
- \* 2011. Предварительный список видов роющих ос и ос-хризидид (Hymenoptera: Sphecidae, Crabronidae, Chrysididae) Национального природного парка “Бугский Гард” [= Predvaritel'nyi spisok vidov royushchikh os i os-khrizidid (Hymenoptera: Sphecidae, Crabronidae, Chrysididae) Natsional'nogo prirodnogo parka “Bugskiy Guard”] – Preliminary checklist of Sphecidae, Crabronidae,

Chrysididae (Hymenoptera) in “Bugsy Guard” National Park – Попередній список видів риючих ос та ос-хризидид (Hymenoptera: Sphecidae, Crabronidae, Chrysididae) Національного природного парку “Бузький Гард” [= Poperedniy spysok vydiv ryiuchykh os ta os-khryzydyd (Hymenoptera: Sphecidae, Crabronidae, Chrysididae) Natsional'nogo pryrodnogo parku “Buz'kyi Gard”]. Заповідна Справа в Україні [= Zapovidna Sprava v Ukraïni = Nature Reserves in Ukraine] 17:89-93. Available through: <http://aeros.kiev.ua/zsu/zsu17/zsu17-15.pdf>

**Protsenko, Yu.V., A.V. Fateryya, and S.P. Ivanov** [Ю.В. Проценко, А.В. Фатерыга и С.П. Иванов]

- \* 2014. Роющие осы (Hymenoptera: Crabronidae) коллекции Таврического национального университета имени В.И. Вернадского. Подсемейства Astatinae, Bembicinae, Mellininae и Philanthinae [= Royushchiye osy (Hymenoptera: Crabronidae) kolektsii Tavricheskogo natsional'nogo universiteta imeni V.I. Vernadskogo. Podsemeystva Astatinae, Bembicinae, Mellininae i Philanthinae] – Digger wasps (Hymenoptera: Crabronidae) of the collection of V.I. Vernadskiy Taurida National University. Subfamilies Astatinae, Bembicinae, Mellininae and Philanthinae. *Ékosistemy, Ikh Optimizatsiya i Okhrana* (= Optimization and Protection of Ecosystems) 11:25-41. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_Fateryya\\_Ivanov\\_2014.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_Fateryya_Ivanov_2014.pdf)

**Protsenko, Yu.V., A.V. Fateryya, S.P. Ivanov, and D.V. Puzanov** [Ю.В. Проценко, А.В. Фатерыга, С.П. Иванов и Д.В. Пузанов]

- \* 2012. Роющие осы (Hymenoptera: Apoidea: Ampulicidae, Sphecidae) коллекции Таврического национального университета имени В.И. Вернадского [= Royushchiye osy (Hymenoptera: Apoidea: Ampulicidae, Sphecidae) kolektsii Tavricheskogo natsional'nogo universiteta im. V.I. Vernadskogo] – Digger wasps (Hymenoptera: Apoidea: Ampulicidae, Sphecidae) of the collection of V.I. Vernadskiy Taurida National University. *Ékosistemy, Ikh Optimizatsiya i Okhrana* (= Ecosystems, their Optimization and Protection) 6:50-61. Published by V.I. Vernadskiy Taurida National University, Simferopol, Ukraine. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_et\\_al\\_2012.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_et_al_2012.pdf)

**Protsenko, Yu.V., and V.A. Gorobchishin** [Ю.В. Проценко и В.А. Горобчишин]

- \* 2004. Флорспециализация роющих ос (Hymenoptera, Sphecidae) *Bembix rostrata* (L.) и *Philanthus triangulum* (F.) [= Florspetsializatsiya royushchikh os (Hymenoptera, Sphecidae) *Bembix rostrata* (L.) i *Philanthus triangulum* (F.)] – Flower constancy of digger wasps (Hymenoptera, Sphecidae) *Bembix rostrata* (L.) and *Philanthus triangulum* (F.). Ministerstvo Osvity i Nauki Ukraïni. Khersonskiy Derzhavniy Universitet. Institut Prirodnoznavstva. Prirodnichiy Al'manakh. Seriya: Biologichni Nauki 4:108-111. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_Gorobchishin\\_2004.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_Gorobchishin_2004.pdf)

- \* 2013. Роющие осы рода *Ectemnius* подрода *Tyreocerus* [sic] (Hymenoptera: Crabronidae) фауны Украины [= Royushchiye osy roda *Ectemnius* podroda *Tyreocerus* [sic] (Hymenoptera: Crabronidae) fauny Ukrainy] = Digger wasps of the genus *Ectemnius* subgenus *Tyreocerus* [sic] (Hymenoptera: Crabronidae) of Ukraine. *Izvestiya Khar'kovskogo Éntomologicheskogo Obshchestva (Visti Kharkivs'kogo Entomologichnogo Towaristva, The Kharkov Entomological Society Gazette)* 21:33-36. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_and\\_Gorobchishin\\_2013.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_and_Gorobchishin_2013.pdf)

- \* 2015. Роющие осы (Hymenoptera: Sphecidae, Crabronidae), занесённые в Красную книгу Украины – Риючі оси (Hymenoptera: Sphecidae, Crabronidae), занесені до Червоної книги України – Digger wasps (Hymenoptera: Sphecidae, Crabronidae) from Red Book of Ukraine. *Izvestiya Kharkovskogo éntomologicheskogo obshchestva (= Visti Kharkiv's'kogo éntomologichnogo tovaristva = The Kharkov Entomological Society Gazette)* 23:20-28. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_Gorobchishin\\_2015\\_Red\\_Book.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_Gorobchishin_2015_Red_Book.pdf)

**Protsenko, Yu.V., and N.A. Matushkina** [Ю.В. Проценко и Н.А. Матушкина]

2007. Морфология лабиомаксиллярного комплекса роющих ос (Hymenoptera: Crabronidae, Sphecidae): модальность признаков [= Morfologiya labiomaksillarnogo kompleksa royushchikh os (Hymenoptera: Crabronidae, Sphecidae): modal'nost' priznakov] – Morphology of the labiomaxillary complex in digger wasps (Hymenoptera: Sphecidae, Crabronidae): character states. Issledovaniya po pereponchatokrylym nasekomym. Sbornik Nauchnykh Rabot. Tovarishestvo Nauchnykh Izdaniy KMK, Moskva, pp. 65-71. [only genera are recorded in this paper]. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Protsenko\\_Matushkina\\_2007.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Protsenko_Matushkina_2007.pdf)

**Provancher, L.**

- \* 1877-1882. Faune canadienne. Les Insectes.–Hyménoptères. Le Naturaliste Canadien 9 (1877):346-349, 353-370; 10 (1878):11-18, 47-58, 65-73, 97-108, 161-170, 193-209, 225-238, 257-273, 289-299, 349-352, 353-365; 11 (1879):2-13, 33-43, 65-76, 119-125, 129-143 (No. 125), 109-122 (No. 126), 141-150 (No. 127), 173-185, 205-233, 248-266, 269-281; 12 (1880), 4-22, 33-48, 65-81, 97-102, 130-147, 161-180; 12 (1881):193-207, 225-241, 257-269, 289-304, 321-333, 352-362; 13 (1882):4-15, 33-51, 65-81, 97-110, 129-144, 161-175, 193-209, 225-242, 257-269. Available through: <http://biodiversitylibrary.org/page/7606064>
- \* 1882-1883a. Faune canadienne. Hyménoptères. Additions et Corrections. Le Naturaliste Canadien 13 (1882):289-311, 321-336, 353-368; 14 (1883):3-20, 33-38. [*Oxybelus brodiei*, a synonyme of *uniglumis*, is the only sphecid]. Available through:  
<http://biodiversitylibrary.org/page/14857308>, <http://biodiversitylibrary.org/page/14857340>,  
<http://biodiversitylibrary.org/page/14857372>, <http://biodiversitylibrary.org/page/14857410>, and  
<http://biodiversitylibrary.org/page/14857444>
- \* 1883b. Petite faune entomologique du Canada et particulièrement de la province du Quebec. Vol. II comprenant les Orthoptères, les Névroptères et les Hyménoptères. Typographie de C. Darveau, Quebec. VII + 831 pp. Available through: <http://www.biodiversitylibrary.org/item/85855#8>
- \* 1885-1889. Additions et corrections au volume II de la faune entomologique du Canada traitant des Hyménoptères. Quebec. [1-2], 475 pp. [1888:409-440]. Available through:  
<https://www.biodiversitylibrary.org/page/32180402>
- \* 1895-1896. Les dernières descriptions de l'abbé Provancher. Le Naturaliste Canadien 22 (1895):79-80, 95-97, 110-112, 129-131, 140-142, 157-159, 172-174, 189-191; 23 (1896):8-10, 27-28. Available through:  
<http://biodiversitylibrary.org/page/7588941>

Biography and Collection: Gahan and Rohwer, 1917-1918; Barron, 1975.

**Pruett, C.J., and D.D. Bennett**

- \* 1991. (Apr.). Behavior of two species of *Larra* in Santa Cruz, Bolivia. Sphecos 21:15-16. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pruett\\_Bennett\\_1991\\_Larra\\_behavior.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pruett_Bennett_1991_Larra_behavior.pdf)

**Pu, T.**

- \* 1986 New records of Sphecidae from China. Entomotaxonomia 8:8. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pu\\_1986.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pu_1986.pdf)

**Pu, T., and Zh. Zhou**

- \* 1989. Descriptions of two new species of the genus *Trirogma* from China (Hymenoptera, Sphecidae: Amplicinae) [sic]. Entomotaxonomia 11:303-305. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pu\\_and\\_Zhou\\_1989.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pu_and_Zhou_1989.pdf)

**Pulawski, W.J.** [spelled Pulawski in articles published in Poland and В.В. Пулавский in 1978]

- \* 1954. (1952). *Harpactes exiguus* Handl. (Sphecidae, Hymenoptera) – gatunek nowy dla Polski i gatunki pokrewne – *Harpactes exiguus* Handl. (Sphecidae, Hymenoptera) – espèce nouvelle pour la Pologne et les espèces voisines. Polskie Pismo Entomologiczne 22:101-121. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1954\\_Harpactes\\_exiguus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1954_Harpactes_exiguus.pdf)
- \* 1955a. (1953). *Astata diversipes*, sp. n. (Hym., Sphecid.) – nowy gatunek z Azji południowo-zachodniej – *Astata diversipes*, n. sp. (Hym., Sphecid.) – une nouvelle espèce de l'Asie du Sud-Ouest. Polskie Pismo Entomologiczne 23:93-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1955a\\_Astata\\_diversipes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1955a_Astata_diversipes.pdf)
- \* 1955b. (1953). O budowie odwłoka u samców z rodzaju *Crabro* F., podrodzaju *Blepharipus* Lep. et Brul. (Hym. Sphecid.) – Sur la structure de l'abdomen chez les mâles du genre *Crabro* F., sous-genre *Blepharipus* Lep. et Brul. (Hym., Sphecid.). Polskie Pismo Entomologiczne 23:103-106. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1955b\\_Blepharipus\\_abdomen.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1955b_Blepharipus_abdomen.pdf)
- \* 1956. (1955). Europejskie gatunki rodzaju *Astata* Latr. (Hym., Sphecid.) – Les espèces européennes du genre *Astata* Latr. (Hym., Sphecid.). Polskie Pismo Entomologiczne 25:33-71. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1956\\_Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1956_Astata.pdf)
- \* 1957. (1956). Przyczynek do znajomości palearktycznych gatunków rodzaju *Astata* Latr. (Hym., Sphecid.) – Contribution à la connaissance des espèces paléarctiques du genre *Astata* Latr. (Hym., Sphecid.). Polskie Pismo Entomologiczne 26:81-88. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1957\\_Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1957_Astata.pdf)
- \* 1958a. (1957). Grzebacz (Hymenoptera, Sphecidae) zebrane w czasie podróży do Bułgarii – Sphecidae (Hymenoptera) récoltés pendant un voyage en Bulgarie. Polskie Pismo Entomologiczne 27:161-192. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1958a\\_Sphecidae\\_Bulgaria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1958a_Sphecidae_Bulgaria.pdf)
- \* 1958b. (1957). Dwa nowe gatunki rodzaju *Astata* Latr. (Hym., Sphecid.) z Węgier – Deux espèces nouvelles du genre *Astata* (Hym., Sphecid.) de la Hongrie. Polskie Pismo Entomologiczne 27:193-199. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1958b\\_Astata\\_Hungary.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1958b_Astata_Hungary.pdf)
- \* 1958c. Une espèce paléarctique du genre *Diploplectron* (Hymenoptera: Sphecidae). Bulletin de la Société Entomologique d'Egypte 42:473-476. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1958c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1958c.pdf)
- \* 1959. Nowe i mało znane gatunki rodzaju *Astata* Latr. (Hym., Sphecid.) – Espèces nouvelles ou peu connues du genre *Astata* Latr. (Hym., Sphecid.). Polskie Pismo Entomologiczne 29:359-416. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1959.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1959.pdf)
- \* 1961a. Uwagi o egipskich gatunkach rodzaju *Parapiagetia* Kohl (Hym., Sphecidae) – Remarques sur les *Parapiagetia* Kohl d'Egypte (Hym., Sphecidae). Polskie Pismo Entomologiczne 31:85-92. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1961a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1961a.pdf)
- \* 1961b. O dwóch gatunkach Sphecidae (Hym.) z Libanu – Sur deux Sphecidae (Hym.) du Liban. Polskie Pismo Entomologiczne 31:93-96. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1961b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1961b.pdf)
- \* 1962a. *Miscophus lusitanicus thracicus* n. ssp. (Hym., Sphecidae.). Polskie Pismo Entomologiczne 32:207-208. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1962a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1962a.pdf)

- \* 1962b. Gatunki rodzaju *Tachytes* Panz. zachodniej i środkowej Palearktyki (Hym., Sphecidae) – Les *Tachytes* Panz. de la région paléarctique occidentale et centrale (Hym., Sphecidae). Polskie Pismo Entomologiczne 32:311-475. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1962b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1962b.pdf)
- Review: D. Guiglia. 1963. Bollettino della Società Entomologica Italiana 93:136. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Guiglia\\_1963\\_Book\\_review.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Guiglia_1963_Book_review.pdf)
- \* 1964. Badania nad egipskimi Sphecidae (Hym.) – Etudes sur les Sphecidae (Hym.) d'Egypte. Polskie Pismo Entomologiczne 34:63-155. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1964\\_Egypt.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1964_Egypt.pdf)
- \* 1965a. *Diploplectron asiaticum* sp. n. (Hym., Sphecidae). Polskie Pismo Entomologiczne 35:221-224. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1965a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1965a.pdf)
- \* 1965b. Budowa pierwszego segmentu odwłoka u rodzaju *Ammophila* K. (Hym., Sphecidae) i jej znaczenie systematyczne – La structure du premier segment abdominal dans le genre *Ammophila* K. (Hym., Sphecidae) et ses conséquences systématiques. Polskie Pismo Entomologiczne 35:259-262. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1965b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1965b.pdf)
- \* 1965c. O synonimie niektórych palearktycznych Sphecidae (Hym.) – Sur la synonymie de certains Sphecidae (Hym.) paléarctiques. Polskie Pismo Entomologiczne 35:563-578. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1965c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1965c.pdf)
- \* 1967a. Hymenoptera from Turkey. – Sphecidae, II (Genera *Astata* Latreille and *Tachysphex* Kohl). Bulletin of the British Museum (Natural History). Entomology 19:383-410. [see Guichard and Harvey, 1967, for list of localities]. Available through: <http://biodiversitylibrary.org/page/2317605> and  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1967a\\_Astata\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1967a_Astata_Tachysphex.pdf)
- \* 1967b. *Solierella nitraria* sp. n. (Hym., Sphecidae). Polskie Pismo Entomologiczne 37:65-68. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1967b\\_Solierella\\_nitraria.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1967b_Solierella_nitraria.pdf)
- \* 1967c. Ergebnisse der zoologischen Nubien-Expedition 1962. Teil XXXI. Sphecidae (Hymenoptera). Annalen des Naturhistorischen Museum in Wien 70:387-388. Available through:  
[http://www.landesmuseum.at/pdf\\_frei\\_remote/ANNA\\_70\\_0387-0388.pdf](http://www.landesmuseum.at/pdf_frei_remote/ANNA_70_0387-0388.pdf)
- \* 1968. *Miscophus heliophilus* sp. n. (Hym., Sphecidae). Polskie Pismo Entomologiczne 32:285-287. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1968.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1968.pdf)
- \* 1970. *Astata (Dryudella) aquitana* sp. n. (Hym., Sphecidae). Polskie Pismo Entomologiczne 40:105-106. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1970.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1970.pdf)
- \* 1971. (Aug.). Les *Tachysphex* (Hym., Sphecidae) de la région paléarctique occidentale et centrale. Państwowe Wydawnictwo Naukowe, Wrocław. 464 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1971\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1971_Tachysphex.pdf)
- \* 1972. Notes synonymiques sur quatre Sphecidae (Hym.) paléarctiques – Uwagi o synonimie czterech palearktycznych Sphecidae. Polskie Pismo Entomologiczne 42:817-820. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski-1972\\_synonymy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski-1972_synonymy.pdf)
- \* 1973. Les *Ammatomus* A. Costa (Hym., Sphecidae) de la région paléarctique occidentale et centrale – Gatunki rodzaju *Ammatomus* A. Costa (Hym., Sphecidae) zachodniej i środkowej Palearktyki. Polskie Pismo Entomologiczne 43:273-288. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski-1973\\_Ammatomus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski-1973_Ammatomus.pdf)

- \* 1974a. A revision of the Neotropical *Tachysphex* Kohl (Hym., Sphecidae) – Neotropikalne gatunki rodzaju *Tachysphex* (Hym. Sphecidae). Polskie Pismo Entomologiczne 44:3-102. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1974a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1974a.pdf)
- \* 1974b. Sur un *Tachysphex* et trois *Astata* (Hym., Sphecidae) de la région paléarctique occidentale – O czterech zachodniopalearktycznych gatunkach grzebaczy z rodzaju *Tachysphex* i *Astata* (Hym., Sphecidae). Polskie Pismo Entomologiczne 44:299-305. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1974b\\_Tachysphex-Astata.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1974b_Tachysphex-Astata.pdf)
- \* 1974c. Notes sur la biologie de deux *Tachysphex* rares: *T. rugosus* Guss. et *T. plicatus* Costa (Hym., Sphecidae) – O biologii dwóch rzadkich gatunków *Tachysphex*: *T. rugosus* Guss. i *T. plicatus* Costa (Hym., Sphecidae). Polskie Pismo Entomologiczne 44:715-718. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1974c\\_Tachysphex\\_biology.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1974c_Tachysphex_biology.pdf)
- \* 1975a. (1974). Synonymical notes on Larrinae and Astatinae (Hymenoptera: Sphecidae). Journal of the Washington Academy of Sciences 64:308-323. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1975a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1975a.pdf)
- \* 1975b. Two new species of Larrinae (Hym., Sphecidae) from Australia and Tunesia – Dwa nowe gatunki Larrinae (Hym., Sphecidae) z Australii i Tunezji. Polskie Pismo Entomologiczne 45:165-169. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1975b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1975b.pdf)
- \* 1977a. A synopsis of *Tachysphex* Kohl (Hym., Sphecidae) of Australia and Oceania – Przegląd gatunków rodzaju *Tachysphex* Kohl Australii i Oceanii (Hym., Sphecidae). Polskie Pismo Entomologiczne 47:203-332. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1977a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1977a.pdf)
- \* 1977b. (Nov.). A revision of the Old World *Parapiagetia* Kohl (Hymenoptera, Sphecidae) – Gatunki rodzaju *Parapiagetia* Kohl (Hymenoptera, Sphecidae) Starego Świata. Polskie Pismo Entomologiczne 47:601-669. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1977b\\_Parapiagetia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1977b_Parapiagetia.pdf)
- \* 1978. Надсем. Sphecoidea [= Nadsem. Sphecoidea], pp. 173-279 in G.S. Medvedev (editor). Определитель насекомых европейской части СССР. Том III. Перепончатокрылые, Первая часть [= Opredelitel' nasekomykh evropeyskoy chasti SSSR, Tom III. Pereponchatokrylye, Pervaya chast', = Keys to the Identification of insects of European USSR. Hymenoptera. Vol. 3, Part 1]. Nauka, Leningrad. 584 pp. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1978.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1978.pdf)
- \* 1979a. A revision of the World *Prosopigastra* Costa (Hymenoptera, Sphecidae) – Rewizja rodzaju *Prosopigastra* (Hymenoptera, Sphecidae). Polskie Pismo Entomologiczne 49:3-134. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1979a\\_Prosopigastra.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1979a_Prosopigastra.pdf)
- \* 1979b. *Parapiagetia pubescens* sp. n. and the hitherto unknown female of *Parapiagetia subtilis* Pulawski (Hymenoptera, Sphecidae). Polskie Pismo Entomologiczne 49:135-137. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1979b\\_Parapiagetia.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1979b_Parapiagetia.pdf)
- \* 1979c. Two new synonyms in Transcaspian Sphecidae (Hymenoptera) – Dwa nowe synonimy wśród zakaspijskich Sphecidae. Polskie Pismo Entomologiczne 49:303-304. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1979c\\_synonymy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1979c_synonymy.pdf)
- \* 1979d. Two new *Dienoplus* from Turkey (Hymenoptera, Sphecidae) – Dwa nowe gatunki *Dienoplus* z Turcji. Polskie Pismo Entomologiczne 49:475-480. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1979d.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1979d.pdf)
- \* 1982a. (1981). New synonyms in Old World Sphecidae (Hymenoptera). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 54:363-366. Available through:

- [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1982a\\_new\\_synonymy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1982a_new_synonymy.pdf)
- \* 1982b. New species of North American *Tachysphex* wasps (Hymenoptera, Sphecidae). Proceedings of the California Academy of Sciences 43:27-42. Available through: <http://biodiversitylibrary.org/page/15775337> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1982b\\_new\\_NA\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1982b_new_NA_Tachysphex.pdf)
  - \* 1983. Identification and synonymies of two western Palearctic *Cerceris*: *maculata* Radoszkowski and *hathor* n. sp. (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 59:240-245. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1983\\_Cerceris\\_synonymy.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1983_Cerceris_synonymy.pdf)
  - \* 1984. The status of *Trypoxylon figulus* (Linnaeus, 1758), *medium* de Beaumont, 1945, and *minus* de Beaumont, 1945 (Hymenoptera: Sphecidae). Proceedings of the California Academy of Sciences 43:123-140. Available through: <http://biodiversitylibrary.org/page/15775437> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1984\\_Trypoxylon\\_figulus\\_gr.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1984_Trypoxylon_figulus_gr.pdf)
  - \* 1985. *Harpactus* Shuckard, 1837, the valid name for the genus currently called *Dienoplus* Fox, 1894 (Hymenoptera: Sphecidae). Systematic Entomology 10:59-63. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1985\\_Harpactus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1985_Harpactus.pdf)
  - \* 1986. *Tachysphex peruanus*, a new species related to *Tachysphex galapagensis* Williams (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 62:95-98. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1986\\_Tx\\_peruanus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1986_Tx_peruanus.pdf)
  - \* 1988a. Revision of North American *Tachysphex* wasps including Central American and Caribbean species. Memoirs of the California Academy of Sciences 10:1-211. Available through: <http://biodiversitylibrary.org/page/15651895> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1988a\\_NA\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1988a_NA_Tachysphex.pdf)
  - Reviews: A.T. Fennimore 1988. Bulletin. Entomological Society of Canada 20:54-55. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Review\\_Pulawski\\_1988a\\_by\\_Fennimore.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Review_Pulawski_1988a_by_Fennimore.pdf)
  - S.F. Gayubo 1988. Eos. Revista Española de Entomología 64:271.
  - A.S. Menke. 1988. Sphecos 17:4. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Review\\_Pulawski\\_1988a\\_by\\_Menke.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Review_Pulawski_1988a_by_Menke.pdf)
  - J. Oehlke 1989. Beiträge zur Entomologie 39:206.
  - \* 1988b. *Vespa triangulum* Fabricius, 1775 (currently *Philanthus triangulum*, Insecta, Hymenoptera): proposed conservation of the specific name. The Bulletin of Zoological Nomenclature 45:34-35. Available through: <http://biodiversitylibrary.org/page/12229707> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1988b\\_Philanthus\\_triangulum.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1988b_Philanthus_triangulum.pdf)
  - \* 1989a. *Sericophorus rhinocerus*, a new species from New Caledonia (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 65:319-321. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1989a\\_Sericophorus\\_rhinocerus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1989a_Sericophorus_rhinocerus.pdf)
  - \* 1989b. *Pison nogorombu*, a new species from Papua New Guinea (Hymenoptera: Sphecidae). The Pan-Pacific Entomologist 65:468-475. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1989b\\_Pison\\_nogorombu.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1989b_Pison_nogorombu.pdf)
  - \* 1991a. (6 Dec.). A new species of *Odontosphex* from Namibia (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 93:953-955. Available through: <http://biodiversitylibrary.org/page/16198638> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1991a\\_Odontosphex\\_damara.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1991a_Odontosphex_damara.pdf)
  - \* 1991b. (10 Dec.). A revision of the wasp genus *Kohliella* (Hymenoptera: Sphecidae). Proceedings of the California Academy of Sciences (Series 4) 47 (10):289-302. Available through: <http://biodiversitylibrary.org/page/15776313> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1991b\\_Kohliella.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1991b_Kohliella.pdf)

- \* 1992a. (6 Apr.). World species of the wasp genus *Holotachysphex* de Beaumont (Hymenoptera: Sphecidae). Proceedings of the Entomological Society of Washington 94:223-242. Available through: <http://biodiversitylibrary.org/page/16245276> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski-1992a\\_Holotachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski-1992a_Holotachysphex.pdf)
- \* 1992b. (25 Sept.). A review of *Eremiasphecium* Kohl, 1897 (Hymenoptera: Sphecidae). Entomofauna 13:397-408. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/ENT\\_13\\_0397-0406.pdf](http://www.landesmuseum.at/pdf_frei_remote/ENT_13_0397-0406.pdf)
- \* 1994. (Dec.). K. Tsuneki types of Hymenoptera, all Sphecidae, in the California Academy of Sciences entomology collection (as of 28 November 1994). Sphecos 28:27. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Sphecos\\_28.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Sphecos_28.pdf)
- \* 1995a. (25 Sept.). The wasp genus *Tachytella* Brauns, 1906 (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 4:121-136. Available through: <http://biodiversitylibrary.org/page/3387689> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski-1995a\\_Tachytella.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski-1995a_Tachytella.pdf)
- \* 1995b. (23 Oct.). The wasp genus *Gastrosericus* Spinola, 1839 (Hymenoptera: Sphecidae). Memoirs of the California Academy of Sciences 18:i-vi, 1-173. Available through: <http://biodiversitylibrary.org/page/15652419> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_1995b\\_Gastrosericus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_1995b_Gastrosericus.pdf)  
Review: C. Schmid-Egger. 1996. BembiX 7:44.
- \* 1997. (20 Oct.). A review of New Guinean *Ochleroptera* Holmberg 1903 (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 6:256-262. Available through: <http://biodiversitylibrary.org/page/4491707> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski-1997\\_Ochleroptera.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski-1997_Ochleroptera.pdf)
- \* 2000. (27 Oct.). *Didineis massaica*, new species, the first Afrotropical member of the genus, and redescription of *Didineis nigricans* Morice, 1911 (Hymenoptera: Apoidea: Crabronidae: Bembicinae). Journal of Hymenoptera Research 9:347-351. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2000.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2000.pdf)
- \* 2003a. (23 Oct.). *Prosopigastra morogoro*, a new species from Tanzania (Hymenoptera: Apoidea: Crabronidae: Larrini). Journal of Hymenoptera Research 12:303-307. Available through: <http://biodiversitylibrary.org/page/2839586> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2003a\\_Prosopigastra\\_morogoro.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2003a_Prosopigastra_morogoro.pdf)
- \* 2003b. Hymenoptera: Heterogynaidae, Ampulicidae, Sphecidae, and Crabronidae: apoid wasps, pp. 793-810 in: S.M. Goodman and J.P. Benstead (editors). The natural history of Madagascar. The University of Chicago Press, Chicago and London. 1079 pp.
- \* 2006. (28 Mar.). Nomenclatural changes in Old World Crabronidae (Hymenoptera), with taxonomic comments and new distribution records. Journal of Hymenoptera Research 15:164-170. Available through: <http://biodiversitylibrary.org/item/20828#page/166/mode/tup> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2006\\_Nomenclatural\\_Changes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2006_Nomenclatural_Changes.pdf)
- \* 2007a. (11 May). The wasp genus *Tachysphex* Kohl, 1883, of Sahara, sub-Saharan Africa, the Arabian Peninsula, and Madagascar (Hymenoptera: Apoidea: Crabronidae). Proceedings of the California Academy of Sciences (Fourth Series) 58, Supplement 1:1-698. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2007\\_African\\_Tachysphex.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2007_African_Tachysphex.pdf)
- \* 2007b. (Oct.). The status of *Liris magnificus* Kohl, 1884, and *Trachogorytes costaricae* R. Bohart, 2000 (Hymenoptera: Crabronidae: Bembicinae). Journal of Hymenoptera Research 16:293-296. Available through: <http://www.biodiversitylibrary.org/item/20513#page/85/mode/tup> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2007b\\_Liris\\_Trachogorytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2007b_Liris_Trachogorytes.pdf)
- \* 2010a. (16 Mar.). *Rhopalum nasale*, a new species from Australia (Hymenoptera: Crabronidae). Journal of Hymenoptera Research 19:139-143. Available through: <http://www.biodiversitylibrary.org/item/109570#page/142/mode/tup> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2010a\\_Rhopalum\\_nasale.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2010a_Rhopalum_nasale.pdf)

- \* 2010b. (31 Mar.). *Nitela constructor*, a new species from French Guiana (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Fourth Series) 61:381-383. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2010b\\_Nitela.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2010b_Nitela.pdf)
- \* 2011. Two new synonyms in Oriental Crabronidae (Hymenoptera). Journal of Hymenoptera Research 20:1-7. Available through: <http://www.pensoft.net/journals/jhr/article/869/two-new-synonyms-in-oriental-crabronidae-hymenoptera>
- \* 2012. (23 Mar.). A review of the genus *Larissus* Menke, 1967, and description of the new genus *Larissa* (Hymenoptera, Crabronidae). Journal of Hymenoptera Research 25:35-82. Available through: <http://www.pensoft.net/journals/jhr/article/2396/abstract/a-review-of-the-genus-larissus-menke-1967-and-description-of-the-new-genus-larissa-hymenoptera-crabronidae>
- \* 2015. (14 Aug.). A revision of the *rhopalocerus* species group of *Bembecinus* Costa: an addendum (Hymenoptera: Crabronidae: Bembecini). Proceedings of the California Academy of Sciences (Series 4) 62:395-396. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2015.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2015.pdf)
- \* 2016a. (14 Oct.). A new synonymy in the genus *Pison* Jurine, 1808 (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 63:329-331. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2016a.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2016a.pdf)
- \* 2016b. (29 Dec.). On *Eremiasphecium arabicum* Pulawski and *Eremiasphecium sahelense* Simon Thomas (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 63:575-579. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2016b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2016b.pdf)
- \* 2017. (5 May). A revision of the wasp genus *Aulacophilinus* Lomholdt, 1980 with descriptions of three new species (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 64:1-29. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2017\\_Aulacophilinus.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2017_Aulacophilinus.pdf)
- \* 2018. A revision of the wasp genus *Pison* Jurine, 1809 of Australia and New Zealand, New Guinea, and the Pacific islands. Proceedings of the California Academy of Sciences (Series 4) 65, Supplement III:1-584. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2018.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2018.pdf)
- \* 2019. (30 Sept.). A review of the wasp genus *Tachytes* Panzer, 1906 of Madagascar (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 66:117-136. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2019\\_Tachytes.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2019_Tachytes.pdf)
- \* 2022a. (29 July). New synonymy in the Afrotropical *Tachytes* Panzer, 1806 (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 67:269-279. Available through: [https://researcharchive.calacademy.org/research/entomology/entomology\\_resources/hymenoptera/sphecidae/copies/Pulawski\\_2022a.pdf](https://researcharchive.calacademy.org/research/entomology/entomology_resources/hymenoptera/sphecidae/copies/Pulawski_2022a.pdf)
- \* 2022b. (29 July). A new synonymy in Eurasian Crabronidae (Hymenoptera): *Lestica clypeata* (Schreber, 1759) and *Lestica quadriceps* Bingham, 1897). Proceedings of the California Academy of Sciences (Series 4) 67:357-359. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2022b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2022b.pdf)
- \* 2022c. (29 July). A revision of the genus *Paranysson* Guérin-Ménéville, 1844 (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 67:361-393. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2022c.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2022c.pdf)
- \* 2023. (4 Aug.). Two new Western Australian species of the wasp genus *Podagritus* Spinola, 1851 (Hymenoptera: Crabronidae) that prey on bees. Australian Entomologist 50:121-130. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2023.pdf)
- \* 2025a. Description of the new genus *Paracanthostethus* (Hymenoptera: Crabronidae) from Australia. Australian Entomologist 52:117-123. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2025.pdf)

- \* 2025b. Four new species of *Podagrirus* from Western Australia and redescription of *Podagrirus noongaris* Leclercq (Hymenoptera: Crabronidae). Zootaxa 5737:219-234. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_2025b.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_2025b.pdf)

**Pulawski, W.J., and H.K. Court**

- \* 1992. (28 Sept.). A review of the genus *Hingstoniola* (Hymenoptera: Sphecidae: Crabronini). Journal of Hymenoptera Research 1:255-260. Available through: <http://biodiversitylibrary.org/page/4490129> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Court-1992\\_Hingstoniola.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Court-1992_Hingstoniola.pdf)

**Pulawski, W.J., and F. Fresno López**

- 2019. (15 May). On the coexistence in Spain of *Prosopigastra kohli* Mercet, 1907 and *Prosopigastra bulgarica* Pulawski, 1958 (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 65:139-142. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Fresno\\_LopezF\\_PCAS\\_v65\\_15May19S.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Fresno_LopezF_PCAS_v65_15May19S.pdf)

**Pulawski, W.J., and R. Gandhi Gracy**

- \* 2018. (29 Mar.). Redescriptions of two Indian Stigmina (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 64:333-340. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Gandhi\\_Gracy\\_LR\\_2018v.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Gandhi_Gracy_LR_2018v.pdf)

**Pulawski, W.J., and S.K. Gess**

- \* 2016. (29 Dec.). A new species of the genus *Palarus* (Hymenoptera: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 63:581-588. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_and\\_Gess\\_2016.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_and_Gess_2016.pdf)

**Pulawski, W.J., and M.A. Prentice**

- \* 2008. (30 Sept.). A revision of the wasp tribe Palarini Schrottky, 1909 (Hymenoptera: Apoidea: Crabronidae). Proceedings of the California Academy of Sciences (Series 4) 59:307-479. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Prentice\\_2008\\_Palarini\\_Revision.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Prentice_2008_Palarini_Revision.pdf)

**Pulawski, W.J., and A.P. Rasnitsyn**

- \* 1980. On the taxonomic position of *Hoplisis sepultus* Cockerell, 1906, from the Lower Oligocene of Colorado (Hymenoptera, Sphecidae) – O położeniu systematycznym *Hoplisis sepultus* Cockerell, 1906, z Dolnego Oligocenu Kolorado (Hymenoptera, Sphecidae). Polskie Pismo Entomologiczne 50:393-396. Available through:

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Rasnitsyn\\_1980\\_Hoplisis.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Rasnitsyn_1980_Hoplisis.pdf)

- \* 2000. (5 May). *Cretobestiola*, a replacement name for *Bestiola* Pulawski and Rasnitsyn, 1999 (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 9:209. Reprinted under the same title: 2000 (1 Dec.). Acta Geologica Hispanica 35:53. Available through:

<http://biodiversitylibrary.org/page/2858559> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_Rasnitsyn\\_2000\\_Cretobestiola.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_Rasnitsyn_2000_Cretobestiola.pdf)

**Pulawski, W.J., A.P. Rasnitsyn, D.J. Brothers, and S.B. Archibald**

- \* 2000. (5 May). New genera of Angarosphecinae: *Cretosphecium* from Early Cretaceous of Mongolia and *Eosphecium* from Early Eocene of Canada (Hymenoptera: Sphecidae). Journal of Hymenoptera Research 9: 34-40. Available through: <http://biodiversitylibrary.org/page/2858215> and

[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pulawski\\_et\\_al\\_2000\\_Angarosphecinae.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pulawski_et_al_2000_Angarosphecinae.pdf)

**Pulkkinen, A.**

1931. Suomen Eläimet. Animalia Fennica. I. Myrkkypistiäiset. Hymenoptera Aculeata. Petopistiäiset, Sphecidae. Porvoo-Helsinki. 168 pp.

**Puton, A.**

- \* 1871. Notes sur Quelques Hyménoptères et description d'une espèce nouvelle. Annales de la Société Entomologique de France (Série 5) 1:91-97. Available through: <http://biodiversitylibrary.org/page/8247341> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Puton\\_1871.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Puton_1871.pdf)
- \* 1896. Observations sur les mœurs de deux Hyménoptères fouisseurs. Revue d'Entomologie publiée par la Société Française d'Entomologie, Caen 15:234-236 [*Gorytes exiguus*, *Ceratocolus subterraneus*]. Available through: <http://biodiversitylibrary.org/page/14485253> and [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Puton\\_1896.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Puton_1896.pdf)

**Pytel-Huta, S.**

2023. Wasps (Crabronidae, Sphecidae, Scoliidae, and Pompilidae) of Rivne Nature Reserve and their trophic relationships with angiosperms. Біологічні Студії – Studia Biologica 17:85-98. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pytel\\_Huta\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pytel_Huta_2023.pdf)

**Pytel-Huta, S., and M. Franchuk**

- \* 2024. Mud dauber wasps (Apoidea: Crabronidae and Sphecidae) of the Nature Reserve "Rivnenskyi" and their biotopes belonging. Вісник Львівського університету. Серія біологічна – Visnyk of te Lviv University. Series Biology 93:72-100. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pytel-Huta\\_Franchuk\\_2025.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pytel-Huta_Franchuk_2025.pdf)

**Pytel-Huta, S., I. Skyrpan, Y. Tsaryk, I. Shydlovskyy, and I. Khamar**

- \* 2022. Representatives of the superfamilies Vespoidea, Apoidea (Spheciformes) and Chrysidoidea in the collection of the Zoological Museum of Ivan Franko National University of Lviv. Biologichni Studii (Studia Biologica) 16:51-58. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Pytel-Huta\\_et\\_al\\_2023.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Pytel-Huta_et_al_2023.pdf)

**Q****Quest, M., and M. Kuhlmann**

- \* 2005. Stechimmenzönosen von Borkenkäferlücken in Nationalpark Bayerischer Wald. Nachrichtenblatt der Bayerischen Entomologen 54:30-38. Available through: [http://www.landesmuseum.at/pdf\\_frei\\_remote/NachBIBayEnt\\_054\\_0030-0038.pdf](http://www.landesmuseum.at/pdf_frei_remote/NachBIBayEnt_054_0030-0038.pdf)

**Quezada, A.E., and H.N. Fuentes**

- \* 1974. (31 Dec.). Estados postembrionales y distribución geographica de *Bembix brullei* (Guérin, 1830) (Hymenoptera-Sphecidae). Boletín de la Sociedad de Biología de Concepción 48:403-408, 1 pl. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Quezada\\_Fuentes\\_1974\\_Bembix\\_brullei.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Quezada_Fuentes_1974_Bembix_brullei.pdf)

**Quicke, D.L.J., S.N. Ingram, H.S. Baillie, and P.V. Gaitens**

- \* 1992. Sperm structure and ultrastructure in the Hymenoptera (Insecta). Zoologica Scripta 21:381-402. Available through: [http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Quicke\\_et\\_al\\_1992\\_Hymenoptera\\_sperm.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Quicke_et_al_1992_Hymenoptera_sperm.pdf)

**Quintero, A.D., and R.A. Cambra T.**

- \* 1996. (June). *Timulla centroamericana* (Dalla Torre) (Hymenoptera: Mutillidae), a parasitoid of *Liris* (Hymenoptera: Sphecidae). Southwestern Entomologist 21:205-207. Available through:  
[http://researcharchive.calacademy.org/research/entomology/Entomology\\_Resources/Hymenoptera/sphecidae/copies/Quintero\\_Cambra\\_1996.pdf](http://researcharchive.calacademy.org/research/entomology/Entomology_Resources/Hymenoptera/sphecidae/copies/Quintero_Cambra_1996.pdf)